



# FortiOS - FortiOS Log Reference

VERSION 5.4.0



**FORTINET DOCUMENT LIBRARY**

<http://docs.fortinet.com>

**FORTINET VIDEO GUIDE**

<http://video.fortinet.com>

**FORTINET BLOG**

<https://blog.fortinet.com>

**CUSTOMER SERVICE & SUPPORT**

<https://support.fortinet.com>

**FORTIGATE COOKBOOK**

<http://cookbook.fortinet.com>

**FORTINET TRAINING SERVICES**

<http://www.fortinet.com/training>

**FORTIGUARD CENTER**

<http://www.fortiguard.com>

**END USER LICENSE AGREEMENT**

<http://www.fortinet.com/doc/legal/EULA.pdf>

**FEEDBACK**

Email: [techdocs@fortinet.com](mailto:techdocs@fortinet.com)



January 27, 2017

FortiOS 5.4.0 FortiOS Log Reference

01-540-299610-20170127

# TABLE OF CONTENTS

|   |           |
|---|-----------|
| <b>Change Log</b> .....                 | <b>7</b>  |
| <b>Introduction</b> .....               | <b>8</b>  |
| Before You Begin .....                  | 8         |
| Overview .....                          | 8         |
| What's New .....                        | 8         |
| FortiOS 5.4.0 .....                     | 8         |
| <b>Log Types and Sub Types</b> .....    | <b>10</b> |
| Type .....                              | 10        |
| Subtype .....                           | 11        |
| Priority Level .....                    | 11        |
| Message IDs .....                       | 11        |
| Log Message Format .....                | 12        |
| Log Field Format .....                  | 12        |
| <b>Log Schema Structure</b> .....       | <b>13</b> |
| Header and Body Fields .....            | 13        |
| Log ID Numbers .....                    | 15        |
| Log ID Definitions .....                | 16        |
| <b>FortiOS 5.4.0 Log Messages</b> ..... | <b>19</b> |
| Anomaly .....                           | 19        |
| Anomaly Log Messages .....              | 20        |
| App .....                               | 21        |
| App Log Messages .....                  | 22        |
| AV .....                                | 23        |
| AV Log Messages .....                   | 25        |
| DLP .....                               | 27        |
| DLP Log Messages .....                  | 29        |
| Email .....                             | 30        |
| Email Log Messages .....                | 31        |
| Event .....                             | 33        |
| COMPLIANCE-CHECK .....                  | 33        |
| ENDPOINT .....                          | 34        |
| HA .....                                | 36        |
| ROUTER .....                            | 39        |
| SYSTEM .....                            | 41        |

|   |            |
|---|------------|
| USER .....  | 67         |
| VPN .....   | 70         |
| WAD .....   | 76         |
| WIRELESS .....  | 79         |
| GTP .....   | 85         |
| GTP Log Messages .....  | 88         |
| IPS .....   | 89         |
| IPS Log Messages .....  | 91         |
| Traffic .....   | 91         |
| Traffic Log Messages .....                                      | 95         |
| VoIP .....  | 96         |
| VoIP Log Messages .....   | 98         |
| WAF .....   | 99         |
| WAF Log Messages .....  | 100        |
| Web .....   | 101        |
| Web Log Messages .....  | 103        |
| <b>Appendix A: Log Field Diff Between 5.2.0 and 5.4.0 .....</b> | <b>106</b> |
| Content .....   | 106        |
| Event .....   | 109        |
| Compliance-Check .....  | 109        |
| Endpoint .....  | 110        |
| GTP .....   | 111        |
| HA .....  | 113        |
| Router .....  | 114        |
| System .....  | 114        |
| User .....  | 116        |
| VPN .....   | 117        |
| WAD .....   | 117        |
| Wireless .....  | 117        |
| GTP .....   | 118        |
| Security (UTM) .....  | 120        |
| Anomaly .....   | 121        |
| App .....   | 122        |
| AV .....  | 123        |
| DLP .....   | 123        |
| Email .....   | 124        |
| IPS .....   | 124        |
| Web .....   | 124        |
| Traffic .....   | 125        |
| WAF .....   | 126        |
| Other logs .....  | 127        |
| Netscan .....   | 127        |

|   |            |
|---|------------|
| VOIP .....  | 129        |
| <b>Appendix B: Log Field Diff for 5.2.9 and 5.4.0 .....</b> | <b>131</b> |
| Traffic .....   | 131        |
| Event .....   | 131        |
| Compliance-Check .....                                      | 132        |
| Endpoint .....  | 132        |
| Router .....  | 133        |
| System .....  | 133        |
| Security (UTM) .....  | 133        |
| Anomaly .....   | 133        |
| IPS .....   | 134        |
| Web .....   | 134        |
| GTP .....   | 134        |
| WAF .....   | 137        |
| Netscan .....   | 138        |
| VOIP .....  | 141        |
| <b>Appendix C: Log ID Diff for 5.2.0 and 5.4.0 .....</b>    | <b>142</b> |
| Event .....   | 142        |
| COMPLIANCE-CHECK .....                                      | 142        |
| Endpoint .....  | 142        |
| GTP .....   | 143        |
| HA .....  | 144        |
| Router .....  | 144        |
| System .....  | 144        |
| User .....  | 150        |
| VPN .....   | 150        |
| WAD .....   | 153        |
| Wireless .....  | 153        |
| GTP .....   | 156        |
| Security .....  | 157        |
| Anomaly .....   | 157        |
| AntiVirus .....   | 157        |
| IPS .....   | 157        |
| Web Filter .....  | 158        |
| Traffic .....   | 158        |
| WAF .....   | 158        |
| Other Logs .....  | 159        |
| Netscan .....   | 159        |
| VOIP .....  | 160        |
| <b>Appendix D: Log ID Diff for 5.2.9 and 5.4.0 .....</b>    | <b>161</b> |
| Traffic .....   | 161        |
| Event .....   | 161        |

|                        |     |
|------------------------|-----|
| Compliance-Check ..... | 161 |
| Endpoint .....         | 161 |
| HA .....               | 162 |
| Router .....           | 162 |
| System .....           | 162 |
| VPN .....              | 164 |
| WAD .....              | 164 |
| Wireless .....         | 164 |
| Security (UTM) .....   | 164 |
| Web .....              | 164 |
| Email .....            | 165 |
| GTP .....              | 167 |
| WAF .....              | 168 |
| Other .....            | 168 |
| Netscan .....          | 168 |

## Change Log

| Date       | Change Description  |
|------------|---|
| 2015-12-18 | Updated for version 5.4.0.  |
| 2016-01-29 | Updated the Log Types and Sub Types section to indicate the new GTP and WAF log types. Previously GTP was a log sub type of the Event log type. |
| 2016-11-03 | Added a What's New section and an appendix of a log field diff for 5.2.0 and 5.4.0.   |
| 2016-11-10 | Updated Appendix B: Log ID Diff for 5.2.9 and 5.4.0.<br>Added Appendix D: Log ID Diff for 5.2.9 and 5.4.0.                                      |
| 2017-01-27 | Removed the <code>encrypt-kickout</code> value from the <i>Log Field Format</i> section.  |

# Introduction

This document provides information about all the log messages applicable to the FortiGate devices running FortiOS version 5.2.0 or higher. The logs are intended for administrators to be used as reference for more information about a specific log entry and message that is generated.

## Before You Begin

Before you begin using this reference, read the following notes:

- The information in this document applies to all FortiGate units currently running FortiGate 5.2.0 or higher.
- Ensure that you have enabled logging for FortiGate unit. For more information, see the *Logging and Reporting* chapter in the *FortiGate Handbook*.
- Each log message is displayed in RAW format in the Log View of the web-based manager.
- Each log message is documented similar to how it appears in the log viewer table based on the RAW format. For more information, see the *Logging and Reporting* chapter in the *FortiGate Handbook*.



This reference contains detailed information for each log type and sub type; however, this reference contains only information gathered at publication and, as a result, not every log message field contains detailed information.

---

## Overview

The log types described in this document report traffic, security, and event log information useful for system administrators when recording, monitoring, and tracing the operation of a FortiGate device running FortiOS. The logs provide information regarding the following:

- Firewall attacks
- Configuration changes
- Successful and unsuccessful system operations

## What's New

This section identifies major changes in the FortiOS Log Reference from version 5.4.0 and later.

### FortiOS 5.4.0

#### Content

- Content log type was removed from FortiOS 5.4.0.

**Event**

- Compliance-check log subtype was added to Event log type.
- GTP log subtype was removed from Event log type.
- Router log subtype was added to Event log type.

**GTP**

- GTP was added as a new log type with a category of 14. Previously GTP was a log subtype of the Event log type.

**WAF**

- WAF was added as a new log type with a category of 12.

## Log Types and Sub Types

FortiGate devices can record the following types and sub types of log entry information:

| Type           | Description   | Sub Type  |
|----------------|---|---|
| Traffic        | Records traffic flow information, such as an HTTP/HTTPS request and its response, if any.                               | <ul style="list-style-type: none"> <li>• Local</li> <li>• Forward</li> <li>• Multicast</li> <li>• Sniffer</li> </ul>  |
| Security (UTM) | Records virus attack and intrusion attempts.  | <ul style="list-style-type: none"> <li>• AntiVirus</li> <li>• Anomaly</li> <li>• Application Control</li> <li>• Data Leak Prevention (DLP)</li> <li>• Intrusion Prevention (IPS)</li> <li>• Email Filter</li> <li>• Web Filter</li> </ul>                     |
| Event          | Records system and administrative events, such as downloading a backup copy of the configuration, or daemon activities. | <ul style="list-style-type: none"> <li>• Compliance-check</li> <li>• Endpoint Control</li> <li>• High Availability</li> <li>• Router</li> <li>• System</li> <li>• User</li> <li>• Virtual Private Network (VPN)</li> <li>• WAD</li> <li>• Wireless</li> </ul> |
| GTP            | Records GPRS Tunneling Protocol (GTP) traffic for FortiCarrier devices.   |   |
| WAF            | Records web application firewall information for FortiWeb appliances and virtual appliances                             |   |

### Type

Each log entry contains a Type (type) field that indicates its log type, and in which log file it is stored.

## Subtype

Each log entry might also contain a Sub Type (subtype) field within a log type, based on the feature associated with the cause of the log entry.

For example:

- In event logs, some log entries have a subtype of user, system, or other sub types.
- In security (UTM) logs, some log entries have a subtype of DLP, Web Filter, Email or other sub types.
- In traffic logs, the sub types are: local, forward, multicast, and sniffer.

## Priority Level

Each log entry contains a Level (pri) field that indicates the estimated severity of the event that caused the log entry, such as pri=warning, and therefore how high a priority it is likely to be. Level (pri) associations with the descriptions below are not always uniform. They also may not correspond with your own definitions of how severe each event is. If you require notification when a specific event occurs, either configure SNMP traps or alert email by administrator-defined Severity Level (severity\_level) or ID (log\_id), not by Level (pri).

| Level (0 is highest) | Name         | Description  |
|----------------------|--------------|--|
| 0                    | Emergency    | The system is unusable or not responding.  |
| 1                    | Alert        | Immediate action required. Used in security logs.  |
| 2                    | Critical     | Functionality is affected.   |
| 3                    | Error        | An error exists and functionality could be affected.   |
| 4                    | Warning      | Functionality could be affected.   |
| 5                    | Notification | Information about normal events.   |
| 6                    | Information  | General information about system operations. Used in event logs to record configuration changes. |

For each location where the FortiGate device can store log files (disk, memory, Syslog or FortiAnalyzer), you can define a severity threshold. The FortiGate stores all log messages equal to or exceeding the log severity level selected. For example, if you select Error, FortiGate will store log messages whose log severity level is Error, Critical, Alert, and Emergency.

## Message IDs

The MSG ID (msg\_id) field is a 10-digit number located in the header, incremented with each individual log message generated by FortiGate. It is used only for numbering each entry in the database, and does not necessarily reflect its cause.

Each msg\_id number is a unique identifier for that specific log entry. No other log messages, regardless of cause, share the same msg\_id.

|                 |   |
|-----------------|---|
| LOG ID field    | 10-digit number                               |
| MSG-ID (msg_id) | Last 6 digits at the end of the LOG ID field. |

## Log Message Format

For documentation purposes, all log types and sub types follow this generic table format to present the log message entry and severity information.

| Message ID | Message              | Severity |
|------------|----------------------|----------|
| 2          | LOG_ID_TRAFFIC_ALLOW | Notice   |

## Log Field Format

The following table describes the standard format in which each log type is described in this document. For documentation purposes, all log types and sub types follow this generic table format to present the log entry information.

| Log Field | Log Field Description                | Data Type | Length | Value(s)  |
|-----------|--------------------------------------|-----------|--------|---|
| appact    | The security action from app control | ENUM      | 16     | <ul style="list-style-type: none"> <li>• block</li> <li>• monitor</li> <li>• pass</li> <li>• reject</li> <li>• reset</li> </ul> |

# Log Schema Structure

This section describes the schema of the FortiGate log messages.

## Header and Body Fields

Each log message consists of several fields and values. In the web-based manager, the logs are displayed in a **Formatted** table view or **Raw** format. You can download the logs in the raw format for further analysis.

- **Header** - Contains the date and time the log originated, log identifier, message identifier, administrative domain (ADOM), the log category, severity level, and where the log originated. These fields are common to all log categories.
- **Body** - Describes the reason why the log was created and actions taken by the FortiGate device to address it. These fields vary by log category.

Following is an example of traffic log message in raw format. The body fields are highlighted in bold.

```
date=2014-07-04 time=14:26:59 logid=0001000014 type=traffic subtype=local
level=notice vd=vdom1 srcip=10.6.30.254 srcport=54705 srcintf="mgmt1"
dstip=10.6.30.1 dstport=80 dstintf="vdom1" sessionid=350696 status=close
policyid=0 dstcountry="Reserved" srccountry="Reserved" trandisp=noop
service=HTTP proto=6 app="Web Management" duration=13 sentbyte=1948
rcvdbyte=3553 sentpkt=9 rcvdpkt=9 devtype="Fortinet Device"
osname="Fortinet OS" mastersrcmac=00:09:0f:67:6c:31
srcmac=00:09:0f:67:6c:31
```

The following table provides an example of the log field information that is contained in the header and body fields, according to its name as it appears in the **Formatted** or **Raw** view.

| Field Name (Raw format view in parentheses) | Field Description   | Exists in Log Type |       |          | Example Field - Value (raw format) |
|---|---|--------------------|-------|----------|------------------------------------|
|   |   | Traffic            | Event | Security |                                    |
| <b>Header</b>                               |   |                    |       |          |                                    |
| Date (date)                                 | The day, month, and year when the log message was reported. | ✓                  | ✓     | ✓        | date=2014-07-04                    |
| Time (time)                                 | The hour clock when the log message was recorded.           | ✓                  | ✓     | ✓        | time=14:26:59                      |
| ID (log_id)                                 | See Log ID  | ✓                  | ✓     | ✓        | logid=0001000014                   |
| MSG (msg)                                   | See Message IDs   | ✓                  | ✓     | ✓        | msg=000100000012                   |
| Type (type)                                 | See Type  | ✓                  | ✓     | ✓        | type=traffic                       |

| Field Name (Raw format view in parentheses) | Field Description   | Exists in Log Type |       |          | Example Field - Value (raw format) |
|---|---|--------------------|-------|----------|------------------------------------|
|   |   | Traffic            | Event | Security |                                    |
| Sub Type (subtype)                          | See Sub Type  | ✓                  | ✓     | ✓        | subtype=local                      |
| VDOM (vd)                                   | The virtual domain in which the log message was recorded.   | ✓                  | ✓     | ✓        | vd=vdom1                           |
| Level (pri)                                 | Priority level  | ✓                  | ✓     | ✓        | level=notice                       |
| <b>Body</b>                                 |   |                    |       |          |                                    |
| Protocol (proto)                            | tcp: The protocol used by web traffic (tcp by default)  | ✓                  | ✓     | ✓        | proto=6                            |
| Source IP (srcip)                           | The IP address of the traffic's origin. The source varies by the direction: <ul style="list-style-type: none"> <li>In HTTP requests, this is the web browser or other client.</li> <li>In HTTP responses, this is the physical server.</li> </ul> | ✓                  | ✓     | ✓        | srcip=10.6.30.254                  |
| Source Port (srcport)                       | The port number of the traffic's origin.  | ✓                  | ✓     | ✓        | srcport=54705                      |
| Source Interface (srcintf)                  | The interface of the traffic's origin.  | ✓                  | ✓     | ✓        | srcintf="mgmt1"                    |
| Destination IP (dstip)                      | The destination IP address for the web.   | ✓                  | ✓     | ✓        | dstip=10.6.30.1                    |
| Destination Port (dstport)                  | The port number of the traffic's destination.   | ✓                  | ✓     | ✓        | dstport=80                         |
| Destination Interface (dstintf)             | The interface of the traffic's destination.   | ✓                  | ✓     | ✓        | dstintf="vdom1"                    |
| Session ID (sessionid)                      | The session number for the traffic connection   | ✓                  | ✓     | ✓        | sessionid=350696                   |
| Status (status)                             | The status of the session   | ✓                  | ✓     | ✓        | status=close                       |

| Field Name (Raw format view in parentheses) | Field Description  | Exists in Log Type |       |          | Example Field - Value (raw format) |
|---|--|--------------------|-------|----------|------------------------------------|
|   |  | Traffic            | Event | Security |                                    |
| Policy (policyid)                           | The name of the server policy governing the traffic which caused the log message.  | ✓                  | ✓     | ✓        | policyid=0                         |
| Service (service)                           | http or https The name of the application-layer protocol used by the traffic. By definition, for FortiWeb, this is always HTTP or HTTPS. | ✓                  | ✓     | ✓        | service=HTTP                       |
| User (user)                                 | The daemon or name of the administrator account that performed the action that caused the log message.                                   | ✓                  | ✓     | ✓        | user=admin                         |

## Log ID Numbers

The ID (log\_id) is a 10-digit field located in the header, immediately following the time and date fields. It is a unique identifier for that specific log and includes the following information about the log entry.

| Log ID number components      | Description   | Examples  |
|-------------------------------|---|---|
| <b>Log Type</b>               | Represented by the first two digits of the log ID.          | <ul style="list-style-type: none"> <li>Traffic log IDs begin with "00".</li> <li>Event log IDs begin with "01".</li> </ul>  |
| <b>Sub Type or Event Type</b> | Represented by the second two digits of the log ID.         | <ul style="list-style-type: none"> <li>VPN log subtype is represented with "01" which belongs to the Event log type that is represented with "01".</li> </ul> <p>Therefore, all VPN related Event log IDs will begin with the 0101 log ID series.</p> |
| <b>Message ID</b>             | The last six digits of the log ID represent the message ID. | <ul style="list-style-type: none"> <li>An administrator account always has the log ID 0000003401.</li> </ul>  |

The log\_id field is a number assigned to all permutations of the same message. It classifies a log entry by the nature of the cause of the log message, such as administrator authentication failures or traffic. Other log messages that share the same cause will share the same log\_id.

## Log ID Definitions

Following are the definitions for the log type IDs and sub type IDs applicable to FortiOS version 5.2.1 and later.

| Log Type IDs        | Sub Type IDs  |
|---------------------|---|
| <b>traffic:0</b>    | <ul style="list-style-type: none"><li>• forward:0</li><li>• local:1</li><li>• multicast:2</li><li>• sniffer:4</li></ul>   |
| <b>event:1</b>      | <ul style="list-style-type: none"><li>• system:0</li><li>• vpn:1</li><li>• user:2</li><li>• router:3</li><li>• wireless:4</li><li>• wad:5</li><li>• endpoint:7</li><li>• ha:8</li><li>• compliance-check: 9</li></ul>                       |
| <b>antivirus: 2</b> | <ul style="list-style-type: none"><li>• virus:2</li><li>• suspicious:0</li><li>• analytics:1</li><li>• botnet:2</li><li>• infected:11</li><li>• filename:12</li><li>• oversize:13</li><li>• scanerror:62</li><li>• switchproto:63</li></ul> |

| Log Type IDs       | Sub Type IDs  |
|--------------------|---|
| <b>webfilter:3</b> | <ul style="list-style-type: none"><li>• content:14</li><li>• urfilter:15</li><li>• ftgd_blk:16</li><li>• ftgd_allow:17</li><li>• ftgd_err:18</li><li>• activexfilter:35</li><li>• cookiefilter:36</li><li>• appletfilter:37</li><li>• ftgd_quota_counting:38</li><li>• ftgd_quota_expired:39</li><li>• ftgd_quota:40</li><li>• scriptfilter:41</li><li>• webfilter_command_block:43</li></ul> |
| <b>ips:4</b>       | <ul style="list-style-type: none"><li>• signature:19</li></ul>  |
| <b>spam: 5</b>     | <ul style="list-style-type: none"><li>• msn-hotmail:5</li><li>• yahoo-mail:6</li><li>• gmail:7</li><li>• smtp:8</li><li>• pop3:9</li><li>• imap:10</li><li>• mapi:11</li><li>• carrier-endpoint-filter:</li><li>• 47 mass-mms:52</li></ul>  |

| Log Type IDs            | Sub Type IDs  |
|-------------------------|---|
| <b>contentlog: 6</b>    | <ul style="list-style-type: none"> <li>• HTTP:24</li> <li>• FTP:25</li> <li>• SMTP:26</li> <li>• POP3:27</li> <li>• IMAP:28</li> <li>• HTTPS:30</li> <li>• im-all:31</li> <li>• NNTP:39</li> <li>• VOIP:40</li> <li>• SMTPS:55</li> <li>• POP3S:56</li> <li>• IMAPS:57</li> <li>• MM1:48</li> <li>• MM3:49</li> <li>• MM4:50</li> <li>• MM7:51</li> </ul> |
| <b>anomaly: 7</b>       | <ul style="list-style-type: none"> <li>• anomaly: 20</li> </ul>   |
| <b>voip: 8</b>          | <ul style="list-style-type: none"> <li>• viop: 14</li> </ul>  |
| <b>dlp: 9</b>           | <ul style="list-style-type: none"> <li>• dlp:54</li> <li>• dlp-docsource:55</li> </ul>  |
| <b>app-ctrl-all: 10</b> | <ul style="list-style-type: none"> <li>• app-ctrl-all:59</li> </ul>   |
| <b>netscan: 11</b>      | <ul style="list-style-type: none"> <li>• discovery:0</li> <li>• vulnerability:1</li> </ul>  |
| <b>WAF: 12</b>          |   |
| <b>GTP: 14</b>          |   |
| <b>UTM</b>              | <ul style="list-style-type: none"> <li>• virus:2</li> <li>• webfilter:3</li> <li>• ips:4</li> <li>• spam:5</li> <li>• contentlog:6</li> <li>• voip:8</li> <li>• dlp:9</li> <li>• app-ctrl:10</li> </ul>   |

# FortiOS 5.4.0 Log Messages

The following tables list the FortiOS 5.4.0 log messages.

## Anomaly

| Log Field Name | Description              | Data Type | Length |
|----------------|--------------------------|-----------|--------|
| action         | Action                   | string    | 16     |
| attack         | Attack                   | string    | 256    |
| attackid       | Attack ID                | uint32    | 10     |
| count          | Count                    | uint32    | 10     |
| craction       | Client Reputation Action | uint32    | 10     |
| crlevel        | Client Reputation Level  | string    | 10     |
| crscore        | Client Reputation Score  | uint32    | 10     |
| date           | Date                     | string    | 10     |
| devid          | Device ID                | string    | 16     |
| dstintf        | Destination Interface    | string    | 64     |
| dstip          | Destination IP           | ip        | 39     |
| dstport        | Destination Port         | uint16    | 5      |
| eventtype      | Event Type               | string    | 32     |
| group          | User Group Name          | string    | 64     |
| icmpcode       | ICMP code                | string    | 6      |
| icmpid         | ICMP ID                  | string    | 8      |
| icmptype       | ICMP Type                | string    | 6      |
| level          | Log Level                | string    | 11     |
| logid          | Log ID                   | string    | 10     |

| Log Field Name | Description         | Data Type | Length |
|----------------|---------------------|-----------|--------|
| msg            | Log Message         | string    | 518    |
| policyid       | Policy ID           | uint32    | 10     |
| policytype     |                     | string    | 24     |
| proto          | Protocol            | uint8     | 3      |
| ref            | Reference           | string    |        |
| service        | Name of Service     | string    | 36     |
| sessionid      | Session ID          | uint32    | 10     |
| severity       | Severity            | string    | 8      |
| srccountry     |                     | string    | 64     |
| srcintf        | Source Interface    | string    | 64     |
| srcip          | Source IP           | ip        | 39     |
| srcport        | Source Port         | uint16    | 5      |
| subtype        | Log Subtype         | string    | 20     |
| time           | Time                | string    | 8      |
| type           | Log Type            | string    | 16     |
| user           | User                | string    | 256    |
| vd             | Virtual Domain Name | string    | 32     |

## Anomaly Log Messages

The following table describes the log message IDs and messages of the Anomaly log.

| Message ID | Message                     | Severity |
|------------|-----------------------------|----------|
| 18432      | LOGID_ATTCK_ANOMALY_TCP_UDP | Alert    |
| 18433      | LOGID_ATTCK_ANOMALY_ICMP    | Alert    |
| 18434      | LOGID_ATTCK_ANOMALY_OTHERS  | Alert    |

## App

| Log Field Name | Description  | Data Type | Length |
|----------------|--|-----------|--------|
| action         | Security action performed by App Control                       | string    | 16     |
| app            | Application name   | string    | 96     |
| appcat         | Application category name                                      | string    | 64     |
| appid          | Application ID   | uint32    | 10     |
| applist        | Application Control profile name                               | string    | 64     |
| apprisk        | Application risk level   | string    | 16     |
| cloudaction    | Action performed by cloud application                          | string    | 32     |
| clouduser      | User login ID detected by the Deep Application Control feature | string    | 256    |
| crlevel        | Client Reputation Level  | string    | 10     |
| crscore        | Client Reputation Score  | uint32    | 10     |
| date           | Date   | string    | 10     |
| devid          | Device Serial Number   | string    | 16     |
| direction      | Direction of the packets                                       | string    | 8      |
| dstintf        | Destination Interface  | string    | 64     |
| dstip          | Destination IP   | ip        | 39     |
| dstname        | Destination Name   | string    | 64     |
| dstport        | Destination Port   | uint16    | 5      |
| eventtype      | App Control Event Type   | string    | 32     |
| filename       | File name  | string    | 256    |
| filesize       | File size in bytes   | uint64    | 10     |
| group          | User group name  | string    | 64     |
| hostname       | The host name of a URL   | string    | 256    |

| Log Field Name | Description         | Data Type | Length |
|----------------|---------------------|-----------|--------|
| level          | Log level           | string    | 11     |
| logid          | Log ID              | string    | 10     |
| msg            | Log message         | string    | 512    |
| policyid       | Policy ID           | uint32    | 10     |
| profile        | Profile Name        | string    | 36     |
| profiletype    | Profile Type        | string    | 36     |
| proto          | Protocol number     | uint8     | 3      |
| rcvdbyte       | Received Bytes      | uint64    | 20     |
| sentbyte       | Sent Bytes          | uint64    | 20     |
| service        | Service name        | string    | 36     |
| sessionid      | Session ID          | uint32    | 10     |
| srcintf        | Source Interface    | string    | 64     |
| srcip          | Source IP           | ip        | 39     |
| srcname        | Source Name         | string    | 64     |
| srcport        | Source Port         | uint16    | 5      |
| subtype        | Log subtype         | string    | 20     |
| time           | Time                | string    | 8      |
| type           | Log type            | string    | 16     |
| url            | The URL address     | string    | 512    |
| user           | User name           | string    | 256    |
| vd             | Virtual domain name | string    | 32     |

## App Log Messages

The following table describes the log message IDs and messages of the App log.

| Message ID | Message                             | Severity    |
|------------|-------------------------------------|-------------|
| 28672      | LOGID_APP_CTRL_IM_BASIC             | Information |
| 28673      | LOGID_APP_CTRL_IM_BASIC_WITH_STATUS | Information |
| 28674      | LOGID_APP_CTRL_IM_BASIC_WITH_COUNT  | Information |
| 28675      | LOGID_APP_CTRL_IM_FILE              | Information |
| 28676      | LOGID_APP_CTRL_IM_CHAT              | Information |
| 28677      | LOGID_APP_CTRL_IM_CHAT_BLOCK        | Information |
| 28678      | LOGID_APP_CTRL_IM_BLOCK             | Information |
| 28704      | LOGID_APP_CTRL_IPS_PASS             | Information |
| 28705      | LOGID_APP_CTRL_IPS_BLOCK            | Warning     |
| 28706      | LOGID_APP_CTRL_IPS_RESET            | Warning     |
| 28720      | LOGID_APP_CTRL_SSH_PASS             | Information |
| 28721      | LOGID_APP_CTRL_SSH_BLOCK            | Warning     |

## AV

| Log Field Name  | Description                                      | Data Type | Length |
|-----------------|--|-----------|--------|
| action          | The security action performed by AV              | string    | 11     |
| agent           | User agent - eg. agent="Mozilla/5.0"             | string    | 64     |
| analyticscksum  | The checksum of the file submitted for analytics | string    | 64     |
| analyticssubmit | The flag for analytics submission                | string    | 10     |
| checksum        | The checksum of the scanned file                 | string    | 16     |
| command         | FTP Command info                                 | string    | 16     |
| crlevel         | Client Reputation Level                          | string    | 10     |
| crscore         | Client Reputation Score                          | uint32    | 10     |
| date            | Date   | string    | 10     |

| Log Field Name | Description   | Data Type | Length |
|----------------|---|-----------|--------|
| devid          | Device serial number  | string    | 16     |
| direction      | Message/packets direction                                       | string    | 8      |
| dstintf        | Destination Interface   | string    | 32     |
| dstip          | Destination IP Address  | ip        | 39     |
| dstport        | Destination Port  | uint16    | 5      |
| dtype          | Data type for virus category                                    | string    | 32     |
| eventtype      | Event type of AV  | string    | 32     |
| filefilter     | The filter used to identify the affected file                   | string    | 12     |
| filename       | File name   | string    | 256    |
| filetype       | File type   | string    | 16     |
| from           | Email address from the Email Headers (IMAP/POP3/SMTP)           | string    | 128    |
| group          | Group name (authentication)                                     | string    | 64     |
| level          | Log level   | string    | 11     |
| logid          | Log ID  | string    | 10     |
| msg            | Log message   | string    |        |
| policyid       | Policy ID   | uint32    | 10     |
| profile        | The name of the profile that was used to detect and take action | string    | 64     |
| proto          | Protocol number   | uint8     | 3      |
| quarskip       | Quarantine skip explanation                                     | string    | 46     |
| recipient      | Email addresses from the SMTP envelope                          | string    | 512    |
| ref            | The URL of the FortiGuard IPS database entry for the attack     | string    | 512    |
| sender         | Email address from the SMTP envelope                            | string    | 128    |
| service        | Proxy service which scanned this traffic                        | string    | 5      |

| Log Field Name | Description   | Data Type | Length |
|----------------|---|-----------|--------|
| sessionid      | Session ID  | uint32    | 10     |
| srcintf        | Source Interface  | string    | 32     |
| srcip          | Source IP Address   | ip        | 39     |
| srcport        | Source Port   | uint16    | 5      |
| subtype        | subtype of the virus log                                  | string    | 20     |
| switchproto    | Protocol change information                               | string    | 128    |
| time           | Time  | string    | 8      |
| to             | Email address(es) from the Email Headers (IMAP/POP3/SMTP) | string    | 512    |
| type           | Log type  | string    | 16     |
| url            | The url address   | string    | 512    |
| user           | Username (authentication)                                 | string    | 256    |
| vd             | VDOM name   | string    | 32     |
| virus          | Virus Name  | string    | 128    |
| virusid        | Virus ID (unique virus identifier)                        | uint32    | 10     |

## AV Log Messages

The following table describes the log message IDs and messages of the AV log.

| Message ID | Message                    | Severity |
|------------|----------------------------|----------|
| 8192       | MESGID_INFECT_WARNING      | Warning  |
| 8193       | MESGID_INFECT_NOTIF        | Notice   |
| 8194       | MESGID_INFECT_MIME_WARNING | Warning  |
| 8195       | MESGID_INFECT_MIME_NOTIF   | Notice   |
| 8196       | MESGID_WORM_WARNING        | Warning  |
| 8197       | MESGID_WORM_NOTIF          | Notice   |

| Message ID | Message                               | Severity |
|------------|---------------------------------------|----------|
| 8198       | MESGID_WORM_MIME_WARNING              | Warning  |
| 8199       | MESGID_WORM_MIME_NOTIF                | Notice   |
| 8448       | MESGID_BLOCK_WARNING                  | Warning  |
| 8449       | MESGID_BLOCK_NOTIF                    | Notice   |
| 8450       | MESGID_BLOCK_MIME_WARNING             | Warning  |
| 8451       | MESGID_BLOCK_MIME_NOTIF               | Notice   |
| 8452       | MESGID_BLOCK_COMMAND                  | Warning  |
| 8453       | MESGID_INTERCEPT                      | Notice   |
| 8454       | MESGID_INTERCEPT_MIME                 | Notice   |
| 8455       | MESGID_EXEMPT                         | Notice   |
| 8456       | MESGID_EXEMPT_MIME                    | Notice   |
| 8457       | MESGID_MMS_CHECKSUM                   | Warning  |
| 8458       | MESGID_MMS_CHECKSUM_NOTIF             | Notice   |
| 8704       | MESGID_OVERSIZE_WARNING               | Warning  |
| 8705       | MESGID_OVERSIZE_NOTIF                 | Notice   |
| 8706       | MESGID_OVERSIZE_MIME_WARNING          | Warning  |
| 8707       | MESGID_OVERSIZE_MIME_NOTIF            | Notice   |
| 8720       | MESGID_SWITCH_PROTO_WARNING           | Warning  |
| 8721       | MESGID_SWITCH_PROTO_NOTIF             | Notice   |
| 8960       | MESGID_SCAN_UNCOMPSizeLIMIT_WARNING   | Warning  |
| 8961       | MESGID_SCAN_UNCOMPSizeLIMIT_NOTIF     | Notice   |
| 8962       | MESGID_SCAN_ARCHIVE_ENCRYPTED_WARNING | Warning  |
| 8963       | MESGID_SCAN_ARCHIVE_ENCRYPTED_NOTIF   | Notice   |
| 8964       | MESGID_SCAN_ARCHIVE_CORRUPTED_WARNING | Warning  |

| Message ID | Message                               | Severity |
|------------|---------------------------------------|----------|
| 8965       | MESGID_SCAN_ARCHIVE_CORRUPTED_NOTIF   | Notice   |
| 8966       | MESGID_SCAN_ARCHIVE_MULTIPART_WARNING | Warning  |
| 8967       | MESGID_SCAN_ARCHIVE_MULTIPART_NOTIF   | Notice   |
| 8968       | MESGID_SCAN_ARCHIVE_NESTED_WARNING    | Warning  |
| 8969       | MESGID_SCAN_ARCHIVE_NESTED_NOTIF      | Notice   |
| 8970       | MESGID_SCAN_ARCHIVE_OVERSIZE_WARNING  | Warning  |
| 8971       | MESGID_SCAN_ARCHIVE_OVERSIZE_NOTIF    | Notice   |
| 8972       | MESGID_SCAN_ARCHIVE_UNHANDLED_WARNING | Warning  |
| 8973       | MESGID_SCAN_ARCHIVE_UNHANDLED_NOTIF   | Notice   |
| 9233       | MESGID_ANALYTICS_SUBMITTED            | Notice   |
| 9238       | MESGID_ANALYTICS_FSA_RESULT           | Notice   |
| 9248       | MESGID_BOTNET_WARNING                 | Warning  |
| 9249       | MESGID_BOTNET_NOTIF                   | Notice   |

## DLP

| Log Field Name | Description                          | Data Type | Length |
|----------------|--------------------------------------|-----------|--------|
| action         | Security action performed by DLP     | string    | 20     |
| agent          | User agent - eg. agent="Mozilla/5.0" | string    | 64     |
| date           | Date                                 | string    | 10     |
| devid          | Device Serial Number                 | string    | 16     |
| direction      | Direction of packets                 | string    | 8      |
| dlpextra       | DLP extra information                | string    | 256    |
| docsource      | DLP fingerprint document source      | string    | 515    |
| dstintf        | Destination Interface                | string    | 32     |

| Log Field Name | Description  | Data Type | Length |
|----------------|--|-----------|--------|
| dstip          | Destination IP   | ip        | 39     |
| dstport        | Destination Port   | uint16    | 5      |
| epoch          | Epoch used for locating file                               | uint32    | 10     |
| eventid        | The serial number of the dlparchive file in the same epoch | uint32    | 10     |
| eventtype      | DLP event type   | string    | 32     |
| filename       | File name  | string    | 256    |
| filesize       | File size in bytes   | uint64    | 10     |
| filetype       | File type  | string    | 23     |
| filtercat      | DLP filter category  | string    | 8      |
| filteridx      | DLP filter ID  | uint32    | 10     |
| filtername     | DLP rule name  | string    | 128    |
| filtertype     | DLP filter type  | string    | 23     |
| from           | Email address from the Email Headers (IMAP/POP3/SMTP)      | string    | 128    |
| group          | User group name  | string    | 64     |
| hostname       | The host name of a URL                                     | string    | 256    |
| level          | Log Level  | string    | 11     |
| logid          | Log ID   | string    | 10     |
| mmsdir         | MMS Directory  | string    | 3      |
| msg            | Log message  | string    | 512    |
| policyid       | Policy ID  | uint32    | 10     |
| profile        | DLP profile name   | string    | 64     |
| proto          | Protocol number  | uint8     | 3      |
| rcvdbyte       | Received bytes   | uint64    | 20     |

| Log Field Name | Description   | Data Type | Length |
|----------------|---|-----------|--------|
| recipient      | Email addresses from the SMTP envelope                    | string    | 512    |
| sender         | Email address from the SMTP envelope                      | string    | 128    |
| sensitivity    | Sensitivity for document fingerprint                      | string    | 36     |
| sentbyte       | Sent Bytes  | uint64    | 20     |
| service        | Service name  | string    | 36     |
| sessionid      | Session ID  | uint32    | 10     |
| severity       | Severity level of a DLP rule                              | string    | 8      |
| srcintf        | Source Interface  | string    | 32     |
| srcip          | Source IP   | ip        | 39     |
| srcport        | Source Port   | uint16    | 5      |
| subject        | The subject title of the email message                    | string    | 128    |
| subtype        | Log subtype   | string    | 20     |
| time           | Time  | string    | 8      |
| to             | Email address(es) from the Email Headers (IMAP/POP3/SMTP) | string    | 512    |
| type           | Log type  | string    | 16     |
| url            | The URL address   | string    | 512    |
| user           | User name   | string    | 256    |
| vd             | Virtual domain name                                       | string    | 32     |

## DLP Log Messages

The following table describes the log message IDs and messages of the DLP log.

| Message ID | Message          | Severity |
|------------|------------------|----------|
| 24576      | LOG_ID_DLP_WARN  | Warning  |
| 24577      | LOG_ID_DLP_NOTIF | Notice   |

| Message ID | Message                     | Severity |
|------------|-----------------------------|----------|
| 24578      | LOG_ID_DLP_DOC_SOURCE       | Notice   |
| 24579      | LOG_ID_DLP_DOC_SOURCE_ERROR | Warning  |

## Email

| Log Field Name | Description   | Data Type | Length |
|----------------|---|-----------|--------|
| action         | Security action of the email filter                       | string    | 8      |
| agent          | User agent - eg. agent="Mozilla/5.0"                      | string    | 64     |
| attachment     | The flag for email attachment                             | string    | 3      |
| banword        | Banned word   | string    | 128    |
| cc             | Email address(es) from the Email Headers (IMAP/POP3/SMTP) | string    |        |
| date           | Date  | string    | 10     |
| devid          | Device Serial Number                                      | string    | 16     |
| direction      | Direction of packets                                      | string    | 8      |
| dstintf        | Destination Interface                                     | string    | 64     |
| dstip          | Destination IP  | ip        | 39     |
| dstport        | Destination Port  | uint16    | 5      |
| eventtype      | Email Filter event type                                   | string    | 32     |
| from           | Email address(es) from the Email Headers (IMAP/POP3/SMTP) | string    | 128    |
| group          | User group name   | string    | 64     |
| level          | Log Level   | string    | 11     |
| logid          | Log ID  | string    | 10     |
| msg            | Log Message   | string    | 512    |
| policyid       | Policy ID   | uint32    | 10     |

| Log Field Name | Description   | Data Type | Length |
|----------------|---|-----------|--------|
| profile        | Email Filter profile name                                 | string    | 64     |
| proto          | Protocol number   | uint8     | 3      |
| rcvdbyte       | Received Bytes  | uint64    | 20     |
| recipient      | Email addresses from the SMTP envelope                    | string    | 512    |
| sender         | Email addresses from the SMTP envelope                    | string    | 128    |
| sentbyte       | Sent Bytes  | uint64    | 20     |
| service        | Service name  | string    | 36     |
| sessionid      | Session ID  | uint32    | 10     |
| size           | Email size in Bytes?                                      | string    | 16     |
| srcintf        | Source Interface  | string    | 64     |
| srcip          | Source IP   | ip        | 39     |
| srcport        | Source Port   | uint16    | 5      |
| subject        | The subject title of the email message                    | string    | 256    |
| subtype        | Log subtype   | string    | 20     |
| time           | Time  | string    | 8      |
| to             | Email address(es) from the Email Headers (IMAP/POP3/SMTP) | string    | 512    |
| type           | Log type  | string    | 16     |
| user           | User name   | string    | 256    |
| vd             | Virtual domain name                                       | string    | 12     |

## Email Log Messages

The following table describes the log message IDs and messages of the Email log.

| Message ID | Message                         | Severity |
|------------|---------------------------------|----------|
| 20480      | LOGID_ANTISPAM_EMAIL_SMTP_NOTIF | Notice   |

| Message ID | Message                                | Severity    |
|------------|--|-------------|
| 20481      | LOGID_ANTISPAM_EMAIL_SMTP_BWORD_NOTIF  | Notice      |
| 20482      | LOGID_ANTISPAM_EMAIL_POP3_NOTIF        | Notice      |
| 20483      | LOGID_ANTISPAM_EMAIL_POP3_BWORD_NOTIF  | Notice      |
| 20484      | LOGID_ANTISPAM_EMAIL_IMAP_NOTIF        | Notice      |
| 20485      | LOGID_ANTISPAM_ENDPOINT_FILTER_WARNING | Warning     |
| 20486      | LOGID_ANTISPAM_ENDPOINT_FILTER_NOTIF   | Notice      |
| 20487      | LOGID_ANTISPAM_ENDPOINT_MM7_WARNING    | Warning     |
| 20488      | LOGID_ANTISPAM_ENDPOINT_MM7_NOTIF      | Notice      |
| 20489      | LOGID_ANTISPAM_ENDPOINT_MM1_WARNING    | Warning     |
| 20490      | LOGID_ANTISPAM_ENDPOINT_MM1_NOTIF      | Notice      |
| 20491      | LOGID_ANTISPAM_EMAIL_IMAP_BWORD_NOTIF  | Notice      |
| 20492      | LOGID_ANTISPAM_MM1_FLOOD_WARNING       | Warning     |
| 20493      | LOGID_ANTISPAM_MM1_FLOOD_NOTIF         | Notice      |
| 20494      | LOGID_ANTISPAM_MM4_FLOOD_WARNING       | Warning     |
| 20495      | LOGID_ANTISPAM_MM4_FLOOD_NOTIF         | Notice      |
| 20496      | LOGID_ANTISPAM_MM1_DUPE_WARNING        | Warning     |
| 20497      | LOGID_ANTISPAM_MM1_DUPE_NOTIF          | Notice      |
| 20498      | LOGID_ANTISPAM_MM4_DUPE_WARNING        | Warning     |
| 20499      | LOGID_ANTISPAM_MM4_DUPE_NOTIF          | Notice      |
| 20500      | LOGID_ANTISPAM_EMAIL_MSN_NOTIF         | Information |
| 20501      | LOGID_ANTISPAM_EMAIL_YAHOO_NOTIF       | Information |
| 20502      | LOGID_ANTISPAM_EMAIL_GOOGLE_NOTIF      | Information |
| 20503      | LOGID_EMAIL_SMTP_GENERAL_NOTIF         | Information |
| 20504      | LOGID_EMAIL_POP3_GENERAL_NOTIF         | Information |

| Message ID | Message                               | Severity    |
|------------|---------------------------------------|-------------|
| 20505      | LOGID_EMAIL_IMAP_GENERAL_NOTIF        | Information |
| 20506      | LOGID_EMAIL_MAPI_GENERAL_NOTIF        | Information |
| 20507      | LOGID_ANTISPAM_EMAIL_MAPI_BWORD_NOTIF | Notice      |
| 20508      | LOGID_ANTISPAM_EMAIL_MAPI_NOTIF       | Notice      |
| 20509      | LOGID_ANTISPAM_FTGD_ERR               | Information |

## Event

### COMPLIANCE-CHECK

| Log Field Name | Description         | Data Type | Length |
|----------------|---------------------|-----------|--------|
| action         | Action              | string    | 32     |
| date           | Date                | string    | 10     |
| devid          | Device ID           | string    | 16     |
| level          | Log Level           | string    | 11     |
| logdesc        | Log Description     | string    |        |
| logid          | Log ID              | string    | 10     |
| module         | Module              | string    | 32     |
| msg            | Log Message         | string    |        |
| reason         | Reason              | string    | 256    |
| result         | Result              | string    | 31     |
| status         | Status              | string    | 23     |
| subtype        | Log Subtype         | string    | 20     |
| time           | Time                | string    | 8      |
| type           | Log Type            | string    | 16     |
| vd             | Virtual Domain Name | string    | 32     |

## COMPLIANCE-CHECK Log Messages

The following table describes the log message IDs and messages of the COMPLIANCE-CHECK log.

| Message ID | Message                 | Severity |
|------------|-------------------------|----------|
| 45151      | LOG_ID_EVENT_DSSCC_FAIL | Unknown  |
| 45152      | LOG_ID_EVENT_DSSCC_PASS | Unknown  |

## ENDPOINT

| Log Field Name  | Description                                    | Data Type | Length |
|-----------------|--|-----------|--------|
| action          | EndPoint Action                                | string    | 32     |
| connection_type | FortiClient Connection Type                    | string    | 6      |
| count           | Count of EndPoint Connections                  | uint32    | 10     |
| cveid           |  | string    | 1024   |
| date            | Date   | string    | 10     |
| devid           | Device ID                                      | string    | 16     |
| devtype         |  | string    | 32     |
| fctuid          |  | string    | 32     |
| forticlient_id  | Unique FortiClient ID                          | string    | 33     |
| hostname        | Endpoint Hostname                              | string    | 128    |
| interface       | Interface                                      | string    | 32     |
| ip              | Source IP                                      | ip        | 39     |
| level           | Log Level                                      | string    | 11     |
| license_limit   | Maximum Number of FortiClients for the License | string    | 32     |
| license_used    | use 'used'?                                    | uint16    | 5      |
| logdesc         | Log Description                                | string    |        |
| logid           | Log ID   | string    | 10     |
| msg             | Log Message                                    | string    |        |

| Log Field Name | Description                             | Data Type | Length |
|----------------|---|-----------|--------|
| name           | Display Name of the Connection          | string    | 128    |
| reason         | Reason                                  | string    | 256    |
| repeat         | Number of Times Repeated for the Action | uint16    | 5      |
| scantime       |   | uint64    | 20     |
| severity       |   | string    | 10     |
| srcname        |   | string    | 64     |
| status         | Status                                  | string    | 23     |
| subtype        | Log subtype                             | string    | 20     |
| time           | Time                                    | string    | 8      |
| type           | Log Type                                | string    | 16     |
| ui             | User Interface                          | string    | 64     |
| used_for_type  | Connection for the type                 | uint16    | 5      |
| user           | User Name                               | string    | 256    |
| vd             | Virtual Domain Name                     | string    | 32     |
| vendorurl      |   | string    | 256    |
| vulncat        |   | string    | 32     |
| vulnid         |   | uint32    | 10     |
| vulnname       |   | string    | 128    |

## ENDPOINT Log Messages

The following table describes the log message IDs and messages of the ENDPOINT log.

| Message ID | Message                  | Severity    |
|------------|--------------------------|-------------|
| 45057      | LOG_ID_FCC_ADD           | Information |
| 45058      | LOG_ID_FCC_CLOSE         | Information |
| 45061      | LOG_ID_FCC_CLOSE_BY_TYPE | Information |

| Message ID | Message                        | Severity |
|------------|--------------------------------|----------|
| 45071      | LOG_ID_FCC_VULN_SCAN           | Notice   |
| 45100      | LOG_ID_EC_REG_FAIL_LIMIT       | Warning  |
| 45101      | LOG_ID_EC_REG_SUCCEED          | Notice   |
| 45102      | LOG_ID_EC_REG_RENEWED          | Notice   |
| 45103      | LOG_ID_EC_REG_BLOCK            | Notice   |
| 45104      | LOG_ID_EC_REG_UNBLOCK          | Notice   |
| 45105      | LOG_ID_EC_REG_DEREG            | Notice   |
| 45106      | LOG_ID_EC_REG_LIC_UPGRADED     | Notice   |
| 45107      | LOG_ID_EC_CONF_DISTRIBUTED     | Notice   |
| 45108      | LOG_ID_EC_FTCL_UNREG           | Notice   |
| 45109      | LOG_ID_EC_FTCL_LOGOFF          | Notice   |
| 45110      | LOG_ID_EC_FTCL_ENABLE_NOTSYNC  | Notice   |
| 45111      | LOG_ID_EC_REG_SYNC_FAIL        | Warning  |
| 45112      | LOG_ID_EC_REG_FAIL_KEY         | Warning  |
| 45113      | LOG_ID_EC_REG_FAIL_BLOCKED     | Warning  |
| 45114      | LOG_ID_EC_REG_QUARANTINE       | Notice   |
| 45115      | LOG_ID_EC_REG_UNQUARANTINE     | Notice   |
| 45116      | LOG_ID_EC_REG_UNQUARANTINE_ALL | Notice   |
| 45117      | LOG_ID_EC_REG_FAIL_VER         | Warning  |

## HA

| Log Field Name | Description         | Data Type | Length |
|----------------|---------------------|-----------|--------|
| activity       | HA activity message | string    | 128    |
| date           | Date                | string    | 10     |

| Log Field Name  | Description                        | Data Type | Length |
|-----------------|------------------------------------|-----------|--------|
| devid           | Device ID                          | string    | 16     |
| devintfname     | HA device Interface Name           | string    | 32     |
| from_vcluster   | source virtual cluster number      | uint32    | 10     |
| ha-prio         | HA Priority                        | uint8     | 3      |
| ha_group        | HA Group Number - can be 1 - 256   | uint8     | 3      |
| ha_role         | The HA role in the cluster         | string    | 6      |
| hbdn_reason     | heartbeat down reason              | string    | 18     |
| ip              |                                    | ip        | 39     |
| level           | Log Level                          | string    | 11     |
| logdesc         | Log Description                    | string    |        |
| logid           | Log ID                             | string    | 10     |
| msg             | Log Message                        | string    |        |
| sn              | Serial Number                      | string    | 64     |
| subtype         | Log Subtype                        | string    | 20     |
| sync_status     | The sync status with the master    | string    | 11     |
| sync_type       | The sync type with the master      | string    | 14     |
| time            | Time                               | string    | 8      |
| to_vcluster     | destination virtual cluster number | uint32    | 10     |
| type            | Log Type                           | string    | 16     |
| vcluster        | virtual cluster id                 | uint32    | 10     |
| vcluster_member | virtual cluster member id          | uint32    | 10     |
| vcluster_state  | virtual cluster state              | string    | 7      |
| vd              | Virtual Domain Name                | string    | 32     |
| vdname          | vdom name                          | string    | 16     |

## HA Log Messages

The following table describes the log message IDs and messages of the HA log.

| Message ID | Message                    | Severity |
|------------|----------------------------|----------|
| 35001      | LOG_ID_HA_SYNC_VIRDB       | Notice   |
| 35002      | LOG_ID_HA_SYNC_ETDB        | Notice   |
| 35003      | LOG_ID_HA_SYNC_EXDB        | Notice   |
| 35004      | LOG_ID_HA_SYNC_FLDB        | Notice   |
| 35005      | LOG_ID_HA_SYNC_IPS         | Notice   |
| 35007      | LOG_ID_HA_SYNC_AV          | Notice   |
| 35009      | LOG_ID_HA_SYNC_CID         | Notice   |
| 35010      | LOG_ID_HA_SYNC_UWDB        | Notice   |
| 35011      | LOG_ID_HA_SYNC_FAIL        | Error    |
| 35012      | LOG_ID_CONF_SYNC_FAIL      | Error    |
| 37888      | MESGID_HA_GROUP_DELETE     | Notice   |
| 37889      | MESGID_VC_DELETE           | Notice   |
| 37890      | MESGID_VC_MOVE_VDOM        | Notice   |
| 37891      | MESGID_VC_ADD_VDOM         | Notice   |
| 37892      | MESGID_VC_MOVE_MEMB_STATE  | Notice   |
| 37893      | MESGID_VC_DETECT_MEMB_DEAD | Critical |
| 37894      | MESGID_VC_DETECT_MEMB_JOIN | Critical |
| 37895      | MESGID_VC_ADD_HADEV        | Notice   |
| 37896      | MESGID_VC_DEL_HADEV        | Notice   |
| 37897      | MESGID_HADEV_READY         | Notice   |
| 37898      | MESGID_HADEV_FAIL          | Warning  |
| 37899      | MESGID_HADEV_PEERINFO      | Notice   |

| Message ID | Message                         | Severity    |
|------------|---------------------------------|-------------|
| 37900      | MESGID_HBDEV_DELETE             | Notice      |
| 37901      | MESGID_HBDEV_DOWN               | Critical    |
| 37902      | MESGID_HBDEV_UP                 | Information |
| 37903      | MESGID_SYNC_STATUS              | Information |
| 37904      | MESGID_HA_ACTIVITY              | Notice      |
| 37905      | MESGID_HA_ENABLE_SET_AS_MASTER  | Notice      |
| 37906      | MESGID_HA_DISABLE_SET_AS_MASTER | Notice      |
| 37907      | MESGID_VLAN_HB_UP               | Information |
| 37908      | MESGID_VLAN_HB_DOWN             | Error       |
| 37909      | MESGID_VLAN_HB_DOWN_SUM         | Error       |

## ROUTER

| Log Field Name | Description           | Data Type | Length |
|----------------|-----------------------|-----------|--------|
| action         | Action                | string    | 32     |
| date           | Date                  | string    | 10     |
| ddnsserver     | DDNS Server           | ip        | 39     |
| devid          | Device ID             | string    | 16     |
| dhcp_msg       | DHCP Message          | string    |        |
| dns_ip         | DNS IP                | ip        | 39     |
| dns_name       | DNS Name              | string    | 64     |
| dst_int        | Destination Interface | string    | 64     |
| duid           |                       | string    | 128    |
| iaid           |                       | uint32    | 10     |
| interface      | Interface             | string    | 32     |

| Log Field Name | Description         | Data Type | Length |
|----------------|---------------------|-----------|--------|
| lease          |                     | uint32    | 10     |
| level          | Log Level           | string    | 11     |
| logdesc        | Log Description     | string    |        |
| logid          | Log ID              | string    | 10     |
| mac            | Mac Address         | string    | 17     |
| msg            | Message             | string    |        |
| service        | Name of Service     | string    | 64     |
| src_int        | Source Interface    | string    | 64     |
| subtype        | Log Subtype         | string    | 20     |
| time           | Time                | string    | 8      |
| type           | Log Type            | string    | 16     |
| vd             | Virtual Domain Name | string    | 32     |

## ROUTER Log Messages

The following table describes the log message IDs and messages of the ROUTER log.

| Message ID | Message                  | Severity    |
|------------|--------------------------|-------------|
| 20300      | LOG_ID_BGP_NB_STAT_CHG   | Unknown     |
| 20301      | LOG_ID_VZ_LOG            | Information |
| 20302      | LOG_ID_OSPF_NB_STAT_CHG  | Unknown     |
| 20303      | LOG_ID_OSPF6_NB_STAT_CHG | Unknown     |
| 20401      | LOG_ID_ROUTER_CLEAR      | Notice      |
| 27001      | LOG_ID_VRRP_STATE_CHG    | Information |
| 51000      | 51000                    | Information |

**SYSTEM**

| Log Field Name | Description                     | Data Type | Length |
|----------------|---------------------------------|-----------|--------|
| acktime        | Alarm Acknowledge Time          | string    | 24     |
| act            |                                 | string    | 16     |
| action         | Action                          | string    | 32     |
| addr           | IP Address                      | string    | 80     |
| alarmid        | Alarm ID                        | uint32    | 10     |
| assigned       | Assigned IP Address             | ip        | 39     |
| bandwidth      | Bandwidth                       | string    | 42     |
| banned_rule    | NAC quarantine Banned Rule Name | string    | 36     |
| banned_src     | NAC quarantine Banned Source IP | string    | 16     |
| blocked        | Blocked MMS                     | uint32    | 10     |
| cert           | Certificate                     | string    | 36     |
| cfgattr        | configuration attribute         | string    |        |
| cfgobj         | configuration object            | string    | 256    |
| cfgpath        | configuration path              | string    | 128    |
| cfgtid         | config transaction id           | uint32    | 10     |
| chassisid      | Chassis ID                      | uint8     |        |
| checksum       | for MMS Statistics              | uint32    | 10     |
| cipher         | Encryption Type                 | uint16    |        |
| community      | Community                       | string    | 36     |
| conserve       | Flag for Conserve Mode          | string    | 32     |
| count          | Count                           | uint32    | 10     |
| cpu            | CPU Usage                       | uint8     | 3      |
| created        | Sessions Created                | string    | 64     |

| Log Field Name    | Description                               | Data Type | Length |
|-------------------|---|-----------|--------|
| crl               |   | string    |        |
| daddr             | Destination IP Address                    | string    | 80     |
| daemon            | Daemon Name                               | string    | 32     |
| datarange         | data range for reports                    | string    | 50     |
| date              | Date                                      | string    | 10     |
| ddnsserver        | DDNS Server                               | ip        | 39     |
| desc              | Description                               | string    | 128    |
| devid             | Device ID                                 | string    | 16     |
| dhcp_msg          | DHCP Message                              | string    |        |
| dintf             | Destination Interface                     | string    | 36     |
| disk              | Disk Usage                                | uint8     | 3      |
| disklograte       | Disk Log Rate                             | uint64    | 20     |
| dns_ip            | DNS IP Address                            | ip        | 39     |
| dns_name          | DNS Name                                  | string    | 64     |
| dstip             | Destination IP                            | ip        | 39     |
| dstport           | Destination Port                          | uint16    | 5      |
| dst_int           | Destination Interface                     | string    | 64     |
| duid              |   | string    | 128    |
| duration          | Duration                                  | uint32    | 10     |
| entermargin       | Conserve Mode Enter Margin                | uint32    | 10     |
| error             | Error Reason for Log Upload to Forticloud | string    | 256    |
| exitmargin        | Conserve Mode Exit Margin                 | uint32    | 10     |
| expectedhandshake | Expected Handshake                        | string    |        |
| expectedsignature | Expected Signature                        | uint8     |        |

| Log Field Name    | Description                                    | Data Type | Length |
|-------------------|--|-----------|--------|
| fams_pause        | Fortinet Analysis and Management Service Pause | uint32    | 10     |
| fazlograte        | FortiAnalyzer Logging Rate                     | uint64    | 20     |
| field             |  | string    | 32     |
| file              | File Name for Generated Report?                | string    | 256    |
| filesize          | Report File Size in Bytes                      | uint32    |        |
| free              |  | string    | 32     |
| from              | Sender Email Address for Notification          | string    | 128    |
| gateway           | gateway ip address for PPPoE status report     | ip        | 39     |
| green             |  | string    | 32     |
| group             | User group Name                                | string    | 64     |
| groupid           | User Group ID                                  | uint32    | 10     |
| handshake         | Handshake                                      | string    | 32     |
| hash              | Hash Value of Downloaded File                  | string    | 32     |
| hostname          | Hostname                                       | string    | 128    |
| iaid              |  | uint32    | 10     |
| identidx          | use 'id' ?                                     | uint32    | 10     |
| infected          | Infected MMS                                   | uint32    | 10     |
| informationsource | Information Source                             | string    |        |
| intercepted       | Intercepted MMS                                | uint32    | 10     |
| interface         | Interface                                      | string    | 32     |
| intf              | Interface                                      | string    | 16     |
| ip                |  | ip        | 39     |
| iptype            | IP Protocol Type                               | string    | 16     |
| lease             | DHCP Lease                                     | uint32    | 10     |

| Log Field Name | Description                    | Data Type | Length |
|----------------|--------------------------------|-----------|--------|
| len            | SSL Handshake Message Length   | uint32    | 10     |
| level          | Log Level                      | string    | 11     |
| limit          | Virtual Domain Resource Limit  | uint32    | 10     |
| local          | Local IP for a PPPD Connection | ip        | 39     |
| log            | Log Name for Log Rotation      | string    | 32     |
| logdesc        | Log Description                | string    |        |
| logid          | Log ID                         | string    | 10     |
| mac            | Mac Address                    | string    | 17     |
| major          | Major Version                  | uint8     |        |
| max            | Max Value                      | uint8     |        |
| maxminor       |                                | uint8     |        |
| mem            | Memory Usage                   | uint8     | 3      |
| member         |                                | uint8     |        |
| min            | Minimum Value                  | uint8     |        |
| minminor       |                                | uint8     |        |
| minor          | SSL Minor Version              | uint8     |        |
| mode           | Mode                           | string    | 12     |
| module         | Configuration Module Name      | string    | 32     |
| monitor-name   | Health Monitor Type            | string    | 35     |
| monitor-type   | Health Monitor Name            | string    | 32     |
| msg            | Message Text                   | string    |        |
| msgproto       | Message Protocol Number        | string    | 16     |
| mtu            | Max Transmission Unit Value    | uint32    | 10     |
| name           | Name                           | string    | 128    |

| Log Field Name | Description                  | Data Type | Length |
|----------------|------------------------------|-----------|--------|
| nat            | NAT IP Address               | ip        | 39     |
| newchannel     | New Channel Number           | uint8     |        |
| newchassisid   | New Chassis ID               | uint8     |        |
| newslot        | New Slot Number              | uint8     |        |
| new_status     | New Status                   | string    | 512    |
| new_value      | New Virtual Domain Name      | string    | 128    |
| nf_type        | Notification Type            | string    | 14     |
| oldchannel     | Original Channel Number      | uint8     |        |
| oldchassisid   | Original Chassis Number      | uint8     |        |
| oldslot        | Original Slot Number         | uint8     |        |
| old_status     | Original Status              | string    | 512    |
| old_value      | Original Virtual Domain name | string    | 128    |
| passwd         | Password                     | string    | 20     |
| pid            | Process ID                   | uint32    | 10     |
| policyid       | Policy ID                    | uint32    | 10     |
| poolname       | IP Pool Name                 | string    | 36     |
| port           | Port Number                  | uint16    | 5      |
| portbegin      | Port Number to Begin         | uint16    | 5      |
| portend        | Port Number to End           | uint16    | 5      |
| probeproto     | Link Monitor Probe Protocol  | string    | 16     |
| process        | Process                      | string    |        |
| processtime    | process time for reports     | uint32    |        |
| profile        | Profile Name                 | string    | 64     |
| profilegroup   | Profile Group Name           | string    | 4      |

| Log Field Name    | Description            | Data Type | Length |
|-------------------|------------------------|-----------|--------|
| profiletype       | Profile Type           | string    | 64     |
| profile_vd        | Virtual Domain Name    | string    | 64     |
| proto             | Protocol Number        | uint8     | 3      |
| reason            | Reason                 | string    | 256    |
| received          | Received Packet        | uint8     |        |
| receivedhandshake | Received Handshake     | string    |        |
| receivedsignature | Received Signature     | uint8     |        |
| recvminor         |                        | uint8     |        |
| red               |                        | string    | 32     |
| remote            | Remote IP Address      | ip        | 39     |
| reporttype        | Report Type            | string    | 20     |
| saddr             | Source Address IP      | string    | 80     |
| scanned           | Number of Scanned MMSs | uint32    | 10     |
| sensor            | NAC Sensor Name        | string    | 36     |
| serial            | Serial Number          | uint32    | 10     |
| serialno          | Serial Number          | string    | 16     |
| server            | Server IP Address      | string    | 64     |
| service           | Name of Service        | string    | 64     |
| session_id        | Session ID             | uint32    | 10     |
| sess_duration     | Session Duration       | uint32    | 10     |
| setuprate         | Session Setup Rate     | uint64    | 20     |
| slot              | Slot Number            | uint8     |        |
| sn                | Serial Number          | string    | 64     |
| srcip             | Source IP              | ip        | 39     |

| Log Field Name | Description                                | Data Type | Length |
|----------------|--|-----------|--------|
| srcport        | Source Port                                | uint16    | 5      |
| src_int        | Source Interface                           | string    | 64     |
| ssl2           |  | uint8     |        |
| state          | State                                      | string    | 64     |
| status         | Status                                     | string    | 23     |
| submodule      | Configuration Sub-Module Name              | string    | 32     |
| subtype        | Log Subtype                                | string    | 20     |
| suspicious     | Number of Suspicious MMSs                  | uint32    | 10     |
| sysconserve    | On/Off Flag for Server Conserve Mode       | string    | 32     |
| time           | Time                                       | string    | 8      |
| to             | Recipient Email Addresses for Notification | string    | 512    |
| total          | Total                                      | uint32    | 10     |
| totalsession   | Total Number of Sessions                   | uint32    | 10     |
| trace_id       | ID for Tracing                             | string    | 32     |
| type           | Log Type                                   | string    | 16     |
| ui             | User Interface                             | string    | 64     |
| unit           | Unit                                       | uint32    | 10     |
| url            | URL  | string    | 512    |
| used           | Number of Used IPs                         | uint32    | 10     |
| user           | User Name                                  | string    | 256    |
| vd             | Virtual Domain Name                        | string    | 32     |
| version        | Version                                    | string    | 64     |
| vip            | Virtual IP                                 | string    | 64     |
| virus          | Virus Name                                 | string    | 128    |

## SYSTEM Log Messages

The following table describes the log message IDs and messages of the SYSTEM log.

| Message ID | Message                          | Severity    |
|------------|----------------------------------|-------------|
| 20001      | LOG_ID_CLIENT_DISASSOCIATED      | Information |
| 20002      | LOG_ID_DOMAIN_UNRESOLVABLE       | Notice      |
| 20003      | LOG_ID_MAIL_SENT_FAIL            | Notice      |
| 20004      | LOG_ID_POLICY_TOO_BIG            | Unknown     |
| 20005      | LOG_ID_PPP_LINK_UP               | Information |
| 20006      | LOG_ID_PPP_LINK_DOWN             | Information |
| 20007      | 20007                            | Critical    |
| 20008      | LOG_ID_POLICY6_TOO_BIG           | Unknown     |
| 20010      | LOG_ID_KERNEL_ERROR              | Critical    |
| 20011      | LOG_ID_CLIENT_NEW_ASSOCIATION    | Information |
| 20012      | LOG_ID_CLIENT_WPA_1X             | Information |
| 20013      | LOG_ID_CLIENT_WPA_SSN            | Information |
| 20015      | LOG_ID_IEEE802_NEW_STATION       | Information |
| 20016      | LOG_ID_MODEM_EXCEED_REDIAL_COUNT | Information |
| 20017      | LOG_ID_MODEM_FAIL_TO_OPEN        | Information |
| 20020      | LOG_ID_MODEM_USB_DETECTED        | Warning     |
| 20021      | LOG_ID_MAIL_RESENT               | Information |
| 20022      | LOG_ID_MODEM_USB_REMOVED         | Warning     |
| 20023      | LOG_ID_MODEM_USBLTE_DETECTED     | Information |
| 20024      | LOG_ID_MODEM_USBLTE_REMOVED      | Information |
| 20025      | LOG_ID_REPORTD_REPORT_SUCCESS    | Notice      |
| 20026      | LOG_ID_REPORTD_REPORT_FAILURE    | Error       |

| Message ID | Message                                 | Severity    |
|------------|---|-------------|
| 20027      | LOG_ID_REPORT_DEL_OLD_REC               | Information |
| 20028      | LOG_ID_REPORT_RECREATE_DB               | Warning     |
| 20031      | LOG_ID_RAD_OUT_OF_MEM                   | Critical    |
| 20032      | LOG_ID_RAD_NOT_FOUND                    | Critical    |
| 20033      | LOG_ID_RAD_MOBILE_IPV6                  | Information |
| 20034      | LOG_ID_RAD_IPV6_OUT_OF_RANGE            | Critical    |
| 20035      | LOG_ID_RAD_MIN_OUT_OF_RANGE             | Critical    |
| 20036      | LOG_ID_RAD_MAX_OUT_OF_RANGE             | Critical    |
| 20037      | LOG_ID_RAD_MAX_ADV_OUT_OF_RANGE         | Critical    |
| 20038      | LOG_ID_RAD_MTU_OUT_OF_RANGE             | Critical    |
| 20039      | LOG_ID_RAD_MTU_TOO_SMALL                | Critical    |
| 20040      | LOG_ID_RAD_TIME_TOO_SMALL               | Critical    |
| 20041      | LOG_ID_RAD_HOP_OUT_OF_RANGE             | Critical    |
| 20042      | LOG_ID_RAD_DFT_HOP_OUT_OF_RANGE         | Critical    |
| 20043      | LOG_ID_RAD_AGENT_OUT_OF_RANGE           | Critical    |
| 20044      | LOG_ID_RAD_AGENT_FLAG_NOT_SET           | Critical    |
| 20045      | LOG_ID_RAD_PREFIX_TOO_LONG              | Critical    |
| 20046      | LOG_ID_RAD_PREF_TIME_TOO_SMALL          | Critical    |
| 20047      | LOG_ID_RAD_FAIL_IPV6_SOCKET             | Critical    |
| 20048      | LOG_ID_RAD_FAIL_OPT_IPV6_PKTINFO        | Critical    |
| 20049      | LOG_ID_RAD_FAIL_OPT_IPV6_CHECKSUM       | Critical    |
| 20050      | LOG_ID_RAD_FAIL_OPT_IPV6_UNICAST_HOPS   | Critical    |
| 20051      | LOG_ID_RAD_FAIL_OPT_IPV6_MULTICAST_HOPS | Critical    |
| 20052      | LOG_ID_RAD_FAIL_OPT_IPV6_HOPLIMIT       | Critical    |

| Message ID | Message                            | Severity    |
|------------|------------------------------------|-------------|
| 20053      | LOG_ID_RAD_FAIL_OPT_IPPROTO_ICMPV6 | Critical    |
| 20054      | LOG_ID_RAD_EXIT_BY_SIGNAL          | Information |
| 20055      | LOG_ID_RAD_FAIL_CMDB_QUERY         | Critical    |
| 20056      | LOG_ID_RAD_FAIL_CMDB_FOR_EACH      | Critical    |
| 20057      | LOG_ID_RAD_FAIL_FIND_VIRT_INTF     | Critical    |
| 20058      | LOG_ID_RAD_UNLOAD_INTF             | Information |
| 20059      | LOG_ID_RAD_NO_PKT_INFO             | Warning     |
| 20060      | LOG_ID_RAD_INV_ICMPV6_LEN          | Warning     |
| 20061      | LOG_ID_RAD_INV_ICMPV6_TYPE         | Critical    |
| 20062      | LOG_ID_RAD_INV_ICMPV6_RA_LEN       | Warning     |
| 20063      | LOG_ID_RAD_ICMPV6_NO_SRC_ADDR      | Warning     |
| 20064      | LOG_ID_RAD_INV_ICMPV6_RS_LEN       | Warning     |
| 20065      | LOG_ID_RAD_INV_ICMPV6_CODE         | Warning     |
| 20066      | LOG_ID_RAD_INV_ICMPV6_HOP          | Warning     |
| 20067      | LOG_ID_RAD_MISMATCH_HOP            | Warning     |
| 20068      | LOG_ID_RAD_MISMATCH_MGR_FLAG       | Warning     |
| 20069      | LOG_ID_RAD_MISMATCH_OTH_FLAG       | Warning     |
| 20070      | LOG_ID_RAD_MISMATCH_TIME           | Warning     |
| 20071      | LOG_ID_RAD_MISMATCH_TIMER          | Warning     |
| 20072      | LOG_ID_RAD_EXTRA_DATA              | Critical    |
| 20073      | LOG_ID_RAD_NO_OPT_DATA             | Critical    |
| 20074      | LOG_ID_RAD_INV_OPT_LEN             | Critical    |
| 20075      | LOG_ID_RAD_MISMATCH_MTU            | Warning     |
| 20077      | LOG_ID_RAD_MISMATCH_PREF_TIME      | Warning     |

| Message ID | Message                   | Severity    |
|------------|---------------------------|-------------|
| 20078      | LOG_ID_RAD_INV_OPT        | Critical    |
| 20079      | LOG_ID_RAD_READY          | Information |
| 20080      | LOG_ID_RAD_FAIL_TO_RCV    | Critical    |
| 20081      | LOG_ID_RAD_INV_HOP        | Critical    |
| 20082      | LOG_ID_RAD_INV_PKTINFO    | Critical    |
| 20083      | LOG_ID_RAD_FAIL_TO_CHECK  | Warning     |
| 20084      | LOG_ID_RAD_FAIL_TO_SEND   | Warning     |
| 20085      | 20085                     | Information |
| 20086      | 20086                     | Unknown     |
| 20090      | LOG_ID_INTF_LINK_STA_CHG  | Notice      |
| 20099      | LOG_ID_INTF_STA_CHG       | Warning     |
| 20100      | LOG_ID_WEB_CAT_UPDATED    | Critical    |
| 20101      | LOG_ID_WEB_LIC_EXPIRE     | Warning     |
| 20102      | LOG_ID_SPAM_LIC_EXPIRE    | Warning     |
| 20103      | LOG_ID_AV_LIC_EXPIRE      | Warning     |
| 20104      | LOG_ID_IPS_LIC_EXPIRE     | Warning     |
| 20105      | LOG_ID_LOG_UPLOAD_SKIP    | Warning     |
| 20107      | LOG_ID_LOG_UPLOAD_ERR     | Warning     |
| 20108      | LOG_ID_LOG_UPLOAD_DONE    | Notice      |
| 20109      | LOG_ID_WEB_LIC_EXPIRED    | Critical    |
| 20110      | LOG_ID_HPAPI_ESPD_START   | Notice      |
| 20111      | LOG_ID_HPAPI_ESPD_RESET   | Warning     |
| 20113      | LOG_ID_IPSA_DOWNLOAD_FAIL | Error       |
| 20114      | LOG_ID_IPSA_SELFTEST_FAIL | Error       |

| Message ID | Message                         | Severity    |
|------------|---------------------------------|-------------|
| 20115      | LOG_ID_IPSA_STATUSUPD_FAIL      | Error       |
| 20116      | LOG_ID_SPAM_LIC_EXPIRED         | Critical    |
| 20118      | LOG_ID_WEBF_STATUS_REACH        | Warning     |
| 20119      | LOG_ID_WEBF_STATUS_UNREACH      | Warning     |
| 20200      | LOG_ID_FIPS_SELF_TEST           | Notice      |
| 20201      | LOG_ID_FIPS_SELF_ALL_TEST       | Notice      |
| 20202      | LOG_ID_DISK_FORMAT_ERROR        | Warning     |
| 20203      | LOG_ID_DAEMON_SHUTDOWN          | Information |
| 20204      | LOG_ID_DAEMON_START             | Information |
| 20205      | LOG_ID_DISK_FORMAT_REQ          | Critical    |
| 20206      | LOG_ID_DISK_SCAN_REQ            | Warning     |
| 20207      | LOG_ID_RAD_MISMATCH_VALID_TIME  | Warning     |
| 20208      | LOG_ID_ZOMBIE_DAEMON_CLEANUP    | Information |
| 20209      | LOG_ID_DISK_UNAVAIL             | Critical    |
| 20220      | 20220                           | Information |
| 20221      | 20221                           | Information |
| 22000      | LOG_ID_INV_PKT_LEN              | Warning     |
| 22001      | LOG_ID_UNSUPPORTED_PROT_VER     | Warning     |
| 22002      | LOG_ID_INV_REQ_TYPE             | Warning     |
| 22003      | LOG_ID_FAIL_SET_SIG_HANDLER     | Warning     |
| 22004      | LOG_ID_FAIL_CREATE_SOCKET       | Warning     |
| 22005      | LOG_ID_FAIL_CREATE_SOCKET_RETRY | Warning     |
| 22006      | LOG_ID_FAIL_REG_CMDB_EVENT      | Warning     |
| 22009      | LOG_ID_FAIL_FIND_AV_PROFILE     | Warning     |

| Message ID | Message                            | Severity |
|------------|------------------------------------|----------|
| 22010      | LOG_ID_SENDTO_FAIL                 | Error    |
| 22011      | 22011                              | Unknown  |
| 22012      | 22012                              | Unknown  |
| 22013      | 22013                              | Alert    |
| 22014      | 22014                              | Alert    |
| 22015      | 22015                              | Notice   |
| 22016      | 22016                              | Notice   |
| 22017      | LOG_ID_EXCEED_GLOB_RES_LIMIT       | Notice   |
| 22018      | LOG_ID_EXCEED_VD_RES_LIMIT         | Notice   |
| 22020      | LOG_ID_FAIL_CREATE_HA_SOCKET       | Warning  |
| 22021      | LOG_ID_FAIL_CREATE_HA_SOCKET_RETRY | Warning  |
| 22100      | LOG_ID_QUAR_DROP_TRAN_JOB          | Warning  |
| 22101      | LOG_ID_QUAR_DROP_TLL_JOB           | Warning  |
| 22102      | LOG_ID_LOG_DISK_FAILURE            | Critical |
| 22103      | LOG_ID_QUAR_DAILY_LIMIT_REACHED    | Warning  |
| 22104      | LOG_ID_POWER_RESTORE               | Critical |
| 22105      | LOG_ID_POWER_FAILURE               | Critical |
| 22106      | LOG_ID_POWER_OPTIONAL_NOT_DETECTED | Warning  |
| 22107      | LOG_ID_VOLT_ANOM                   | Warning  |
| 22108      | LOG_ID_FAN_ANOM                    | Warning  |
| 22109      | LOG_ID_TEMP_TOO_HIGH               | Warning  |
| 22110      | LOG_ID_SPARE_BLOCK_LOW             | Critical |
| 22150      | LOG_ID_VOLT_NOM                    | Notice   |
| 22151      | LOG_ID_FAN_NOM                     | Notice   |

| Message ID | Message                         | Severity    |
|------------|---------------------------------|-------------|
| 22152      | LOG_ID_TEMP_TOO_LOW             | Warning     |
| 22153      | LOG_ID_TEMP_NORM                | Notice      |
| 22200      | LOG_ID_AUTO_UPT_CERT            | Warning     |
| 22201      | LOG_ID_AUTO_GEN_CERT            | Warning     |
| 22203      | LOG_ID_AUTO_GEN_CERT_FAIL       | Error       |
| 22204      | LOG_ID_AUTO_GEN_CERT_PENDING    | Information |
| 22205      | LOG_ID_AUTO_GEN_CERT_SUCC       | Information |
| 22206      | LOG_ID_CRL_EXPIRED              | Warning     |
| 22700      | LOG_ID_IPS_FAIL_OPEN            | Critical    |
| 22701      | LOG_ID_IPS_FAIL_OPEN_END        | Critical    |
| 22800      | LOG_ID_SCAN_SERV_FAIL           | Critical    |
| 22801      | LOG_ID_SCAN_LEAVE_CONSERVE_MODE | Critical    |
| 22802      | LOG_ID_SYS_ENTER_CONSERVE_MODE  | Critical    |
| 22803      | LOG_ID_SYS_LEAVE_CONSERVE_MODE  | Critical    |
| 22804      | LOG_ID_LIC_STATUS_CHG           | Critical    |
| 22805      | LOG_ID_FAIL_TO_VALIDATE_LIC     | Warning     |
| 22806      | LOG_ID_DUP_LIC                  | Warning     |
| 22810      | LOG_ID_SCAN_ENTER_CONSERVE_MODE | Critical    |
| 22891      | LOG_ID_FLCFGD                   | Error       |
| 22900      | LOG_ID_CAPUTP_SESSION           | Error       |
| 22901      | LOG_ID_FAZ_CON                  | Notice      |
| 22902      | LOG_ID_FAZ_DISCON               | Notice      |
| 22903      | LOG_ID_FAZ_CON_ERR              | Critical    |
| 22913      | LOG_ID_FDS_SRV_DISCON           | Notice      |

| Message ID | Message                          | Severity    |
|------------|----------------------------------|-------------|
| 22914      | LOG_ID_FDS_SRV_CHG               | Notice      |
| 22915      | LOG_ID_FDS_SRV_CON               | Notice      |
| 22916      | LOG_ID_FDS_STATUS                | Notice      |
| 22917      | LOG_ID_FDS_SMS_QUOTA             | Notice      |
| 22918      | LOG_ID_FDS_CTRL_STATUS           | Notice      |
| 22921      | LOG_ID_EVENT_ROUTE_INFO_CHANGED  | Critical    |
| 22922      | LOG_ID_EVENT_LINK_MONITOR_STATUS | Notice      |
| 22923      | LOG_ID_EVENT_VWL_LQTY_STATUS     | Notice      |
| 22924      | LOG_ID_EVENT_VWL_VOLUME_STATUS   | Notice      |
| 26001      | LOG_ID_DHCP_ACK                  | Information |
| 26002      | LOG_ID_DHCP_RELEASE              | Information |
| 26003      | LOG_ID_DHCP_STAT                 | Information |
| 26004      | LOG_ID_DHCP_CLIENT_LEASE         | Information |
| 26005      | LOG_ID_DHCP_LEASE_USAGE_HIGH     | Warning     |
| 26006      | LOG_ID_DHCP_LEASE_USAGE_FULL     | Warning     |
| 26007      | LOG_ID_DHCP_BLOCKED_MAC          | Information |
| 26008      | LOG_ID_DHCP_DDNS_ADD             | Information |
| 26009      | LOG_ID_DHCP_DDNS_DELETE          | Information |
| 26010      | LOG_ID_DHCP_DDNS_COMPLETED       | Information |
| 26011      | LOG_ID_DHCPV6_REPLY              | Information |
| 26012      | LOG_ID_DHCPV6_RELEASE            | Information |
| 29001      | LOG_ID_PPPD_MSG                  | Unknown     |
| 29002      | LOG_ID_PPPD_AUTH_SUC             | Notice      |
| 29003      | LOG_ID_PPPD_AUTH_FAIL            | Notice      |

| Message ID | Message                             | Severity    |
|------------|-------------------------------------|-------------|
| 29009      | LOG_ID_PPPOE_STATUS_REPORT          | Notice      |
| 29011      | LOG_ID_PPPD_FAIL_TO_EXEC            | Error       |
| 29012      | LOG_ID_PPP_OPT_ERR                  | Unknown     |
| 29013      | LOG_ID_PPPD_START                   | Notice      |
| 29014      | LOG_ID_PPPD_EXIT                    | Information |
| 29015      | LOG_ID_PPP_RCV_BAD_PEER_IP          | Error       |
| 29016      | LOG_ID_PPP_RCV_BAD_LOCAL_IP         | Error       |
| 29017      | LOG_ID_PPP_OPT_NOTIF                | Unknown     |
| 29020      | LOG_ID_WIRELESS_SET_FAIL            | Notice      |
| 29021      | LOG_ID_EVENT_AUTH_SNMP_QUERY_FAILED | Warning     |
| 29022      | LOG_ID_DDNS_UPDATE_FAIL             | Error       |
| 32001      | LOG_ID_ADMIN_LOGIN_SUCC             | Unknown     |
| 32002      | LOG_ID_ADMIN_LOGIN_FAIL             | Alert       |
| 32003      | LOG_ID_ADMIN_LOGOUT                 | Unknown     |
| 32005      | LOG_ID_ADMIN_OVERRIDE_VDOM          | Information |
| 32006      | LOG_ID_ADMIN_ENTER_VDOM             | Information |
| 32007      | LOG_ID_ADMIN_LEFT_VDOM              | Information |
| 32008      | LOG_ID_VIEW_DISK_LOG_FAIL           | Warning     |
| 32009      | LOG_ID_SYSTEM_START                 | Information |
| 32010      | LOG_ID_DISK_LOG_FULL                | Warning     |
| 32011      | LOG_ID_LOG_ROLL                     | Notice      |
| 32012      | LOG_ID_FIPS_LEAVE_ERR_MOD           | Information |
| 32014      | LOG_ID_CS_LIC_EXPIRE                | Warning     |
| 32015      | LOG_ID_DISK_LOG_USAGE               | Warning     |

| Message ID | Message                     | Severity    |
|------------|-----------------------------|-------------|
| 32016      | LOG_ID_FDS_QUOTA_WARN       | Emergency   |
| 32017      | LOG_ID_FDS_DAILY_QUOTA_FULL | Alert       |
| 32018      | LOG_ID_FIPS_ENTER_ERR_MOD   | Emergency   |
| 32019      | LOG_ID_CC_ENTER_ERR_MOD     | Emergency   |
| 32020      | LOG_ID_SSH_CORRRPUT_MAC     | Warning     |
| 32021      | LOG_ID_ADMIN_LOGIN_DISABLE  | Alert       |
| 32022      | LOG_ID_VDOM_ENABLED         | Notice      |
| 32023      | LOG_ID_MEM_LOG_FIRST_FULL   | Information |
| 32024      | LOG_ID_ADMIN_PASSWD_EXPIRE  | Notice      |
| 32027      | LOG_ID_VIEW_DISK_LOG_SUCC   | Notice      |
| 32028      | LOG_ID_LOG_DEL_DIR          | Information |
| 32029      | LOG_ID_LOG_DEL_FILE         | Warning     |
| 32030      | LOG_ID_SEND_FDS_STAT        | Notice      |
| 32031      | LOG_ID_VIEW_MEM_LOG_FAIL    | Warning     |
| 32032      | LOG_ID_DISK_DLP_ARCH_FULL   | Emergency   |
| 32033      | LOG_ID_DISK_QUAR_FULL       | Emergency   |
| 32034      | LOG_ID_DISK_REPORT_FULL     | Emergency   |
| 32035      | LOG_ID_VDOM_DISABLED        | Notice      |
| 32036      | LOG_ID_DISK_IPS_ARCH_FULL   | Emergency   |
| 32037      | LOG_ID_DISK_LOG_FIRST_FULL  | Information |
| 32038      | LOG_ID_LOG_ROLL_FORTICRON   | Notice      |
| 32039      | LOG_ID_VIEW_MEM_LOG_SUCC    | Notice      |
| 32040      | LOG_ID_REPORT_DELETED       | Information |
| 32041      | LOG_ID_REPORT_DELETED_GUI   | Information |

| Message ID | Message                               | Severity |
|------------|---------------------------------------|----------|
| 32042      | LOG_ID_MEM_LOG_SECOND_FULL            | Warning  |
| 32043      | LOG_ID_MEM_LOG_FINAL_FULL             | Warning  |
| 32044      | LOG_ID_LOG_DELETE                     | Notice   |
| 32045      | LOG_ID_MGR_LIC_EXPIRE                 | Warning  |
| 32046      | LOG_ID_SSL_CORRPUT_MAC                | Warning  |
| 32048      | LOG_ID_SCHEDULE_EXPIRE                | Warning  |
| 32049      | LOG_ID_FC_EXPIRE                      | Warning  |
| 32051      | LOG_ID_LOG_UPLOAD                     | Notice   |
| 32086      | LOG_ID_ENTER_TRANSPARENT              | Warning  |
| 32087      | LOG_ID_ENTER_NAT                      | Warning  |
| 32095      | LOG_ID_GUI_CHG_SUB_MODULE             | Warning  |
| 32096      | LOG_ID_GUI_DOWNLOAD_LOG               | Warning  |
| 32100      | LOG_ID_FORTI_TOKEN_SYNC               | Warning  |
| 32101      | LOG_ID_LCD_CHG_CONF                   | Notice   |
| 32102      | LOG_ID_CHG_CONFIG                     | Unknown  |
| 32103      | LOG_ID_NEW_FIRMWARE                   | Notice   |
| 32104      | LOG_ID_CHG_CONFIG_GUI                 | Unknown  |
| 32105      | LOG_ID_NTP_SVR_STAUS_CHG_REACHABLE    | Notice   |
| 32106      | LOG_ID_NTP_SVR_STAUS_CHG_RESOLVABLE   | Notice   |
| 32107      | LOG_ID_NTP_SVR_STAUS_CHG_UNRESOLVABLE | Notice   |
| 32108      | LOG_ID_NTP_SVR_STAUS_CHG_UNREACHABLE  | Notice   |
| 32109      | LOG_ID_UPD_SIGN_AV_DB                 | Critical |
| 32110      | LOG_ID_UPD_SIGN_IPS_DB                | Critical |
| 32111      | LOG_ID_UPD_SIGN_AVIPS_DB              | Critical |

| Message ID | Message                       | Severity |
|------------|-------------------------------|----------|
| 32113      | LOG_ID_UPD_SIGN_SRCVIS_DB     | Critical |
| 32114      | LOG_ID_UPD_SIGN_GEOIP_DB      | Critical |
| 32115      | LOG_ID_UPD_SIGN_SERVER_LIST   | Critical |
| 32116      | LOG_ID_UPD_SIGN_AVPKG_FAILURE | Warning  |
| 32117      | LOG_ID_UPD_SIGN_AVPKG_SUCCESS | Warning  |
| 32118      | LOG_ID_UPD_ADMIN_AV_DB        | Notice   |
| 32119      | LOG_ID_UPD_SCANUNIT_AV_DB     | Critical |
| 32120      | LOG_ID_RPT_ADD_DATASET        | Notice   |
| 32122      | LOG_ID_RPT_DEL_DATASET        | Notice   |
| 32125      | LOG_ID_RPT_ADD_CHART          | Notice   |
| 32126      | LOG_ID_RPT_DEL_CHART          | Notice   |
| 32129      | LOG_ID_ADD_GUEST              | Notice   |
| 32130      | LOG_ID_CHG_USER               | Notice   |
| 32131      | LOG_ID_DEL_GUEST              | Notice   |
| 32132      | LOG_ID_ADD_USER               | Notice   |
| 32138      | LOG_ID_REBOOT                 | Critical |
| 32140      | LOG_ID_TIME_USER_SETTING_CHG  | Notice   |
| 32141      | LOG_ID_TIME_NTP_SETTING_CHG   | Notice   |
| 32142      | LOG_ID_BACKUP_CONF            | Alert    |
| 32143      | LOG_ID_BACKUP_CONF_BY_SCP     | Warning  |
| 32148      | LOG_ID_GET_CRL                | Notice   |
| 32149      | LOG_ID_COMMAND_FAIL           | Notice   |
| 32151      | LOG_ID_ADD_IP6_LOCAL_POL      | Notice   |
| 32152      | LOG_ID_CHG_IP6_LOCAL_POL      | Notice   |

| Message ID | Message                    | Severity |
|------------|----------------------------|----------|
| 32153      | LOG_ID_DEL_IP6_LOCAL_POL   | Notice   |
| 32155      | LOG_ID_ACT_FTOKEN_REQ      | Notice   |
| 32156      | LOG_ID_ACT_FTOKEN_SUCC     | Notice   |
| 32157      | LOG_ID_SYNC_FTOKEN_SUCC    | Notice   |
| 32158      | LOG_ID_SYNC_FTOKEN_FAIL    | Notice   |
| 32159      | LOG_ID_ACT_FTOKEN_FAIL     | Notice   |
| 32168      | LOG_ID_REACH_VDOM_LIMIT    | Notice   |
| 32169      | LOG_ID_ALARM_DLP_DB        | Alert    |
| 32170      | LOG_ID_ALARM_MSG           | Alert    |
| 32171      | LOG_ID_ALARM_ACK           | Alert    |
| 32172      | LOG_ID_ADD_IP4_LOCAL_POL   | Notice   |
| 32173      | LOG_ID_CHG_IP4_LOCAL_POL   | Notice   |
| 32174      | LOG_ID_DEL_IP4_LOCAL_POL   | Notice   |
| 32190      | LOG_ID_UPT_INVALID_IMG     | Critical |
| 32191      | LOG_ID_UPT_INVALID_IMG_CC  | Critical |
| 32192      | LOG_ID_UPT_INVALID_IMG_RSA | Critical |
| 32193      | LOG_ID_UPT_IMG_RSA         | Critical |
| 32194      | LOG_ID_UPT_IMG_FAIL        | Critical |
| 32199      | LOG_ID_RESTORE_IMG_USB     | Critical |
| 32200      | LOG_ID_SHUTDOWN            | Critical |
| 32201      | LOG_ID_LOAD_IMG_SUCC       | Critical |
| 32202      | LOG_ID_RESTORE_IMG         | Critical |
| 32203      | LOG_ID_RESTORE_CONF        | Critical |
| 32204      | LOG_ID_RESTORE_FGD_SVR     | Critical |

| Message ID | Message                        | Severity |
|------------|--------------------------------|----------|
| 32205      | LOG_ID_RESTORE_VDOM_LIC        | Critical |
| 32206      | LOG_ID_RESTORE_SCRIPT          | Warning  |
| 32207      | LOG_ID_RETRIEVE_CONF_LIST      | Warning  |
| 32208      | LOG_ID_IMP_PKCS12_CERT         | Critical |
| 32209      | LOG_ID_RESTORE_USR_DEF_IPS     | Critical |
| 32210      | LOG_ID_BACKUP_IMG_SUCC         | Notice   |
| 32211      | LOG_ID_UPLOAD_REVISION         | Notice   |
| 32212      | LOG_ID_DEL_REVISION            | Notice   |
| 32213      | LOG_ID_RESTORE_TEMPLATE        | Warning  |
| 32214      | LOG_ID_RESTORE_FILE            | Warning  |
| 32215      | LOG_ID_UPT_IMG                 | Critical |
| 32217      | LOG_ID_UPD_IPS                 | Notice   |
| 32218      | LOG_ID_UPD_DLP                 | Warning  |
| 32219      | LOG_ID_BACKUP_OUTPUT           | Warning  |
| 32220      | LOG_ID_BACKUP_COMMAND          | Warning  |
| 32221      | LOG_ID_UPD_VDOM_LIC            | Warning  |
| 32222      | LOG_ID_GLB_SETTING_CHG         | Notice   |
| 32223      | LOG_ID_BACKUP_USER_DEF_IPS     | Notice   |
| 32224      | LOG_ID_BACKUP_DISK_LOG         | Notice   |
| 32225      | LOG_ID_DEL_ALL_REVISION        | Notice   |
| 32226      | LOG_ID_LOAD_IMG_FAIL           | Critical |
| 32227      | LOG_ID_UPD_DLP_FAIL            | Warning  |
| 32228      | LOG_ID_LOAD_IMG_FAIL_WRONG_IMG | Critical |
| 32229      | LOG_ID_LOAD_IMG_FAIL_NO_RSA    | Critical |

| Message ID | Message                          | Severity |
|------------|----------------------------------|----------|
| 32230      | LOG_ID_LOAD_IMG_FAIL_INVALID_RSA | Critical |
| 32231      | LOG_ID_RESTORE_FGD_SVR_FAIL      | Notice   |
| 32232      | LOG_ID_RESTORE_VDOM_LIC_FAIL     | Notice   |
| 32233      | LOG_ID_BACKUP_IMG_FAIL           | Notice   |
| 32234      | LOG_ID_RESTORE_IMG_INVALID_CC    | Critical |
| 32235      | LOG_ID_RESTORE_IMG_FORTIGUARD    | Critical |
| 32236      | LOG_ID_BACKUP_MEM_LOG            | Notice   |
| 32237      | LOG_ID_BACKUP_MEM_LOG_FAIL       | Notice   |
| 32238      | LOG_ID_BACKUP_DISK_LOG_FAIL      | Notice   |
| 32239      | LOG_ID_BACKUP_DISK_LOG_USB       | Notice   |
| 32240      | LOG_ID_SYS_USB_MODE              | Critical |
| 32241      | LOG_ID_BACKUP_DISK_LOG_USB_FAIL  | Notice   |
| 32242      | LOG_ID_UPD_VDOM_LIC_FAIL         | Warning  |
| 32243      | LOG_ID_UPD_IPS_SCP               | Warning  |
| 32244      | LOG_ID_UPD_IPS_SCP_FAIL          | Warning  |
| 32245      | LOG_ID_BACKUP_USER_DEF_IPS_FAIL  | Error    |
| 32252      | LOG_ID_FACTORY_RESET             | Critical |
| 32253      | LOG_ID_FORMAT_RAID               | Critical |
| 32254      | LOG_ID_ENABLE_RAID               | Critical |
| 32255      | LOG_ID_DISABLE_RAID              | Critical |
| 32300      | LOG_ID_UPLOAD_RPT_IMG            | Notice   |
| 32301      | LOG_ID_ADD_VDOM                  | Notice   |
| 32302      | LOG_ID_DEL_VDOM                  | Notice   |
| 32400      | LOG_ID_CONF_CHG                  | Alert    |

| Message ID | Message                                  | Severity    |
|------------|--|-------------|
| 32545      | LOG_ID_SYS_RESTART                       | Critical    |
| 32546      | LOG_ID_APPLICATION_CRASH                 | Warning     |
| 32547      | LOG_ID_AUTOSCRIPT_START                  | Information |
| 32548      | LOG_ID_AUTOSCRIPT_STOP                   | Information |
| 32561      | LOG_ID_ADMIN_LOGOUT_DISCONNECT           | Unknown     |
| 32562      | LOG_ID_STORE_CONF_FAIL_SPACE             | Critical    |
| 32564      | LOG_ID_RESTORE_CONF_FAIL                 | Warning     |
| 32565      | LOG_ID_RESTORE_CONF_BY_MGMT              | Warning     |
| 32566      | LOG_ID_RESTORE_CONF_BY_SCP               | Critical    |
| 32567      | LOG_ID_RESTORE_CONF_BY_USB               | Critical    |
| 32568      | LOG_ID_DEL_REVISION_DB                   | Notice      |
| 32569      | LOG_ID_FSW_SWITCH_LOG_EVENT              | Unknown     |
| 36880      | LOG_ID_EVENT_SYSTEM_MAC_HOST_STORE_LIMIT | Warning     |
| 38400      | LOGID_EVENT_NOTIF_SEND_SUCC              | Notice      |
| 38401      | LOGID_EVENT_NOTIF_SEND_FAIL              | Warning     |
| 38402      | LOGID_EVENT_NOTIF_DNS_FAIL               | Notice      |
| 38403      | LOGID_EVENT_NOTIF_INSUFFICIENT_RESOURCE  | Critical    |
| 38404      | LOGID_EVENT_NOTIF_HOSTNAME_ERROR         | Error       |
| 38405      | LOGID_NOTIF_CODE_SENDTO_SMS_PHONE        | Notice      |
| 38406      | LOGID_NOTIF_CODE_SENDTO_SMS_TO           | Notice      |
| 38407      | LOGID_NOTIF_CODE_SENDTO_EMAIL            | Notice      |
| 38408      | LOGID_EVENT_OFTP_SSL_CONNECTED           | Information |
| 38409      | LOGID_EVENT_OFTP_SSL_DISCONNECTED        | Information |
| 38410      | LOGID_EVENT_OFTP_SSL_FAILED              | Information |

| Message ID | Message                                 | Severity    |
|------------|---|-------------|
| 38411      | LOGID_EVENT_TWO_F_AUTH_CODE_SENDTO      | Notice      |
| 38412      | LOGID_EVENT_TOKEN_CODE_SENDTO           | Notice      |
| 40704      | LOG_ID_EVENT_SYS_PERF                   | Notice      |
| 41000      | LOG_ID_UPD_FGT_SUCC                     | Notice      |
| 41001      | LOG_ID_UPD_FGT_FAIL                     | Critical    |
| 41002      | LOG_ID_UPD_SRC_VIS                      | Notice      |
| 41003      | LOG_ID_INVALID_UPD_LIC                  | Critical    |
| 42201      | LOG_ID_NETX_VMX_ATTACH                  | Notice      |
| 42203      | LOG_ID_NETX_VMX_DENIED                  | Notice      |
| 43264      | LOGID_MMS_STATS                         | Information |
| 43776      | LOG_ID_EVENT_NAC_QUARANTINE             | Notice      |
| 43777      | LOG_ID_EVENT_NAC_ANOMALY_QUARANTINE     | Notice      |
| 43800      | LOG_ID_EVENT_ELBC_BLADE_JOIN            | Critical    |
| 43801      | LOG_ID_EVENT_ELBC_BLADE_LEAVE           | Critical    |
| 43802      | LOG_ID_EVENT_ELBC_MASTER_BLADE_FOUND    | Critical    |
| 43803      | LOG_ID_EVENT_ELBC_MASTER_BLADE_LOST     | Critical    |
| 43804      | LOG_ID_EVENT_ELBC_MASTER_BLADE_CHANGE   | Critical    |
| 43805      | LOG_ID_EVENT_ELBC_ACTIVE_CHANNEL_FOUND  | Critical    |
| 43806      | LOG_ID_EVENT_ELBC_ACTIVE_CHANNEL_LOST   | Critical    |
| 43807      | LOG_ID_EVENT_ELBC_ACTIVE_CHANNEL_CHANGE | Critical    |
| 43808      | LOG_ID_EVENT_ELBC_CHASSIS_ACTIVE        | Critical    |
| 43809      | LOG_ID_EVENT_ELBC_CHASSIS_INACTIVE      | Critical    |
| 44544      | LOGID_EVENT_CONFIG_PATH                 | Unknown     |
| 44545      | LOGID_EVENT_CONFIG_OBJ                  | Unknown     |

| Message ID | Message                       | Severity    |
|------------|-------------------------------|-------------|
| 44546      | LOGID_EVENT_CONFIG_ATTR       | Unknown     |
| 44547      | LOGID_EVENT_CONFIG_OBJATTR    | Unknown     |
| 44548      | LOGID_EVENT_CONFIG_EXEC       | Information |
| 45000      | LOG_ID_VSD_SSL_RCV_HS         | Debug       |
| 45001      | LOG_ID_VSD_SSL_RCV_WRG_HS     | Error       |
| 45002      | LOG_ID_VSD_SSL_SENT_HS        | Debug       |
| 45003      | LOG_ID_VSD_SSL_WRG_HS_LEN     | Error       |
| 45004      | LOG_ID_VSD_SSL_RCV_CCS        | Debug       |
| 45005      | LOG_ID_VSD_SSL_RSA_DH_FAIL    | Error       |
| 45006      | LOG_ID_VSD_SSL_SENT_CCS       | Debug       |
| 45007      | LOG_ID_VSD_SSL_BAD_HASH       | Error       |
| 45009      | LOG_ID_VSD_SSL_DECRY_FAIL     | Error       |
| 45010      | LOG_ID_VSD_SSL_SESSION_CLOSED | Debug       |
| 45011      | LOG_ID_VSD_SSL_LESS_MINOR     | Error       |
| 45012      | LOG_ID_VSD_SSL_REACH_MAX_CON  | Warning     |
| 45013      | LOG_ID_VSD_SSL_NOT_SUPPORT_CS | Error       |
| 45016      | LOG_ID_VSD_SSL_HS_FIN         | Debug       |
| 45017      | LOG_ID_VSD_SSL_HS_TOO_LONG    | Error       |
| 45018      | LOG_ID_VSD_SSL_MORE_MINOR     | Debug       |
| 45019      | LOG_ID_VSD_SSL_SENT_ALERT_ERR | Error       |
| 45020      | LOG_ID_VSD_SSL_SESSION_EXPIRE | Debug       |
| 45021      | LOG_ID_VSD_SSL_SENT_ALERT     | Debug       |
| 45022      | LOG_ID_VSD_SSL_RCV_CH         | Debug       |
| 45023      | LOG_ID_VSD_SSL_RCV_SH         | Debug       |

| Message ID | Message  | Severity    |
|------------|--|-------------|
| 45024      | LOG_ID_VSD_SSL_SENT_SH                                 | Debug       |
| 45025      | LOG_ID_VSD_SSL_RCV_ALERT                               | Error       |
| 45027      | LOG_ID_VSD_SSL_INVALID_CONT_TYPE                       | Error       |
| 45029      | LOG_ID_VSD_SSL_BAD_CCS_LEN                             | Error       |
| 45031      | LOG_ID_VSD_SSL_BAD_DH                                  | Error       |
| 45032      | LOG_ID_VSD_SSL_PUB_KEY_TOO_BIG                         | Error       |
| 45033      | LOG_ID_VSD_SSL_NOT_SUPPORT_CM                          | Error       |
| 45034      | LOG_ID_VSD_SSL_SERVER_KEY_HASH_ALGORITHM_MISMATCH      | Error       |
| 45035      | LOG_ID_VSD_SSL_SERVER_KEY_SIGNATURE_ALGORITHM_MISMATCH | Error       |
| 45161      | LOG_ID_EVENT_DSSCC_EXEC                                | Information |
| 46000      | LOG_ID_VIP_REAL_SVR_ENA                                | Notice      |
| 46001      | LOG_ID_VIP_REAL_SVR_DISA                               | Alert       |
| 46002      | LOG_ID_VIP_REAL_SVR_UP                                 | Notice      |
| 46003      | LOG_ID_VIP_REAL_SVR_DOWN                               | Alert       |
| 46004      | LOG_ID_VIP_REAL_SVR_ENT_HOLDDOWN                       | Notice      |
| 46005      | LOG_ID_VIP_REAL_SVR_FAIL_HOLDDOWN                      | Alert       |
| 46006      | LOG_ID_VIP_REAL_SVR_FAIL                               | Debug       |
| 46400      | LOG_ID_EVENT_EXT_SYS                                   | Unknown     |
| 46401      | LOG_ID_EVENT_EXT_LOCAL                                 | Unknown     |
| 46402      | LOG_ID_EVENT_EXT_REMOTE                                | Unknown     |
| 47201      | LOG_ID_AMC_ENTER_BYPASS                                | Emergency   |
| 47202      | LOG_ID_AMC_EXIT_BYPASS                                 | Emergency   |
| 47203      | LOG_ID_ENTER_BYPASS                                    | Emergency   |
| 47204      | LOG_ID_EXIT_BYPASS                                     | Emergency   |

**USER**

| Log Field Name | Description                                      | Data Type | Length |
|----------------|--|-----------|--------|
| acct_stat      | Accounting state (RADIUS)                        | string    | 14     |
| action         | Action   | string    | 32     |
| adgroup        | AD Group Name                                    | string    | 128    |
| authproto      | The protocol that initiated the authentication   | string    | 64     |
| carrier_ep     | The FortiOS Carrier end-point identification     | string    | 64     |
| category       | Category   | uint32    | 10     |
| count          | Number of Packets                                | uint32    | 10     |
| date           | Date   | string    | 10     |
| devid          | Device ID  | string    | 16     |
| dstip          | Destination IP                                   | ip        | 39     |
| duration       | Duration   | uint32    | 10     |
| expiry         | FortiGuard override expiry timestamp             | string    | 64     |
| group          | User name group                                  | string    | 64     |
| initiator      | Original login user name for Fortiguard override | string    | 64     |
| level          | Log Level  | string    | 11     |
| logdesc        | Log Description                                  | string    |        |
| logid          | Log ID   | string    | 10     |
| msg            | Message  | string    |        |
| oldwprof       | Old Web Filter Profile                           | string    | 64     |
| policyid       | Policy ID  | uint32    | 10     |
| poolname       | IP Pool Name                                     | string    | 36     |
| portbegin      | Port Begin                                       | uint16    | 5      |
| portend        | Port End   | uint16    | 5      |

| Log Field Name | Description                | Data Type | Length |
|----------------|----------------------------|-----------|--------|
| proto          | Protocol Number            | uint8     | 3      |
| reason         | Reason                     | string    | 256    |
| rsso_key       | RADIUS SSO attribute value | string    | 64     |
| scope          | FortiGuard Override Scope  | string    | 16     |
| server         | AD server FQDN or IP       | string    | 64     |
| srcip          | Source IP                  | ip        | 39     |
| status         | Status                     | string    | 23     |
| subtype        | Log Subtype                | string    | 20     |
| time           | Time                       | string    | 8      |
| type           | Log Type                   | string    | 16     |
| ui             | User Interface             | string    | 64     |
| user           | User Name                  | string    | 256    |
| vd             | Virtual Domain Name        | string    | 32     |

## USER Log Messages

The following table describes the log message IDs and messages of the USER log.

| Message ID | Message                            | Severity |
|------------|------------------------------------|----------|
| 38010      | LOG_ID_FIPS_ENCRY_FAIL             | Alert    |
| 38011      | LOG_ID_FIPS_DECRY_FAIL             | Alert    |
| 38012      | LOG_ID_ENTROPY_TOKEN               | Notice   |
| 38031      | LOG_ID_FSSO_LOGON                  | Notice   |
| 38032      | LOG_ID_FSSO_LOGOFF                 | Notice   |
| 38033      | LOG_ID_FSSO_SVR_STATUS             | Notice   |
| 38656      | LOGID_EVENT_RAD_RPT_PROTO_ERROR    | Notice   |
| 38657      | LOGID_EVENT_RAD_RPT_PROF_NOT_FOUND | Notice   |

| Message ID | Message                               | Severity |
|------------|---------------------------------------|----------|
| 38658      | LOGID_EVENT_RAD_RPT_CTX_NOT_FOUND     | Notice   |
| 38659      | LOGID_EVENT_RAD_RPT_ACCT_STOP_MISSED  | Notice   |
| 38660      | LOGID_EVENT_RAD_RPT_ACCT_EVENT        | Notice   |
| 38661      | LOGID_EVENT_RAD_RPT_OTHER             | Notice   |
| 38662      | LOGID_EVENT_RAD_STAT_PROTO_ERROR      | Notice   |
| 38663      | LOGID_EVENT_RAD_STAT_PROF_NOT_FOUND   | Notice   |
| 38665      | LOGID_EVENT_RAD_STAT_ACCT_STOP_MISSED | Notice   |
| 38666      | LOGID_EVENT_RAD_STAT_ACCT_EVENT       | Notice   |
| 38667      | LOGID_EVENT_RAD_STAT_OTHER            | Notice   |
| 38668      | LOGID_EVENT_RAD_STAT_EP_BLK           | Notice   |
| 43008      | LOG_ID_EVENT_AUTH_SUCCESS             | Unknown  |
| 43009      | LOG_ID_EVENT_AUTH_FAILED              | Unknown  |
| 43010      | LOG_ID_EVENT_AUTH_LOCKOUT             | Unknown  |
| 43011      | LOG_ID_EVENT_AUTH_TIME_OUT            | Notice   |
| 43012      | LOG_ID_EVENT_AUTH_FSAE_AUTH_SUCCESS   | Notice   |
| 43013      | LOG_ID_EVENT_AUTH_FSAE_AUTH_FAIL      | Notice   |
| 43014      | LOG_ID_EVENT_AUTH_FSAE_LOGON          | Notice   |
| 43015      | LOG_ID_EVENT_AUTH_FSAE_LOGOFF         | Notice   |
| 43016      | LOG_ID_EVENT_AUTH_NTLM_AUTH_SUCCESS   | Notice   |
| 43017      | LOG_ID_EVENT_AUTH_NTLM_AUTH_FAIL      | Notice   |
| 43018      | LOG_ID_EVENT_AUTH_FGOVRD_FAIL         | Warning  |
| 43020      | LOG_ID_EVENT_AUTH_FGOVRD_SUCCESS      | Notice   |
| 43025      | LOG_ID_EVENT_AUTH_PROXY_SUCCESS       | Notice   |
| 43026      | LOG_ID_EVENT_AUTH_PROXY_FAILED        | Notice   |

| Message ID | Message                                      | Severity |
|------------|--|----------|
| 43027      | LOG_ID_EVENT_AUTH_PROXY_TIME_OUT             | Notice   |
| 43028      | LOG_ID_EVENT_AUTH_PROXY_AUTHORIZATION_FAILED | Notice   |
| 43029      | LOG_ID_EVENT_AUTH_WARNING_SUCCESS            | Notice   |
| 43030      | LOG_ID_EVENT_AUTH_WARNING_TBL_FULL           | Warning  |
| 43040      | LOG_ID_EVENT_AUTH_LOGOUT                     | Notice   |
| 43041      | LOG_ID_EVENT_AUTH_DISCLAIMER_ACCEPT          | Unknown  |
| 43042      | LOG_ID_EVENT_AUTH_DISCLAIMER_DECLINE         | Unknown  |
| 43043      | LOG_ID_EVENT_AUTH_EMAIL_COLLECTING_SUCCESS   | Unknown  |
| 43044      | LOG_ID_EVENT_AUTH_EMAIL_COLLECTING_FAIL      | Unknown  |

## VPN

| Log Field Name | Description          | Data Type | Length |
|----------------|----------------------|-----------|--------|
| action         | Action               | string    | 32     |
| assignip       | Assigned IP Address  | ip        | 39     |
| cert-type      | Certification type   | string    | 6      |
| cookies        | Cookie               | string    | 64     |
| date           | Date                 | string    | 10     |
| devid          | Device ID            | string    | 16     |
| dir            | Direction            | string    | 8      |
| dst_host       | Destination Hostname | string    | 64     |
| duration       | Duration             | uint32    | 10     |
| error_num      | Error Number         | string    | 53     |
| espauth        | ESP Authentication   | string    | 17     |
| esptransform   | ESP Transform        | string    | 11     |

| Log Field Name | Description                                      | Data Type | Length |
|----------------|--|-----------|--------|
| exch           | In SPI   | string    | 14     |
| group          | User Name Group                                  | string    | 64     |
| init           |  | string    | 6      |
| in_spi         |  | string    | 16     |
| level          | Log Level  | string    | 11     |
| locip          | Local IP   | ip        | 39     |
| locport        | Local Port                                       | uint16    | 5      |
| logdesc        | Log Description                                  | string    |        |
| logid          | Log ID   | string    | 10     |
| method         | Method   | string    | 64     |
| mode           | Mode   | string    | 12     |
| msg            | Message  | string    |        |
| name           | Name   | string    | 128    |
| nextstat       | Time interval in seconds for the next statistics | uint32    | 10     |
| outintf        | Out interface                                    | string    | 32     |
| out_spi        | Out SPI  | string    | 16     |
| peer_notif     | Peer Notification                                | string    | 25     |
| phase2_name    | Phase 2 Name                                     | string    | 128    |
| rcvdbyte       | Received Bytes                                   | uint64    | 20     |
| reason         | Reason   | string    | 256    |
| remip          | Remote IP  | ip        | 39     |
| remport        | Remote Port                                      | uint16    | 5      |
| result         | Result   | string    | 31     |
| role           | Role   | string    | 9      |

| Log Field Name | Description           | Data Type | Length |
|----------------|-----------------------|-----------|--------|
| sentbyte       | Bytes Sent            | uint64    | 20     |
| seq            | Sequence              | string    | 16     |
| spi            |                       | string    | 16     |
| stage          |                       | uint8     | 3      |
| status         | Status                | string    | 23     |
| subtype        | Log Subtype           | string    | 20     |
| time           | Time                  | string    | 8      |
| tunnelid       | Tunnel ID             | uint32    | 10     |
| tunnelip       | Tunnel IP             | ip        | 39     |
| tunneltype     | Tunnel Type           | string    | 64     |
| type           | Log Type              | string    | 16     |
| ui             | User Interface        | string    | 64     |
| user           | User Name             | string    | 256    |
| vd             | Virtual Domain Name   | string    | 32     |
| vpntunnel      | IPsec Vpn Tunnel Name | string    | 128    |
| xauthgroup     | XAuth Group Name      | string    | 128    |
| xauthuser      | XAuth User Name       | string    | 128    |

## VPN Log Messages

The following table describes the log message IDs and messages of the VPN log.

| Message ID | Message                     | Severity |
|------------|-----------------------------|----------|
| 37120      | MESGID_NEG_GENERIC_P1_NOTIF | Unknown  |
| 37121      | MESGID_NEG_GENERIC_P1_ERROR | Unknown  |
| 37122      | MESGID_NEG_GENERIC_P2_NOTIF | Unknown  |
| 37123      | MESGID_NEG_GENERIC_P2_ERROR | Unknown  |

| Message ID | Message                           | Severity |
|------------|-----------------------------------|----------|
| 37124      | MESGID_NEG_I_P1_ERROR             | Error    |
| 37125      | MESGID_NEG_I_P2_ERROR             | Error    |
| 37126      | MESGID_NEG_NO_STATE_ERROR         | Error    |
| 37127      | MESGID_NEG_PROGRESS_P1_NOTIF      | Unknown  |
| 37128      | MESGID_NEG_PROGRESS_P1_ERROR      | Unknown  |
| 37129      | MESGID_NEG_PROGRESS_P2_NOTIF      | Unknown  |
| 37130      | MESGID_NEG_PROGRESS_P2_ERROR      | Unknown  |
| 37131      | MESGID_ESP_ERROR                  | Unknown  |
| 37132      | MESGID_ESP_CRITICAL               | Unknown  |
| 37133      | MESGID_INSTALL_SA                 | Notice   |
| 37134      | MESGID_DELETE_P1_SA               | Notice   |
| 37135      | MESGID_DELETE_P2_SA               | Notice   |
| 37136      | MESGID_DPD_FAILURE                | Error    |
| 37137      | MESGID_CONN_FAILURE               | Error    |
| 37138      | MESGID_CONN_UPDOWN                | Notice   |
| 37139      | MESGID_P2_UPDOWN                  | Notice   |
| 37141      | MESGID_CONN_STATS                 | Notice   |
| 37184      | MESGID_NEG_GENERIC_P1_NOTIF_IKEV2 | Unknown  |
| 37185      | MESGID_NEG_GENERIC_P1_ERROR_IKEV2 | Unknown  |
| 37186      | MESGID_NEG_GENERIC_P2_NOTIF_IKEV2 | Unknown  |
| 37187      | MESGID_NEG_GENERIC_P2_ERROR_IKEV2 | Unknown  |
| 37188      | MESGID_NEG_I_P1_ERROR_IKEV2       | Error    |
| 37189      | MESGID_NEG_I_P2_ERROR_IKEV2       | Error    |
| 37190      | MESGID_NEG_NO_STATE_ERROR_IKEV2   | Error    |

| Message ID | Message                                       | Severity |
|------------|---|----------|
| 37191      | MESGID_NEG_PROGRESS_P1_NOTIF_IKEV2            | Unknown  |
| 37192      | MESGID_NEG_PROGRESS_P1_ERROR_IKEV2            | Unknown  |
| 37193      | MESGID_NEG_PROGRESS_P2_NOTIF_IKEV2            | Unknown  |
| 37194      | MESGID_NEG_PROGRESS_P2_ERROR_IKEV2            | Unknown  |
| 37195      | MESGID_ESP_ERROR_IKEV2                        | Unknown  |
| 37196      | MESGID_ESP_CRITICAL_IKEV2                     | Unknown  |
| 37197      | MESGID_INSTALL_SA_IKEV2                       | Notice   |
| 37198      | MESGID_DELETE_P1_SA_IKEV2                     | Notice   |
| 37199      | MESGID_DELETE_P2_SA_IKEV2                     | Notice   |
| 37200      | MESGID_DPD_FAILURE_IKEV2                      | Error    |
| 37201      | MESGID_CONN_FAILURE_IKEV2                     | Error    |
| 37202      | MESGID_CONN_UPDOWN_IKEV2                      | Notice   |
| 37203      | MESGID_P2_UPDOWN_IKEV2                        | Notice   |
| 37204      | MESGID_CONN_STATS_IKEV2                       | Notice   |
| 39424      | LOG_ID_EVENT_SSL_VPN_USER_TUNNEL_UP           | Unknown  |
| 39425      | LOG_ID_EVENT_SSL_VPN_USER_TUNNEL_DOWN         | Unknown  |
| 39426      | LOG_ID_EVENT_SSL_VPN_USER_SSL_LOGIN_FAIL      | Unknown  |
| 39936      | LOG_ID_EVENT_SSL_VPN_SESSION_WEB_TUNNEL_STATS | Unknown  |
| 39937      | LOG_ID_EVENT_SSL_VPN_SESSION_WEBAPP_DENY      | Unknown  |
| 39938      | LOG_ID_EVENT_SSL_VPN_SESSION_WEBAPP_PASS      | Unknown  |
| 39939      | LOG_ID_EVENT_SSL_VPN_SESSION_WEBAPP_TIMEOUT   | Unknown  |
| 39940      | LOG_ID_EVENT_SSL_VPN_SESSION_WEBAPP_CLOSE     | Unknown  |
| 39941      | LOG_ID_EVENT_SSL_VPN_SESSION_SYS_BUSY         | Unknown  |
| 39942      | LOG_ID_EVENT_SSL_VPN_SESSION_CERT_OK          | Unknown  |

| Message ID | Message  | Severity    |
|------------|--|-------------|
| 39943      | LOG_ID_EVENT_SSL_VPN_SESSION_NEW_CON             | Unknown     |
| 39944      | LOG_ID_EVENT_SSL_VPN_SESSION_ALERT               | Unknown     |
| 39945      | LOG_ID_EVENT_SSL_VPN_SESSION_EXIT_FAIL           | Unknown     |
| 39946      | LOG_ID_EVENT_SSL_VPN_SESSION_EXIT_ERR            | Unknown     |
| 39947      | LOG_ID_EVENT_SSL_VPN_SESSION_TUNNEL_UP           | Unknown     |
| 39948      | LOG_ID_EVENT_SSL_VPN_SESSION_TUNNEL_DOWN         | Unknown     |
| 39949      | LOG_ID_EVENT_SSL_VPN_SESSION_TUNNEL_STATS        | Unknown     |
| 39950      | LOG_ID_EVENT_SSL_VPN_SESSION_TUNNEL_UNKNOWNTAG   | Unknown     |
| 39951      | LOG_ID_EVENT_SSL_VPN_SESSION_TUNNEL_ERROR        | Unknown     |
| 39952      | LOG_ID_EVENT_SSL_VPN_SESSION_ENTER_CONSERVE_MODE | Unknown     |
| 39953      | LOG_ID_EVENT_SSL_VPN_SESSION_LEAVE_CONSERVE_MODE | Unknown     |
| 40001      | LOG_ID_PPTP_TUNNEL_UP                            | Unknown     |
| 40002      | LOG_ID_PPTP_TUNNEL_DOWN                          | Unknown     |
| 40003      | LOG_ID_PPTP_TUNNEL_STAT                          | Unknown     |
| 40014      | LOG_ID_PPTP_REACH_MAX_CON                        | Warning     |
| 40017      | LOG_ID_L2TPD_CLIENT_CON_FAIL                     | Warning     |
| 40019      | LOG_ID_L2TPD_CLIENT_DISCON                       | Information |
| 40021      | LOG_ID_PPTP_NOT_CONIG                            | Debug       |
| 40022      | LOG_ID_PPTP_NO_IP_AVAIL                          | Warning     |
| 40024      | LOG_ID_PPTP_OUT_MEM                              | Warning     |
| 40034      | LOG_ID_PPTP_START                                | Notice      |
| 40035      | LOG_ID_PPTP_START_FAIL                           | Error       |
| 40036      | LOG_ID_PPTP_EXIT                                 | Notice      |

| Message ID | Message                             | Severity    |
|------------|-------------------------------------|-------------|
| 40037      | LOG_ID_PPTPD_SVR_DISCON             | Information |
| 40038      | LOG_ID_PPTPD_CLIENT_CON             | Information |
| 40039      | LOG_ID_PPTPD_CLIENT_DISCON          | Information |
| 40101      | LOG_ID_L2TP_TUNNEL_UP               | Unknown     |
| 40102      | LOG_ID_L2TP_TUNNEL_DOWN             | Unknown     |
| 40103      | LOG_ID_L2TP_TUNNEL_STAT             | Unknown     |
| 40114      | LOG_ID_L2TPD_START                  | Notice      |
| 40115      | LOG_ID_L2TPD_EXIT                   | Notice      |
| 40118      | LOG_ID_L2TPD_CLIENT_CON             | Information |
| 41984      | LOG_ID_EVENT_VPN_CERT_LOAD          | Information |
| 41985      | LOG_ID_EVENT_VPN_CERT_REMOVAL       | Information |
| 41986      | LOG_ID_EVENT_VPN_CERT_REGEN         | Information |
| 41987      | LOG_ID_EVENT_VPN_CERT_UPDATE        | Information |
| 41988      | LOG_ID_EVENT_SSL_VPN_SETTING_UPDATE | Information |
| 41989      | LOG_ID_EVENT_VPN_CERT_ERR           | Information |
| 41990      | LOG_ID_EVENT_VPN_CERT_UPDATE_FAILED | Information |
| 41991      | LOG_ID_EVENT_VPN_CERT_EXPORT        | Information |

## WAD

| Log Field Name | Description  | Data Type | Length |
|----------------|--------------|-----------|--------|
| action         | Action       | string    | 32     |
| addr_type      | Address Type | string    | 4      |
| alert          | Alert        | string    | 256    |
| app-type       | Address Type | string    | 64     |

| Log Field Name | Description                 | Data Type | Length |
|----------------|-----------------------------|-----------|--------|
| authgrp        | Authorization Group         | string    | 36     |
| date           | Date                        | string    | 10     |
| desc           | Description                 | string    | 128    |
| devid          | Device ID                   | string    | 16     |
| dstip          | Destination IP              | ip        | 39     |
| dstport        | Destination Port            | uint16    | 5      |
| fqdn           | Fully Qualified Domain Name | string    | 256    |
| fwserver_name  |                             | string    | 32     |
| handshake      | Handshake                   | string    | 32     |
| host           | Host Name                   | string    | 256    |
| ip             |                             | ip        | 39     |
| level          | Log Level                   | string    | 11     |
| local          |                             | ip        | 39     |
| logdesc        | Log Description             | string    |        |
| logid          | Log ID                      | string    | 10     |
| msg            | Log Message                 | string    |        |
| peer           |                             | string    | 36     |
| policyid       | Policy ID                   | uint32    | 10     |
| port           | Port Number                 | uint16    | 5      |
| reason         | Reason                      | string    | 256    |
| remote         |                             | ip        | 39     |
| serial         | Serial Number               | uint32    | 10     |
| session_id     | Session ID                  | uint32    | 10     |
| srcip          | Source IP                   | ip        | 39     |

| Log Field Name | Description         | Data Type | Length |
|----------------|---------------------|-----------|--------|
| srcport        | Source Port         | uint16    | 5      |
| subtype        | Log Subtype         | string    | 20     |
| time           | Time                | string    | 8      |
| type           | Log Type            | string    | 16     |
| vd             | Virtual Domain Name | string    | 32     |

### WAD Log Messages

The following table describes the log message IDs and messages of the WAD log.

| Message ID | Message                                | Severity |
|------------|--|----------|
| 40960      | LOGID_EVENT_WAD_WEBPROXY_FWD_SRV_ERROR | Notice   |
| 48000      | LOG_ID_WAD_SSL_RCV_HS                  | Debug    |
| 48001      | LOG_ID_WAD_SSL_RCV_WRG_HS              | Error    |
| 48002      | LOG_ID_WAD_SSL_SENT_HS                 | Debug    |
| 48003      | LOG_ID_WAD_SSL_WRG_HS_LEN              | Error    |
| 48004      | LOG_ID_WAD_SSL_RCV_CCS                 | Debug    |
| 48005      | LOG_ID_WAD_SSL_RSA_DH_FAIL             | Error    |
| 48006      | LOG_ID_WAD_SSL_SENT_CCS                | Debug    |
| 48007      | LOG_ID_WAD_SSL_BAD_HASH                | Error    |
| 48009      | LOG_ID_WAD_SSL_DECRY_FAIL              | Error    |
| 48011      | LOG_ID_WAD_SSL_LESS_MINOR              | Error    |
| 48013      | LOG_ID_WAD_SSL_NOT_SUPPORT_CS          | Error    |
| 48016      | LOG_ID_WAD_SSL_HS_FIN                  | Debug    |
| 48017      | LOG_ID_WAD_SSL_HS_TOO_LONG             | Error    |
| 48019      | LOG_ID_WAD_SSL_SENT_ALERT              | Debug    |
| 48023      | LOG_ID_WAD_SSL_RCV_ALERT               | Debug    |

| Message ID | Message                            | Severity |
|------------|------------------------------------|----------|
| 48027      | LOG_ID_WAD_SSL_INVALID_CONT_TYPE   | Error    |
| 48029      | LOG_ID_WAD_SSL_BAD_CCS_LEN         | Error    |
| 48030      | LOG_ID_WAD_SSL_CLIENT_CERT_REQUEST | Error    |
| 48031      | LOG_ID_WAD_SSL_BAD_DH              | Error    |
| 48032      | LOG_ID_WAD_SSL_PUB_KEY_TOO_BIG     | Error    |
| 48038      | LOG_ID_WAD_SSL_RCV_FATAL_ALERT     | Error    |
| 48039      | LOG_ID_WAD_SSL_SENT_FATAL_ALERT    | Error    |
| 48100      | LOG_ID_WAD_AUTH_FAIL_CERT          | Error    |
| 48101      | LOG_ID_WAD_AUTH_FAIL_PSK           | Error    |
| 48102      | LOG_ID_WAD_AUTH_FAIL_OTH           | Error    |
| 48300      | LOG_ID_WRG_SVR_FGT_CONF            | Critical |
| 48301      | LOG_ID_UNEXP_APP_TYPE              | Critical |

## WIRELESS

| Log Field Name | Description   | Data Type | Length |
|----------------|---|-----------|--------|
| action         | Action  | string    | 32     |
| age            | time in seconds - time passed since last seen               | uint32    | 10     |
| ap             |   | string    | 36     |
| apscan         | The name of the AP, which scanned and detected the rogue AP | string    | 36     |
| apstatus       |   | uint8     | 3      |
| aptype         | AP Type   | uint8     | 3      |
| bandwidth      | Bandwidth   | string    | 42     |
| bssid          | Service Set ID  | string    | 17     |
| cfgtxpower     | Config TX power   | uint32    | 10     |

| Log Field Name  | Description  | Data Type | Length |
|-----------------|--|-----------|--------|
| channel         | Channel  | uint8     | 3      |
| configcountry   | Config Country   | string    | 4      |
| date            | Date   | string    | 10     |
| detectionmethod | Detection Method   | string    | 21     |
| devid           | Device ID  | string    | 16     |
| ds              | direction with distribution system                           | string    | 8      |
| duration        | Duration of the last threatening packet captured from TA     | uint32    | 10     |
| eapolcnt        | EAPOL packet count   | uint32    | 10     |
| eapoltype       | EAPOL packet type  | string    | 16     |
| encrypt         | whether the packet is encrypted or not                       | uint8     | 3      |
| encryption      | Encryption Method  | string    | 12     |
| frametype       | Frame Type   | string    | 32     |
| group           | User Group Name  | string    | 64     |
| invalidmac      | the MAC address with invalid OUI                             | string    | 17     |
| ip              |  | ip        | 39     |
| level           | Log Level  | string    | 11     |
| live            | time in seconds  | uint32    | 10     |
| logdesc         | Log Description  | string    |        |
| logid           | Log ID   | string    | 10     |
| mac             | Mac Address  | string    | 17     |
| manuf           | Manufacturer name  | string    | 20     |
| meshmode        | Mesh mode  | string    | 19     |
| mgmtcnt         | The number of unauthorized client flooding management frames | uint32    | 10     |

| Log Field Name  | Description                                    | Data Type | Length |
|-----------------|--|-----------|--------|
| msg             | Log Message                                    | string    |        |
| noise           |  | int8      | 4      |
| onwire          | A flag to indicate if the AP is onwire or not  | string    | 3      |
| opercountry     | Operating Country                              | string    | 4      |
| opertxpower     | Operating TX power                             | uint32    | 10     |
| profile         | Profile Name                                   | string    | 64     |
| radioband       | Radio Band                                     | string    | 64     |
| radioid         | Radio ID                                       | uint8     | 3      |
| radioidclosest  | Radio ID on the AP closest the rogue AP        | uint8     | 3      |
| radioiddetected | Radio ID on the AP which detected the rogue AP | uint8     | 3      |
| rate            |  | uint8     | 4      |
| reason          | Reason   | string    | 256    |
| rsssi           | Received signal strength indicator             | uint8     | 3      |
| security        | Security                                       | string    | 40     |
| securitymode    | Security Mode                                  | string    | 40     |
| seq             | Sequence                                       | string    | 16     |
| signal          | Signal   | int8      | 4      |
| sn              | Serial Number                                  | string    | 64     |
| snclosest       | SN of the AP closest to the rogue AP           | string    | 36     |
| sndetected      | SN of the AP which detected the rogue AP       | string    | 36     |
| snmeshparent    | SN of the mesh parent                          | string    | 36     |
| srcip           | Source IP                                      | ip        | 39     |
| ssid            | Base Service Set ID                            | string    | 33     |
| stacount        | Number of stations/clients                     | uint32    | 10     |

| Log Field Name | Description  | Data Type | Length |
|----------------|--|-----------|--------|
| stamac         | Station/Client MAC address                             | string    | 17     |
| subtype        | Log Subtype  | string    | 20     |
| tamac          | the MAC address of Transmitter, if none, then Receiver | string    | 17     |
| threattype     | WIDS threat type                                       | string    | 64     |
| time           | Time   | string    | 8      |
| type           | Log Type   | string    | 16     |
| user           | User Name  | string    | 256    |
| vap            |  | string    | 36     |
| vd             | Virtual Domain Name                                    | string    | 32     |
| weakwepiv      | Weak Wep Initiation Vector                             | string    | 8      |

## WIRELESS Log Messages

The following table describes the log message IDs and messages of the WIRELESS log.

| Message ID | Message                                | Severity |
|------------|--|----------|
| 43521      | LOG_ID_EVENT_WIRELESS_ROGUE            | Unknown  |
| 43525      | LOG_ID_EVENT_WIRELESS_ONWIRE           | Unknown  |
| 43528      | LOG_ID_EVENT_WIRELESS_WTPR_ERROR       | Unknown  |
| 43530      | LOG_ID_EVENT_WIRELESS_WIDS_WL_BRIDGE   | Notice   |
| 43531      | LOG_ID_EVENT_WIRELESS_WIDS_BR_DEAUTH   | Notice   |
| 43532      | LOG_ID_EVENT_WIRELESS_WIDS_NL_PBRESP   | Notice   |
| 43533      | LOG_ID_EVENT_WIRELESS_WIDS_MAC_OUI     | Notice   |
| 43534      | LOG_ID_EVENT_WIRELESS_WIDS_LONG_DUR    | Notice   |
| 43535      | LOG_ID_EVENT_WIRELESS_WIDS_WEP_IV      | Notice   |
| 43542      | LOG_ID_EVENT_WIRELESS_WIDS_EAPOL_FLOOD | Notice   |
| 43544      | LOG_ID_EVENT_WIRELESS_WIDS_MGMT_FLOOD  | Notice   |

| Message ID | Message                                   | Severity |
|------------|---|----------|
| 43546      | LOG_ID_EVENT_WIRELESS_WIDS_SPOOF_DEAUTH   | Notice   |
| 43548      | LOG_ID_EVENT_WIRELESS_WIDS_ASLEAP         | Notice   |
| 43550      | LOG_ID_EVENT_WIRELESS_STA_LOCATE          | Notice   |
| 43551      | LOG_ID_EVENT_WIRELESS_WTP_JOIN            | Unknown  |
| 43552      | LOG_ID_EVENT_WIRELESS_WTP_LEAVE           | Unknown  |
| 43553      | LOG_ID_EVENT_WIRELESS_WTP_FAIL            | Notice   |
| 43554      | LOG_ID_EVENT_WIRELESS_WTP_UPDATE          | Unknown  |
| 43555      | LOG_ID_EVENT_WIRELESS_WTP_RESET           | Unknown  |
| 43556      | LOG_ID_EVENT_WIRELESS_WTP_KICK            | Unknown  |
| 43557      | LOG_ID_EVENT_WIRELESS_WTP_ADD_FAILURE     | Notice   |
| 43558      | LOG_ID_EVENT_WIRELESS_WTP_CFG_ERR         | Notice   |
| 43559      | LOG_ID_EVENT_WIRELESS_WTP_SN_MISMATCH     | Warning  |
| 43560      | LOG_ID_EVENT_WIRELESS_SYS_AC_RESTARTED    | Notice   |
| 43561      | LOG_ID_EVENT_WIRELESS_SYS_AC_HOSTAPD_UP   | Notice   |
| 43562      | LOG_ID_EVENT_WIRELESS_SYS_AC_HOSTAPD_DOWN | Notice   |
| 43563      | LOG_ID_EVENT_WIRELESS_ROGUE_DETECT        | Unknown  |
| 43564      | LOG_ID_EVENT_WIRELESS_ROGUE_OFFAIR        | Unknown  |
| 43565      | LOG_ID_EVENT_WIRELESS_ROGUE_ONAIR         | Unknown  |
| 43566      | LOG_ID_EVENT_WIRELESS_ROGUE_OFFWIRE       | Unknown  |
| 43567      | LOG_ID_EVENT_WIRELESS_FAKEAP_DETECT       | Unknown  |
| 43568      | LOG_ID_EVENT_WIRELESS_FAKEAP_ONAIR        | Unknown  |
| 43569      | LOG_ID_EVENT_WIRELESS_ROGUE_SUPPRESSED    | Unknown  |
| 43570      | LOG_ID_EVENT_WIRELESS_ROGUE_UNSUPPRESSED  | Unknown  |
| 43571      | LOG_ID_EVENT_WIRELESS_ROGUE_DETECT_CHG    | Unknown  |

| Message ID | Message  | Severity |
|------------|--|----------|
| 43572      | LOG_ID_EVENT_WIRELESS_STA_ASSO                 | Notice   |
| 43573      | LOG_ID_EVENT_WIRELESS_STA_AUTH                 | Notice   |
| 43574      | LOG_ID_EVENT_WIRELESS_STA_DASS                 | Notice   |
| 43575      | LOG_ID_EVENT_WIRELESS_STA_DAUT                 | Notice   |
| 43576      | LOG_ID_EVENT_WIRELESS_STA_IDLE                 | Notice   |
| 43577      | LOG_ID_EVENT_WIRELESS_STA_DENY                 | Notice   |
| 43578      | LOG_ID_EVENT_WIRELESS_STA_KICK                 | Notice   |
| 43579      | LOG_ID_EVENT_WIRELESS_STA_IP                   | Notice   |
| 43580      | LOG_ID_EVENT_WIRELESS_STA_LEAVE_WTP            | Notice   |
| 43581      | LOG_ID_EVENT_WIRELESS_STA_WTP_DISCONN          | Notice   |
| 43582      | LOG_ID_EVENT_WIRELESS_ROGUE_CFG_UNCLASSIFIED   | Notice   |
| 43583      | LOG_ID_EVENT_WIRELESS_ROGUE_CFG_ACCEPTED       | Notice   |
| 43584      | LOG_ID_EVENT_WIRELESS_ROGUE_CFG_ROGUE          | Notice   |
| 43585      | LOG_ID_EVENT_WIRELESS_ROGUE_CFG_SUPPRESSED     | Notice   |
| 43586      | LOG_ID_EVENT_WIRELESS_WTPR_DARRP_CHAN          | Unknown  |
| 43587      | LOG_ID_EVENT_WIRELESS_WTPR_DARRP_START         | Unknown  |
| 43588      | LOG_ID_EVENT_WIRELESS_WTPR_OPER_CHAN           | Unknown  |
| 43589      | LOG_ID_EVENT_WIRELESS_WTPR_RADAR               | Unknown  |
| 43590      | LOG_ID_EVENT_WIRELESS_WTPR_NOL                 | Unknown  |
| 43591      | LOG_ID_EVENT_WIRELESS_WTPR_COUNTRY_CFG_SUCCESS | Unknown  |
| 43592      | LOG_ID_EVENT_WIRELESS_WTPR_OPER_COUNTRY        | Unknown  |
| 43593      | LOG_ID_EVENT_WIRELESS_WTPR_CFG_TXPOWER         | Unknown  |
| 43594      | LOG_ID_EVENT_WIRELESS_WTPR_OPER_TXPOWER        | Unknown  |
| 43595      | LOG_ID_EVENT_WIRELESS_CLB_DENY                 | Notice   |

| Message ID | Message  | Severity |
|------------|--|----------|
| 43596      | LOG_ID_EVENT_WIRELESS_CLB_RETRY                  | Notice   |
| 43597      | LOG_ID_EVENT_WIRELESS_WTP_ADD                    | Notice   |
| 43598      | LOG_ID_EVENT_WIRELESS_WTP_ADD_XSS                | Unknown  |
| 43599      | LOG_ID_EVENT_WIRELESS_WTP_DEL                    | Notice   |
| 43600      | LOG_ID_EVENT_WIRELESS_WTPR_DARRP_STOP            | Unknown  |
| 43601      | LOG_ID_EVENT_WIRELESS_STA_CAP_SIGNON             | Notice   |
| 43602      | LOG_ID_EVENT_WIRELESS_STA_CAP_SIGNON_SUCCESS     | Notice   |
| 43603      | LOG_ID_EVENT_WIRELESS_STA_CAP_SIGNON_FAILURE     | Notice   |
| 43604      | LOG_ID_EVENT_WIRELESS_STA_CAP_EMAIL_REQUEST      | Notice   |
| 43605      | LOG_ID_EVENT_WIRELESS_STA_CAP_EMAIL_SUCCESS      | Notice   |
| 43606      | LOG_ID_EVENT_WIRELESS_STA_CAP_EMAIL_FAILURE      | Notice   |
| 43607      | LOG_ID_EVENT_WIRELESS_STA_CAP_DISCLAIMER_CHECK   | Notice   |
| 43608      | LOG_ID_EVENT_WIRELESS_STA_CAP_DISCLAIMER_DECLINE | Notice   |
| 43609      | LOG_ID_EVENT_WIRELESS_SYS_AC_DARRP_START         | Notice   |
| 43610      | LOG_ID_EVENT_WIRELESS_SYS_AC_DARRP_STOP          | Notice   |
| 43611      | LOG_ID_EVENT_WIRELESS_SYS_AC_UP                  | Notice   |
| 43612      | LOG_ID_EVENT_WIRELESS_SYS_AC_CFG_LOADED          | Notice   |
| 43613      | LOG_ID_EVENT_WIRELESS_WTP_ERR                    | Notice   |
| 43614      | LOG_ID_EVENT_WIRELESS_DHCP_STAVATION             | Notice   |

## GTP

| Log Field Name | Description       | Data Type | Length |
|----------------|-------------------|-----------|--------|
| apn            | Access Point Name | string    | 128    |

| Log Field Name  | Description   | Data Type | Length |
|-----------------|---|-----------|--------|
| c-bytes         | Control Plane Data Bytes                              | uint64    | 20     |
| c-ggsn          | Control Plane GGSN IP Address                         | ip        | 39     |
| c-ggsn-teid     | Control Plane GGSN Tunnel Endpoint Identifier         | uint32    | 10     |
| c-gsn           | Control Plane GSN                                     | ip        | 39     |
| c-pkts          | Control Plane Packets                                 | uint64    | 20     |
| c-sgsn          | Control Plane SGSN IP Address                         | ip        | 39     |
| c-sgsn-teid     | Control Plane SGSN Tunnel Endpoint Identifier         | uint32    | 10     |
| cpaddr          | Control Plane Address (either downlink or uplink)     | ip        | 39     |
| cpdladdr        | Control Plane Downlink IP Address                     | ip        | 39     |
| cpdlisraddr     | Control Plane ISR Downlink IP Address                 | ip        | 39     |
| cpdlisrteid     | control plane ISR downlink tunnel endpoint identifier | uint32    | 10     |
| cpdlteid        | control plane downlink tunnel endpoint identifier     | uint32    | 10     |
| cpteid          | Control Plane teid (either downlink or uplink)        | uint32    | 10     |
| cpuladdr        | control plane uplink IP address                       | ip        | 39     |
| cpulteid        | control plane uplink teid                             | uint32    | 10     |
| date            | Date  | string    | 10     |
| deny_cause      | Deny Cause  | string    | 25     |
| devid           | Device ID   | string    | 16     |
| dstport         | Destination Port                                      | uint16    | 5      |
| dtlexp          | Detailed Explanation                                  | string    | 64     |
| duration        | tunnel duration                                       | uint32    | 10     |
| end-usr-address | End user IP Address                                   | ip        | 39     |
| from            | From  | string    | 128    |
| headerteid      | Tunnel Endpoint ID Header                             | uint32    | 10     |

| Log Field Name | Description  | Data Type | Length |
|----------------|--|-----------|--------|
| ietype         | Malformed GTP IE number  | uint8     | 3      |
| imei-sv        |  | string    | 32     |
| imsi           | International mobile subscriber ID   | string    | 16     |
| level          | Log Level  | string    | 11     |
| linked-nsapi   | Linked Netscape Server Application Programming Interface                                 | uint8     | 3      |
| logid          | Log ID   | string    | 10     |
| msg-type       | Message Type   | uint8     | 3      |
| msisdn         | Mobile Subscriber Integrated Services Digital Network-Number (telephone # to a SIM card) | string    | 16     |
| nsapi          | Netscape Server Application Programming Interface  | uint8     | 3      |
| profile        | Profile Name   | string    | 64     |
| rai            |  | string    | 32     |
| rat-type       | Radio Access Technology type   | string    | 7      |
| selection      | APN selection, which is one IE in gtp packet   | string    | 14     |
| seqnum         | GTP packet sequence number   | uint32    | 10     |
| snetwork       | Source Network, it's a IE type in GTPv2 packet   | string    | 64     |
| srcport        | Source Port  | uint16    | 5      |
| status         | Status   | string    | 23     |
| subtype        | Log Subtype  | string    | 20     |
| time           | Time   | string    | 8      |
| to             | To   | string    | 512    |
| tunnel-idx     | tunnel serial number, internally assigned  | uint32    | 10     |
| type           | Log Type   | string    | 16     |
| u-bytes        | User Plane Data Bytes  | uint64    | 20     |

| Log Field Name | Description                                | Data Type | Length |
|----------------|--|-----------|--------|
| u-ggsn         | user plane ggsn IP address                 | ip        | 39     |
| u-ggsn-teid    | user plane ggsn teid                       | uint32    | 10     |
| u-gsn          | User Plane GSN                             | ip        | 39     |
| u-pkts         | User Plane Packets                         | uint64    | 20     |
| u-sgsn         | user plane sgsn IP address                 | ip        | 39     |
| u-sgsn-teid    | user plane sgsn tunnel endpoint identifier | uint32    | 10     |
| uli            |  | string    | 32     |
| user_data      | user traffic content inside gtp-u tunnel   | string    | 256    |
| vd             | Virtual Domain Name                        | string    | 32     |
| version        | Version                                    | string    | 64     |

## GTP Log Messages

The following table describes the log message IDs and messages of the GTP log.

| Message ID | Message                   | Severity    |
|------------|---------------------------|-------------|
| 41216      | LOGID_GTP_FORWARD         | Information |
| 41217      | LOGID_GTP_DENY            | Information |
| 41218      | LOGID_GTP_RATE_LIMIT      | Information |
| 41219      | LOGID_GTP_STATE_INVALID   | Information |
| 41220      | LOGID_GTP_TUNNEL_LIMIT    | Information |
| 41221      | LOGID_GTP_TRAFFIC_COUNT   | Information |
| 41222      | LOGID_GTP_USER_DATA       | Information |
| 41223      | LOGID_GTPV2_FORWARD       | Information |
| 41224      | LOGID_GTPV2_DENY          | Information |
| 41225      | LOGID_GTPV2_RATE_LIMIT    | Information |
| 41226      | LOGID_GTPV2_STATE_INVALID | Information |

| Message ID | Message                   | Severity    |
|------------|---------------------------|-------------|
| 41227      | LOGID_GTPV2_TUNNEL_LIMIT  | Information |
| 41228      | LOGID_GTPV2_TRAFFIC_COUNT | Information |
| 41229      | LOGID_GTPU_FORWARD        | Information |
| 41230      | LOGID_GTPU_DENY           | Information |

## IPS

| Log Field Name  | Description  | Data Type | Length |
|-----------------|--|-----------|--------|
| action          | Security action performed by IPS                             | string    | 16     |
| agent           | User agent - eg. agent="Mozilla/5.0"                         | string    | 66     |
| attack          | Attack Name  | string    | 256    |
| attackcontext   | the trigger patterns and the packetdata with base64 encoding | string    | 2040   |
| attackcontextid | attack context id / total                                    | string    | 10     |
| attackid        | Attack ID  | uint32    | 10     |
| count           | Repeat count for an attack event                             | uint32    | 10     |
| craction        | Client Reputation Action                                     | uint32    | 10     |
| crlevel         | Client Reputation Level                                      | string    | 10     |
| crscore         | Client Reputation Score                                      | uint32    | 10     |
| date            | Date   | string    | 10     |
| devid           | Device Serial Number   | string    | 16     |
| direction       | Direction of packets   | string    | 8      |
| dstintf         | Destination Interface  | string    | 64     |
| dstip           | Destination IP   | ip        | 39     |
| dstport         | Destination Port   | uint16    | 5      |

| Log Field Name   | Description  | Data Type | Length |
|------------------|--|-----------|--------|
| eventtype        | IPS Event Type   | string    | 32     |
| group            | User group name  | string    | 64     |
| hostname         | Host Name  | string    | 256    |
| icmpcode         | Destination Port of the ICMP message                     | string    | 6      |
| icmpid           | Source port of the ICMP message                          | string    | 8      |
| icmptype         | The type of ICMP message                                 | string    | 6      |
| incidentserialno | Incident serial number                                   | uint32    | 10     |
| level            | Log Level  | string    | 11     |
| logid            | Log ID   | string    | 10     |
| msg              | Log message for the attack                               | string    | 518    |
| policyid         | Policy ID  | uint32    | 10     |
| profile          | Profile name for IPS                                     | string    | 64     |
| profile          | Profile name for IPS                                     | string    | 64     |
| profiletype      | Profile Type   | string    | 64     |
| proto            | Protocol number  | uint8     | 3      |
| ref              | URL of the FortiGuard IPS database entry for the attack. | string    |        |
| service          | Service name   | string    | 36     |
| sessionid        | Session ID   | uint32    | 10     |
| severity         | Severity of the attack                                   | string    | 8      |
| srccountry       |  | string    | 64     |
| srcintf          | Source Interface   | string    | 64     |
| srcip            | Source IP  | ip        | 39     |
| srcport          | Source Port  | uint16    | 5      |
| subtype          | Log Subtype  | string    | 20     |

| Log Field Name | Description         | Data Type | Length |
|----------------|---------------------|-----------|--------|
| time           | Time                | string    | 8      |
| type           | Log type            | string    | 16     |
| url            | URL                 | string    | 512    |
| user           | User name           | string    | 256    |
| vd             | Virtual domain name | string    | 32     |

## IPS Log Messages

The following table describes the log message IDs and messages of the IPS log.

| Message ID | Message                       | Severity |
|------------|-------------------------------|----------|
| 16384      | LOGID_ATTCK_SIGNATURE_TCP_UDP | Alert    |
| 16385      | LOGID_ATTCK_SIGNATURE_ICMP    | Alert    |
| 16386      | LOGID_ATTCK_SIGNATURE_OTHERS  | Alert    |

## Traffic

| Log Field Name | Description   | Data Type | Length |
|----------------|---|-----------|--------|
| action         | status of the session. Uses following definition: - Deny = blocked by firewall policy. - Start = session start log (special option to enable logging at start of a session). This means firewall allowed. - All Others = allowed by Firewall Policy and the status indicates how it was closed. | string    | 16     |
| ap             |   | string    | 36     |
| app            | Application name  | string    | 96     |
| appact         | The security action from app control  | string    | 16     |
| appcat         | Application category  | string    | 64     |
| appid          | Application ID  | uint32    | 10     |
| applist        | Application Control profile (name)  | string    | 64     |

| Log Field Name | Description   | Data Type | Length |
|----------------|---|-----------|--------|
| apprisk        | Application Risk Level                                    | string    | 16     |
| apasn          |   | string    | 36     |
| centralnatid   | Central NAT ID  | uint32    | 10     |
| channel        | Channel   | uint32    | 10     |
| collectedemail | Email address from Email Collection Captive Portal        | string    | 66     |
| countapp       | Number of App Ctrl logs associated with the session       | uint32    | 10     |
| countav        | Number of AV logs associated with the session             | uint32    | 10     |
| countdlp       | Number of the DLP logs associated with the session        | uint32    | 10     |
| countemail     | Number of the email logs associated with the session      | uint32    | 10     |
| countips       | Number of the IPS logs associated with the session        | uint32    | 10     |
| countwaf       |   | uint32    | 10     |
| countweb       | Number of the Web Filter logs associated with the session | uint32    | 10     |
| craction       | Action performed by Client Reputation                     | uint32    | 10     |
| crlevel        | Client Reputation level                                   | string    | 10     |
| crscore        | Client Reputation score                                   | uint32    | 10     |
| custom         | Custom field  | custom    |        |
| date           | Date  | string    | 10     |
| devid          | Device serial number                                      | string    | 16     |
| devtype        | Device type   | string    | 32     |
| dstcountry     | Country name for the destination IP                       | string    | 64     |
| dstintf        | Destination Interface                                     | string    | 32     |
| dstip          | Destination IP Address                                    | ip        | 39     |
| dstname        | The destination name.                                     | string    | 66     |

| Log Field Name | Description  | Data Type | Length |
|----------------|--|-----------|--------|
| dstport        | Destination Port   | uint16    | 5      |
| dstssid        | Destination SSID   | string    | 33     |
| dstuuid        | UUID of the Destination IP address                                     | string    | 37     |
| duration       | Duration of the session  | uint32    | 10     |
| group          | User group name  | string    | 64     |
| lanin          | LAN incoming traffic in bytes  | uint64    | 20     |
| lanout         | LAN outgoing traffic in bytes  | uint64    | 20     |
| level          | Log Level  | string    | 11     |
| logid          | Log ID   | string    | 10     |
| mastersrcmac   | The master MAC address for a host that has multiple network interfaces | string    | 17     |
| msg            | Log message  | string    | 64     |
| osname         | Name of the device's OS  | string    | 66     |
| osversion      | OS version of the device   | string    | 66     |
| policyid       | Firewall Policy ID   | uint32    | 10     |
| polycymode     |  | string    | 8      |
| policytype     |  | string    | 24     |
| poluuid        | UUID of the Firewall Policy  | string    | 37     |
| proto          | protocol number  | uint8     | 3      |
| radioband      | Radio Band   | string    | 64     |
| rcvdbyte       | Received Bytes   | uint64    | 20     |
| rcvdpkt        | Received Packets   | uint32    | 10     |
| sentbyte       | Sent Bytes   | uint64    | 20     |
| sentpkt        | Sent Packets   | uint32    | 10     |
| service        | Name of service  | string    | 63     |

| Log Field Name      | Description                               | Data Type | Length |
|---------------------|---|-----------|--------|
| sessionid           | Session ID                                | uint32    | 10     |
| shaperdroprcvdbyte  | Received bytes dropped by shaper          | uint32    | 10     |
| shaperdropsentbyte  | Sent bytes dropped by shaper              | uint32    | 10     |
| shaperperipdropbyte | Dropped bytes per IP by shaper            | uint32    | 10     |
| shaperperipname     | Traffic shaper name (per IP)              | string    | 36     |
| shaperrcvdname      | Traffic shaper name for received traffic  | string    | 36     |
| shapersentname      | Traffic shaper name for sent traffic      | string    | 36     |
| shapingpolicyid     |   | uint32    | 10     |
| srccountry          | Country name for Source IP                | string    | 64     |
| srcintf             | Source interface name                     | string    | 32     |
| srcip               | Source IP address                         | ip        | 39     |
| srcmac              | MAC address associated with the Source IP | string    | 17     |
| srcname             | Source name                               | string    | 66     |
| srcport             | Source port number                        | uint16    | 5      |
| srcssid             | Source SSID                               | string    | 33     |
| srcuuid             | UUID of the Source IP Address             | string    | 37     |
| sslexempt           |   | string    | 11     |
| subtype             | Subtype of the traffic                    | string    | 20     |
| time                | Time                                      | string    | 8      |
| trandisp            | NAT translation type                      | string    | 16     |
| tranip              | NAT destination IP                        | ip        | 39     |
| tranport            | NAT Destination Port                      | uint16    | 5      |
| transip             | NAT Source IP                             | ip        | 39     |
| transport           | NAT Source Port                           | uint16    | 5      |

| Log Field Name   | Description   | Data Type | Length |
|------------------|---|-----------|--------|
| type             | Log type  | string    | 16     |
| unauthuser       | Unauthenticated user name                           | string    | 66     |
| unauthusersource | The method used to detect unauthenticated user name | string    | 66     |
| user             | User name   | string    | 256    |
| utmaction        | Security action performed by UTM                    | string    | 32     |
| vd               | Virtual domain name                                 | string    | 32     |
| vpn              | The name of the VPN tunnel                          | string    | 32     |
| vpntype          | The type of the VPN tunnel                          | string    | 14     |
| vwvlanid         |   | uint32    | 10     |
| wanin            | WAN incoming traffic in bytes                       | uint32    | 10     |
| wanoptapptype    | WAN Optimization Application type                   | string    | 9      |
| wanout           | WAN outgoing traffic in bytes                       | uint32    | 10     |

## Traffic Log Messages

The following table describes the log message IDs and messages of the Traffic log.

| Message ID | Message                         | Severity |
|------------|---------------------------------|----------|
| 2          | LOG_ID_TRAFFIC_ALLOW            | Notice   |
| 3          | LOG_ID_TRAFFIC_DENY             | Warning  |
| 4          | LOG_ID_TRAFFIC_OTHER_START      | Notice   |
| 5          | LOG_ID_TRAFFIC_OTHER_ICMP_ALLOW | Notice   |
| 6          | LOG_ID_TRAFFIC_OTHER_ICMP_DENY  | Warning  |
| 7          | LOG_ID_TRAFFIC_OTHER_INVALID    | Warning  |
| 8          | LOG_ID_TRAFFIC_WANOPT           | Notice   |
| 9          | LOG_ID_TRAFFIC_WEBCACHE         | Notice   |

| Message ID | Message                       | Severity |
|------------|-------------------------------|----------|
| 10         | LOG_ID_TRAFFIC_EXPLICIT_PROXY | Notice   |
| 11         | LOG_ID_TRAFFIC_FAIL_CONN      | Warning  |
| 12         | LOG_ID_TRAFFIC_MULTICAST      | Notice   |
| 13         | LOG_ID_TRAFFIC_END_FORWARD    | Notice   |
| 14         | LOG_ID_TRAFFIC_END_LOCAL      | Notice   |
| 15         | LOG_ID_TRAFFIC_START_FORWARD  | Notice   |
| 16         | LOG_ID_TRAFFIC_START_LOCAL    | Notice   |
| 17         | LOG_ID_TRAFFIC_SNIFFER        | Notice   |
| 19         | LOG_ID_TRAFFIC_BROADCAST      | Notice   |

## VoIP

| Log Field Name | Description           | Data Type | Length |
|----------------|-----------------------|-----------|--------|
| action         | Action                | string    | 15     |
| call_id        | Call ID               | string    | 64     |
| column         |                       | uint32    | 10     |
| count          | Count                 | uint32    | 10     |
| date           | Date                  | string    | 10     |
| devid          | Device ID             | string    | 16     |
| dir            | Direction             | string    | 8      |
| dstip          | Destination IP        | ip        | 39     |
| dst_int        | Destination Interface | string    | 16     |
| dst_port       | Destination Port      | uint16    | 5      |
| duration       | Duration              | uint32    | 10     |
| endpoint       | Endpoint              | string    | 128    |

| Log Field Name | Description                | Data Type | Length |
|----------------|----------------------------|-----------|--------|
| epoch          |                            | uint32    | 10     |
| eventtype      | Event Type                 | string    | 32     |
| event_id       | Event ID                   | uint32    | 10     |
| from           | From                       | string    | 128    |
| group          | User Group Name            | string    | 64     |
| kind           |                            | string    | 10     |
| level          | Log Level                  | string    | 11     |
| line           |                            | string    | 128    |
| locip          | Local IP                   | ip        | 39     |
| locport        | Local Port                 | uint16    | 5      |
| logid          | Log ID                     | string    | 10     |
| malform_data   | Malformed data             | uint32    | 10     |
| malform_desc   | Malformed data Description | string    | 47     |
| message_type   | Message Type               | string    | 16     |
| phone          |                            | string    | 64     |
| policy_id      | Policy ID                  | uint32    | 10     |
| profile        | Profile Name               | string    | 64     |
| profile_group  | Profile Group Name         | string    | 64     |
| profile_type   | Profile Type               | string    | 64     |
| proto          | Protocol                   | uint8     | 3      |
| reason         | Reason                     | string    | 128    |
| remip          | Remote IP                  | ip        | 39     |
| remport        | Remote Port                | uint16    | 5      |
| request_name   | Request Name               | string    | 64     |

| Log Field Name | Description         | Data Type | Length |
|----------------|---------------------|-----------|--------|
| session_id     | Session ID          | uint32    | 10     |
| srcip          | Source IP           | ip        | 39     |
| src_int        | Source Interface    | string    | 16     |
| src_port       | Source Port         | uint16    | 5      |
| status         | Status              | string    | 23     |
| subtype        | Log Subtype         | string    | 20     |
| time           | Time                | string    | 8      |
| to             |                     | string    | 512    |
| type           | Log Type            | string    | 16     |
| user           | User                | string    | 256    |
| vd             | Virtual Domain Name | string    | 32     |
| voip_proto     | VoIP Protocol       | string    | 4      |

## VoIP Log Messages

The following table describes the log message IDs and messages of the VoIP log.

| Message ID | Message                          | Severity    |
|------------|----------------------------------|-------------|
| 44032      | LOGID_EVENT_VOIP_SIP             | Information |
| 44033      | LOGID_EVENT_VOIP_SIP_BLOCK       | Notice      |
| 44034      | LOGID_EVENT_VOIP_SIP_FUZZING     | Information |
| 44035      | LOGID_EVENT_VOIP_SCCP_REGISTER   | Information |
| 44036      | LOGID_EVENT_VOIP_SCCP_UNREGISTER | Information |
| 44037      | LOGID_EVENT_VOIP_SCCP_CALL_BLOCK | Information |
| 44038      | LOGID_EVENT_VOIP_SCCP_CALL_INFO  | Information |

## WAF

| Log Field Name | Description   | Data Type | Length |
|----------------|---|-----------|--------|
| action         | status of the session. Uses following definition: - Deny = blocked by firewall policy. - Start = session start log (special option to enable logging at start of a session). This means firewall allowed. - All Others = allowed by Firewall Policy and the status indicates how it was closed. | string    | 17     |
| agent          | Agent   | string    | 64     |
| constraint     | WAF http protocol restrictions  | string    |        |
| date           | Date  | string    | 10     |
| devid          | Device ID   | string    | 16     |
| direction      | Direction   | string    |        |
| dstintf        | Destination Interface   | string    | 32     |
| dstip          | Destination IP Address  | ip        | 39     |
| dstport        | Destination Port  | uint16    | 5      |
| eventid        | Event ID  | uint32    | 10     |
| eventtype      | Event Type  | string    | 32     |
| group          | User Group Name   | string    | 64     |
| level          | Log Level   | string    | 11     |
| logid          | Log ID  | string    | 10     |
| method         | Http Method   | string    |        |
| msg            | Log Message   | string    |        |
| name           | Method or custom signature name   | string    | 64     |
| policyid       | Policy ID   | uint32    | 10     |
| profile        | Full profile name   | string    | 64     |
| proto          | Protocol  | uint8     | 3      |

| Log Field Name | Description         | Data Type | Length |
|----------------|---------------------|-----------|--------|
| service        | Service name        | string    | 5      |
| sessionid      | Session ID          | uint32    | 10     |
| severity       | Severity            | string    | 6      |
| srcintf        | Source Interface    | string    | 32     |
| srcip          | Source IP Address   | ip        | 39     |
| srcport        | Source Port         | uint16    | 5      |
| subtype        | Log Subtype         | string    | 20     |
| time           | Time                | string    | 8      |
| type           | Log Type            | string    | 16     |
| url            | URL                 | string    | 512    |
| user           | User Name           | string    | 256    |
| vd             | Virtual Domain Name | string    | 32     |

## WAF Log Messages

The following table describes the log message IDs and messages of the WAF log.

| Message ID | Message                          | Severity |
|------------|----------------------------------|----------|
| 30248      | LOGID_WAF_SIGNATURE_BLOCK        | Warning  |
| 30249      | LOGID_WAF_SIGNATURE_PASS         | Warning  |
| 30250      | LOGID_WAF_SIGNATURE_ERASE        | Warning  |
| 30251      | LOGID_WAF_CUSTOM_SIGNATURE_BLOCK | Warning  |
| 30252      | LOGID_WAF_CUSTOM_SIGNATURE_PASS  | Warning  |
| 30253      | LOGID_WAF_METHOD_BLOCK           | Warning  |
| 30255      | LOGID_WAF_ADDRESS_LIST_BLOCK     | Warning  |
| 30257      | LOGID_WAF_CONSTRAINTS_BLOCK      | Warning  |
| 30258      | LOGID_WAF_CONSTRAINTS_PASS       | Warning  |

| Message ID | Message                     | Severity |
|------------|-----------------------------|----------|
| 30259      | LOGID_WAF_URL_ACCESS_PERMIT | Warning  |
| 30260      | LOGID_WAF_URL_ACCESS_BYPASS | Warning  |
| 30261      | LOGID_WAF_URL_ACCESS_BLOCK  | Warning  |

## Web

| Log Field Name | Description                               | Data Type | Length |
|----------------|---|-----------|--------|
| action         | Security action performed by WF           | string    | 11     |
| agent          | User agent - eg. agent="Mozilla/5.0"      | string    | 64     |
| banword        | Banned word                               | string    | 128    |
| cat            | Web category ID                           | uint8     | 3      |
| catdesc        | Web category description                  | string    | 64     |
| contenttype    | Content Type from HTTP header             | string    | 64     |
| crlevel        | Client Reputation level                   | string    | 10     |
| crscore        | Client Reputation Score                   | uint32    | 10     |
| date           | Date                                      | string    | 10     |
| devid          | Device Serial Number                      | string    | 16     |
| direction      | Direction of the web traffic              | string    | 8      |
| dstintf        | Destination Interface                     | string    | 32     |
| dstip          | Destination IP                            | ip        | 39     |
| dstport        | Destination Port                          | uint16    | 5      |
| error          | URL rating error message                  | string    | 256    |
| eventtype      | Web Filter event type                     | string    | 32     |
| filtertype     | The script filter type                    | string    | 10     |
| from           | MMS-only - From/To headers from the email | string    | 128    |

| Log Field Name | Description  | Data Type | Length |
|----------------|--|-----------|--------|
| group          | User group name  | string    | 64     |
| hostname       | The host name of a URL   | string    | 256    |
| initiator      | The initiator user for override  | string    | 64     |
| keyword        | Keyword used for search  | string    | 512    |
| level          | Log Level  | string    | 11     |
| logid          | Log ID   | string    | 10     |
| method         | Rating override method by URL domain name or IP address.                     | string    | 6      |
| mode           | Rating override mode   | string    | 32     |
| msg            | Log message  | string    | 512    |
| ovrdid         | URL rating override ID   | uint32    | 10     |
| ovrdtbl        | Rating override table  | string    | 128    |
| policyid       | Policy ID  | uint32    | 10     |
| profile        | Web Filter profile name  | string    | 64     |
| proto          | Protocol number  | uint8     | 3      |
| quotaexceeded  | Quota has been exceeded  | string    | 3      |
| quotamax       | Maximum quota allowed - in seconds if time-based - in bytes if traffic-based | uint64    | 20     |
| quotatype      | Quota type   | string    | 16     |
| quotaused      | Quota used - in seconds if time-based - in bytes if traffic-based).          | uint64    | 20     |
| rcvdbyte       | Received Bytes   | uint64    | 20     |
| referralurl    | Referral URL   | string    | 512    |
| reqtype        | Request type   | string    | 8      |
| ruledata       | Rule data  | string    | 512    |
| ruletype       | Rule type  | string    | 9      |

| Log Field Name | Description                               | Data Type | Length |
|----------------|---|-----------|--------|
| sentbyte       | Sent Bytes                                | uint64    | 20     |
| service        | Service name                              | string    | 36     |
| sessionid      | Session ID                                | uint32    | 10     |
| srcintf        | Source Interface                          | string    | 32     |
| srcip          | Source IP                                 | ip        | 39     |
| srcport        | Source Port                               | uint16    | 5      |
| subtype        | Log subtype                               | string    | 20     |
| time           | Time                                      | string    | 8      |
| to             | MMS-only - From/To headers from the email | string    | 512    |
| type           | Log type                                  | string    | 16     |
| url            | The URL address                           | string    | 512    |
| urlfilteridx   | URL filter ID                             | uint32    | 10     |
| urlfilterlist  | URL filter list                           | string    | 64     |
| urltype        | URL filter type                           | string    | 8      |
| user           | User name                                 | string    | 256    |
| vd             | Virtual domain name                       | string    | 32     |

## Web Log Messages

The following table describes the log message IDs and messages of the Web log.

| Message ID | Message                           | Severity |
|------------|-----------------------------------|----------|
| 12288      | LOG_ID_WEB_CONTENT_BANWORD        | Warning  |
| 12289      | LOG_ID_WEB_CONTENT_MMS_BANWORD    | Warning  |
| 12290      | LOG_ID_WEB_CONTENT_EXEMPTWORD     | Notice   |
| 12291      | LOG_ID_WEB_CONTENT_MMS_EXEMPTWORD | Notice   |
| 12292      | LOG_ID_WEB_CONTENT_KEYWORD        | Notice   |

| Message ID | Message                                       | Severity    |
|------------|---|-------------|
| 12293      | LOG_ID_WEB_CONTENT_SEARCH                     | Notice      |
| 12305      | LOG_ID_WEB_CONTENT_BANWORD_NOTIF              | Notice      |
| 12544      | LOG_ID_URL_FILTER_BLOCK                       | Warning     |
| 12545      | LOG_ID_URL_FILTER_EXEMPT                      | Information |
| 12546      | LOG_ID_URL_FILTER_ALLOW                       | Information |
| 12547      | LOG_ID_URL_FILTER_INVALID_HOSTNAME_HTTP_BLK   | Notice      |
| 12548      | LOG_ID_URL_FILTER_INVALID_HOSTNAME_HTTPS_BLK  | Notice      |
| 12549      | LOG_ID_URL_FILTER_INVALID_HOSTNAME_HTTP_PASS  | Information |
| 12550      | LOG_ID_URL_FILTER_INVALID_HOSTNAME_HTTPS_PASS | Information |
| 12551      | LOG_ID_URL_FILTER_INVALID_HOSTNAME_SNI_BLK    | Notice      |
| 12552      | LOG_ID_URL_FILTER_INVALID_HOSTNAME_SNI_PASS   | Information |
| 12553      | LOG_ID_URL_FILTER_INVALID_CERT                | Notice      |
| 12554      | LOG_ID_URL_FILTER_INVALID_SESSION             | Notice      |
| 12555      | LOG_ID_URL_FILTER_SRV_CERT_ERR_BLK            | Notice      |
| 12556      | LOG_ID_URL_FILTER_SRV_CERT_ERR_PASS           | Notice      |
| 12557      | LOG_ID_URL_FILTER_FAMS_NOT_ACTIVE             | Critical    |
| 12558      | LOG_ID_URL_FILTER_RATING_ERR                  | Information |
| 12559      | LOG_ID_URL_FILTER_PASS                        | Information |
| 12560      | LOG_ID_URL_WISP_BLOCK                         | Warning     |
| 12561      | LOG_ID_URL_WISP_REDIR                         | Warning     |
| 12562      | LOG_ID_URL_WISP_ALLOW                         | Information |
| 12800      | LOG_ID_WEB_FTGD_ERR                           | Error       |
| 12801      | LOG_ID_WEB_FTGD_WARNING                       | Warning     |
| 12802      | LOG_ID_WEB_FTGD_QUOTA                         | Information |

| Message ID | Message                         | Severity    |
|------------|---------------------------------|-------------|
| 13056      | LOG_ID_WEB_FTGD_CAT_BLK         | Warning     |
| 13057      | LOG_ID_WEB_FTGD_CAT_WARN        | Warning     |
| 13312      | LOG_ID_WEB_FTGD_CAT_ALLOW       | Notice      |
| 13313      | LOG_ID_WEB_FTGD_RULE_ALLOW      | Notice      |
| 13314      | LOG_ID_WEB_FTGD_OFF_SITE_ALLOW  | Information |
| 13315      | LOG_ID_WEB_FTGD_QUOTA_COUNTING  | Notice      |
| 13316      | LOG_ID_WEB_FTGD_QUOTA_EXPIRED   | Warning     |
| 13317      | LOG_ID_WEB_URL                  | Notice      |
| 13568      | LOG_ID_WEB_SCRIPTFILTER_ACTIVEX | Notice      |
| 13573      | LOG_ID_WEB_SCRIPTFILTER_COOKIE  | Notice      |
| 13584      | LOG_ID_WEB_SCRIPTFILTER_APPLET  | Notice      |
| 13600      | LOG_ID_WEB_SCRIPTFILTER_OTHER   | Notice      |
| 13601      | LOG_ID_WEB_WF_COOKIE            | Notice      |
| 13602      | LOG_ID_WEB_WF_REFERER           | Notice      |
| 13603      | LOG_ID_WEB_WF_COMMAND_BLOCK     | Warning     |
| 13616      | LOG_ID_CONTENT_TYPE_BLOCK       | Warning     |

# Appendix A: Log Field Diff Between 5.2.0 and 5.4.0

Refer to the *FortiOS 5.2.0 Log Reference* and *FortiOS 5.4.0 Log Reference* for a complete list of log field details related to those versions. This section covers changes applicable to the 5.4.0 version only. It is recommended that you keep both the 5.2.0 and 5.4.0 *FortiOS Log Reference* documents available for a comparison of log field delta between the versions.



For all reference purposes, in the tables provided below (see tables) , the term **Removed** indicates that a log field was removed in version 5.4.0 but exists in version 5.2.0. Similarly, the term **Added** indicates that a log file was added in version 5.4.0 but does not exist in version 5.2.0.

## Content

The following table provide a list of log fields that were added newly or removed from the content log subtypes in FortiOS version 5.4.0.

| Log Field Name | Description |
|----------------|-------------|
| action         | Removed     |
| agent          | Removed     |
| attachment     | Removed     |
| cat            | Removed     |
| cat_desc       | Removed     |
| client         | Removed     |
| clogver        | Removed     |
| column         | Removed     |
| connmode       | Removed     |
| content        | Removed     |
| cstatus        | Removed     |
| custom         | Removed     |
| date           | Removed     |

| Log Field Name | Description |
|----------------|-------------|
| devid          | Removed     |
| direction      | Removed     |
| dlpsensor      | Removed     |
| dstintf        | Removed     |
| dstip          | Removed     |
| dstname        | Removed     |
| dstport        | Removed     |
| duration       | Removed     |
| enddate        | Removed     |
| epoch          | Removed     |
| eventid        | Removed     |
| file           | Removed     |
| filename       | Removed     |
| filesize       | Removed     |
| from           | Removed     |
| ftpcmd         | Removed     |
| group          | Removed     |
| heuristic      | Removed     |
| hostname       | Removed     |
| infection      | Removed     |
| kind           | Removed     |
| laddr          | Removed     |
| level          | Removed     |
| line           | Removed     |

| Log Field Name | Description |
|----------------|-------------|
| local          | Removed     |
| logid          | Removed     |
| malformdata    | Removed     |
| malformdesc    | Removed     |
| messages       | Removed     |
| messagetype    | Removed     |
| method         | Removed     |
| msg            | Removed     |
| phone          | Removed     |
| policyid       | Removed     |
| profile        | Removed     |
| profilegroup   | Removed     |
| profiletype    | Removed     |
| proto          | Removed     |
| raddr          | Removed     |
| rcvdbyte       | Removed     |
| reason         | Removed     |
| remote         | Removed     |
| requestname    | Removed     |
| sentbyte       | Removed     |
| serial         | Removed     |
| server         | Removed     |
| sessionid      | Removed     |
| srcintf        | Removed     |

| Log Field Name | Description |
|----------------|-------------|
| srcip          | Removed     |
| srcname        | Removed     |
| srcport        | Removed     |
| startdate      | Removed     |
| status         | Removed     |
| subject        | Removed     |
| subtype        | Removed     |
| time           | Removed     |
| to             | Removed     |
| type           | Removed     |
| url            | Removed     |
| user           | Removed     |
| vd             | Removed     |
| virus          | Removed     |

## Event

The following tables provide a list of log fields that were added newly or removed between from the event log subtypes in FortiOS version 5.4.0.

## Compliance-Check

| Log Field Name | Description |
|----------------|-------------|
| action         | Added       |
| date           | Added       |
| devid          | Added       |
| level          | Added       |

| Log Field Name | Description |
|----------------|-------------|
| logdesc        | Added       |
| logid          | Added       |
| module         | Added       |
| msg            | Added       |
| reason         | Added       |
| result         | Added       |
| status         | Added       |
| subtype        | Added       |
| time           | Added       |
| type           | Added       |
| vd             | Added       |

## Endpoint

| Log Field Name | Description |
|----------------|-------------|
| cveid          | Added       |
| devtype        | Added       |
| fctuid         | Added       |
| scantime       | Added       |
| severity       | Added       |
| srcname        | Added       |
| vendorurl      | Added       |
| vulncat        | Added       |
| vulnid         | Added       |
| vulnname       | Added       |

**GTP**

| Log Field Name  | Description |
|-----------------|-------------|
| apn             | Removed     |
| c-bytes         | Removed     |
| c-ggsn          | Removed     |
| c-ggsn-teid     | Removed     |
| c-gsn           | Removed     |
| c-pkts          | Removed     |
| c-sgsn          | Removed     |
| c-sgsn-teid     | Removed     |
| cpaddr          | Removed     |
| cpdladdr        | Removed     |
| cpdlisraddr     | Removed     |
| cpdlisrteid     | Removed     |
| cpdlteid        | Removed     |
| cptheid         | Removed     |
| cpuladdr        | Removed     |
| cpulteid        | Removed     |
| date            | Removed     |
| deny_cause      | Removed     |
| devid           | Removed     |
| dstport         | Removed     |
| dtlexp          | Removed     |
| duration        | Removed     |
| end-usr-address | Removed     |

| Log Field Name | Description |
|----------------|-------------|
| from           | Removed     |
| headerteid     | Removed     |
| ietype         | Removed     |
| imei-sv        | Removed     |
| imsi           | Removed     |
| level          | Removed     |
| linked-nsapi   | Removed     |
| logdesc        | Removed     |
| logid          | Removed     |
| msg            | Removed     |
| msg-type       | Removed     |
| msisdn         | Removed     |
| nsapi          | Removed     |
| profile        | Removed     |
| rai            | Removed     |
| rat-type       | Removed     |
| selection      | Removed     |
| seqnum         | Removed     |
| snetwork       | Removed     |
| srcport        | Removed     |
| status         | Removed     |
| subtype        | Removed     |
| time           | Removed     |
| to             | Removed     |

| Log Field Name | Description |
|----------------|-------------|
| tunnel-idx     | Removed     |
| type           | Removed     |
| u-bytes        | Removed     |
| u-ggsn         | Removed     |
| u-ggsn-teid    | Removed     |
| u-gsn          | Removed     |
| u-pkts         | Removed     |
| u-sgsn         | Removed     |
| u-sgsn-teid    | Removed     |
| uli            | Removed     |
| user_data      | Removed     |
| vd             | Removed     |
| version        | Removed     |

## HA

| Log Field Name | Description |
|----------------|-------------|
| date           | Added       |
| devid          | Added       |
| ip             | Added       |
| level          | Added       |
| logdesc        | Added       |
| logid          | Added       |
| msg            | Added       |
| subtype        | Added       |

| Log Field Name | Description |
|----------------|-------------|
| time           | Added       |
| type           | Added       |
| vd             | Added       |

## Router

| Log Field Name | Description |
|----------------|-------------|
| action         | Added       |
| ddnsserver     | Added       |
| dhcp_msg       | Added       |
| dns_ip         | Added       |
| dns_name       | Added       |
| dst_init       | Added       |
| duid           | Added       |
| iaid           | Added       |
| lease          | Added       |
| logdesc        | Added       |
| mac            | Added       |
| service        | Added       |
| src_int        | Added       |

## System

| Log Field Name | Description |
|----------------|-------------|
| community      | Added       |
| ddnsserver     | Added       |
| disklograte    | Added       |

| Log Field Name    | Description |
|-------------------|-------------|
| dport             | Removed     |
| dst               | Removed     |
| dst_port          | Removed     |
| dstip             | Added       |
| dstport           | Added       |
| duid              | Added       |
| expected          | Removed     |
| expectedhandshake | Added       |
| expectedsignature | Added       |
| fazlograte        | Added       |
| group             | Added       |
| iaid              | Added       |
| id                | Removed     |
| ip                | Added       |
| logdesc           | Added       |
| mac               | Added       |
| max-minor         | Removed     |
| maxminor          | Added       |
| member            | Added       |
| min-minor         | Removed     |
| minminor          | Added       |
| mode              | Added       |
| policy            | Removed     |
| probeid           | Removed     |

| Log Field Name    | Description |
|-------------------|-------------|
| profile           | Added       |
| receivedhandshake | Added       |
| receivedsignature | Added       |
| rcv-minor         | Removed     |
| rcvminor          | Added       |
| sn                | Added       |
| src               | Removed     |
| src-vis           | Removed     |
| src_port          | Removed     |
| srcip             | Added       |
| srcport           | Added       |
| state             | Added       |
| vcm               | Removed     |
| version           | Added       |

## User

| Log Field Name | Description |
|----------------|-------------|
| category       | Added       |
| logdesc        | Added       |
| poolname       | Added       |
| portbegin      | Added       |
| portend        | Added       |
| profile        | Removed     |
| ui             | Added       |

## VPN

| Log Field Name | Description |
|----------------|-------------|
| action         | Added       |
| error_num      | Added       |
| error_reason   | Removed     |
| name           | Added       |
| role           | Added       |
| status         | Added       |
| ui             | Added       |
| user           | Added       |
| version        | Removed     |

## WAD

| Log Field Name | Description |
|----------------|-------------|
| dst            | Removed     |
| dstip          | Added       |
| logdesc        | Added       |
| reason         | Added       |
| src            | Removed     |
| srcip          | Added       |

## Wireless

| Log Field Name | Description |
|----------------|-------------|
| bandwidth      | Added       |
| encryption     | Added       |

| Log Field Name | Description |
|----------------|-------------|
| group          | Added       |
| logdesc        | Added       |
| mac            | Added       |
| seq            | Added       |
| sn             | Added       |
| srcip          | Added       |
| status         | Removed     |
| user           | Added       |

## GTP

| Log Field Name | Description |
|----------------|-------------|
| apn            | Added       |
| c-bytes        | Added       |
| c-ggsn         | Added       |
| c-ggsn-teid    | Added       |
| c-gsn          | Added       |
| c-pkts         | Added       |
| c-sgsn         | Added       |
| c-sgsn-teid    | Added       |
| cpaddr         | Added       |
| cpdladdr       | Added       |
| cpdlisraddr    | Added       |
| cpdlisrteid    | Added       |
| cpdlteid       | Added       |

| Log Field Name  | Description |
|-----------------|-------------|
| cptheid         | Added       |
| cpuladdr        | Added       |
| cpultheid       | Added       |
| date            | Added       |
| deny_cause      | Added       |
| devid           | Added       |
| dstport         | Added       |
| dtlexp          | Added       |
| duration        | Added       |
| end-usr-address | Added       |
| from            | Added       |
| headerteid      | Added       |
| ietype          | Added       |
| imei-sv         | Added       |
| imsi            | Added       |
| level           | Added       |
| linked-nsapi    | Added       |
| log-id          | Added       |
| msg-type        | Added       |
| msisdn          | Added       |
| nsapi           | Added       |
| profile         | Added       |
| rai             | Added       |
| rat-type        | Added       |

| Log Field Name | Description |
|----------------|-------------|
| selection      | Added       |
| seqnum         | Added       |
| snetwork       | Added       |
| srcport        | Added       |
| status         | Added       |
| subtype        | Added       |
| time           | Added       |
| to             | Added       |
| tunnel-idx     | Added       |
| type           | Added       |
| u-bytes        | Added       |
| u-ggsn         | Added       |
| u-ggsn-teid    | Added       |
| u-gsn          | Added       |
| u-pkts         | Added       |
| u-sgsn         | Added       |
| u-sgsn-teid    | Added       |
| uli            | Added       |
| user_data      | Added       |
| vd             | Added       |
| version        | Added       |

## Security (UTM)

The following tables provide a list of log fields that were added newly or removed from the security (UTM) log subtypes in FortiOS version 5.4.0.

## Anomaly

The following table provide a list of log fields that were added newly or removed from the security log subtypes in FortiOS version 5.4.0.

| Log Field Name | Description |
|----------------|-------------|
| action         | Added       |
| attack         | Added       |
| attackid       | Added       |
| count          | Added       |
| craction       | Added       |
| crlevel        | Added       |
| crscore        | Added       |
| date           | Added       |
| devid          | Added       |
| dstintf        | Added       |
| dstip          | Added       |
| dstport        | Added       |
| eventtype      | Added       |
| group          | Added       |
| icmpcode       | Added       |
| icmpid         | Added       |
| icmptype       | Added       |
| level          | Added       |
| logid          | Added       |
| msg            | Added       |
| policyid       | Added       |

| Log Field Name | Description |
|----------------|-------------|
| policytype     | Added       |
| proto          | Added       |
| ref            | Added       |
| service        | Added       |
| sessionid      | Added       |
| severity       | Added       |
| srccountry     | Added       |
| srcintf        | Added       |
| srcip          | Added       |
| srcport        | Added       |
| subtype        | Added       |
| time           | Added       |
| type           | Added       |
| user           | Added       |
| vd             | Added       |

## App

The following table provide a list of log fields that were added newly or removed from the security log subtypes in FortiOS version 5.4.0.

| Log Field Name | Description |
|----------------|-------------|
| crlevel        | Added       |
| crscore        | Added       |
| dstintf        | Added       |
| dstname        | Added       |
| policyid       | Added       |

| Log Field Name | Description |
|----------------|-------------|
| profile        | Added       |
| profiletype    | Added       |
| srcintf        | Added       |
| srcname        | Added       |

## AV

The following table provide a list of log fields that were added newly or removed from the security log subtypes in FortiOS version 5.4.0.

| Log Field Name | Description |
|----------------|-------------|
| crlevel        | Added       |
| crscore        | Added       |
| dstintf        | Added       |
| policyid       | Added       |
| profiletype    | Removed     |
| rcvbyte        | Removed     |
| sentbyte       | Removed     |
| srcintf        | Added       |

## DLP

The following table provide a list of log fields that were added newly or removed from the security log subtypes in FortiOS version 5.4.0.

| Log Field Name | Description |
|----------------|-------------|
| dstintf        | Added       |
| mmsdir         | Added       |
| policyid       | Added       |
| profiletype    | Removed     |
| srcintf        | Added       |

## Email

The following table provide a list of log fields that were added newly or removed from the security log subtypes in FortiOS version 5.4.0.

| Log Field Name | Description |
|----------------|-------------|
| dstintf        | Added       |
| policyid       | Added       |
| profiletype    | Removed     |
| srcintf        | Added       |

## IPS

The following table provide a list of log fields that were added newly or removed from the security log subtypes in FortiOS version 5.4.0.

| Log Field Name | Description |
|----------------|-------------|
| craction       | Added       |
| crlevel        | Added       |
| crscore        | Added       |
| dstintf        | Added       |
| hostname       | Added       |
| policyid       | Added       |
| rcvdbyte       | Removed     |
| sentbyte       | Removed     |
| srccountry     | Added       |
| srcintf        | Added       |
| url            | Added       |

## Web

The following table provide a list of log fields that were added newly or removed from the security log subtypes in FortiOS version 5.4.0.

| Log Field Name | Description |
|----------------|-------------|
| crlevel        | Added       |
| crscore        | Added       |
| dstintf        | Added       |
| policyid       | Added       |
| profiletype    | Removed     |
| referralurl    | Added       |
| srcintf        | Added       |

## Traffic

The following table provide a list of log fields that were added newly or removed from the traffic log subtypes in FortiOS version 5.4.0.

| Log Field Name  | Description |
|-----------------|-------------|
| ap              | Added       |
| apsn            | Added       |
| centralnatid    | Added       |
| channel         | Added       |
| countwaf        | Added       |
| crlevel         | Added       |
| hostname        | Removed     |
| polycymode      | Added       |
| policytype      | Added       |
| radioband       | Added       |
| shapingpolicyid | Added       |
| sslexempt       | Added       |
| vwpvlanid       | Added       |

## WAF

| Log Field Name | Description |
|----------------|-------------|
| action         | Added       |
| constraint     | Added       |
| date           | Added       |
| devid          | Added       |
| direction      | Added       |
| dstintf        | Added       |
| dstip          | Added       |
| dstport        | Added       |
| eventid        | Added       |
| eventtype      | Added       |
| group          | Added       |
| level          | Added       |
| logid          | Added       |
| method         | Added       |
| msg            | Added       |
| name           | Added       |
| policyid       | Added       |
| profile        | Added       |
| proto          | Added       |
| service        | Added       |
| sessionid      | Added       |
| severity       | Added       |

| Log Field Name | Description |
|----------------|-------------|
| srcintf        | Added       |
| srcip          | Added       |
| srcport        | Added       |
| subtype        | Added       |
| time           | Added       |
| type           | Added       |
| url            | Added       |
| user           | Added       |
| vd             | Added       |

## Other logs

The following tables provide a list of log fields that were added newly or removed between the from the other log types in FortiOS version 5.4.0.

### Netscan

| Log Field Name | Description |
|----------------|-------------|
| action         | Removed     |
| agent          | Removed     |
| assetid        | Removed     |
| assetname      | Removed     |
| custom         | Removed     |
| date           | Removed     |
| devid          | Removed     |
| direction      | Removed     |
| dstintf        | Removed     |

| Log Field Name | Description |
|----------------|-------------|
| dstip          | Removed     |
| dstname        | Removed     |
| dstport        | Removed     |
| end            | Removed     |
| engine         | Removed     |
| eventtype      | Removed     |
| group          | Removed     |
| level          | Removed     |
| logid          | Removed     |
| method         | Removed     |
| msg            | Removed     |
| os             | Removed     |
| osfamily       | Removed     |
| osgen          | Removed     |
| osvendor       | Removed     |
| plugin         | Removed     |
| policyid       | Removed     |
| profile        | Removed     |
| profilegroup   | Removed     |
| proto          | Removed     |
| serial         | Removed     |
| service        | Removed     |
| severity       | Removed     |
| srcintf        | Removed     |

| Log Field Name | Description |
|----------------|-------------|
| srcip          | Removed     |
| srcname        | Removed     |
| srcport        | Removed     |
| start          | Removed     |
| status         | Removed     |
| subtype        | Removed     |
| time           | Removed     |
| type           | Removed     |
| user           | Removed     |
| vd             | Removed     |
| vuln           | Removed     |
| vulncat        | Removed     |
| vulncnt        | Removed     |
| vulnid         | Removed     |
| vulnref        | Removed     |
| vulnscore      | Removed     |

## VOIP

| Log Field Name | Description |
|----------------|-------------|
| dst            | Removed     |
| dstip          | Added       |
| locip          | Added       |
| locport        | Added       |
| remip          | Added       |

| Log Field Name | Description |
|----------------|-------------|
| report         | Added       |
| src            | Removed     |
| srcip          | Added       |

## Appendix B: Log Field Diff for 5.2.9 and 5.4.0

Refer to the *FortiOS 5.2.9 Log Reference* for a complete list of log field details related to version 5.2.9. This section covers changes applicable to the 5.4.0 version only. It is recommended that you keep both the 5.2.9 and 5.4.0 *FortiOS Log Reference* available for a comparison of log field delta between the versions.



For all reference purposes, in the tables provided below (see tables) , the term **Removed** indicates that a log field was removed in version 5.4.0 but exists in version 5.2.9. Similarly, the term **Added** indicates that a log file was added in version 5.4.0 but does not exist in version 5.2.9.

### Traffic

The following table provide a list of log fields that were added newly or removed from the traffic log subtypes in FortiOS version 5.4.0.

| Log Field Name  | Description |
|-----------------|-------------|
| ap              | Added       |
| apsn            | Added       |
| centralnatid    | Added       |
| channel         | Added       |
| countwaf        | Added       |
| polycymode      | Added       |
| policytype      | Added       |
| radioband       | Added       |
| shapingpolicyid | Added       |
| sslexempt       | Added       |
| vwpvlanid       | Added       |

### Event

The following tables provide a list of log fields that were added newly or removed between from the event log subtypes in FortiOS version 5.4.0.

## Compliance-Check

| Log Field Name | Description |
|----------------|-------------|
| action         | Added       |
| date           | Added       |
| devid          | Added       |
| level          | Added       |
| logdesc        | Added       |
| logid          | Added       |
| module         | Added       |
| msg            | Added       |
| reason         | Added       |
| result         | Added       |
| status         | Added       |
| subtype        | Added       |
| time           | Added       |
| type           | Added       |
| vd             | Added       |

## Endpoint

| Log Field Name | Description |
|----------------|-------------|
| cveid          | Added       |
| devtype        | Added       |
| fctuid         | Added       |
| scantime       | Added       |
| severity       | Added       |

| Log Field Name | Description |
|----------------|-------------|
| srcname        | Added       |
| vendorurl      | Added       |
| vulncat        | Added       |
| vulnid         | Added       |
| vulnname       | Added       |

## Router

| Log Field Name | Description |
|----------------|-------------|
| ddnsserver     | Added       |
| duid           | Added       |
| iaid           | Added       |

## System

| Log Field Name | Description |
|----------------|-------------|
| ddnsserver     | Added       |
| dir            | Removed     |
| duid           | Added       |
| iaid           | Added       |

## Security (UTM)

The following tables provide a list of log fields that were added newly or removed from the security (UTM) log subtypes in FortiOS version 5.4.0.

### Anomaly

| Log Field Name | Description |
|----------------|-------------|
| agent          | Removed     |

| Log Field Name   | Description |
|------------------|-------------|
| attackcontext    | Removed     |
| attackcontextid  | Removed     |
| direction        | Removed     |
| hostname         | Removed     |
| incidentserialno | Removed     |
| policytype       | Added       |
| profile          | Removed     |
| profiletype      | Removed     |
| sniffer          | Removed     |

## IPS

| Log Field Name | Description |
|----------------|-------------|
| sniffer        | Removed     |
| url            | Added       |

## Web

| Log Field Name | Description |
|----------------|-------------|
| referralurl    | Added       |

## GTP

| Log Field Name | Description |
|----------------|-------------|
| apn            | Added       |
| c-bytes        | Added       |
| c-ggsn         | Added       |

| Log Field Name  | Description |
|-----------------|-------------|
| c-ggsn-teid     | Added       |
| c-gsn           | Added       |
| c-pkts          | Added       |
| c-sgsn          | Added       |
| c-sgsn-teid     | Added       |
| cpaddr          | Added       |
| cpdladdr        | Added       |
| cpdlisraddr     | Added       |
| cpdlisrteid     | Added       |
| cpdlteid        | Added       |
| cptheid         | Added       |
| cpuladdr        | Added       |
| cpulteid        | Added       |
| date            | Added       |
| deny_cause      | Added       |
| devid           | Added       |
| dstport         | Added       |
| dtlexp          | Added       |
| duration        | Added       |
| end-usr-address | Added       |
| from            | Added       |
| headerteid      | Added       |
| ietype          | Added       |
| imei-sv         | Added       |

| Log Field Name | Description |
|----------------|-------------|
| imsi           | Added       |
| level          | Added       |
| linked-nsapi   | Added       |
| logid          | Added       |
| msg-type       | Added       |
| msisdn         | Added       |
| nsapi          | Added       |
| profile        | Added       |
| rai            | Added       |
| rat-type       | Added       |
| selection      | Added       |
| seqnum         | Added       |
| snetwork       | Added       |
| srcport        | Added       |
| status         | Added       |
| subtype        | Added       |
| time           | Added       |
| to             | Added       |
| tunnel-idx     | Added       |
| type           | Added       |
| u-bytes        | Added       |
| u-ggsn         | Added       |
| u-ggsn-teid    | Added       |
| u-gsn          | Added       |

| Log Field Name | Description |
|----------------|-------------|
| u-pkts         | Added       |
| u-sgsn         | Added       |
| u-sgsn-teid    | Added       |
| uli            | Added       |
| user_data      | Added       |
| vd             | Added       |
| version        | Added       |

## WAF

| Log Field Name | Description |
|----------------|-------------|
| action         | Added       |
| agent          | Added       |
| constraint     | Added       |
| date           | Added       |
| devid          | Added       |
| direction      | Added       |
| dstintf        | Added       |
| dstip          | Added       |
| dstport        | Added       |
| eventid        | Added       |
| eventtype      | Added       |
| group          | Added       |
| level          | Added       |
| logid          | Added       |

| Log Field Name | Description |
|----------------|-------------|
| method         | Added       |
| msg            | Added       |
| name           | Added       |
| policyid       | Added       |
| profile        | Added       |
| proto          | Added       |
| service        | Added       |
| sessionid      | Added       |
| severity       | Added       |
| srcintf        | Added       |
| srcip          | Added       |
| srcport        | Added       |
| subtype        | Added       |
| time           | Added       |
| type           | Added       |
| url            | Added       |
| user           | Added       |
| vd             | Added       |

## Netscan

| Log Field Name | Description |
|----------------|-------------|
| action         | Removed     |
| agent          | Removed     |
| assetid        | Removed     |

| Log Field Name | Description |
|----------------|-------------|
| assetname      | Removed     |
| date           | Removed     |
| devid          | Removed     |
| direction      | Removed     |
| dstintf        | Removed     |
| dstip          | Removed     |
| dstname        | Removed     |
| dstport        | Removed     |
| end            | Removed     |
| engine         | Removed     |
| eventtype      | Removed     |
| group          | Removed     |
| level          | Removed     |
| logid          | Removed     |
| method         | Removed     |
| msg            | Removed     |
| os             | Removed     |
| osfamily       | Removed     |
| osgen          | Removed     |
| osvendor       | Removed     |
| plugin         | Removed     |
| policyid       | Removed     |
| profile        | Removed     |
| profilegroup   | Removed     |

| Log Field Name | Description |
|----------------|-------------|
| proto          | Removed     |
| serial         | Removed     |
| service        | Removed     |
| severity       | Removed     |
| srcintf        | Removed     |
| srcip          | Removed     |
| srcname        | Removed     |
| srcport        | Removed     |
| start          | Removed     |
| status         | Removed     |
| subtype        | Removed     |
| time           | Removed     |
| type           | Removed     |
| user           | Removed     |
| vd             | Removed     |
| vuln           | Removed     |
| vulncat        | Removed     |
| vulncnt        | Removed     |
| vulnid         | Removed     |
| vulnref        | Removed     |
| vulnscore      | Removed     |

**VOIP**

| Log Field Name | Description |
|----------------|-------------|
| locip          | Added       |
| locport        | Added       |
| remip          | Added       |
| remport        | Added       |

## Appendix C: Log ID Diff for 5.2.0 and 5.4.0

Refer to the *FortiOS 5.2.0 Log Reference* and *FortiOS 5.4.0 Log Reference* for a complete list of log ID details related to those versions. This section covers changes applicable to the 5.4.0 version only. It is recommended that you keep both the 5.2.0 and 5.4.0 *FortiOS Log Reference* documents available for a comparison of log ID delta between the versions.



For all reference purposes, in the tables provided below (see tables), the term **Removed** indicates that a log ID was removed in version 5.4.0 but exists in version 5.2.0. Similarly, the term **Added** indicates that a log ID was added in version 5.4.0 but does not exist in version 5.2.0.

### Event

The following tables provide a list of log IDs that were added newly or removed between from the event log subtypes in FortiOS version 5.4.0.

#### COMPLIANCE-CHECK

| Log ID | Message                  | Description |
|--------|--------------------------|-------------|
| 45151  | LOG_ID_EVENT_DSSCC_FAIL  | Added       |
| 45152  | LLOG_ID_EVENT_DSSCC_PASS | Added       |

### Endpoint

| Log ID | Message                    | Description |
|--------|----------------------------|-------------|
| 45056  | LOG_ID_FCC_EXCEED          | Removed     |
| 45059  | LOG_ID_FCC_UPGRADE_SUCC    | Removed     |
| 45060  | LOG_ID_FCC_UPGRADE_FAIL    | Removed     |
| 45061  | LOG_ID_FCC_CLOSE_BY_TYPE   | Added       |
| 45071  | LOG_ID_FCC_VULN_SCAN       | Added       |
| 45112  | LOG_ID_EC_REG_FAIL_KEY     | Added       |
| 45113  | LOG_ID_EC_REG_FAIL_BLOCKED | Added       |

| Log ID | Message                        | Description |
|--------|--------------------------------|-------------|
| 45114  | LOG_ID_EC_REG_QUARANTINE       | Added       |
| 45115  | LOG_ID_EC_REG_UNQUARANTINE     | Added       |
| 45116  | LOG_ID_EC_REG_UNQUARANTINE_ALL | Added       |
| 45117  | LOG_ID_EC_REG_FAIL_VER         | Added       |

## GTP

| Log ID | Message                   | Description |
|--------|---------------------------|-------------|
| 41216  | LOGID_GTP_FORWARD         | Removed     |
| 41217  | LOGID_GTP_DENY            | Removed     |
| 41218  | LOGID_GTP_RATE_LIMIT      | Removed     |
| 41219  | LOGID_GTP_STATE_INVALID   | Removed     |
| 41220  | LOGID_GTP_TUNNEL_LIMIT    | Removed     |
| 41221  | LOGID_GTP_TRAFFIC_COUNT   | Removed     |
| 41222  | LOGID_GTP_USER_DATA       | Removed     |
| 41223  | LOGID_GTPV2_FORWARD       | Removed     |
| 41224  | LOGID_GTPV2_DENY          | Removed     |
| 41225  | LOGID_GTPV2_RATE_LIMIT    | Removed     |
| 41226  | LOGID_GTPV2_STATE_INVALID | Removed     |
| 41227  | LOGID_GTPV2_TUNNEL_LIMIT  | Removed     |
| 41228  | LOGID_GTPV2_TRAFFIC_COUNT | Removed     |
| 41229  | LOGID_GTPU_FORWARD        | Removed     |
| 41230  | LOGID_GTPU_DENY           | Removed     |

## HA

| Log ID | Message                         | Description |
|--------|---------------------------------|-------------|
| 35004  | LOG_ID_HA_SYNC_FLDB             | Added       |
| 35008  | LOG_ID_HA_SYNC_VCM              | Removed     |
| 35011  | LOG_ID_HA_SYNC_FAIL             | Added       |
| 35012  | LOG_ID_CONF_SYNC_FAIL           | Added       |
| 37905  | MESGID_HA_ENABLE_SET_AS_MASTER  | Added       |
| 37906  | MESGID_HA_DISABLE_SET_AS_MASTER | Added       |
| 37907  | MESGID_VLAN_HB_UP               | Added       |
| 37908  | MESGID_VLAN_HB_DOWN             | Added       |
| 37909  | MESGID_VLAN_HB_DOWN_SUM         | Added       |

## Router

| Log ID | Message                  | Description |
|--------|--------------------------|-------------|
| 20301  | LOG_ID_VZ_LOG            | Added       |
| 20302  | LOG_ID_OSPF_NB_STAT_CHG  | Added       |
| 20303  | LOG_ID_OSPF6_NB_STAT_CHG | Added       |
| 20401  | LOG_ID_ROUTER_CLEAR      | Added       |

## System

| Log ID | Message                  | Description |
|--------|--------------------------|-------------|
| 20000  | 20000                    | Removed     |
| 20008  | LOG_ID_POLICY6_TOO_BIG   | Added       |
| 20010  | LOG_ID_KERNEL_ERROR      | Added       |
| 20022  | LOG_ID_MODEM_USB_REMOVED | Added       |

| Log ID | Message                         | Description |
|--------|---------------------------------|-------------|
| 20023  | LOG_ID_MODEM_USBLTE_DETECTED    | Added       |
| 20024  | LOG_ID_MODEM_USBLTE_REMOVED     | Added       |
| 20028  | LOG_ID_REPORT_RECREATE_DB       | Added       |
| 20109  | LOG_ID_WEB_LIC_EXPIRED          | Added       |
| 20113  | LOG_ID_IPSA_DOWNLOAD_FAIL       | Added       |
| 20114  | LOG_ID_IPSA_SELFTEST_FAIL       | Added       |
| 20115  | LOG_ID_IPSA_STATUSUPD_FAIL      | Added       |
| 20116  | LOG_ID_SPAM_LIC_EXPIRED         | Added       |
| 20118  | LOG_ID_WEBF_STATUS_REACH        | Added       |
| 20119  | LOG_ID_WEBF_STATUS_UNREACH      | Added       |
| 20207  | LOG_ID_RAD_MISMATCH_VALID_TIME  | Added       |
| 20208  | LOG_ID_ZOMBIE_DAEMON_CLEANUP    | Added       |
| 20209  | LOG_ID_DISK_UNAVAIL             | Added       |
| 20220  | 20220                           | Added       |
| 20221  | 20221                           | Added       |
| 22017  | LOG_ID_EXCEED_GLOB_RES_LIMIT    | Added       |
| 22018  | LOG_ID_EXCEED_VD_RES_LIMIT      | Added       |
| 22103  | LOG_ID_QUAR_DAILY_LIMIT_REACHED | Added       |
| 22107  | LOG_ID_VOLT_ANOM                | Added       |
| 22108  | LOG_ID_FAN_ANOM                 | Added       |
| 22109  | LOG_ID_TEMP_TOO_HIGH            | Added       |
| 22150  | LOG_ID_VOLT_NOM                 | Added       |
| 22151  | LOG_ID_FAN_NOM                  | Added       |
| 22152  | LOG_ID_TEMP_TOO_LOW             | Added       |

| Log ID | Message                             | Description |
|--------|-------------------------------------|-------------|
| 22153  | LOG_ID_TEMP_NORM                    | Added       |
| 22202  | LOG_ID_AUTO_UPT_CERT_FAIL           | Removed     |
| 22204  | LOG_ID_AUTO_GEN_CERT_PENDING        | Added       |
| 22205  | LOG_ID_AUTO_GEN_CERT_SUCC           | Added       |
| 22206  | LOG_ID_CRL_EXPIRED                  | Added       |
| 22701  | LOG_ID_IPS_FAIL_OPEN_END            | Added       |
| 22891  | LOG_ID_FLCFGD                       | Added       |
| 22913  | LOG_ID_FDS_SRV_DISCON               | Added       |
| 22914  | LOG_ID_FDS_SRV_CHG                  | Added       |
| 22915  | LOG_ID_FDS_SRV_CON                  | Added       |
| 22918  | LOG_ID_FDS_CTRL_STATUS              | Added       |
| 26006  | LOG_ID_DHCP_LEASE_USAGE_FULL        | Added       |
| 26007  | LOG_ID_DHCP_BLOCKED_MAC             | Added       |
| 26008  | LOG_ID_DHCP_DDNS_ADD                | Added       |
| 26009  | LOG_ID_DHCP_DDNS_DELETE             | Added       |
| 26010  | LOG_ID_DHCP_DDNS_COMPLETED          | Added       |
| 26011  | LOG_ID_DHCPV6_REPLY                 | Added       |
| 26012  | LOG_ID_DHCPV6_RELEASE               | Added       |
| 29021  | LOG_ID_EVENT_AUTH_SNMP_QUERY_FAILED | Added       |
| 29022  | LOG_ID_DDNS_UPDATE_FAIL             | Added       |
| 32016  | LOG_ID_FDS_QUOTA_WARN               | Added       |
| 32017  | LOG_ID_FDS_DAILY_QUOTA_FULL         | Added       |
| 32019  | LOG_ID_CC_ENTER_ERR_MOD             | Added       |
| 32026  | LOG_ID_STORE_CONF_FAIL              | Removed     |

| Log ID | Message                               | Description |
|--------|---------------------------------------|-------------|
| 32031  | LOG_ID_VIEW_MEM_LOG_FAIL              | Added       |
| 32032  | LOG_ID_DISK_DLP_ARCH_FULL             | Added       |
| 32033  | LOG_ID_DISK_QUAR_FULL                 | Added       |
| 32034  | LOG_ID_DISK_REPORT_FULL               | Added       |
| 32036  | LOG_ID_DISK_IPS_ARCH_FULL             | Added       |
| 32037  | LOG_ID_DISK_LOG_FIRST_FULL            | Added       |
| 32038  | LOG_ID_LOG_ROLL_FORTICRON             | Added       |
| 32039  | LOG_ID_VIEW_MEM_LOG_SUCC              | Added       |
| 32041  | LOG_ID_REPORT_DELETED_GUI             | Added       |
| 32042  | LOG_ID_MEM_LOG_SECOND_FULL            | Added       |
| 32043  | LOG_ID_MEM_LOG_FINAL_FULL             | Added       |
| 32044  | LOG_ID_LOG_DELETE                     | Added       |
| 32046  | LOG_ID_SSL_CORRPUT_MAC                | Added       |
| 32104  | LOG_ID_CHG_CONFIG_GUI                 | Added       |
| 32105  | LOG_ID_NTP_SVR_STAUS_CHG_REACHABLE    | Added       |
| 32106  | LOG_ID_NTP_SVR_STAUS_CHG_RESOLVABLE   | Added       |
| 32107  | LOG_ID_NTP_SVR_STAUS_CHG_UNRESOLVABLE | Added       |
| 32108  | LOG_ID_NTP_SVR_STAUS_CHG_UNREACHABLE  | Added       |
| 32109  | LOG_ID_UPD_SIGN_AV_DB                 | Added       |
| 32110  | LOG_ID_UPD_SIGN_IPS_DB                | Added       |
| 32111  | LOG_ID_UPD_SIGN_AVIPS_DB              | Added       |
| 32113  | LOG_ID_UPD_SIGN_SRCVIS_DB             | Added       |
| 32114  | LOG_ID_UPD_SIGN_GEOIP_DB              | Added       |
| 32115  | LOG_ID_UPD_SIGN_SERVER_LIST           | Added       |

| Log ID | Message                          | Description |
|--------|----------------------------------|-------------|
| 32116  | LOG_ID_UPD_SIGN_AVPKG_FAILURE    | Added       |
| 32117  | LOG_ID_UPD_SIGN_AVPKG_SUCCESS    | Added       |
| 32118  | LOG_ID_UPD_ADMIN_AV_DB           | Added       |
| 32119  | LOG_ID_UPD_SCANUNIT_AV_DB        | Added       |
| 32139  | LOG_ID_UPD_SIGN_DB               | Removed     |
| 32141  | LOG_ID_TIME_NTP_SETTING_CHG      | Added       |
| 32143  | LOG_ID_BACKUP_CONF_BY_SCP        | Added       |
| 32169  | LOG_ID_ALARM_DLP_DB              | Added       |
| 32188  | LOG_ID_SSL_PROXY_CA_INIT_FAIL    | Removed     |
| 32190  | LOG_ID_UPT_INVALID_IMG           | Added       |
| 32191  | LOG_ID_UPT_INVALID_IMG_CC        | Added       |
| 32192  | LOG_ID_UPT_INVALID_IMG_RSA       | Added       |
| 32193  | LOG_ID_UPT_IMG_RSA               | Added       |
| 32194  | LOG_ID_UPT_IMG_FAIL              | Added       |
| 32199  | LOG_ID_RESTORE_IMG_USB           | Added       |
| 32227  | LOG_ID_UPD_DLP_FAIL              | Added       |
| 32228  | LOG_ID_LOAD_IMG_FAIL_WRONG_IMG   | Added       |
| 32229  | LOG_ID_LOAD_IMG_FAIL_NO_RSA      | Added       |
| 32230  | LOG_ID_LOAD_IMG_FAIL_INVALID_RSA | Added       |
| 32231  | LOG_ID_RESTORE_FGD_SVR_FAIL      | Added       |
| 32232  | LOG_ID_RESTORE_VDOM_LIC_FAIL     | Added       |
| 32233  | LOG_ID_BACKUP_IMG_FAIL           | Added       |
| 32234  | LOG_ID_RESTORE_IMG_INVALID_CC    | Added       |
| 32235  | LOG_ID_RESTORE_IMG_FORTIGUARD    | Added       |

| Log ID | Message                            | Description |
|--------|------------------------------------|-------------|
| 32236  | LOG_ID_BACKUP_MEM_LOG              | Added       |
| 32237  | LOG_ID_BACKUP_MEM_LOG_FAIL         | Added       |
| 32238  | LOG_ID_BACKUP_DISK_LOG_FAIL        | Added       |
| 32239  | LOG_ID_BACKUP_DISK_LOG_USB         | Added       |
| 32241  | LOG_ID_BACKUP_DISK_LOG_USB_FAIL    | Added       |
| 32242  | LOG_ID_UPD_VDOM_LIC_FAIL           | Added       |
| 32243  | LOG_ID_UPD_IPS_SCP                 | Added       |
| 32244  | LOG_ID_UPD_IPS_SCP_FAIL            | Added       |
| 32245  | LOG_ID_BACKUP_USER_DEF_IPS_FAIL    | Added       |
| 32340  | LOG_ID_LOG_DISK_UNAVAIL            | Removed     |
| 32547  | LOG_ID_AUTOSCRIPT_START            | Added       |
| 32548  | LOG_ID_AUTOSCRIPT_STOP             | Added       |
| 32561  | LOG_ID_ADMIN_LOGOUT_DISCONNECT     | Added       |
| 32562  | LOG_ID_STORE_CONF_FAIL_SPACE       | Added       |
| 32564  | LOG_ID_RESTORE_CONF_FAIL           | Added       |
| 32565  | LOG_ID_RESTORE_CONF_BY_MGMT        | Added       |
| 32566  | LOG_ID_RESTORE_CONF_BY_SCP         | Added       |
| 32567  | LOG_ID_RESTORE_CONF_BY_USB         | Added       |
| 32568  | LOG_ID_DEL_REVISION_DB             | Added       |
| 32569  | LOG_ID_FSW_SWITCH_LOG_EVENT        | Added       |
| 38408  | LOGID_EVENT_OFTP_SSL_CONNECTED     | Added       |
| 38409  | LOGID_EVENT_OFTP_SSL_DISCONNECTED  | Added       |
| 38410  | LOGID_EVENT_OFTP_SSL_FAILED        | Added       |
| 38411  | LOGID_EVENT_TWO_F_AUTH_CODE_SENDTO | Added       |

| Log ID | Message                             | Description |
|--------|-------------------------------------|-------------|
| 38412  | LOGID_EVENT_TOKEN_CODE_SENDTO       | Added       |
| 41005  | LOG_ID_UPD_VCM                      | Removed     |
| 42201  | LOG_ID_NETX_VMX_ATTACH              | Added       |
| 42203  | LOG_ID_NETX_VMX_DENIED              | Added       |
| 43777  | LOG_ID_EVENT_NAC_ANOMALY_QUARANTINE | Added       |
| 44548  | LOGID_EVENT_CONFIG_EXEC             | Added       |
| 45161  | LOG_ID_EVENT_DSSCC_EXEC             | Added       |

## User

| Log ID | Message | Description |
|--------|---------|-------------|
| 38012  |         | Added       |
| 43008  |         | Added       |
| 43009  |         | Added       |
| 43010  |         | Added       |
| 43014  |         | Added       |
| 43015  |         | Added       |
| 43040  |         | Added       |
| 43041  |         | Added       |
| 43042  |         | Added       |
| 43043  |         | Added       |
| 43044  |         | Added       |

## VPN

| Log ID | Message                     | Description |
|--------|-----------------------------|-------------|
| 37120  | MESGID_NEG_GENERIC_P1_NOTIF | Added       |

| Log ID | Message                                       | Description |
|--------|---|-------------|
| 37121  | MESGID_NEG_GENERIC_P1_ERROR                   | Added       |
| 37122  | MESGID_NEG_GENERIC_P2_NOTIF                   | Added       |
| 37123  | MESGID_NEG_GENERIC_P2_ERROR                   | Added       |
| 37127  | MESGID_NEG_PROGRESS_P1_NOTIF                  | Added       |
| 37128  | MESGID_NEG_PROGRESS_P1_ERROR                  | Added       |
| 37129  | MESGID_NEG_PROGRESS_P2_NOTIF                  | Added       |
| 37130  | MESGID_NEG_PROGRESS_P2_ERROR                  | Added       |
| 37131  | MESGID_ESP_ERROR                              | Added       |
| 37132  | MESGID_ESP_CRITICAL                           | Added       |
| 37140  | MESGID_AUTO_IPSEC                             | Removed     |
| 37184  | MESGID_NEG_GENERIC_P1_NOTIF_IKEV2             | Added       |
| 37185  | MESGID_NEG_GENERIC_P1_ERROR_IKEV2             | Added       |
| 37186  | MESGID_NEG_GENERIC_P2_NOTIF_IKEV2             | Added       |
| 37187  | MESGID_NEG_GENERIC_P2_ERROR_IKEV2             | Added       |
| 37191  | MESGID_NEG_PROGRESS_P1_NOTIF_IKEV2            | Added       |
| 37192  | MESGID_NEG_PROGRESS_P1_ERROR_IKEV2            | Added       |
| 37193  | MESGID_NEG_PROGRESS_P2_NOTIF_IKEV2            | Added       |
| 37194  | MESGID_NEG_PROGRESS_P2_ERROR_IKEV2            | Added       |
| 37195  | MESGID_ESP_ERROR_IKEV2                        | Added       |
| 37196  | MESGID_ESP_CRITICAL_IKEV2                     | Added       |
| 39424  | LOG_ID_EVENT_SSL_VPN_USER_TUNNEL_UP           | Added       |
| 39425  | LOG_ID_EVENT_SSL_VPN_USER_TUNNEL_DOWN         | Added       |
| 39426  | LOG_ID_EVENT_SSL_VPN_USER_SSL_LOGIN_FAIL      | Added       |
| 39936  | LOG_ID_EVENT_SSL_VPN_SESSION_WEB_TUNNEL_STATS | Added       |

| Log ID | Message  | Description |
|--------|--|-------------|
| 39937  | LOG_ID_EVENT_SSL_VPN_SESSION_WEBAPP_DENY         | Added       |
| 39938  | LOG_ID_EVENT_SSL_VPN_SESSION_WEBAPP_PASS         | Added       |
| 39939  | LOG_ID_EVENT_SSL_VPN_SESSION_WEBAPP_TIMEOUT      | Added       |
| 39940  | LOG_ID_EVENT_SSL_VPN_SESSION_WEBAPP_CLOSE        | Added       |
| 39941  | LOG_ID_EVENT_SSL_VPN_SESSION_SYS_BUSY            | Added       |
| 39942  | LOG_ID_EVENT_SSL_VPN_SESSION_CERT_OK             | Added       |
| 39943  | LOG_ID_EVENT_SSL_VPN_SESSION_NEW_CON             | Added       |
| 39944  | LOG_ID_EVENT_SSL_VPN_SESSION_ALERT               | Added       |
| 39945  | LOG_ID_EVENT_SSL_VPN_SESSION_EXIT_FAIL           | Added       |
| 39946  | LOG_ID_EVENT_SSL_VPN_SESSION_EXIT_ERR            | Added       |
| 39947  | LOG_ID_EVENT_SSL_VPN_SESSION_TUNNEL_UP           | Added       |
| 39948  | LOG_ID_EVENT_SSL_VPN_SESSION_TUNNEL_DOWN         | Added       |
| 39949  | LOG_ID_EVENT_SSL_VPN_SESSION_TUNNEL_STATS        | Added       |
| 39950  | LOG_ID_EVENT_SSL_VPN_SESSION_TUNNEL_UNKNOWNTAG   | Added       |
| 39951  | LOG_ID_EVENT_SSL_VPN_SESSION_TUNNEL_ERROR        | Added       |
| 39952  | LOG_ID_EVENT_SSL_VPN_SESSION_ENTER_CONSERVE_MODE | Added       |
| 39953  | LOG_ID_EVENT_SSL_VPN_SESSION_LEAVE_CONSERVE_MODE | Added       |
| 40001  | LOG_ID_PPTP_TUNNEL_UP                            | Added       |
| 40002  | LOG_ID_PPTP_TUNNEL_DOWN                          | Added       |
| 40003  | LOG_ID_PPTP_TUNNEL_STAT                          | Added       |
| 40016  | LOG_ID_L2TPD_SVR_DISCON                          | Removed     |
| 40101  | LOG_ID_L2TP_TUNNEL_UP                            | Added       |
| 40102  | LOG_ID_L2TP_TUNNEL_DOWN                          | Added       |

| Log ID | Message                      | Description |
|--------|------------------------------|-------------|
| 40103  | LOG_ID_L2TP_TUNNEL_STAT      | Added       |
| 41986  | LOG_ID_EVENT_VPN_CERT_REGEN  | Added       |
| 41991  | LOG_ID_EVENT_VPN_CERT_EXPORT | Added       |

## WAD

| Log ID | Message                            | Description |
|--------|------------------------------------|-------------|
| 48030  | LOG_ID_WAD_SSL_CLIENT_CERT_REQUEST | Added       |
| 48038  | LOG_ID_WAD_SSL_RCV_FATAL_ALERT     | Added       |
| 48039  | LOG_ID_WAD_SSL_SENT_FATAL_ALERT    | Added       |

## Wireless

| Log ID | Message                               | Description |
|--------|---------------------------------------|-------------|
| 43520  | LOG_ID_EVENT_WIRELESS_SYS             | Removed     |
| 43522  | LOG_ID_EVENT_WIRELESS_WTP             | Removed     |
| 43524  | LOG_ID_EVENT_WIRELESS_STA             | Removed     |
| 43526  | LOG_ID_EVENT_WIRELESS_WTPR            | Removed     |
| 43527  | LOG_ID_EVENT_WIRELESS_ROGUE_CFG       | Removed     |
| 43529  | LOG_ID_EVENT_WIRELESS_CLB             | Removed     |
| 43551  | LOG_ID_EVENT_WIRELESS_WTP_JOIN        | Added       |
| 43552  | LOG_ID_EVENT_WIRELESS_WTP_LEAVE       | Added       |
| 43553  | LOG_ID_EVENT_WIRELESS_WTP_FAIL        | Added       |
| 43554  | LOG_ID_EVENT_WIRELESS_WTP_UPDATE      | Added       |
| 43555  | LOG_ID_EVENT_WIRELESS_WTP_RESET       | Added       |
| 43556  | LOG_ID_EVENT_WIRELESS_WTP_KICK        | Added       |
| 43557  | LOG_ID_EVENT_WIRELESS_WTP_ADD_FAILURE | Added       |

| Log ID | Message                                   | Description |
|--------|---|-------------|
| 43558  | LOG_ID_EVENT_WIRELESS_WTP_CFG_ERR         | Added       |
| 43559  | LOG_ID_EVENT_WIRELESS_WTP_SN_MISMATCH     | Added       |
| 43560  | LOG_ID_EVENT_WIRELESS_SYS_AC_RESTARTED    | Added       |
| 43561  | LOG_ID_EVENT_WIRELESS_SYS_AC_HOSTAPD_UP   | Added       |
| 43562  | LOG_ID_EVENT_WIRELESS_SYS_AC_HOSTAPD_DOWN | Added       |
| 43563  | LOG_ID_EVENT_WIRELESS_ROGUE_DETECT        | Added       |
| 43564  | LOG_ID_EVENT_WIRELESS_ROGUE_OFFAIR        | Added       |
| 43565  | LOG_ID_EVENT_WIRELESS_ROGUE_ONAIR         | Added       |
| 43566  | LOG_ID_EVENT_WIRELESS_ROGUE_OFFWIRE       | Added       |
| 43567  | LOG_ID_EVENT_WIRELESS_FAKEAP_DETECT       | Added       |
| 43568  | LOG_ID_EVENT_WIRELESS_FAKEAP_ONAIR        | Added       |
| 43569  | LOG_ID_EVENT_WIRELESS_ROGUE_SUPPRESSED    | Added       |
| 43570  | LOG_ID_EVENT_WIRELESS_ROGUE_UNSUPPRESSED  | Added       |
| 43571  | LOG_ID_EVENT_WIRELESS_ROGUE_DETECT_CHG    | Added       |
| 43572  | LOG_ID_EVENT_WIRELESS_STA ASSO            | Added       |
| 43573  | LOG_ID_EVENT_WIRELESS_STA_AUTH            | Added       |
| 43574  | LOG_ID_EVENT_WIRELESS_STA_DASS            | Added       |
| 43575  | LOG_ID_EVENT_WIRELESS_STA_DAUT            | Added       |
| 43576  | LOG_ID_EVENT_WIRELESS_STA_IDLE            | Added       |
| 43577  | LOG_ID_EVENT_WIRELESS_STA_DENY            | Added       |
| 43578  | LOG_ID_EVENT_WIRELESS_STA_KICK            | Added       |
| 43579  | LOG_ID_EVENT_WIRELESS_STA_IP              | Added       |
| 43580  | LOG_ID_EVENT_WIRELESS_STA_LEAVE_WTP       | Added       |
| 43581  | LOG_ID_EVENT_WIRELESS_STA_WTP_DISCONN     | Added       |

| Log ID | Message  | Description |
|--------|--|-------------|
| 43582  | LOG_ID_EVENT_WIRELESS_ROGUE_CFG_UNCLASSIFIED   | Added       |
| 43583  | LOG_ID_EVENT_WIRELESS_ROGUE_CFG_ACCEPTED       | Added       |
| 43584  | LOG_ID_EVENT_WIRELESS_ROGUE_CFG_ROGUE          | Added       |
| 43585  | LOG_ID_EVENT_WIRELESS_ROGUE_CFG_SUPPRESSED     | Added       |
| 43586  | LOG_ID_EVENT_WIRELESS_WTPR_DARRP_CHAN          | Added       |
| 43587  | LOG_ID_EVENT_WIRELESS_WTPR_DARRP_START         | Added       |
| 43588  | LOG_ID_EVENT_WIRELESS_WTPR_OPER_CHAN           | Added       |
| 43589  | LOG_ID_EVENT_WIRELESS_WTPR_RADAR               | Added       |
| 43590  | LOG_ID_EVENT_WIRELESS_WTPR_NOL                 | Added       |
| 43591  | LOG_ID_EVENT_WIRELESS_WTPR_COUNTRY_CFG_SUCCESS | Added       |
| 43592  | LOG_ID_EVENT_WIRELESS_WTPR_OPER_COUNTRY        | Added       |
| 43593  | LOG_ID_EVENT_WIRELESS_WTPR_CFG_TXPOWER         | Added       |
| 43594  | LOG_ID_EVENT_WIRELESS_WTPR_OPER_TXPOWER        | Added       |
| 43595  | LOG_ID_EVENT_WIRELESS_CLB_DENY                 | Added       |
| 43596  | LOG_ID_EVENT_WIRELESS_CLB_RETRY                | Added       |
| 43597  | LOG_ID_EVENT_WIRELESS_WTP_ADD                  | Added       |
| 43598  | LOG_ID_EVENT_WIRELESS_WTP_ADD_XSS              | Added       |
| 43599  | LOG_ID_EVENT_WIRELESS_WTP_DEL                  | Added       |
| 43600  | LOG_ID_EVENT_WIRELESS_WTPR_DARRP_STOP          | Added       |
| 43601  | LOG_ID_EVENT_WIRELESS_STA_CAP_SIGNON           | Added       |
| 43602  | LOG_ID_EVENT_WIRELESS_STA_CAP_SIGNON_SUCCESS   | Added       |
| 43603  | LOG_ID_EVENT_WIRELESS_STA_CAP_SIGNON_FAILURE   | Added       |
| 43604  | LOG_ID_EVENT_WIRELESS_STA_CAP_EMAIL_REQUEST    | Added       |
| 43605  | LOG_ID_EVENT_WIRELESS_STA_CAP_EMAIL_SUCCESS    | Added       |

| Log ID | Message  | Description  |
|--------|--|--------------|
| 43606  | LOG_ID_EVENT_WIRELESS_STA_CAP_EMAIL_FAILURE      | Added        |
| 43607  | LOG_ID_EVENT_WIRELESS_STA_CAP_DISCLAIMER_CHECK   | Added        |
| 43608  | LOG_ID_EVENT_WIRELESS_STA_CAP_DISCLAIMER_DECLINE | Added        |
| 43609  | LOG_ID_EVENT_WIRELESS_SYS_AC_DARRP_START         | Added        |
| 43610  | LOG_ID_EVENT_WIRELESS_SYS_AC_DARRP_STOP          | Added        |
| 43611  | LOG_ID_EVENT_WIRELESS_SYS_AC_UP                  | Added        |
| 43612  | LOG_ID_EVENT_WIRELESS_SYS_AC_CFG_LOADED          | Added        |
| 43613  | LOG_ID_EVENT_WIRELESS_WTP_ERR                    | Added        |
| 43614  | LOG_ID_EVENT_WIRELESS_DHCP_STAVATION             | Log ID Added |

## GTP

The following tables provide a list of log IDs that were added newly or removed between from the GTP logs in FortiOS version 5.4.0.

| Log ID | Message                 | Description |
|--------|-------------------------|-------------|
| 41216  | LOGID_GTP_FORWARD       | Added       |
| 41217  | LOGID_GTP_DENY          | Added       |
| 41218  | LOGID_GTP_RATE_LIMIT    | Added       |
| 41219  | LOGID_GTP_STATE_INVALID | Added       |
| 41220  | LOGID_GTP_TUNNEL_LIMIT  | Added       |
| 41221  | LOGID_GTP_TRAFFIC_COUNT | Added       |
| 41222  | LOGID_GTP_USER_DATA     | Added       |
| 41223  | LOGID_GTPV2_FORWARD     | Added       |
| 41224  | LOGID_GTPV2_DENY        | Added       |

| Log ID | Message                   | Description |
|--------|---------------------------|-------------|
| 41225  | LOGID_GTPV2_RATE_LIMIT    | Added       |
| 41226  | LOGID_GTPV2_STATE_INVALID | Added       |
| 41227  | LOGID_GTPV2_TUNNEL_LIMIT  | Added       |
| 41228  | LOGID_GTPV2_TRAFFIC_COUNT | Added       |
| 41229  | LOGID_GTPU_FORWARD        | Added       |
| 41230  | LOGID_GTPU_DENY           | Added       |

## Security

The following tables provide a list of log IDs that were added newly or removed between from the security log subtypes in FortiOS version 5.4.0.

### Anomaly

| Log ID | Message                     | Description |
|--------|-----------------------------|-------------|
| 18432  | LOGID_ATTCK_ANOMALY_TCP_UDP | Added       |
| 18433  | LOGID_ATTCK_ANOMALY_ICMP    | Added       |
| 18434  | LOGID_ATTCK_ANOMALY_OTHERS  | Added       |

### AntiVirus

| Log ID | Message                     | Description |
|--------|-----------------------------|-------------|
| 9238   | MESGID_ANALYTICS_FSA_RESULT | Added       |
| 9248   | MESGID_BOTNET_WARNING       | Added       |
| 9249   | MESGID_BOTNET_NOTIF         | Added       |

### IPS

| Log ID | Message                     | Description |
|--------|-----------------------------|-------------|
| 18432  | LOGID_ATTCK_ANOMALY_TCP_UDP | Removed     |

| Log ID | Message                    | Description |
|--------|----------------------------|-------------|
| 18433  | LOGID_ATTCK_ANOMALY_ICMP   | Removed     |
| 18434  | LOGID_ATTCK_ANOMALY_OTHERS | Removed     |

## Web Filter

| Log ID | Message               | Description |
|--------|-----------------------|-------------|
| 12560  | LOG_ID_URL_WISP_BLOCK | Added       |
| 12561  | LOG_ID_URL_WISP_REDIR | Added       |
| 12562  | LOG_ID_URL_WISP_ALLOW | Added       |

## Traffic

The following tables provide a list of log IDs that were added newly or removed between from the traffic log in FortiOS version 5.4.0.

| Log ID | Message                  | Description |
|--------|--------------------------|-------------|
| 19     | LOG_ID_TRAFFIC_BROADCAST | Added       |

## WAF

The following tables provide a list of log IDs that were added newly or removed between from the WAF logs in FortiOS version 5.4.0.

| Log ID | Message                          | Description |
|--------|----------------------------------|-------------|
| 30248  | LOGID_WAF_SIGNATURE_BLOCK        | Added       |
| 30249  | LOGID_WAF_SIGNATURE_PASS         | Added       |
| 30250  | LOGID_WAF_SIGNATURE_ERASE        | Added       |
| 30251  | LOGID_WAF_CUSTOM_SIGNATURE_BLOCK | Added       |
| 30252  | LOGID_WAF_CUSTOM_SIGNATURE_PASS  | Added       |
| 30253  | LOGID_WAF_METHOD_BLOCK           | Added       |

| Log ID | Message                      | Description |
|--------|------------------------------|-------------|
| 30255  | LOGID_WAF_ADDRESS_LIST_BLOCK | Added       |
| 30257  | LOGID_WAF_CONSTRAINTS_BLOCK  | Added       |
| 30258  | LOGID_WAF_CONSTRAINTS_PASS   | Added       |
| 30259  | LOGID_WAF_URL_ACCESS_PERMIT  | Added       |
| 30260  | LOGID_WAF_URL_ACCESS_BYPASS  | Added       |
| 30261  | LOGID_WAF_URL_ACCESS_BLOCK   | Added       |

## Other Logs

The following tables provide a list of log IDs that were added newly or removed between from the security log subtypes in FortiOS version 5.4.0.

### Netscan

| Log ID | Message                          | Description |
|--------|----------------------------------|-------------|
| 4096   | LOG_ID_NETSCAN_VULN_SCAN         | Removed     |
| 4097   | LOG_ID_NETSCAN_DISCOVERY_SCAN    | Removed     |
| 4098   | LOG_ID_NETSCAN_VULN_DETECT       | Removed     |
| 4099   | LOG_ID_NETSCAN_OS_DETECT         | Removed     |
| 4100   | LOG_ID_NETSCAN_SERVICE_DETECT    | Removed     |
| 4101   | LOG_ID_NETSCAN_VULN_MESSAGE      | Removed     |
| 4102   | LOG_ID_NETSCAN_DISCOVERY_MESSAGE | Removed     |
| 4103   | LOG_ID_NETSCAN_VULN_COUNT        | Removed     |
| 4104   | LOG_ID_NETSCAN_HOST_DETECT       | Removed     |
| 4105   | LOG_ID_NETSCAN_PORT_DETECT       | Removed     |

**VOIP**

| Log ID | Message                          | Description |
|--------|----------------------------------|-------------|
| 44032  | LOGID_EVENT_VOIP_SIP             | Added       |
| 44033  | LOGID_EVENT_VOIP_SIP_BLOCK       | Added       |
| 44034  | LOGID_EVENT_VOIP_SIP_FUZZING     | Added       |
| 44035  | LOGID_EVENT_VOIP_SCCP_REGISTER   | Added       |
| 44036  | LOGID_EVENT_VOIP_SCCP_UNREGISTER | Added       |
| 44037  | LOGID_EVENT_VOIP_SCCP_CALL_BLOCK | Added       |
| 44038  | LOGID_EVENT_VOIP_SCCP_CALL_INFO  | Added       |

## Appendix D: Log ID Diff for 5.2.9 and 5.4.0

Refer to the *FortiOS 5.2.9 Log Reference* for a complete list of log ID details related to version 5.2.9. This section covers changes applicable to the 5.4.0 version only. It is recommended that you keep both the 5.2.9 and 5.4.0 *FortiOS Log Reference* available for a comparison of log ID delta between the versions.



For all reference purposes, in the tables provided below (see tables) , the term **Removed** indicates that a log ID was removed in version 5.4.0 but exists in version 5.2.9. Similarly, the term **Added** indicates that a log ID was added in version 5.4.0 but does not exist in version 5.2.9.

### Traffic

The following table provide a list of log IDs that were added newly or removed from the traffic log subtypes in FortiOS version 5.4.0.

| Log ID | Message                  | Description |
|--------|--------------------------|-------------|
| 19     | LOG_ID_TRAFFIC_BROADCAST | Added       |

### Event

The following tables provide a list of log IDs that were added newly or removed between from the event log subtypes in FortiOS version 5.4.0.

#### Compliance-Check

| Log ID | Message                 | Description |
|--------|-------------------------|-------------|
| 45151  | LOG_ID_EVENT_DSSCC_FAIL | Added       |
| 45152  | LOG_ID_EVENT_DSSCC_PASS | Added       |

### Endpoint

| Log ID | Message                 | Description |
|--------|-------------------------|-------------|
| 45056  | LOG_ID_FCC_EXCEED       | Removed     |
| 45059  | LOG_ID_FCC_UPGRADE_SUCC | Removed     |

| Log ID | Message                        | Description |
|--------|--------------------------------|-------------|
| 45060  | LOG_ID_FCC_UPGRADE_FAIL        | Removed     |
| 45071  | LOG_ID_FCC_VULN_SCAN           | Added       |
| 45114  | LOG_ID_EC_REG_QUARANTINE       | Added       |
| 45115  | LOG_ID_EC_REG_UNQUARANTINE     | Added       |
| 45116  | LOG_ID_EC_REG_UNQUARANTINE_ALL | Added       |
| 45117  | LOG_ID_EC_REG_FAIL_VER         | Added       |

## HA

| Log ID | Message                 | Description |
|--------|-------------------------|-------------|
| 35004  | LOG_ID_HA_SYNC_FLDB     | Added       |
| 35008  | LOG_ID_HA_SYNC_VCM      | Removed     |
| 35012  | LOG_ID_CONF_SYNC_FAIL   | Added       |
| 37907  | MESGID_VLAN_HB_UP       | Added       |
| 37908  | MESGID_VLAN_HB_DOWN     | Added       |
| 37909  | MESGID_VLAN_HB_DOWN_SUM | Added       |

## Router

| Log ID | Message                  | Description |
|--------|--------------------------|-------------|
| 203202 | LOG_ID_OSPF_NB_STAT_CHG  | Added       |
| 20303  | LOG_ID_OSPF6_NB_STAT_CHG | Added       |
| 20401  | LOG_ID_ROUTER_CLEAR      | Added       |

## System

| Log ID | Message                   | Description |
|--------|---------------------------|-------------|
| 20028  | LOG_ID_REPORT_RECREATE_DB | Added       |

| Log ID | Message                            | Description |
|--------|------------------------------------|-------------|
| 20117  | LOG_ID_AV_LIC_EXPIRED              | Removed     |
| 20118  | LOG_ID_WEBF_STATUS_REACH           | Added       |
| 20119  | LOG_ID_WEBF_STATUS_UNREACH         | Added       |
| 22202  | LOG_ID_AUTO_UPT_CERT_FAIL          | Removed     |
| 22891  | LOG_ID_FLCFGD                      | Added       |
| 26008  | LOG_ID_DHCP_DDNS_ADD               | Added       |
| 26009  | LOG_ID_DHCP_DDNS_DELETE            | Added       |
| 26010  | LOG_ID_DHCP_DDNS_COMPLETED         | Added       |
| 26011  | LOG_ID_DHCPV6_REPLY                | Added       |
| 26012  | LOG_ID_DHCPV6_RELEASE              | Added       |
| 29022  | LOG_ID_DDNS_UPDATE_FAIL            | Added       |
| 32044  | LOG_ID_LOG_DELETE                  | Added       |
| 32112  | LOG_ID_UPD_SIGN_NETSCAN_DB         | Removed     |
| 32340  | LOG_ID_LOG_DISK_UNAVAIL            | Removed     |
| 32341  | LOG_ID_LOG_DISK_DEFAULT_DISABLED   | Removed     |
| 32547  | LOG_ID_AUTOSCRIPT_START            | Added       |
| 32548  | LOG_ID_AUTOSCRIPT_STOP             | Added       |
| 32560  | LOG_ID_ADMIN_LOGIN_DISCLAIMER_SUCC | Removed     |
| 32563  | LOG_ID_STORE_CONF_FAIL_FIRST_LINE  | Removed     |
| 32569  | LOG_ID_FSW_SWITCH_LOG_EVENT        | Added       |
| 41005  | LOG_ID_UPD_VCM                     | Removed     |
| 42201  | LOG_ID_NETX_VMX_ATTACH             | Added       |
| 42203  | LOG_ID_NETX_VMX_DENIED             | Added       |
| 44548  | LOGID_EVENT_CONFIG_EXEC            | Added       |
| 45161  | LOG_ID_EVENT_DSSCC_EXEC            | Added       |

## VPN

| Log ID | Message                      | Description |
|--------|------------------------------|-------------|
| 37140  | MESGID_AUTO_IPSEC            | Removed     |
| 40016  | LOG_ID_L2TPD_SVR_DISCON      | Removed     |
| 41991  | LOG_ID_EVENT_VPN_CERT_EXPORT | Added       |

## WAD

| Log ID | Message                            | Description |
|--------|------------------------------------|-------------|
| 48030  | LOG_ID_WAD_SSL_CLIENT_CERT_REQUEST | Added       |

## Wireless

| Log ID | Message                                  | Description |
|--------|--|-------------|
| 43609  | LOG_ID_EVENT_WIRELESS_SYS_AC_DARRP_START | Added       |
| 43610  | LOG_ID_EVENT_WIRELESS_SYS_AC_DARRP_STOP  | Added       |
| 43611  | LOG_ID_EVENT_WIRELESS_SYS_AC_UP          | Added       |
| 43612  | LOG_ID_EVENT_WIRELESS_SYS_AC_CFG_LOADED  | Added       |
| 43613  | LOG_ID_EVENT_WIRELESS_WTP_ERR            | Added       |
| 43614  | LOG_ID_EVENT_WIRELESS_DHCP_STAVATION     | Added       |

## Security (UTM)

The following tables provide a list of log IDs that were added newly or removed from the security (UTM) log subtypes in FortiOS version 5.4.0.

## Web

| Log ID | Message               | Description |
|--------|-----------------------|-------------|
| 12560  | LOG_ID_URL_WISP_BLOCK | Added       |

| Log ID | Message               | Description |
|--------|-----------------------|-------------|
| 12561  | LOG_ID_URL_WISP_REDIR | Added       |
| 12562  | LOG_ID_URL_WISP_ALLOW | Added       |

## Email

| Log ID | Message                                | Description |
|--------|--|-------------|
| 20480  | LOGID_ANTISPAM_EMAIL_SMTP_NOTIF        | Added       |
| 20481  | LOGID_ANTISPAM_EMAIL_SMTP_BWORD_NOTIF  | Added       |
| 20482  | LOGID_ANTISPAM_EMAIL_POP3_NOTIF        | Added       |
| 20483  | LOGID_ANTISPAM_EMAIL_POP3_BWORD_NOTIF  | Added       |
| 20484  | LOGID_ANTISPAM_EMAIL_IMAP_NOTIF        | Added       |
| 20485  | LOGID_ANTISPAM_ENDPOINT_FILTER_WARNING | Added       |
| 20486  | LOGID_ANTISPAM_ENDPOINT_FILTER_NOTIF   | Added       |
| 20487  | LOGID_ANTISPAM_ENDPOINT_MM7_WARNING    | Added       |
| 20488  | LOGID_ANTISPAM_ENDPOINT_MM7_NOTIF      | Added       |
| 20489  | LOGID_ANTISPAM_ENDPOINT_MM1_WARNING    | Added       |
| 20490  | LOGID_ANTISPAM_ENDPOINT_MM1_NOTIF      | Added       |
| 20491  | LOGID_ANTISPAM_EMAIL_IMAP_BWORD_NOTIF  | Added       |
| 20492  | LOGID_ANTISPAM_MM1_FLOOD_WARNING       | Added       |
| 20493  | LOGID_ANTISPAM_MM1_FLOOD_NOTIF         | Added       |
| 20494  | LOGID_ANTISPAM_MM4_FLOOD_WARNING       | Added       |
| 20495  | LOGID_ANTISPAM_MM4_FLOOD_NOTIF         | Added       |
| 20496  | LOGID_ANTISPAM_MM1_DUPE_WARNING        | Added       |
| 20497  | LOGID_ANTISPAM_MM1_DUPE_NOTIF          | Added       |
| 20498  | LOGID_ANTISPAM_MM4_DUPE_WARNING        | Added       |

| Log ID | Message                               | Description |
|--------|---------------------------------------|-------------|
| 20499  | LOGID_ANTISPAM_MM4_DUPE_NOTIF         | Added       |
| 20500  | LOGID_ANTISPAM_EMAIL_MSN_NOTIF        | Added       |
| 20501  | LOGID_ANTISPAM_EMAIL_YAHOO_NOTIF      | Added       |
| 20502  | LOGID_ANTISPAM_EMAIL_GOOGLE_NOTIF     | Added       |
| 20503  | LOGID_EMAIL_SMTP_GENERAL_NOTIF        | Added       |
| 20504  | LOGID_EMAIL_POP3_GENERAL_NOTIF        | Added       |
| 20505  | LOGID_EMAIL_IMAP_GENERAL_NOTIF        | Added       |
| 20506  | LOGID_EMAIL_MAPI_GENERAL_NOTIF        | Added       |
| 20507  | LOGID_ANTISPAM_EMAIL_MAPI_BWORD_NOTIF | Added       |
| 20508  | LOGID_ANTISPAM_EMAIL_MAPI_NOTIF       | Added       |
| 20509  | LOGID_ANTISPAM_FTGD_ERR               | Added       |
| 41216  | LOGID_GTP_FORWARD                     | Removed     |
| 41217  | LOGID_GTP_DENY                        | Removed     |
| 41218  | LOGID_GTP_RATE_LIMIT                  | Removed     |
| 41219  | LOGID_GTP_STATE_INVALID               | Removed     |
| 41220  | LOGID_GTP_TUNNEL_LIMIT                | Removed     |
| 41221  | LOGID_GTP_TRAFFIC_COUNT               | Removed     |
| 41222  | LOGID_GTP_USER_DATA                   | Removed     |
| 41223  | LOGID_GTPV2_FORWARD                   | Removed     |
| 41224  | LOGID_GTPV2_DENY                      | Removed     |
| 41225  | LOGID_GTPV2_RATE_LIMIT                | Removed     |
| 41226  | LOGID_GTPV2_STATE_INVALID             | Removed     |
| 41227  | LOGID_GTPV2_TUNNEL_LIMIT              | Removed     |
| 41228  | LOGID_GTPV2_TRAFFIC_COUNT             | Removed     |

| Log ID | Message            | Description |
|--------|--------------------|-------------|
| 41229  | LOGID_GTPU_FORWARD | Removed     |
| 41230  | LOGID_GTPU_DENY    | Removed     |

## GTP

| Log ID | Message                   | Description |
|--------|---------------------------|-------------|
| 41216  | LOGID_GTP_FORWARD         | Added       |
| 41217  | LOGID_GTP_DENY            | Added       |
| 41218  | LOGID_GTP_RATE_LIMIT      | Added       |
| 41219  | LOGID_GTP_STATE_INVALID   | Added       |
| 41220  | LOGID_GTP_TUNNEL_LIMIT    | Added       |
| 41221  | LOGID_GTP_TRAFFIC_COUNT   | Added       |
| 41222  | LOGID_GTP_USER_DATA       | Added       |
| 41223  | LOGID_GTPV2_FORWARD       | Added       |
| 41224  | LOGID_GTPV2_DENY          | Added       |
| 41225  | LOGID_GTPV2_RATE_LIMIT    | Added       |
| 41226  | LOGID_GTPV2_STATE_INVALID | Added       |
| 41227  | LOGID_GTPV2_TUNNEL_LIMIT  | Added       |
| 41228  | LOGID_GTPV2_TRAFFIC_COUNT | Added       |
| 41229  | LOGID_GTPU_FORWARD        | Added       |
| 41230  | LOGID_GTPU_DENY           | Added       |

## WAF

| Log ID | Message                          | Description |
|--------|----------------------------------|-------------|
| 30248  | LOGID_WAF_SIGNATURE_BLOCK        | Added       |
| 30249  | LOGID_WAF_SIGNATURE_PASS         | Added       |
| 30250  | LOGID_WAF_SIGNATURE_ERASE        | Added       |
| 30251  | LOGID_WAF_CUSTOM_SIGNATURE_BLOCK | Added       |
| 30252  | LOGID_WAF_CUSTOM_SIGNATURE_PASS  | Added       |
| 30253  | LOGID_WAF_METHOD_BLOCK           | Added       |
| 30255  | LOGID_WAF_ADDRESS_LIST_BLOCK     | Added       |
| 30257  | LOGID_WAF_CONSTRAINTS_BLOCK      | Added       |
| 30258  | LOGID_WAF_CONSTRAINTS_PASS       | Added       |
| 30259  | LOGID_WAF_URL_ACCESS_PERMIT      | Added       |
| 30260  | LOGID_WAF_URL_ACCESS_BYPASS      | Added       |
| 30261  | LOGID_WAF_URL_ACCESS_BLOCK       | Added       |

## Other

### Netscan

| Log ID | Message                       | Description |
|--------|-------------------------------|-------------|
| 4096   | LOG_ID_NETSCAN_VULN_SCAN      | Removed     |
| 4097   | LOG_ID_NETSCAN_DISCOVERY_SCAN | Removed     |
| 4098   | LOG_ID_NETSCAN_VULN_DETECT    | Removed     |
| 4099   | LOG_ID_NETSCAN_OS_DETECT      | Removed     |
| 4100   | LOG_ID_NETSCAN_SERVICE_DETECT | Removed     |

---

| Log ID | Message                          | Description |
|--------|----------------------------------|-------------|
| 4101   | LOG_ID_NETSCAN_VULN_MESSAGE      | Removed     |
| 4102   | LOG_ID_NETSCAN_DISCOVERY_MESSAGE | Removed     |
| 4103   | LOG_ID_NETSCAN_VULN_COUNT        | Removed     |
| 4104   | LOG_ID_NETSCAN_HOST_DETECT       | Removed     |
| 4105   | LOG_ID_NETSCAN_PORT_DETECT       | Removed     |



**FORTINET**

High Performance Network Security



Copyright© 2017 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. In no event does Fortinet make any commitment related to future deliverables, features or development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.