FortiAnalyzer - Release Notes

Version 6.0.7

FORTINET DOCUMENT LIBRARY

https://docs.fortinet.com

FORTINET VIDEO GUIDE

https://video.fortinet.com

FORTINET BLOG

https://blog.fortinet.com

CUSTOMER SERVICE & SUPPORT

https://support.fortinet.com

FORTINET TRAINING & CERTIFICATION PROGRAM

https://www.fortinet.com/support-and-training/training.html

NSE INSTITUTE

https://training.fortinet.com

FORTIGUARD CENTER

https://fortiguard.com/

END USER LICENSE AGREEMENT

https://www.fortinet.com/doc/legal/EULA.pdf

FEEDBACK

Email: techdoc@fortinet.com

TABLE OF CONTENTS

Change Log

Date	Change Description
2019-11-13	Initial release of 6.0.7.
2019-11-22	Updates to Product Integration and Support on page 12.
2019-12-16	Moved 574987 and 577814 from *Known Issues* to *Resolved Issues*. Added support for FortiOS 6.0.8 and 5.6.12 to FortiOS/FortiOS Carrier on page 13.

FortiAnalyzer 6.0.7 Release

This document provides information about FortiAnalyzer version 6.0.7 build 0405.

> The recommended minimum screen resolution for the FortiAnalyzer GUI is 1920 x 1080. Please adjust the screen resolution accordingly. Otherwise, the GUI may not display properly.

This section includes the following topics:

Supported models

FortiAnalyzer version 6.0.7 supports the following models:

FortiAnalyzer	FAZ-200D, FAZ-200F, FAZ-300D, FAZ-300F, FAZ-400E, FAZ-800F, FAZ-1000D, FAZ-1000E, FAZ-2000E, FAZ-3000D, FAZ-3000E, FAZ-3000F, FAZ-3500E, FAZ-3500F, FAZ-3700F and FAZ-3900E.
FortiAnalyzer VM	FAZ-VM64, FAZ-VM64-ALI, FAZ-VM64-AWS, FAZ-VM64-AWS-OnDemand, FAZ-VM64-Azure, FAZ-VM64-GCP, FAZ-VM64-HV, FAZ-VM64-KVM, FAZ-VM64-OPC, and FAZ-VM64-XEN (Citrix XenServer and Open Source Xen).

Special Notices

This section highlights some of the operational changes that administrators should be aware of in FortiAnalyzer version 6.0.7.

Port 8443 reserved

Port 8443 is reserved for https-logging from FortiClient EMS for Chromebooks.

FortiManager features disabled when FortiAnalyzer HA enabled

If you have FortiManager features enabled on FortiAnalyzer units, and then enable HA for the FortiAnalyzer units, FortiManager features are automatically disabled. FortiManager features are not supported when FortiAnalyzer HA is enabled.

Updated Widgets for Fortinet Security Fabric

After upgrading FortiAnalyzer from 5.6 to 6.0, the NOC Security Fabric widgets, *Security Fabric Score Summary* and *Historical Security Fabric Scores*, no longer show any data. These two widgets have been replaced by the following widgets: *Security Fabric Rating Report* and *Security Fabric Scores* in FortiAnalyzer 6.0. The two new widgets only support FortiOS 6.0 devices.

Hyper-V FortiAnalyzer-VM running on an AMD CPU

A Hyper-V FAZ-VM running on a PC with an AMD CPU may experience a kernel panic. Fortinet recommends running VMs on an Intel-based PC.

SSLv3 on FortiAnalyzer-VM64-AWS

Due to known vulnerabilities in the SSLv3 protocol, FortiAnalyzer-VM64-AWS only enables TLSv1 by default. All other models enable both TLSv1 and SSLv3. If you wish to disable SSLv3 support, please run:

```
config system global
    set ssl-protocol t1sv1
end
```

Pre-processing logic of ebtime

Logs with the following conditions met are considered usable for the calculation of estimated browsing time:

Traffic logs with `logid` of 13 or 2, when `logid == 13`, `hostname` must not be empty. The `service` field should be either `HTTP`, `80/TCP` or `443/TCP`.

If all above conditions are met, then `devid`, `vdom`, and `user` (`srcip` if `user` is empty) are combined as a key to identify a user. For time estimation, the current value of `duration` is calculated against history session start and end time, only un-overlapped part are used as the `ebtime` of the current log.

Upgrade Information

You can upgrade FortiAnalyzer 5.6.0 or later directly to 6.0.7.

> For other upgrade paths and details about upgrading your FortiAnalyzer, see *FortiAnalyzer Upgrade Guide* in the Document Library.

Upgrading to FortiAnalyzer 6.0.x

Upgrading to FortiAnalyzer 6.0.x automatically triggers an SQL database rebuild, which must complete for FortiAnalyzer to function normally. Verify the database rebuild status using `diagnose sql status rebuild-db`.

This section contains the following topics:

Downgrading to previous versions

FortiAnalyzer does not provide a full downgrade path. You can downgrade to a previous firmware release via the GUI or CLI, but doing so results in configuration loss. A system reset is required after the firmware downgrading process has completed. To reset the system, use the following CLI commands via a console port connection:

```
execute reset all-settings
execute format {disk | disk-ext4}
```

Firmware image checksums

The MD5 checksums for all Fortinet software and firmware releases are available at the Customer Service & Support portal, https://support.fortinet.com. To verify the integrity of the download, select the *Checksum* link next to the *HTTPS* download link. A dialog box will be displayed with the image file name and checksum code. Compare this checksum with the checksum of the firmware image.

FortiAnalyzer VM firmware

Fortinet provides FortiAnalyzer VM firmware images for Amazon AWS, Citrix and Open Source XenServer, Linux KVM, Microsoft Hyper-V Server, and VMware ESX/ESXi virtualization environments.

Aliyun

- `.out`: Download the 64-bit firmware image to upgrade your existing FortiAnalyzer VM installation.
- `.out.kvm.zip`: Download the 64-bit package for a new FortiAnalyzer VM installation. This package contains QCOW2 that can be used by qemu.

Amazon Web Services

- The 64-bit Amazon Machine Image (AMI) is available on the AWS marketplace.

Citrix XenServer and Open Source XenServer

- `.out`: Download the 64-bit firmware image to upgrade your existing FortiAnalyzer VM installation.
- `.out.OpenXen.zip`: Download the 64-bit package for a new FortiAnalyzer VM installation. This package contains the QCOW2 file for the Open Source Xen Server.
- `.out.CitrixXen.zip`: Download the 64-bit package for a new FortiAnalyzer VM installation. This package contains the Citrix XenServer Disk (VHD), and OVF files.

Google GCP

- `.out`: Download the 64-bit firmware image to upgrade your existing FortiAnalyzer VM installation.
- `.out.gcp.zip`: Download the 64-bit package for a new FortiAnalyzer VM installation.

Linux KVM

- `.out`: Download the 64-bit firmware image to upgrade your existing FortiAnalyzer VM installation.
- `.out.kvm.zip`: Download the 64-bit package for a new FortiAnalyzer VM installation. This package contains QCOW2 that can be used by qemu.

Microsoft Azure

The files for Microsoft Azure have AZURE in the filenames, for example `FAZ_VM64_AZURE-v<number>-build<number>-FORTINET.out.hyperv.zip`.

- `.out`: Download the firmware image to upgrade your existing FortiAnalyzer VM installation.
- `.hyperv.zip`: Download the package for a new FortiAnalyzer VM installation. This package contains a Virtual Hard Disk (VHD) file for Microsoft Azure.

Microsoft Hyper-V Server

The files for Microsoft Hyper-V Server have HV in the filenames, for example, `FAZ_VM64_HV-v<number>-build<number>-FORTINET.out.hyperv.zip`.

- `.out`: Download the firmware image to upgrade your existing FortiAnalyzer VM installation.
- `.hyperv.zip`: Download the package for a new FortiAnalyzer VM installation. This package contains a Virtual Hard Disk (VHD) file for Microsoft Hyper-V Server.

> Microsoft Hyper-V 2016 is supported.

VMware ESX/ESXi

- `.out`: Download either the 64-bit firmware image to upgrade your existing VM installation.
- `.ovf.zip`: Download either the 64-bit package for a new VM installation. This package contains an Open Virtualization Format (OVF) file for VMware and two Virtual Machine Disk Format (VMDK) files used by the OVF file during deployment.

> For more information see the FortiManager product data sheet available on the Fortinet web site, http://www.fortinet.com/products/fortimanager/virtual-security-management.html. VM installation guides are available in the Fortinet Document Library.

SNMP MIB files

You can download the *FORTINET-FORTIMANAGER-FORTIANALYZER.mib* MIB file in the firmware image file folder. The Fortinet Core MIB file is located in the main FortiAnalyzer v5.00 file folder.

Product Integration and Support

This section lists FortiAnalyzer6.0.7 support of other Fortinet products. It also identifies what FortiAnalyzer features are supported for log devices, what FortiGate management features are supported when FortiManager features are enabled on FortiAnalyzer, and what languages FortiAnalyzer GUI and reports support. It also lists which Fortinet models can send logs to FortiAnalyzer.

The section contains the following topics:

FortiAnalyzer version 6.0.7 support

This section identifies FortiAnalyzer version 6.0.7 product integration and support information:

> Always review the Release Notes of the supported platform firmware version before upgrading your device.

Web browsers

This section lists FortiAnalyzer version 6.0.7 product integration and support for web browsers:

- Microsoft Edge 40
Due to limitation on Edge, the browser may not completely render a page with a large set of policies or objects.
- Mozilla Firefox version 69
- Google Chrome version 77

FortiOS/FortiOS Carrier

This section lists FortiAnalyzer version 6.0.7 product integration and support for FortiOS/FortiOS Carrier:

- 6.0.0 to 6.0.8
- 5.6.0 to 5.6.12
- 5.4.0 to 5.4.12
- 5.2.0 to 5.2.12

FortiAnalyzer

This section lists FortiAnalyzer version 6.0.7 product integration and support for FortiAnalyzer:

- 6.0.0 and later
- 5.6.0 and later
- 5.4.0 and later

FortiAuthenticator

This section lists FortiAnalyzer version 6.0.7 product integration and support for FortiAuthenticator:

- 5.5.0
- 5.4.0 to 5.4.1
- 5.3.1
- 5.2.2
- 5.1.0
- 5.0.0
- 4.3.0
- 4.2.0
- 4.1.0

FortiCache

This section lists FortiAnalyzer version 6.0.7 product integration and support for FortiCache:

- 4.2.9
- 4.1.6
- 4.0.4

FortiClient

This section lists FortiAnalyzer version 6.0.7 product integration and support for FortiClient:

- 6.0.0 and later
- 5.6.0 and later
- 5.4.0 and later

FortiDDoS

This section lists FortiAnalyzer version 6.0.7 product integration and support for FortiDDoS:

- 4.6.0
- 4.4.2
- 4.2.3

FortiMail

This section lists FortiAnalyzer version 6.0.7 product integration and support for FortiMail:

- 6.0.7
- 5.4.10
- 5.3.12

FortiManager

This section lists FortiAnalyzer version 6.0.7 product integration and support for FortiManager:

- 6.0.0 and later
- 5.6.0 and later
- 5.4.0 and later

FortiSandbox

This section lists FortiAnalyzer version 6.0.7 product integration and support for FortiSandbox:

- 3.0.0 to 3.0.5
- 2.5.0 to 2.5.2
- 2.4.0 and 2.4.1
- 2.3.2 and 2.3.3
- 2.2.2

FortiSwitch ATCA

This section lists FortiAnalyzer version 6.0.7 product integration and support for FortiSwitch ATCA:

- 5.0.0 and later

FortiWeb

This section lists FortiAnalyzer version 6.0.7 product integration and support for FortiWeb:

- 6.0.5
- 5.9.1
- 5.8.6
- 5.8.3
- 5.8.1
- 5.8.0
- 5.7.2
- 5.6.1
- 5.5.6
- 5.4.1

Virtualization

This section lists FortiAnalyzer version 6.0.7 product integration and support for virtualization:

- Amazon Web Service AMI, Amazon EC2, Amazon EBS
- Citrix XenServer 7.2
- Linux KVM Redhat 7.1
- Microsoft Azure
- Microsoft Hyper-V Server 2012 and 2016
- OpenSource XenServer 4.2.5
- VMware ESXi versions 5.0, 5.5, 6.0, 6.5 and 6.7

Feature support

The following table lists FortiAnalyzer feature support for log devices.

Platform	Log View	FortiView	Event Management	Reports
FortiGate	✓	✓	✓	✓
FortiCarrier	✓	✓	✓	✓
FortiAnalyzer	✓		✓	
FortiAuthenticator	✓			
FortiCache	✓		✓	✓
FortiClient registered to FortiGate	✓	✓		✓
FortiClient registered to FortiClient EMS	✓	✓		✓

Platform	Log View	FortiView	Event Management	Reports
FortiDDoS	✓	✓	✓	✓
FortiMail	✓		✓	✓
FortiManager	✓		✓	
FortiSandbox	✓		✓	✓
FortiWeb	✓		✓	✓
Syslog	✓		✓	✓

FortiGate Management

You can enable FortiManager features on some FortiAnalyzer models. FortiAnalyzer models with FortiManager features enabled can manage a small number of FortiGate devices, and all but a few FortiManager features are enabled on FortiAnalyzer.

FortiAnalyzer HA is not supported when FortiManager features are enabled.

The following table lists the supported modules for FortiAnalyzer with FortiManager Features enabled:

FortiManager Management Modules	FortiAnalyzer with FortiManager Features Enabled
Device Manager, except firmware and license management	✓
Policy & Objects	✓
AP Manager	✓
FortiClient Manager	✓
VPN Manager	✓
FortiGuard	
FortiManager HA	
FortiMeter	
FGT-VM License Activation	
Chassis Management	✓

Language support

The following table lists FortiAnalyzer language support information.

Language	GUI	Reports
English	✓	✓
Chinese (Simplified)	✓	✓
Chinese (Traditional)	✓	✓
French		✓
Hebrew		✓
Hungarian		✓
Japanese	✓	✓
Korean	✓	✓
Portuguese		✓
Russian		✓
Spanish		✓

To change the FortiAnalyzer language setting, go to *System Settings > Admin > Admin Settings*, in *Administrative Settings > Language* select the desired language from the drop-down list. The default value is *Auto Detect*.

Russian, Hebrew, and Hungarian are not included in the default report languages. You can create your own language translation files for these languages by exporting a predefined language from FortiManager, modifying the text to a different language, saving the file as a different language name, and then importing the file into FortiManager. For more information, see the *FortiAnalyzer Administration Guide.*

Supported models

This section identifies which FortiGate, FortiCarrier, FortiDDoS, FortiAnalyzer, FortiMail, FortiSandbox, FortiSwitch, FortiWeb, FortiCache, and FortiProxy models and firmware versions can send logs to a FortiAnalyzer appliance running version 6.0.7. Please ensure that the log devices are supported before completing the upgrade.

> Software license activated LENC devices are supported, if their platforms are in the supported models list. For example, support of FG-3200D indicates support of FG-3200D-LENC.

This section contains the following topics:

FortiGate models

Model	Firmware Version
FortiGate: FGT-30E-3G4G-GBL, FGT-60F, FGT-61F, FGT-3400E, FGT-3401E, FGT-3600E, FGT-3601E, FGT-400E, FGT-401E, FGT-600E, FGT-601E, FGT-60E-DSL, FGT-60E-DSLJ, FWF-60E-DSL, FWF-60E-DSLJ, FGT-VM64-RAXONDEMAND, FG-30D, FG-30D-POE, FG-30E, FG-30E-3G4G-INTL, FG-30E-3G4G-NAM, FG50E, FG-51E, FG-52E, FG-60D, FG-60D-POE, FG-60E, FG-60E-POE, FG-61E, FG-70D, FG-70D-POE, FG-80D, FG-80E, FG-80E-POE, FG-81E, FG-81E-POE, FG-90D, FG-90D-POE, FG-90E, FG-91E, FG-92D, FG-94D-POE, FG-98D-POE, FG-100D, FG-100E, FG-100F, FG-101F,, FG-101E, FG-140D, FG-140D-POE, FG-140E, FG-140E-POE, FG200D, FG-200D-POE, FG-200E, FG-201E, FG-240D, FG-240-POE, FG-280D-POE, FG300D, FG-300E, FG-301E, FG-400D, FG-500D, FG-500E, FG-501E, FG-600D, FG-800D, FG-900D, FG-1000D, FG-1200D, FG-1500D, FG-1500DT, FG-2000E, FG-2500E, FG-3000D, FG-3100D, FG-3200D, FG-3600C, FG3700D, FG-3800D, FG-3810D, FG-3815D, FG-1100E, FG-1101E, FG-2200E, FG-2201E, FG-3300E, FG-3301E, FG-3960E, FG-3980E, FG-6000F	6.0
FortiGate 5000 Series: FG-5001D, FG-5001E, FG-5001E1	
FortiGate 6000 Series: FG-6300F, FG-6301F, FG-6500F, FG-6501F	
FortiGate 7000 Series: FG-7030E-Q, FG-7030E-S, FG-7040E-1, FG-7040E-2, FG-7040E-3, FG-7040E-4, FG-7040E-5, FG-7040E-6, FG-7040E-8, FG-7040E-8-DC, FG-7060E-1, FG-7060E-2, FG-7060E-3, FG-7060E-4, FG-7060E-5, FG-7060E-6,FG-7060E-8	
FortiGate DC:FG-800D-DC, FG1500D-DC, FG-3000D-DC, FG-3100D-DC, FG-3200D-DC, FG-3700D-DC, FG-3800D-DC, FG-3810D-DC, FG-3815D-DC	
FortiGate Hardware Low Encryption: FG-100D-LENC,	
Note: All license-based LENC is supported based on the FortiGate support list.	
FortiWiFi: FWF-30D, FWF-30E, FWF-30E-3G4G-INTL, FWF-30E-3G4G-NAM, FWF-50E, FWF-50E-2R, FWF-51E, FWF-60D, FWF-60D-POE, FWF-60E, FWF-61E, FWF-90D, FWF-90D-POE, FWF-92D	
FortiGate VM: FG-VM64, FG-VM64-AWS, FG-VM64-AWSONDEMAND, FG-VM64-AZUREONDEMAND, FG-VM64-Azure, FG-VM64-GCP, FG-VM64-GCPONDEMAND, FG-VM64-HV, FG-VM64-KVM, FG-VM64-OPC, FG-VM64-XEN, FG-VMX-Service-Manager, FOS-VM64, FOS-VM64-KVM, FOS-VM64-Xen	
FortiGate Rugged: FGR-30D, FGR-35D, FGR-60D, FGR-90D	

Model	Firmware Version
FortiGate: FG-30D, FG-30D-POE, FG-30E, FG-30E-3G4G-INTL, FG-30E-3G4G-NAM, FG-50E, FG-51E, FG-52E, FG-60D, FG-60D-POE, FG-60E, FG-60E-POE, FG-60E-DSL, FG-61E, FG-70D, FG-70D-POE, FG-80C, FG-80CM, FG-80D, FG-80E, FG-80E-POE, FG-81E, FG-81E-POE, FG-90D, FG-90D-POE, FG-90E, FG-91E, FG-92D, FG-94D-POE, FG-98D-POE, FG-100D, FG-100E, FG-100F, FG-101E, FG-140D, FG-140D-POE, FG-140E, FG-140E-POE, FG-200D, FG-200D-POE, FG-200E, FG-201E, FG-240D, FG-240-POE, FG-280D-POE, FG-300D, FG-300E, FG-301E, FG-400D, FG-500D, FG-500E, FG-501E, FG-600C,FG-600D, FG-800C, FG-800D, FG-900D, FG-1000C, FG-1000D, FG-1200D, FG-1500D, FG-1500DT, FG-2000E, FG-2500E, FG-3000D, FG-3100D, FG-3200D, FG-3240C, FG-3600C, FG-3700D, FG-3700DX, FG-3800D, FG-3810D, FG-3815D, FG-3960E, FG-3980E, **FortiGate 5000 Series:** FG-5001C, FG-5001D, FG-5001E, FG-5001E1 **FortiGate 6000 Series:** FG-6300F, FG-6301F, FG-6500F, FG-6501F **FortiGate 7000 Series:** FG-7030E, FG-7040E, FG-7060E **FortiGate DC:** FG-80C-DC, FG-600C-DC, FG-800C-DC, FG-800D-DC, FG-1000C-DC, FG-1500D-DC, FG-3000D-DC, FG-3100D-DC, FG-3200D-DC, FG-3240C-DC, FG-3600C-DC, FG-3700D-DC, FG-3800D-DC, FG-3810D-DC, FG-3815D-DC, FG-7060E-8-DC **FortiGate Hardware Low Encryption:** FG-80C-LENC, FG-100D-LENC, FG-600C-LENC, FG-1000C-LENC **Note:** All license-based LENC is supported based on the FortiGate support list. **FortiWiFi:** FWF-30D, FWF-30D-POE, FWF-30E, FWF-30E-3G4G-INTL, FWF-30E-3G4G-NAM, FWF-50E, FWF-50E-2R, FWF-51E, FWF-60D, FWF-60D-POE, FWF-60E, FWF-61E, FWF-80CM, FWF-81CM, FWF-90D, FWF-90D-POE, FWF-92D **FortiGate VM:** FG-VM64, FG-VM64-AWS, FG-VM64-AWSONDEMAND, FG-VM64-Azure, FG-VM64-AZUREONDEMAND, FG-VM64-GCP, FG-VM64-HV, FG-VM64-KVM, FG-VM64-OPC, FG-VM64-XEN, FG-VMX-Service-Manager, FOSVM64, FOSVM64-KVM, FOS-VM64-Xen **FortiGate Rugged:** FGR-30D, FGR-35D, FGR-60D, FGR-90D	5.6
FortiGate: FG-30D, FG-30D-POE, FG-30E, FG-30E-3G4G-INTL, FG-30E-3G4G-NAM, FG-50E, FG-51E, FG-52E, FG-60D, FG-60D-POE, FG-60E, FG-60E-DSL, FG-60E-POE, FG-61E, FG-70D, FG-70D-POE, FG-80C, FG-80CM, FG-80D, FG-80E, FG-80E-POE, FG-81E, FG-81E-POE, FG-90D, FG-90D-POE,FG-90E, FG-91E, FG-92D, FG-94D-POE, FG-98D-POE, FG-100D, FG-100E, FG-100F, FG-101E, FG-140D, FG-140D-POE, FG-140E, FG-140-POE, FG-200D, FG-200D-POE, FG-240D, FG-240D-POE, FG-280D-POE, FG-200E, FG-201E, FGT-300D, FGT-300E, FGT-301E, FG-400D, FG-500D, FG-500E, FG-501E, FG-600C, FG-600D, FG-800C, FG-800D, FG-900D, FG-1000C, FG-1000D, FG-1200D, FG-1500D, FG-1500DT, FG-3000D, FG-3100D, FG-3200D, FG-3240C, FG-3600C, FG-3700D, FG-3700DX, FG 3800D, FG-3810D, FG-3815D, FG-3960E, FG3980E, FG-2000E, FG-2500E **FortiGate 5000 Series:** FG-5001C, FG-5001D, FG-5001E, FG-5001E1 **FortiGate 6000 Series:** FG-6300F, FG-6301F, FG-6500F, FG-6501F **FortiGate 7000 Series:** FG-7030E-Q, FG-7030E-S, FG-7040E-1, FG-7040E-2, FG-7040E-3, FG-7040E-4, FG-7040E-5, FG-7040E-6, FG-7040E-8, FG-7040E-8-DC, FG-7060E-1, FG-7060E-2, FG-7060E-3, FG-7060E-4, FG-7060E-5, FG-7060E-6, FG-7060E-8 **FortiGate DC:** FG-80C-DC, FG-600C-DC, FG-800C-DC, FG-800D-DC, FG-1000C-DC, FG-1500D-DC, FG-3000D-DC, FG-3100D-DC, FG-3200D-DC, FG-3240C-DC, FG-3600C-DC, FG-3700D-DC, FG-3800D-DC, FG-3810D-DC, FG-3815DC, FG-7060E-8-DC	5.4

Model	Firmware Version
FortiGate Hardware Low Encryption: FG-80C-LENC, FG-100D-LENC, FG-600C-LENC, FG-1000C-LENC	
Note: All license-based LENC is supported based on the FortiGate support list.	
FortiWiFi: FWF-30D, FWF-30D-POE, FWF-30E, FWF-30E-3G4G-INTL, FWF-30E-3G4G-NAM, FWF-50E, FWF-50E-2R, FWF-51E, FWF-60D, FWF-60D-POE, FWF-60E-DSL, FWF-60E, FWF-61E, FWF-80CM, FWF-81CM, FWF-90D, FWF-90D-POE, FWF-92D	
FortiGate VM: FG-VM, FG-VM64, FG-VM64-AWS, FG-VM64-AWSONDEMAND, FG-VM64-HV, FG-VM64-KVM, FG-VM64-OPC, FG-VM64-XEN, FG-VMX-Service-Manager, FOS-VM64, FOS-VM64-KVM	
FortiGate Rugged: FGR-30D, FGR-30D-ADSL-A, FGR-35D, FGR-60D, FGR-90D	
FortiGate: FG-20C, FG-20C-ADSL-A, FG-30D, FG-30D-POE, FG-40C, FG-60C, FG-60C-POE, FG-60C-SFP, FG-60D, FG-60D-3G4G-VZW, FG-60D-POE, FG-70D, FG-70D-POE, FG-80C, FG-80CM, FG-80D, FG-90D, FG-90D-POE, FG-92D, FG-94D-POE, FG-98D-POE, FG-100D, FG-110C, FG-111C, FG-140D, FG-140D-POE, FG-140D-POE-T1, FG-200B, FG-200B-POE, FG-200D, FG-200D-POE, FG-240D, FG-240D-POE, FG-280D-POE, FG-300C, FG-300D, FG-310B, FG-311B, FG-400D, FG-500D, FG-600C, FG-600D, FG-620B, FG-621B, FG-800C, FG-800D, FG-900D, FG-1000C, FG-1000D, FG-1200D, FG-1240B, FG-1500D, FG-1500DT, FG-3000D, FG-3016B, FG-3040B, FG-3100D, FG-3140B, FG-3200D, FG-3240C, FG-3600C,FG-3700D, FG-3700DX, FG-3810A, FG-3810D, FG-3815D, FG-3950B, FG-3951B	5.2
FortiGate 5000 Series: FG-5001A, FG-5001A-SW, FG-5001A-LENC, FG-5001A-DW-LENC, FG-5001A-SW-LENC, FG-5001B, FG-5001C, FG-5001D, FG-5101C	
FortiGate DC: FG-80C-DC, FG-300C-DC, FG-310B-DC, FG-600C-DC, FG-620B-DC, FG-621B-DC, FG-800C-DC, FG-800D-DC, FG-1000C-DC, FG-1240B-DC, FG-1500D-DC, FG-3000D-DC, FG-3040B-DC, FG-3100D-DC, FG-3140B-DC, FG-3200D-DC, FG-3240C-DC, FG-3600C-DC, G-3700D-DC, FG-3810A-DC, FG-3810D-DC, FG-3815D-DC, FG-3950B-DC, FG-3951B-DC	
FortiGate Low Encryption: FG-20C-LENC, FG-40C-LENC, FG-60C-LENC, FG-80C-LENC, FG-100D-LENC, FG-200B-LENC, FG-300C-LENC, FG-310B-LENC, FG-600C-LENC, FG-620B-LENC, FG-1000C-LENC, FG-1240B-LENC, FG-3040B-LENC, FG-3140B-LENC, FG-3810A-LENC, FG-3950B-LENC	
FortiWiFi: FWF-20C, FWF-20C-ADSL-A, FWF-30D, FWF-30D-POE, FWF-40C, FWF-60C, FWF-60CM, FWF-60CX-ADSL-A, FWF-60D, FWF-60D-3G4G-VZW, FWF-60D-POE, FWF-80CM, FWF-81CM, FWF-90D, FWF-90D-POE, FWF-92D	
FortiGate Rugged: FGR-60D, FGR-100C	
FortiGate VM: FG-VM, FG-VM64, FG-VM64-AWSONDEMAND, FG-VM-Azure, FG-VM64-HV, FG-VM64-KVM, FG-VM64-XEN	
FortiSwitch: FS-5203B, FCT-5902D	

FortiCarrier models

Model	Firmware Version
FortiCarrier: FGT-3000D, FGT-3100D, FGT-3200D, FGT-3700D, FGT-3800D, FGT-3810D, FGT-3960E, FGT-3980E, FGT-5001D, FGT-5001E FortiCarrier-DC: FGT-3000D-DC, FGT-3100D-DC, FGT-3200D-DC, FGT-3700D-DC, FGT-3800D-DC, FGT-3810D-DC, FGT-3960E-DC, FGT-3980E-DC **FortiCarrier-VM**: FG-VM, FG-VM64, FG-VM64-AWS, FG-VM64-Azure, FG-VM64-GCP, FG-VM64-HV, FG-VM64-KVM, FG-VM64-OPC, FG-VM64-Xen	6.0
FortiCarrier: FGT-3000D, FGT-3100D, FGT-3200D, FGT-3240C, FGT-3600C, FGT-3700D, FGT-3700DX, FGT-3800D, FGT-3810D, FGT-3960E, FGT-3980E, FGT-5001C, FGT-5001D, FGT-5001E **FortiCarrier 6000 Series:** FG-6300F, FG-6301F, FG-6500F, FG-6501F **FortiCarrier 7000 Series:** FG-7030E, FG-7040E, FG-7060E **FortiCarrier-DC:** FGT-3000D-DC, FGC-3100D-DC, FGT-3200D-DC, FGT-3240C-DC, FGT-3600C-DC, FGT-3700D-DC, FGT-3800D-DC, FGT-3810D-DC, FGT-3960E-DC, FCR-3810D-DC, FCR-7060E-8-DC **FortiCarrier-VM:** FG-VM, FG-VM64, FG-VM64-AWS, FG-VM64-AWS-AWSONDEMAND, FG-VM64-Azure, FG-VM64-GCP, FG-VM64-HV, FG-VM64-KVM, FG-VM64-OPC, FG-VM64-Xen	5.6
FortiCarrier: FGT-3000D, FGT-3100D, FGT-3200D, FGT-3240C, FGT-3600C, FGT-3700D, FGT-3700DX, FGT-3800D, FGT-3810D, FGT-5001C, FGT-5001D, FGT-7030E, FGT-7040E **FortiCarrier 6000 Series:** FG-6300F, FG-6301F, FG-6500F, FG-6501F **FortiCarrier 7000 Series:** FG-7030E, FG-7040E, FG-7060E **FortiCarrier-DC:** FGT-3000D-DC, FGC-3100D-DC, FGT-3200D-DC, FGT-3240C-DC, FGT-3600C-DC, FGT-3700D-DC, FGT-3800D-DC, FGT-3810D-DC, FCR-7060E-8-DC **FortiCarrier-VM:** FG-VM, FG-VM64, FG-VM64-AWS, FG-VM64-AWS-AWSONDEMAND, FG-VM64-Azure, FG-VM64-HV, FG-VM64-KVM, FG-VM64-OPC, FG-VM64-Xen	5.4
FortiCarrier: FGT-3000D, FGT-3100D, FGT-3200D, FGT-3240C, FGT-3600C, FGT-3700D, FGT-3700DX, , FGT-3810A, FGT-3810D, FGT-3950B, FGT-3951B, FGT-5100B, FGT-5100C, FGT-5001D, FGT-5101C, FS-5203B, FT-5902D **FortiCarrier-DC:** FGT-3000D-DC, FGT-3100D-DC, FGT-3200D-DC, FGT-3240C-DC, FGT-3600C-DC, FGT-3700D-DC, FGT-3810A-DC, FGT-3810D-DC, FGT-3950B-DC, FGT-3951B-DC **FortiCarrier-VM:** FG-VM, FG-VM64, FG-VM64-AWS, FG-VM64-AWS-AWSONDEMAND, FG-VM64-HV, FG-VM64-KVM, FG-VM64-Xen	5.2

FortiDDoS models

Model	Firmware Version
FortiDDoS: FI-200B, FI-400B, FI-600B, FI-800B, FI-900B, FI-1000B, FI-1200B, FI-2000B	4.2, 4.1, 4.0

FortiAnalyzer models

Model	Firmware Version
FortiAnalyzer: FAZ-200D, FAZ-200F, FAZ-300D, FAZ-300F, FAZ-400E, FAZ-800F, FAZ-1000D, FAZ-1000E, FAZ-2000E, FAZ-3000D, FAZ-3000E, FAZ-3000F, FAZ-3500E, FAZ-3500F, FAZ-3700F, FAZ-3900E **FortiAnalyzer VM:** FAZ-VM64, FAZ-VM64-AWS, FAZ-VM64-Azure, FAZ-VM64-HV, FAZ-VM64-KVM, and FAZ-VM64-XEN (Citrix XenServer and Open Source Xen)	6.0
FortiAnalyzer: FAZ-200D, FAZ-300D, FAZ-400E, FAZ-800F, FAZ-1000D, FAZ-1000E, FAZ-2000E, FAZ-3000D, FAZ-3000E, FAZ-3000F, FAZ-3500E, FAZ-3500F, and FAZ-3900E. **FortiAnalyzer VM:** FAZ-VM64, FAZ-VM64-AWS, FAZ-VM64-Azure, FAZ-VM64-HV, FAZ-VM64-KVM, and FAZ-VM64-XEN (Citrix XenServer and Open Source Xen).	5.6
FortiAnalyzer: FAZ-200D, FAZ-300D, FAZ-400E, FAZ-800F, FAZ-1000D, FAZ-1000E, FAZ-2000B, FAZ-2000E, FAZ-3000D, FAZ-3000E, FAZ-3000F, FAZ-3500E, FAZ-3500F, FAZ-3900E, and FAZ-4000B. **FortiAnalyzer VM:** FAZ-VM64, FAZ-VM64-Azure, FAZ-VM64-HV, FAZ-VM64-XEN (Citrix XenServer and Open Source Xen), FAZ-VM64-KVM, and FAZ-VM64-AWS.	5.4
FortiAnalyzer: FAZ-100C, FAZ-200D, FAZ-200E, FAZ-300D, FAZ-400C, FAZ-400E, FAZ-800F, FAZ-1000C, FAZ-1000D, FAZ-1000E, FAZ-2000B, FAZ-3000D, FAZ-3000E, FAZ-3000F, FAZ-3500E, FAZ-3500F, FAZ-3900E, FAZ-4000B **FortiAnalyzer VM:** FAZ-VM, FAZ-VM-AWS, FAZ-VM64, FAZ-VM64-Azure, FAZ-VM64-HV, FAZ-VM64-KVM, FAZ-VM64-XEN	5.2
FortiAnalyzer: FAZ-100C, FAZ-200D, FAZ-200E, FAZ-300D, FAZ-400B, FAZ-400C, FAZ-400E, FAZ-800F, FAZ-1000B, FAZ-1000C, FAZ-1000D, FAZ-1000E, FAZ-2000A, FAZ-2000B, FAZ-3000D, FAZ-3000E, FAZ-3000F, FAZ-3500E, FAZ-3500F, FAZ-4000A, FAZ-4000B **FortiAnalyzer VM:** FAZ-VM, FAZ-VM64, FAZ-VM64-AWS, FAZ-VM64-Azure, FAZ-VM64-HV, FAZ-VM-KVM, FAZ-VM-XEN	5.0

FortiMail models

Model	Firmware Version
FortiMail: FE-60D, FE-200D, FE-200E, FE-200F, FE-400E, FE-400F, FE-900F, FE-1000D, FE-2000E, FE-3000D, FE-3000E, FE-3200E **FortiMail VM:** FE-VM64	6.0
FortiMail: FE-60D, FE-200D, FE-200E, FE-400C, FE-400E, FE-1000D, FE-2000B, FE-2000E, FE-3000C, FE-3000E, FE-3200E **FortiMail Low Encryption:** FE-3000C-LENC	5.4.6 5.4.2

Model	Firmware Version
FortiMail: FE-60D, FE-200D, FE-200E, FE-400C, FE-400E, FE-1000D, FE-2000B, FE-2000E, FE-3000C, FE-3000D, FE-3000E, FE-3200E, FE-5002B **FortiMail Low Encryption:** FE-3000C-LENC **FortiMail VM:** FE-VM64, FE-VM64-HV, FE-VM64-XEN	5.3.12
FortiMail: FE-60D, FE-200D, FE-200E, FE-400C, FE-400E, FE-1000D, FE-2000B, FE-3000C, FE-3000D, FE-5002B **FortiMail VM:** FE-VM64, FE-VM64-HV, FE-VM64-XEN	5.2.10
FortiMail: FE-100C, FE-200D, FE-200E, FE-400B, FE-400C, FE-400E, FE-1000D, FE-2000B, FE-3000C, FE-3000D, FE-5001A, FE-5002B **FortiMail VM:** FE-VM64	5.1.7
FortiMail: FE-100C, FE-200D, FE-200E, FE-400B, FE-400C, FE-1000D, FE-2000A, FE-2000B, FE-3000C, FE-3000D, FE-4000A, FE-5001A, FE-5002B **FortiMail VM:** FE-VM64	5.0.10

FortiSandbox models

Model	Firmware Version
FortiSandbox: FSA-1000D, FSA-2000E, FSA-3000D, FSA-3000E, FSA-3500D **FortiSandbox VM:** FSA-KVM, FSA-VM	3.0.1 3.0.0 2.5.2 2.5.1 2.5.0
FortiSandbox: FSA-1000D, FSA-2000E, FSA-3000D, FSA-3000E, FSA-3500D **FortiSandbox VM:** FSA-VM	2.4.1 2.4.0 2.3.3 2.3.2
FortiSandbox: FSA-1000D, FSA-3000D, FSA-3500D **FortiSandbox VM:** FSA-VM	2.2.2 2.1.3
FortiSandbox: FSA-1000D, FSA-3000D **FortiSandbox VM:** FSA-VM	2.0.3 1.4.2
FortiSandbox: FSA-1000D, FSA-3000D	1.4.0 and 1.4.1 1.3.0 1.2.0 and later

FortiSwitch ATCA models

Model	Firmware Version
FortiController: FTCL-5103B, FTCL-5902D, FTCL-5903C, FTCL-59	5.2.0
FortiSwitch-ATCA: FS-5003A, FS-5003B **FortiController:** FTCL-5103B, FTCL-5903C, FTCL-5913C	5.0.0
FortiSwitch-ATCA: FS-5003A, FS-5003B	4.3.0 4.2.0

FortiWeb models

Model	Firmware Version
FortiWeb: FWB-100D, FWB-400C, FWB-400D, FWB-600D, FWB-1000D, FWB-1000E, FWB-2000E, FWB-3000C, FWB-3000CFSX, FWB-3000D, FWB-3000DFSX, FWB-3000E, FWB-3010E, FWB-4000C, FWB-4000D, FWB-4000E **FortiWeb VM:** FWB-VM, FWB-HYPERV, FWB-XENOPEN, FWB-XENSERVER	6.0.1
FortiWeb: FWB-1000D, FWB-1000E, FWB-100D, FWB-2000E, FWB-3000C, FWB-3000CFSX, FWB-3000D, FWB-3000DFSX, FWB-3000E, FWB-3010E, FWB-4000C, FWB-4000D, FWB-4000E, FWB-400C, FWB-400D, FWB-600D **FortiWeb VM:** FWB-Azure, FWB-CMINTF, FWB-HYPERV, FWB-KVM, FWB-KVM-PAYG, FWB-VM, FWB-VM-PAYG, FWB-XENAWS, FWB-XENAWS-Ondemand, FWB-XENOPEN	5.9.1
FortiWeb: FWB-1000C, FWB-1000D, FWB-1000E, FWB-100D, FWB-2000E, FWB-3000C, FWB-3000CFSX, FWB-3000D, FWB-3000DFSX, FWB-3000E, FWB-3010E, FWB-4000C, FWB-4000D, FWB-4000E, FWB-400C, FWB-400D, FWB-600D **FortiWeb VM:** FWB-Azure, FWB-Azure-Ondemand, FWB-CMINTF, FWB-HYPERV, FWB-KVM, FWB-KVM-PAYG, FWB-VM, FWB-VM-PAYG, FWB-XENAWS, FWB-XENAWS-Ondemand, FWB-XENOPEN	5.8.6
FortiWeb: FWB-1000C, FWB-1000D, FWB-100D, FWB-2000E, FWB-3000C, FWB-3000CFSX, FWB-3000D, FWB-3000DFSX, FWB-3000E, FWB-3010E, FWB-4000C, FWB-4000D, FWB-4000E, FWB-400C, FWB-400D, FWB-600D **FortiWeb VM:** FWB-Azure, FWB-HYPERV, FWB-KVM, FWB-OS1, FWB-VM, FWB-XENAWS, FWB-XENAWS-Ondemand, FWB-XENOPEN	5.7.2
FortiWeb: FWB-1000C, FWB-1000D, FWB-100D, FWB-2000E, FWB-3000C, FWB-3000CFSX, FWB-3000D, FWB-3000DFSX, FWB-3000E, FWB-3010E, FWB-4000C, FWB-4000D, FWB-4000E, FWB-400C, FWB-400D, FWB-600D **FortiWeb VM:** FWB-Azure, FWB-HYPERV, FWB-KVM, FWB-VM, FWB-XENAWS, FWB-XENAWS-Ondemand, FWB-XENOPEN	5.6.1

Model	Firmware Version
FortiWeb: FWB-100D, FWB-400C, FWB-400D, FWB-1000C, FWB-1000D, FWB-3000C, FWB-3000CFSX, FWB-3000D, FWB-3000DFSX, FWB-3000E, FWB-3010E, FWB-4000C, FWB-4000D, FWB-4000E **FortiWeb VM:** FWB-VM-64, FWB-XENAWS, FWB-XENOPEN, FWB-XENSERVER, FWB-HYPERV, FWB-KVM, FWB-AZURE	5.5.6
FortiWeb: FWB-100D, FWB-400C, FWB-1000C, FWB-3000C, FWB-3000CFSX, FWB-3000D, FWB-3000DFSX, FWB-3000E, FWB-4000C, FWB-4000D, FWB-4000E **FortiWeb VM:** FWB-VM64, FWB-XENAWS, FWB-XENOPEN, FWB-XENSERVER, FWB-HYPERV	5.4.1
FortiWeb: FWB-100D, FWB-400B, FWB-400C, FWB-1000B, FWB-1000C, FWB-1000D, FWB-3000C, FWB-3000CFSX, FWB-3000D, FWB-3000DFSX, FWB-3000E, FWB-4000C, FWB-4000D, FWB-4000E **FortiWeb VM:** FWB-VM64, FWB-XENAWS, FWB-XENOPEN, FWB-XENSERVER, and FWB-HYPERV	5.3.9
FortiWeb: FWB-100D, FWB-400B, FWB-400C, FWB-1000B, FWB-1000C, FWB-1000D, FWB-3000C, FWB-3000CFSX, FWB-3000D, FWB-3000DFSX, FWB-3000E, FWB-4000C, FWB-4000D, FWB-4000E **FortiWeb VM:** FWB-VM64, FWB-HYPERV,FWB-XENAWS, FWB-XENOPEN, FWB-XENSERVER	5.2.4

FortiCache models

Model	Firmware Version
FortiCache: FCH-400C, FCH-400E, FCH-1000C, FCH-1000D, FCH-3000C, FCH-3000D, FCH-3900E **FortiCache VM:** FCH-VM64, FCH-KVM	4.1
FortiCache: FCH-400C, FCH-400E, FCH-1000C, FCH-1000D, FCH-3000C, FCH-3000D, FCH-3900E **FortiCache VM:** FCH-VM64	4.0

FortiProxy models

Model	Firmware Version
FortiProxy: FPX-400E, FPX-2000E **FortiProxy VM:** FPX-KVM, FPX-VM64	1.0

FortiAuthenticator models

Model	Firmware Version
FortiAuthenticator: FAC-200D, FAC-200E, FAC-400C, FAC-400E, FAC-1000C, FAC-1000D, FAC-2000E, FAC-3000D, FAC-3000E **FortiAuthenticator VM:** FAC-VM, FAC-VM-HV, FAC-VM-KVM, FAC-VM-XEN	5.5.0

Resolved Issues

The following issues have been fixed in FortiAnalyzer version 6.0.7. For inquires about a particular bug, please contact Customer Service & Support.

Device Manager

Bug ID	Description
520018	FortiAnalyzer should properly identify the firmware version after upgraded FortiGate.
520132	FortiAnalyzer may incorrectly add unregistered logging device as FGT-VM32 instead of FGT-VM64.
523875	Two FortiAnalyzer units receiving the same logs are showing sometimes significantly different log receive rates in the GUI.
545197	*Device Manager* log rate may be displayed incorrectly for a FortiGate HA cluster.
557753	*Device Manager* may display inaccurate HA status for FortiGate cluster.
559030	There is no visible encryption padlock for an integrated FortiWeb appliance.
561572	FortiAnalyzer may show incorrect device storage information after upgrade.

Event Management

Bug ID	Description
544550	FortiAnalyzer's alert email should show correct file name when malicious file is detected.
562106	Alert email for FSA includes "start scan time" and "end scan time", and they are displayed in UNIX time.

FortiView

Bug ID	Description
515219	*Fortiview > FortiSandbox* returns status of *Pending* analyzed file as *Invalid ()* when fetched from FortiAnalyzer.

Bug ID	Description
527076	Application name in FortiView is truncated if _ is used in the service name.
532728	*Threat Map* is not displayed due to missing longitude and latitude configurations in *Device Manager* for a FortiGate.
561230	Top websites in FortiView are not showing for certain categories.

Log View

Bug ID	Description
466763	*Log View* should be able to customize default column settings.
506957	Archive indicator becomes invisible after selected more columns to display.
526167	Subnet filter should be supported in real time log view and it should not return "no entry found".
533960	The IP geographical location does not match with the flag shown beside IP address.
540000	The number of log fields for FortiManager event logs displayed in FortiAnalyzer's *Log View* is less as compared to FortiManager.
556909	*Device list* drop down option may stick at loading in *Log View* and *Reports*.
569841	Admin users should be able to view logs when remote admin authenticates as *Realm* or *admin*.

NOC

Bug ID	Description
564650	FortiAnalyzer may crash due to *IOC* widget - *IOC* user view sends excessive requests and overloads fazvcd.

Others

Bug ID	Description
531843	DLP File archived on FortiAnalyzer is not readable.
544097	GUI may become unresponsive requires manual killing the fazsvcd process.
545509	Remote logging towards FortiAnalyzer should not saturate the number of admin logins on a MBD/FPC slot.

Bug ID	Description
557200	based on b0292: sqllogd hung on walk through `ncmdb.db.adomxxxxx` for more than 40 minutes when reboot on 1900+ adoms.
562220	The `diagnose dvm check-integrity` command may not be able to fix errors caused by missing device databases.
566616	oftpd may hang and does not receive any logs.
575420	FortiAnalyzer may not be able to run `diagnose dvm device list` when there are many ADOMs.
577503	FortiAnalyzer does not generate local event log when trimming content archive files or IPS archive files without trimming its log files.

Reports

Bug ID	Description
380371	FortiAnalyzer improve report accuracy on high end models.
541820	The `bandwidth-app-Top-Dest-By-Bandwidth-Sessions` dataset should not split similar destinations into two different distinct destinations.
549915	Completed reports with long names are not being displayed under *Report Folders*.
555907	FortiAnalyzer may not successfully run all the daily scheduled reports.
558348	FortiAnalyzer is showing inconsistency in the listed report owner when cloning and importing a report.
559662	Report configuration cannot be saved because wildcard admin user name is too long.
562468	Report configuration may be missing for specific ADOM after firmware upgrade.
562926	"devname" does not work as a chart filter.
564117	FortiAnalyzer HA does not upload report to FTP server when load-balance is enabled.
565634	Pending report jobs may disappear when the jobs are running in multiple ADOMs.
568490	Report cover page's background image may be misaligned.
581769	After rebuilding the SQL database, users may now be able to run reports with all available data.
583192	FPC is not able to update *Report* file list with newly generated report file.

System Settings

Bug ID	Description
421340	Many messages in event log: Device login failed for restapi request due to empty user name.
503215	When "License status" changes to "Duplicate License", FortiAnalyzer does not update its own local event log.
516044	FortiAnalyzer GUI should keep the same behavior as CLI when disable log forwarding setting.
547904	Cluster Members status may be showing both nodes as connection down.
548866	Master unit in FortiAnalyzer HA Cluster responds with VIP only for SNMP traffic.
552614	The *Log Insert Lag Time* widget may not show data, creating cut-offs on the graph.
554345	FortiAnalyzer may consistently generate event logs stating "Did not receive any log" for devices that changed from standalone to HA.
554890	Log events should consistently end with a dot (.) delimiter.
555211	In FortiAnalyzer HA cluster, backup log insertion may be stuck when asking for UEBA data from master.
559592	Rebuilding SQL takes a very long time after added second slave to cluster.
561896	The data base's time and time zone should change according to system time.
563938	Analytic data should not be removed before quota is reached.
566495	After added log facility for log-forward setting via CLI, the change may not reflected in log data.
574987	ADOM quota retention removes more log data than the applied retention policy.
576867	FortiAnalyzer may remove ntpv3 authentication related settings after a reboot.
577814	FortiAnalyzer does not generate accurate local event log when ADOM retention policy is enforced.

Common Vulnerabilities and Exposures

Visit https://fortiguard.com/psirt for more information.

Bug ID	Description
565903	FortiAnalyzer is no longer vulnerable to the following CVE-Reference: • CVE-2019-11477
565942	FortiAnalyzer is no longer vulnerable to the following CVE-Reference: • CVE-2019-11478
565963	FortiAnalyzer is no longer vulnerable to the following CVE-Reference: • CVE-2019-11479

Known Issues

The following issues have been identified in FortiAnalyzer version 6.0.7. For inquires about a particular bug or to report a bug, please contact Fortinet Customer Service & Support.

Device Manager

Bug ID	Description
570441	When creating dmgmt-vdom, FortiAnalyzer prompts the message: "Did not receive any log from device F1252NtEpsFwsD1[FG76E83E17000064]".

Event Management

Bug ID	Description
563514	1050: Event handler does not work properly for FortiSandbox.

FortiView

Bug ID	Description
534761	FortiAnalyzer is missing threat entries in *FortiView > Top Threats*.
562834	On *FortiView > Top Sources*, FortiAnalyzer displays incorrect data when trying to filter logs with *Source* and *User*.
581158	Sorting by *Threat Score* in descending order should display entries with most *Threat Score* first.

Log View

Bug ID	Description
550523	Downloading logs from *Log View* randomly fails.
591841	There may be a delay for FortiAnalyzer to show *Historical Logs*.

Others

Bug ID	Description
544516	FortiAnalyzer with Hyper-V live migration causes unable GUI access.
587489	Analytic data may be removed due to high disk usage.
590368	FortiAnalyzer may stop receiving logs after oftpd crashed.

Reports

Bug ID	Description
552414	Read-write permissions are required to view and download reports through API call.
553495	FortiAnalyzer may prompt "Web Server 404 Error" when trying to download a report with 100,000 lines.
558084	FortiAnalyzer should not generate logs stating "Cannot find user:admin when running report:1000060025".

System Settings

Bug ID	Description
571412	Logging topology is misleading when collector mode FortiAnalyzer is deployed.