

Dataset Reference

FortiAnalyzer 7.0.2



FORTINET DOCUMENT LIBRARY

<https://docs.fortinet.com>

FORTINET VIDEO GUIDE

<https://video.fortinet.com>

FORTINET BLOG

<https://blog.fortinet.com>

CUSTOMER SERVICE & SUPPORT

<https://support.fortinet.com>

FORTINET TRAINING & CERTIFICATION PROGRAM

<https://www.fortinet.com/training-certification>

NSE INSTITUTE

<https://training.fortinet.com>

FORTIGUARD CENTER

<https://www.fortiguard.com>

END USER LICENSE AGREEMENT

<https://www.fortinet.com/doc/legal/EULA.pdf>

FEEDBACK

Email: techdoc@fortinet.com



October 20, 2021

FortiAnalyzer 7.0.2 Dataset Reference

05-702-712082-20211020

TABLE OF CONTENTS

Introduction	4
Understanding datasets and macros	4
Dataset Reference List	5
Macro Reference List	313
Change Log	316

Introduction

This document provides information about the various types of FortiAnalyzer datasets.

Understanding datasets and macros

FortiAnalyzer datasets are collections of log messages from monitored devices.

Charts in FortiAnalyzer are generated based on the datasets. To create a chart, you can use the predefined datasets, or you can create your own custom datasets by querying the log messages in the SQL database on the FortiAnalyzer unit. Both predefined and custom datasets can be cloned, but only custom datasets can be deleted. You can also view the SQL query for a dataset, and test the query against specific devices or log arrays.

You can create custom reports that contain macros that are created based on predefined and custom datasets. Macros are used to dynamically display the device log data as text in a report. They can be embedded within a text field of a paragraph in a report layout in XML format. Macros display a single value, such as a user name, highest session count, or highest bandwidth, and so on.

For more information about how to create datasets, charts, and macros, see the FortiAnalyzer *Administration Guide*.

Dataset Reference List

The following tables list the datasets included with FortiAnalyzer. The tables contain the name, SQL query syntax, and log category for each dataset.

Dataset Name	Description	Log Category
Traffic-Bandwidth-Summary-Day-Of-Month	Traffic bandwidth timeline	traffic

```
select
  $flex_timescale(timestamp) as hodex,
  sum(traffic_out) as traffic_out,
  sum(traffic_in) as traffic_in
from
  ###(select timestamp, sum(bandwidth) as bandwidth, sum(traffic_out) as traffic_out, sum
(timestamp) as timestamp, dvid, srcip, dstip, epid, euid, coalesce(nullifna(`user`), nullifna
(`unauthuser`), ipstr(`srcip`)) as user_src, service, count(*) as sessions, sum(coalesce
(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(sentbyte, 0)) as traffic_
out, sum(coalesce(rcvdbyte, 0)) as traffic_in from $log-traffic where $filter and
(logflag&l>0) group by timestamp, dvid, srcip, dstip, epid, euid, user_src, service
/*SkipSTART*/order by timestamp desc/*SkipEND*/)base### base_query group by timestamp order
by bandwidth desc)### t where $filter-drilldown group by hodex having sum(traffic_
out+traffic_in)>0 order by hodex
```

Dataset Name	Description	Log Category
Session-Summary-Day-Of-Month	Number of session timeline	traffic

```
select
  $flex_timescale(timestamp) as hodex,
  sum(sessions) as sessions
from
  ###(select timestamp, sum(sessions) as sessions from ###base(/*tag:rpt_base_t_bndwidth_
sess*/select $flex_timestamp as timestamp, dvid, srcip, dstip, epid, euid, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, service, count(*) as
sessions, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce
(sentbyte, 0)) as traffic_out, sum(coalesce(rcvdbyte, 0)) as traffic_in from $log-traffic
where $filter and (logflag&l>0) group by timestamp, dvid, srcip, dstip, epid, euid, user_
src, service /*SkipSTART*/order by timestamp desc/*SkipEND*/)base### base_query group by
timestamp order by sessions desc)### t where $filter-drilldown group by hodex order by hodex
```

Dataset Name	Description	Log Category
Top-Users-By-Bandwidth	Bandwidth application top users by bandwidth usage	traffic

```
select
  coalesce(
    nullifna(`user`),
    nullifna(`unauthuser`),
    ipstr(`srcip`)
```

```

    ) as user_src,
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    ) as bandwidth,
    sum(
        coalesce(rcvdbyte, 0)
    ) as traffic_in,
    sum(
        coalesce(sentbyte, 0)
    ) as traffic_out,
    count(*) as sessions
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
group by
    user_src
having
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    )> 0
order by
    bandwidth desc

```

Dataset Name	Description	Log Category
Top-App-By-Bandwidth	Top applications by bandwidth usage	traffic

```

select
    app_group,
    sum(bandwidth) as bandwidth,
    sum(traffic_in) as traffic_in,
    sum(traffic_out) as traffic_out,
    sum(sessions) as sessions
from
    ###(select app_group_name(app) as app_group, appcat, service, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and
(logflag&1>0) and nullifna(app) is not null group by app_group, appcat, service order by
bandwidth desc)### t group by app_group having sum(bandwidth)>0 order by bandwidth desc

```

Dataset Name	Description	Log Category
Top-User-Source-By-Sessions	Top user source by session count	traffic

```

select
    user_src,
    sum(sessions) as sessions
from
    ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
count(*) as sessions from $log where $filter and (logflag&1>0) group by user_src order by
sessions desc)### t group by user_src order by sessions desc

```

Dataset Name	Description	Log Category
Top-App-By-Sessions	Top applications by session count	traffic

```
select
  app_group,
  sum(sessions) as sessions
from
  ###(select app_group_name(app) as app_group, appcat, service, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and
(logflag&1>0) and nullifna(app) is not null group by app_group, appcat, service order by
bandwidth desc)### t group by app_group order by sessions desc
```

Dataset Name	Description	Log Category
Top-Destination-Addresses-By-Sessions	Top destinations by session count	traffic

```
select
  coalesce(
    nullifna(
      root_domain(hostname)
    ),
    ipstr(dstip)
  ) as domain,
  count(*) as sessions
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
group by
  domain
order by
  sessions desc
```

Dataset Name	Description	Log Category
Top-Destination-Addresses-By-Bandwidth	Top destinations by bandwidth usage	traffic

```
select
  coalesce(
    nullifna(
      root_domain(hostname)
    ),
    ipstr(dstip)
  ) as domain,
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) as bandwidth,
  sum(
    coalesce(rcvdbyte, 0)
  ) as traffic_in
```

```

    ) as traffic_in,
    sum(
        coalesce(sentbyte, 0)
    ) as traffic_out
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
    and coalesce(
        nullifna(
            root_domain(hostname)
        ),
        ipstr(`dstip`)
    ) is not null
group by
    domain
having
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    )> 0
order by
    bandwidth desc

```

Dataset Name	Description	Log Category
DHCP-Summary-By-Port	Event top dhcp summary	event

```

drop
    table if exists rpt_tmptbl_1;
drop
    table if exists rpt_tmptbl_2;
drop
    table if exists rpt_tmptbl_3; create temporary table rpt_tmptbl_1 as
select
    devintf,
    mac
from
    ###(select concat(interface, '.', devid) as devintf, mac from $log where $last3day_period
    $filter and logid_to_int(logid) = 26001 and dhcp_msg = 'Ack' group by devintf, mac)### t
group by devintf, mac; create temporary table rpt_tmptbl_2 as select devintf, mac from ###
(select concat(interface, '.', devid) as devintf, mac from $log where $filter and logid_to_
int(logid) = 26001 and dhcp_msg = 'Ack' group by devintf, mac)### t group by devintf, mac;
create temporary table rpt_tmptbl_3 as select distinct on (1) devintf, cast(used*100.0/total
as decimal(18,2)) as percent_of_allocated_ip from ###(select distinct on (devintf) concat
(interface, '.', devid) as devintf, used, total, itime from $log where $filter and logid_to_
int(logid)=26003 and total>0 /*SkipSTART*/order by devintf, itime desc/*SkipEND*/)### t
order by devintf, itime desc; select t1.devintf as interface, percent_of_allocated_ip, new_
cli_count from rpt_tmptbl_3 t1 inner join (select devintf, count(mac) as new_cli_count from
rpt_tmptbl_2 where not exists (select 1 from rpt_tmptbl_1 where rpt_tmptbl_2.mac=rpt_tmptbl_
1.mac) group by devintf) t2 on t1.devintf=t2.devintf order by interface, percent_of_
allocated_ip desc

```


Dataset Name	Description	Log Category
Top-Wifi-Client-By-Bandwidth	Traffic top WiFi client by bandwidth usage	traffic

```
select
  coalesce(
    nullifna(`user`),
    nullifna(`unauthuser`),
    ipstr(`srcip`)
  ) as user_src,
  srcssid,
  get_devtype(srcswversion, osname, devtype) as devtype_new,
  coalesce(
    nullifna(`srcname`),
    `srcmac`
  ) as hostname_mac,
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) as bandwidth
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
  and (
    srcssid is not null
    or dstssid is not null
  )
group by
  user_src,
  srcssid,
  devtype_new,
  hostname_mac
having
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  )> 0
order by
  bandwidth desc
```

Dataset Name	Description	Log Category
Traffic-History-By-Active-User	Traffic history by active user	traffic

```
select
  $flex_timescale(timestamp) as hindex,
  count(
    distinct(user_src)
  ) as total_user
from
  ###(select timestamp, user_src, sum(sessions) as sessions from ###base(/*tag:rpt_base_t_
  bndwidth_sess*/select $flex_timestamp as timestamp, dvid, srcip, dstip, epid, euid, coalesce
  (nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, service, count(*) as
  sessions, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce
```

```
(sentbyte, 0)) as traffic_out, sum(coalesce(rcvdbyte, 0)) as traffic_in from $log-traffic
where $filter and (logflag&1>0) group by timestamp, dvid, srcip, dstip, epid, euid, user_
src, service /*SkipSTART*/order by timestamp desc/*SkipEND*/)base### base_query group by
timestamp, user_src order by sessions desc)### t where $filter-drilldown group by hode
x order by hode
x
```

Dataset Name	Description	Log Category
Top-Allowed-Websites-By-Requests	UTM top allowed web sites by request	traffic

```
select
  hostname,
  catdesc,
  count(*) as requests
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
  and utmevent in (
    'webfilter', 'banned-word', 'web-content',
    'command-block', 'script-filter'
  )
  and hostname is not null
  and (
    utmaction not in ('block', 'blocked')
    or action != 'deny'
  )
group by
  hostname,
  catdesc
order by
  requests desc
```

Dataset Name	Description	Log Category
Top-50-Websites-By-Bandwidth	Webfilter top allowed web sites by bandwidth usage	webfilter

```
select
  domain,
  string_agg(distinct catdesc, ', ') as agg_catdesc,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out
from
  ###(select coalesce(nullifna(hostname), ipstr(`dstip`)) as domain, catdesc, sum(coalesce
(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in,
sum(coalesce(sentbyte, 0)) as traffic_out from $log-traffic where $filter and (logflag&1>0)
and utmaction!='blocked' and (countweb>0 or ((logver is null or logver<502000000) and
(hostname is not null or utmevent in ('webfilter', 'banned-word', 'web-content', 'command-
block', 'script-filter')))) group by domain, catdesc having sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0))>0 /*SkipSTART*/order by bandwidth desc/*SkipEND*/)### t group by
domain, catdesc order by bandwidth desc
```

Dataset Name	Description	Log Category
Top-Blocked-Websites	UTM top blocked web sites by request	traffic

```
select
    hostname,
    count(*) as requests
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
    and utmevent in (
        'webfilter', 'banned-word', 'web-content',
        'command-block', 'script-filter'
    )
    and hostname is not null
    and (
        utmaction in ('block', 'blocked')
        or action = 'deny'
    )
group by
    hostname
order by
    requests desc
```

Dataset Name	Description	Log Category
Top-Web-Users-By-Request	UTM top web users by request	traffic

```
select
    user_src,
    devtype_new,
    srcname,
    sum(requests) as requests
from
    ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
    get_devtype(srcswversion, osname, devtype) as devtype_new, srcname, action, utmaction, sum
    (coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as
    traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*) as requests from $log where
    $filter and (logflag&1>0) and utmevent in ('webfilter', 'banned-word', 'web-content',
    'command-block', 'script-filter') group by user_src, devtype_new, srcname, action, utmaction
    order by requests desc)### t group by user_src, devtype_new, srcname order by requests desc
```

Dataset Name	Description	Log Category
Top-Allowed-WebSites-By-Bandwidth	UTM top allowed websites by bandwidth usage	traffic

```
select
    appid,
    hostname,
    catdesc,
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
```

```

    ) as bandwidth,
    sum(
        coalesce(rcvdbyte, 0)
    ) as traffic_in,
    sum(
        coalesce(sentbyte, 0)
    ) as traffic_out
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
    and utmevent in (
        'webfilter', 'banned-word', 'web-content',
        'command-block', 'script-filter'
    )
    and hostname is not null
group by
    appid,
    hostname,
    catdesc
having
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    )& gt; 0
order by
    bandwidth desc

```

Dataset Name	Description	Log Category
Top-Blocked-Web-Users	UTM top blocked web users	traffic

```

select
    user_src,
    devtype_new,
    srcname,
    sum(requests) as requests
from
    ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
    get_devtype(srcswversion, osname, devtype) as devtype_new, srcname, action, utmaction, sum
    (coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as
    traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*) as requests from $log where
    $filter and (logflag&1>0) and utmevent in ('webfilter', 'banned-word', 'web-content',
    'command-block', 'script-filter') group by user_src, devtype_new, srcname, action, utmaction
    order by requests desc)### t where (utmaction in ('block', 'blocked') or action='deny')
group by user_src, devtype_new, srcname order by requests desc

```

Dataset Name	Description	Log Category
Top-20-Web-Users-By-Bandwidth	Webfilter top web users by bandwidth usage	webfilter

```

select
    user_src,
    sum(bandwidth) as bandwidth,

```

```

    sum(traffic_in) as traffic_in,
    sum(traffic_out) as traffic_out
from
    ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as
traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out from $log-traffic where $filter and
(logflag&l>0) and (countweb>0 or ((logver is null or logver<502000000) and (hostname is not
null or utmevent in ('webfilter', 'banned-word', 'web-content', 'command-block', 'script-
filter')))) group by user_src having sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))>0
/*SkipSTART*/order by bandwidth desc/*SkipEND*/)### t group by user_src order by bandwidth
desc

```

Dataset Name	Description	Log Category
Top-Web-Users-By-Bandwidth	UTM top web users by bandwidth usage	traffic

```

select
    user_src,
    devtype_new,
    srcname,
    sum(bandwidth) as bandwidth,
    sum(traffic_in) as traffic_in,
    sum(traffic_out) as traffic_out
from
    ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
get_devtype(srswversion, osname, devtype) as devtype_new, srcname, action, utmaction, sum
(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as
traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*) as requests from $log where
$filter and (logflag&l>0) and utmevent in ('webfilter', 'banned-word', 'web-content',
'command-block', 'script-filter') group by user_src, devtype_new, srcname, action, utmaction
order by requests desc)### t group by user_src, devtype_new, srcname having sum(bandwidth)>0
order by bandwidth desc

```

Dataset Name	Description	Log Category
Top-Video-Streaming-Websites-By-Bandwidth	UTM top video streaming websites by bandwidth usage	traffic

```

select
    appid,
    hostname,
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    ) as bandwidth,
    sum(
        coalesce(rcvdbyte, 0)
    ) as traffic_in,
    sum(
        coalesce(sentbyte, 0)
    ) as traffic_out
from
    $log
where
    $filter
    and (
        logflag&l>0

```

```

)
and catdesc in ('Streaming Media and Download')
group by
  appid,
  hostname
having
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) > 0
order by
  bandwidth desc

```

Dataset Name	Description	Log Category
Top-Email-Senders-By-Count	Default top email senders by count	traffic

```

select
  user_src,
  sum(requests) as requests
from
  ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
  service, count(*) as requests from $log where $filter and (logflag&1>0) group by user_src,
  service order by requests desc)### t where service in ('smtp', 'SMTP', '25/tcp', '587/tcp',
  'smtps', 'SMTPS', '465/tcp') group by user_src order by requests desc

```

Dataset Name	Description	Log Category
Top-Email-Receivers-By-Count	Default email top receivers by count	traffic

```

select
  user_src,
  sum(requests) as requests
from
  ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
  service, count(*) as requests from $log where $filter and (logflag&1>0) group by user_src,
  service order by requests desc)### t where service in ('pop3', 'POP3', '110/tcp', 'imap',
  'IMAP', '143/tcp', 'imaps', 'IMAPS', '993/tcp', 'pop3s', 'POP3S', '995/tcp') group by user_
  src order by requests desc

```

Dataset Name	Description	Log Category
Top-Email-Senders-By-Bandwidth	Default email top senders by bandwidth usage	traffic

```

select
  coalesce(
    nullifna(`user`),
    nullifna(`unauthuser`),
    ipstr(`srcip`)
  ) as user_src,
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) as bandwidth
from
  $log
where
  $filter

```

```

and (
    logflag&1>0
)
and service in (
    'smtp', 'SMTP', '25/tcp', '587/tcp',
    'smtps', 'SMTPS', '465/tcp'
)
group by
    user_src
having
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    )> 0
order by
    bandwidth desc

```

Dataset Name	Description	Log Category
Top-Email-Receivers-By-Bandwidth	Default email top receivers by bandwidth usage	traffic

```

select
    coalesce(
        nullifna(`user`),
        nullifna(`unauthuser`),
        ipstr(`srcip`)
    ) as user_src,
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    ) as bandwidth
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
    and service in (
        'pop3', 'POP3', '110/tcp', 'imap',
        'IMAP', '143/tcp', 'imaps', 'IMAPS',
        '993/tcp', 'pop3s', 'POP3S', '995/tcp'
    )
group by
    user_src
having
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    )> 0
order by
    bandwidth desc

```

Dataset Name	Description	Log Category
Top-Malware-By-Name	UTM top virus	virus

```

select
    virus,

```

```

max(virusid_s) as virusid,
(
    case when virus like 'Riskware%' then 'Spyware' when virus like 'Adware%' then 'Adware'
else 'Virus' end
) as malware_type,
sum(totalnum) as totalnum
from
###(select virus, virusid_to_str(virusid, eventtype) as virusid_s, count(*) as totalnum
from $log where $filter and (eventtype is null or logver>=502000000) and nullifna(virus) is
not null group by virus, virusid_s /*SkipSTART*/order by totalnum desc/*SkipEND*/)### t
group by virus, malware_type order by totalnum desc

```

Dataset Name	Description	Log Category
Top-Virus-By-Name	UTM top virus	virus

```

select
    virus,
    max(virusid_s) as virusid,
    (
        case when virus like 'Riskware%' then 'Spyware' when virus like 'Adware%' then 'Adware'
else 'Virus' end
    ) as malware_type,
    sum(totalnum) as totalnum
from
###(select virus, virusid_to_str(virusid, eventtype) as virusid_s, count(*) as totalnum
from $log where $filter and (eventtype is null or logver>=502000000) and nullifna(virus) is
not null group by virus, virusid_s /*SkipSTART*/order by totalnum desc/*SkipEND*/)### t
group by virus, malware_type order by totalnum desc

```

Dataset Name	Description	Log Category
Top-Virus-Victim	UTM top virus user	virus

```

select
    user_src,
    sum(totalnum) as totalnum
from
###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, eventtype, logver,
virus, count(*) as totalnum from $log where $filter group by user_src, eventtype, logver,
virus /*SkipSTART*/order by totalnum desc/*SkipEND*/)### t where (eventtype is null or
logver>=502000000) and nullifna(virus) is not null group by user_src order by totalnum desc

```

Dataset Name	Description	Log Category
Top-Attack-Source	UTM top attack source	attack

```

select
    user_src,
    sum(totalnum) as totalnum
from
###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, eventtype, logver,
count(*) as totalnum from $log where $filter group by user_src, eventtype, logver
/*SkipSTART*/order by totalnum desc/*SkipEND*/)### t group by user_src order by totalnum
desc

```


Dataset Name	Description	Log Category
Top-Attack-Victim	UTM top attack dest	attack

```
select
  dstip,
  count(*) as totalnum
from
  $log
where
  $filter
  and dstip is not null
group by
  dstip
order by
  totalnum desc
```

Dataset Name	Description	Log Category
Top-Static-IPSEC-Tunnels-By-Bandwidth	Top static IPsec tunnels by bandwidth usage	event

```
select
  vpn_name,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out
from
  (
    select
      devid,
      vd,
      remip,
      tunnelid,
      vpn_name,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_in) else max(max_traffic_in)- min(min_traffic_in) end
      ) as traffic_in,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_out) else max(max_traffic_out)- min(min_traffic_out) end
      ) as traffic_out,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_in)+ max(max_traffic_out)
        else max(max_traffic_in)- min(min_traffic_in)+ max(max_traffic_out)- min(min_traffic_out)
        end
      ) as bandwidth
    from
      ###(select devid, vd, remip, vpn_trim(vpn_tunnel) as vpn_name, tunnelid, tunnelip, max
      (coalesce(sentbyte, 0)) as max_traffic_out, max(coalesce(rcvdbyte, 0)) as max_traffic_in,
      min(coalesce(sentbyte, 0)) as min_traffic_out, min(coalesce(rcvdbyte, 0)) as min_traffic_in,
      min(coalesce(dtime, 0)) as s_time, max(coalesce(dtime, 0)) as e_time from $log where $filter
      and subtype='vpn' and tunneltype like 'ipsec%' and nullifna(vpn_tunnel) is not null and
      action in ('tunnel-stats', 'tunnel-down') and tunnelid is not null group by devid, vd,
      remip, vpn_name, tunnelid, tunnelip)### t where (tunnelip is null or tunnelip='0.0.0.0')
```

```
group by devid, vd, remip, vpn_name, tunnelid) tt group by vpn_name having sum(traffic_in+traffic_out)>0 order by bandwidth desc
```

Dataset Name	Description	Log Category
Top-SSL-VPN-Tunnel-Users-By-Bandwidth	Top SSL VPN tunnel users by bandwidth usage	event

```
select
  user_src,
  remip as remote_ip,
  from_dtime(
    min(s_time)
  ) as start_time,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out
from
  (
    select
      devid,
      vd,
      remip,
      user_src,
      tunnelid,
      min(s_time) as s_time,
      max(e_time) as e_time,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_in)+ max(max_traffic_out)
      else max(max_traffic_in)- min(min_traffic_in)+ max(max_traffic_out)- min(min_traffic_out)
      end
    ) as bandwidth,
    (
      case when min(s_time)= max(e_time) then max(max_traffic_in) else max(max_traffic_in)- min(min_traffic_in) end
    ) as traffic_in,
    (
      case when min(s_time)= max(e_time) then max(max_traffic_out) else max(max_traffic_out)- min(min_traffic_out) end
    ) as traffic_out
  )
from
  ###(select devid, vd, remip, coalesce(nullifna(`user`), ipstr(`remip`)) as user_src,
  tunnelid, tunneltype, max(coalesce(duration,0)) as max_duration, min(coalesce(duration,0))
  as min_duration, min(coalesce(dtime, 0)) as s_time, max(coalesce(dtime, 0)) as e_time, min
  (coalesce(sentbyte, 0)) as min_traffic_out, min(coalesce(rcvbyte, 0)) as min_traffic_in,
  max(coalesce(sentbyte, 0)) as max_traffic_out, max(coalesce(rcvbyte, 0)) as max_traffic_in
  from $log where $filter and subtype='vpn' and tunneltype like 'ssl%' and action in ('tunnel-
  stats', 'tunnel-down', 'tunnel-up') and coalesce(nullifna(`user`), ipstr(`remip`)) is not
  null and tunnelid is not null group by devid, vd, user_src, remip, tunnelid, tunneltype)###
  t where tunneltype='ssl-tunnel' group by devid, vd, user_src, remip, tunnelid) tt where
  bandwidth>0 group by user_src, remote_ip order by bandwidth desc
```

Dataset Name	Description	Log Category
Top-Dial-Up-IPSEC-Tunnels-By-Bandwidth	Top dial up IPsec tunnels by bandwidth usage	event

```

select
  vpn_name,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out
from
  (
    select
      devid,
      vd,
      tunnelid,
      remip,
      vpn_name,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_in) else max(max_traffic_in)- min(min_traffic_in) end
      ) as traffic_in,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_out) else max(max_traffic_out)- min(min_traffic_out) end
      ) as traffic_out,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_in)+ max(max_traffic_out) else max(max_traffic_in)- min(min_traffic_in)+ max(max_traffic_out)- min(min_traffic_out) end
      ) as bandwidth
    from
      ###(select devid, vd, remip, vpn_trim(vpntunnel) as vpn_name, tunnelid, tunnelip, max(coalesce(sentbyte, 0)) as max_traffic_out, max(coalesce(rcvdbyte, 0)) as max_traffic_in, min(coalesce(sentbyte, 0)) as min_traffic_out, min(coalesce(rcvdbyte, 0)) as min_traffic_in, min(coalesce(dtime, 0)) as s_time, max(coalesce(dtime, 0)) as e_time from $log where $filter and subtype='vpn' and tunneltype like 'ipsec%' and nullifna(vpntunnel) is not null and action in ('tunnel-stats', 'tunnel-down') and tunnelid is not null group by devid, vd, remip, vpn_name, tunnelid, tunnelip)### t where not (tunnelip is null or tunnelip='0.0.0.0') group by devid, vd, remip, vpn_name, tunnelid) tt group by vpn_name having sum(traffic_out+traffic_in)>0 order by bandwidth desc
  )

```

Dataset Name	Description	Log Category
Top-Dial-Up-IPSEC-Users-By-Bandwidth	Top dial up IPsec users by bandwidth usage	event

```

select
  coalesce(
    xauthuser_agg,
    user_agg,
    ipstr(`remip`)
  ) as user_src,
  remip,
  from_dtime(
    min(s_time)
  ) as start_time,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out
from

```

```

(
  select
    devid,
    vd,
    string_agg(distinct xauthuser_agg, ' ') as xauthuser_agg,
    string_agg(distinct user_agg, ' ') as user_agg,
    remip,
    tunnelid,
    min(s_time) as s_time,
    max(e_time) as e_time,
    (
      case when min(s_time)= max(e_time) then max(max_traffic_in)+ max(max_traffic_out)
else max(max_traffic_in)- min(min_traffic_in)+ max(max_traffic_out)- min(min_traffic_out)
end
    ) as bandwidth,
    (
      case when min(s_time)= max(e_time) then max(max_traffic_in) else max(max_traffic_
in)- min(min_traffic_in) end
    ) as traffic_in,
    (
      case when min(s_time)= max(e_time) then max(max_traffic_out) else max(max_traffic_
out)- min(min_traffic_out) end
    ) as traffic_out
  from
    ###(select devid, vd, remip, nullifna(`xauthuser`) as xauthuser_agg, nullifna(`user`)
as user_agg, tunnelid, min(coalesce(dtime, 0)) as s_time, max(coalesce(dtime, 0)) as e_time,
max(coalesce(duration,0)) as max_duration, min(coalesce(duration,0)) as min_duration, min
(coalesce(sentbyte, 0)) as min_traffic_out, min(coalesce(rcvdbyte, 0)) as min_traffic_in,
max(coalesce(sentbyte, 0)) as max_traffic_out, max(coalesce(rcvdbyte, 0)) as max_traffic_in
from $log where $filter and subtype='vpn' and tunneltype like 'ipsec%' and not (tunnelip is
null or tunnelip='0.0.0.0') and action in ('tunnel-stats', 'tunnel-down', 'tunnel-up') and
tunnelid is not null and tunnelid!=0 group by devid, vd, remip, xauthuser_agg, user_agg,
tunnelid order by tunnelid)### t group by devid, vd, remip, tunnelid) tt where bandwidth>0
group by user_src, remip order by bandwidth desc

```

Dataset Name	Description	Log Category
Top-Dial-Up-IPSEC-Users-By-Duration	Top dial up IPsec users by duration	event

```

select
  coalesce(
    xauthuser_agg,
    user_agg,
    ipstr(`remip`)
  ) as user_src,
  from_dtime(
    min(s_time)
  ) as start_time,
  sum(duration) as duration,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out
from
  (
    select

```

```

    devid,
    vd,
    remip,
    string_agg(distinct xauthuser_agg, ' ') as xauthuser_agg,
    string_agg(distinct user_agg, ' ') as user_agg,
    tunnelid,
    min(s_time) as s_time,
    max(e_time) as e_time,
    (
        case when min(s_time)= max(e_time) then max(max_duration) else max(max_duration)-
min(min_duration) end
    ) as duration,
    (
        case when min(s_time)= max(e_time) then max(max_traffic_in)+ max(max_traffic_out)
else max(max_traffic_in)- min(min_traffic_in)+ max(max_traffic_out)- min(min_traffic_out)
end
    ) as bandwidth,
    (
        case when min(s_time)= max(e_time) then max(max_traffic_in) else max(max_traffic_
in)- min(min_traffic_in) end
    ) as traffic_in,
    (
        case when min(s_time)= max(e_time) then max(max_traffic_out) else max(max_traffic_
out)- min(min_traffic_out) end
    ) as traffic_out
from
    ###(select devid, vd, remip, nullifna(`xauthuser`) as xauthuser_agg, nullifna(`user`)
as user_agg, tunnelid, min(coalesce(dtime, 0)) as s_time, max(coalesce(dtime, 0)) as e_time,
max(coalesce(duration,0)) as max_duration, min(coalesce(duration,0)) as min_duration, min
(coalesce(sentbyte, 0)) as min_traffic_out, min(coalesce(rcvdbyte, 0)) as min_traffic_in,
max(coalesce(sentbyte, 0)) as max_traffic_out, max(coalesce(rcvdbyte, 0)) as max_traffic_in
from $log where $filter and subtype='vpn' and tunneltype like 'ipsec%' and not (tunnelip is
null or tunnelip='0.0.0.0') and action in ('tunnel-stats', 'tunnel-down', 'tunnel-up') and
tunnelid is not null and tunnelid!=0 group by devid, vd, remip, xauthuser_agg, user_agg,
tunnelid order by tunnelid)### t group by devid, vd, remip, tunnelid) tt where bandwidth>0
group by user_src order by duration desc

```

Dataset Name	Description	Log Category
Top-SSL-VPN-Web-Mode-Users-By-Bandwidth	Top SSL VPN web mode users by bandwidth usage	event

```

select
    user_src,
    remip as remote_ip,
    from_dtime(
        min(s_time)
    ) as start_time,
    sum(bandwidth) as bandwidth,
    sum(traffic_in) as traffic_in,
    sum(traffic_out) as traffic_out
from
    (
        select
            devid,
            vd,

```

```

        user_src,
        remip,
        tunnelid,
        min(s_time) as s_time,
        max(e_time) as e_time,
        (
            case when min(s_time)= max(e_time) then max(max_traffic_in)+ max(max_traffic_out)
else max(max_traffic_in)- min(min_traffic_in)+ max(max_traffic_out)- min(min_traffic_out)
end
        ) as bandwidth,
        (
            case when min(s_time)= max(e_time) then max(max_traffic_in) else max(max_traffic_
in)- min(min_traffic_in) end
        ) as traffic_in,
        (
            case when min(s_time)= max(e_time) then max(max_traffic_out) else max(max_traffic_
out)- min(min_traffic_out) end
        ) as traffic_out
    from
        ###(select devid, vd, remip, coalesce(nullifna(`user`), ipstr(`remip`)) as user_src,
tunnelid, tunneltype, max(coalesce(duration,0)) as max_duration, min(coalesce(duration,0))
as min_duration, min(coalesce(dtime, 0)) as s_time, max(coalesce(dtime, 0)) as e_time, min
(coalesce(sentbyte, 0)) as min_traffic_out, min(coalesce(rcvbyte, 0)) as min_traffic_in,
max(coalesce(sentbyte, 0)) as max_traffic_out, max(coalesce(rcvbyte, 0)) as max_traffic_in
from $log where $filter and subtype='vpn' and tunneltype like 'ssl%' and action in ('tunnel-
stats', 'tunnel-down', 'tunnel-up') and coalesce(nullifna(`user`), ipstr(`remip`)) is not
null and tunnelid is not null group by devid, vd, user_src, remip, tunnelid, tunneltype)###
t group by devid, vd, user_src, remip, tunnelid) tt where bandwidth>0 group by user_src,
remote_ip order by bandwidth desc

```

Dataset Name	Description	Log Category
Top-SSL-VPN-Web-Mode-Users-By-Duration	Top SSL VPN web mode users by duration	event

```

select
    user_src,
    remip as remote_ip,
    from_dtime(
        min(s_time)
    ) as start_time,
    (
        max(e_time)- min(s_time)
    ) as duration
from
    (
        select
            devid,
            vd,
            user_src,
            remip,
            tunnelid,
            min(s_time) as s_time,
            max(e_time) as e_time
        from
            ###(select devid, vd, remip, coalesce(nullifna(`user`), ipstr(`remip`)) as user_src,

```

```
tunnelid, tunneltype, max(coalesce(duration,0)) as max_duration, min(coalesce(duration,0))
as min_duration, min(coalesce(dtime, 0)) as s_time, max(coalesce(dtime, 0)) as e_time, min
(coalesce(sentbyte, 0)) as min_traffic_out, min(coalesce(rcvdbyte, 0)) as min_traffic_in,
max(coalesce(sentbyte, 0)) as max_traffic_out, max(coalesce(rcvdbyte, 0)) as max_traffic_in
from $log where $filter and subtype='vpn' and tunneltype like 'ssl%' and action in ('tunnel-
stats', 'tunnel-down', 'tunnel-up') and coalesce(nullifna(`user`), ipstr(`remip`)) is not
null and tunnelid is not null group by devid, vd, user_src, remip, tunnelid, tunneltype)###
t where tunneltype='ssl-web' group by devid, vd, user_src, remip, tunnelid) tt group by
user_src, remote_ip order by duration desc
```

Dataset Name	Description	Log Category
Top-SSL-VPN-Users-By-Duration	Top SSL VPN users by duration	event

```
select
  user_src,
  tunneltype,
  sum(duration) as duration,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out
from
  (
    select
      devid,
      vd,
      remip,
      user_src,
      tunneltype,
      tunnelid,
      (
        case when min(s_time)= max(e_time) then max(max_duration) else max(max_duration)-
min(min_duration) end
      ) as duration,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_in) else max(max_traffic_
in)- min(min_traffic_in) end
      ) as traffic_in,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_out) else max(max_traffic_
out)- min(min_traffic_out) end
      ) as traffic_out,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_in)+ max(max_traffic_out)
else max(max_traffic_in)- min(min_traffic_in)+ max(max_traffic_out)- min(min_traffic_out)
end
      ) as bandwidth
    from
      ###(select devid, vd, remip, coalesce(nullifna(`user`), ipstr(`remip`)) as user_src,
tunnelid, tunneltype, max(coalesce(duration,0)) as max_duration, min(coalesce(duration,0))
as min_duration, min(coalesce(dtime, 0)) as s_time, max(coalesce(dtime, 0)) as e_time, min
(coalesce(sentbyte, 0)) as min_traffic_out, min(coalesce(rcvdbyte, 0)) as min_traffic_in,
max(coalesce(sentbyte, 0)) as max_traffic_out, max(coalesce(rcvdbyte, 0)) as max_traffic_in
from $log where $filter and subtype='vpn' and tunneltype like 'ssl%' and action in ('tunnel-
stats', 'tunnel-down', 'tunnel-up') and coalesce(nullifna(`user`), ipstr(`remip`)) is not
null and tunnelid is not null group by devid, vd, user_src, remip, tunnelid, tunneltype)###
```

```
t group by devid, vd, remip, user_src, tunnelid, tunneltype) tt where bandwidth>0 group by
user_src, tunneltype order by duration desc
```

Dataset Name	Description	Log Category
vpn-Top-Dial-Up-VPN-Users-By-Duration	Top dial up VPN users by duration	event

```
select
  coalesce(
    xauthuser_agg,
    user_agg,
    ipstr(`remip`)
  ) as user_src,
  t_type as tunneltype,
  from_dtime(
    min(s_time)
  ) as start_time,
  sum(duration) as duration,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out
from
  (
    select
      devid,
      vd,
      remip,
      string_agg(distinct xauthuser_agg, ' ') as xauthuser_agg,
      string_agg(distinct user_agg, ' ') as user_agg,
      t_type,
      tunnelid,
      min(s_time) as s_time,
      max(e_time) as e_time,
      (
        case when min(s_time)= max(e_time) then max(max_duration) else max(max_duration)-
min(min_duration) end
      ) as duration,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_in)+ max(max_traffic_out)
else max(max_traffic_in)- min(min_traffic_in)+ max(max_traffic_out)- min(min_traffic_out)
end
      ) as bandwidth,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_in) else max(max_traffic_
in)- min(min_traffic_in) end
      ) as traffic_in,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_out) else max(max_traffic_
out)- min(min_traffic_out) end
      ) as traffic_out
    from
      ###(select devid, vd, remip, nullifna(`xauthuser`) as xauthuser_agg, nullifna(`user`)
as user_agg, (case when tunneltype like 'ipsec%' then 'ipsec' else tunneltype end) as t_
type, tunnelid, tunnelip, min(coalesce(dtime, 0)) as s_time, max(coalesce(dtime, 0)) as e_
time, max(coalesce(duration,0)) as max_duration, min(coalesce(duration,0)) as min_duration,
```



```
min(coalesce(sentbyte, 0)) as min_traffic_out, min(coalesce(rcvdbyte, 0)) as min_traffic_in,
max(coalesce(sentbyte, 0)) as max_traffic_out, max(coalesce(rcvdbyte, 0)) as max_traffic_in,
sum((case when action='tunnel-up' then 1 else 0 end)) as tunnelup from $log where $filter
and subtype='vpn' and (tunneltype like 'ipsec%' or tunneltype like 'ssl%') and action in
('tunnel-up', 'tunnel-stats', 'tunnel-down') and tunnelid is not null and tunnelid!=0 group
by xauthuser_agg, user_agg, devid, vd, remip, t_type, tunnelid, tunnelip)### t where (t_type
like 'ssl%' or (t_type like 'ipsec%' and not (tunnelip is null or tunnelip='0.0.0.0'))
group by devid, vd, remip, t_type, tunnelid) tt where bandwidth>0 group by user_src,
tunneltype order by duration desc
```

Dataset Name	Description	Log Category
vpn-User-Login-history	VPN user login history	event

```
select
  $flex_timescale(timestamp) as hindex,
  sum(tunnelup) as total_num
from
  (
    select
      timestamp,
      devid,
      vd,
      remip,
      tunnelid,
      max(tunnelup) as tunnelup,
      max(traffic_in) as traffic_in,
      max(traffic_out) as traffic_out
    from
      ###(select $flex_timestamp as timestamp, devid, vd, remip, tunnelid, max((case when
      action='tunnel-up' then 1 else 0 end)) as tunnelup, max(coalesce(sentbyte, 0)) as traffic_
      out, max(coalesce(rcvdbyte, 0)) as traffic_in from $log where $filter and subtype='vpn' and
      (tunneltype like 'ipsec%' or tunneltype like 'ssl%') and action in ('tunnel-up', 'tunnel-
      stats', 'tunnel-down') and tunnelid is not null group by timestamp, devid, vd, remip,
      tunnelid /*SkipSTART*/order by timestamp desc/*SkipEND*/)### t group by timestamp, devid,
      vd, remip, tunnelid having max(tunnelup) > 0 and max(traffic_in)+max(traffic_out)>0) t group
      by hindex order by total_num desc
```

Dataset Name	Description	Log Category
vpn-Failed-Login-Attempts	VPN failed logins	event

```
select
  f_user,
  tunneltype,
  sum(total_num) as total_num
from
  ###(select coalesce(nullifna(`xauthuser`), `user`) as f_user, tunneltype, count(*) as
  total_num from $log where $filter and subtype='vpn' and (tunneltype='ipsec' or left
  (tunneltype, 3)='ssl') and action in ('ssl-login-fail', 'ipsec-login-fail') and coalesce
  (nullifna(`xauthuser`), nullifna(`user`)) is not null group by f_user, tunneltype)### t
  group by f_user, tunneltype order by total_num desc
```

Dataset Name	Description	Log Category
vpn-Authenticated-Logins	VPN authenticated logins	event

```

select
  coalesce(
    xauthuser_agg,
    user_agg,
    ipstr('remip`)
  ) as f_user,
  t_type as tunneltype,
  from_dtime(
    min(s_time)
  ) as start_time,
  sum(total_num) as total_num,
  sum(duration) as duration
from
  (
    select
      string_agg(distinct xauthuser_agg, ' ') as xauthuser_agg,
      string_agg(distinct user_agg, ' ') as user_agg,
      t_type,
      devid,
      vd,
      remip,
      tunnelid,
      min(s_time) as s_time,
      max(e_time) as e_time,
      (
        case when min(s_time)= max(e_time) then max(max_duration) else max(max_duration)-
min(min_duration) end
      ) as duration,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_in)+ max(max_traffic_out)
else max(max_traffic_in)- min(min_traffic_in)+ max(max_traffic_out)- min(min_traffic_out)
end
      ) as bandwidth,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_in) else max(max_traffic_
in)- min(min_traffic_in) end
      ) as traffic_in,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_out) else max(max_traffic_
out)- min(min_traffic_out) end
      ) as traffic_out,
      sum(tunnelup) as total_num
    from
      ###(select devid, vd, remip, nullifna('xauthuser`) as xauthuser_agg, nullifna('user`)
as user_agg, (case when tunneltype like 'ipsec%' then 'ipsec' else tunneltype end) as t_
type, tunnelid, tunnelip, min(coalesce(dtime, 0)) as s_time, max(coalesce(dtime, 0)) as e_
time, max(coalesce(duration,0)) as max_duration, min(coalesce(duration,0)) as min_duration,
min(coalesce(sentbyte, 0)) as min_traffic_out, min(coalesce(rcvdbyte, 0)) as min_traffic_in,
max(coalesce(sentbyte, 0)) as max_traffic_out, max(coalesce(rcvdbyte, 0)) as max_traffic_in,
sum((case when action='tunnel-up' then 1 else 0 end)) as tunnelup from $log where $filter
and subtype='vpn' and (tunneltype like 'ipsec%' or tunneltype like 'ssl%') and action in
('tunnel-up', 'tunnel-stats', 'tunnel-down') and tunnelid is not null and tunnelid!=0 group
by xauthuser_agg, user_agg, devid, vd, remip, t_type, tunnelid, tunnelip)### t group by t_
type, devid, vd, remip, tunnelid having max(tunnelup) > 0) tt where bandwidth>0 group by f_
user, tunneltype order by total_num desc

```

Dataset Name	Description	Log Category
vpn-Traffic-Usage-Trend-VPN-Summary	VPN traffic usage trend	event

```

select
  horex,
  sum(ssl_traffic_bandwidth) as ssl_bandwidth,
  sum(ipsec_traffic_bandwidth) as ipsec_bandwidth
from
  (
    select
      $flex_timescale(timestamp) as horex,
      devid,
      vd,
      remip,
      tunnelid,
      (
        case when t_type like 'ssl%' then (
          case when min(s_time)= max(e_time) then max(max_traffic_in)+ max(max_traffic_out)
        else max(max_traffic_in)- min(min_traffic_in)+ max(max_traffic_out)- min(min_traffic_out)
        end
        ) else 0 end
      ) as ssl_traffic_bandwidth,
      (
        case when t_type like 'ipsec%' then (
          case when min(s_time)= max(e_time) then max(max_traffic_in)+ max(max_traffic_out)
        else max(max_traffic_in)- min(min_traffic_in)+ max(max_traffic_out)- min(min_traffic_out)
        end
        ) else 0 end
      ) as ipsec_traffic_bandwidth,
      min(s_time) as s_time,
      max(e_time) as e_time
    from
      ###(select $flex_timestamp as timestamp, devid, vd, remip, tunnelid, (case when
      tunneltype like 'ipsec%' then 'ipsec' else tunneltype end) as t_type, (case when
      action='tunnel-up' then 1 else 0 end) as tunnelup, max(coalesce(sentbyte, 0)) as max_
      traffic_out, max(coalesce(rcvdbyte, 0)) as max_traffic_in, min(coalesce(sentbyte, 0)) as
      min_traffic_out, min(coalesce(rcvdbyte, 0)) as min_traffic_in, min(coalesce(dtime, 0)) as s_
      time, max(coalesce(dtime, 0)) as e_time from $log where $filter and subtype='vpn' and
      (tunneltype like 'ipsec%' or tunneltype like 'ssl%') and action in ('tunnel-up','tunnel-
      stats', 'tunnel-down') and tunnelid is not null and tunnelid!=0 group by timestamp, devid,
      vd, remip, t_type, tunnelid, action /*SkipSTART*/order by timestamp desc/*SkipEND*/)### t
      group by horex, devid, t_type, vd, remip, tunnelid) tt group by horex order by horex

```

Dataset Name	Description	Log Category
Top-S2S-IPSEC-Tunnels-By-Bandwidth-and-Availability	Top S2S IPsec tunnels by bandwidth usage and avail	event

```

select
  vpngtunnel,
  tunneltype,
  sum(traffic_out) as traffic_out,
  sum(traffic_in) as traffic_in,
  sum(bandwidth) as bandwidth,

```

```

sum(uptime) as uptime
from
(
select
    vpntunnel,
    tunneltype,
    tunnelid,
    devid,
    vd,
    sum(sent_end - sent_beg) as traffic_out,
    sum(rcvd_end - rcvd_beg) as traffic_in,
    sum(
        sent_end - sent_beg + rcvd_end - rcvd_beg
    ) as bandwidth,
    sum(duration_end - duration_beg) as uptime
from
    ###(select tunnelid, tunneltype, vpntunnel, devid, vd, min(coalesce(sentbyte, 0)) as
sent_beg, max(coalesce(sentbyte, 0)) as sent_end, min(coalesce(rcvdbyte, 0)) as rcvd_beg,
max(coalesce(rcvdbyte, 0)) as rcvd_end, min(coalesce(duration, 0)) as duration_beg, max
(coalesce(duration, 0)) as duration_end from $log where $filter and subtype='vpn' and
action='tunnel-stats' and tunneltype like 'ipsec%' and (tunnelip is null or
tunnelip='0.0.0.0') and nullifna(`user`) is null and tunnelid is not null and tunnelid!=0
group by tunnelid, tunneltype, vpntunnel, devid, vd /*SkipSTART*/order by
tunnelid/*SkipEND*/)### t group by vpntunnel, tunneltype, tunnelid, devid, vd order by
bandwidth desc) t where bandwidth>0 group by vpntunnel, tunneltype order by bandwidth desc

```

Dataset Name	Description	Log Category
Top-Dialup-IPSEC-By-Bandwidth-and-Availability	Top dialup IPsec users by bandwidth usage and avail	event

```

select
    user_src,
    remip,
    sum(traffic_out) as traffic_out,
    sum(traffic_in) as traffic_in,
    sum(bandwidth) as bandwidth,
    sum(uptime) as uptime
from
(
select
    user_src,
    remip,
    tunnelid,
    devid,
    vd,
    sum(sent_end - sent_beg) as traffic_out,
    sum(rcvd_end - rcvd_beg) as traffic_in,
    sum(
        sent_end - sent_beg + rcvd_end - rcvd_beg
    ) as bandwidth,
    sum(duration_end - duration_beg) as uptime
from
    ###(select tunnelid, coalesce(nullifna(`xauthuser`), nullifna(`user`), ipstr(`remip`))
as user_src, remip, devid, vd, min(coalesce(sentbyte, 0)) as sent_beg, max(coalesce
(sentbyte, 0)) as sent_end, min(coalesce(rcvdbyte, 0)) as rcvd_beg, max(coalesce(rcvdbyte,

```

```
0)) as rcvd_end, min(coalesce(duration, 0)) as duration_beg, max(coalesce(duration, 0)) as
duration_end from $log where $filter and subtype='vpn' and action='tunnel-stats' and
tunneltype like 'ipsec%' and not (tunnelip is null or tunnelip='0.0.0.0') and tunnelid is
not null and tunnelid!=0 group by tunnelid, user_src, remip, devid, vd /*SkipSTART*/order by
tunnelid/*SkipEND*/)### t group by user_src, remip, tunnelid, devid, vd order by bandwidth
desc) t where bandwidth>0 group by user_src, remip order by bandwidth desc
```

Dataset Name	Description	Log Category
Top-SSL-Tunnel-Mode-By-Bandwidth-and-Availability	Top SSL tunnel users by bandwidth usage and avail	event

```
select
  user_src,
  remote_ip,
  sum(traffic_out) as traffic_out,
  sum(traffic_in) as traffic_in,
  sum(bandwidth) as bandwidth,
  sum(uptime) as uptime
from
  (
    select
      user_src,
      remip as remote_ip,
      tunnelid,
      devid,
      vd,
      sum(sent_end - sent_beg) as traffic_out,
      sum(rcvd_end - rcvd_beg) as traffic_in,
      sum(
        sent_end - sent_beg + rcvd_end - rcvd_beg
      ) as bandwidth,
      sum(duration_end - duration_beg) as uptime
    from
      ###(select tunnelid, tunneltype, coalesce(nullifna(`user`), ipstr(`remip`)) as user_
src, remip, devid, vd, min(coalesce(sentbyte, 0)) as sent_beg, max(coalesce(sentbyte, 0)) as
sent_end, min(coalesce(rcvdbyte, 0)) as rcvd_beg, max(coalesce(rcvdbyte, 0)) as rcvd_end,
min(coalesce(duration, 0)) as duration_beg, max(coalesce(duration, 0)) as duration_end from
$log where $filter and subtype='vpn' and action='tunnel-stats' and coalesce(nullifna
(`user`), ipstr(`remip`)) is not null and tunnelid is not null group by tunnelid,
tunneltype, user_src, remip, devid, vd /*SkipSTART*/order by tunnelid/*SkipEND*/)### t where
tunneltype in ('ssl-tunnel', 'ssl') group by user_src, remote_ip, tunnelid, devid, vd order
by bandwidth desc) t where bandwidth>0 group by user_src, remote_ip order by bandwidth desc
```

Dataset Name	Description	Log Category
Top-SSL-Web-Mode-By-Bandwidth-and-Availability	Top SSL web users by bandwidth usage and avail	event

```
select
  user_src,
  remote_ip,
  sum(traffic_out) as traffic_out,
  sum(traffic_in) as traffic_in,
  sum(bandwidth) as bandwidth,
  sum(uptime) as uptime
```

```

from
(
select
    user_src,
    remip as remote_ip,
    tunnelid,
    devid,
    vd,
    sum(sent_end - sent_beg) as traffic_out,
    sum(rcvd_end - rcvd_beg) as traffic_in,
    sum(
        sent_end - sent_beg + rcvd_end - rcvd_beg
    ) as bandwidth,
    sum(duration_end - duration_beg) as uptime
from
    ###(select tunnelid, tunneltype, coalesce(nullifna(`user`), ipstr(`remip`)) as user_
src, remip, devid, vd, min(coalesce(sentbyte, 0)) as sent_beg, max(coalesce(sentbyte, 0)) as
sent_end, min(coalesce(rcvdbyte, 0)) as rcvd_beg, max(coalesce(rcvdbyte, 0)) as rcvd_end,
min(coalesce(duration, 0)) as duration_beg, max(coalesce(duration, 0)) as duration_end from
$log where $filter and subtype='vpn' and action='tunnel-stats' and coalesce(nullifna
(`user`), ipstr(`remip`)) is not null and tunnelid is not null group by tunnelid,
tunneltype, user_src, remip, devid, vd /*SkipSTART*/order by tunnelid/*SkipEND*/)### t where
tunneltype='ssl-web' group by user_src, remote_ip, tunnelid, devid, vd having sum(sent_end-
sent_beg+rcvd_end-rcvd_beg)>0 order by bandwidth desc) t where bandwidth>0 group by user_
src, remote_ip order by bandwidth desc

```

Dataset Name	Description	Log Category
Admin-Login-Summary	Event admin login summary	event

```

select
    f_user,
    ui,
    sum(login) as total_num,
    sum(login_duration) as total_duration,
    sum(config_change) as total_change
from
(
select
    `user` as f_user,
    ui,
    (
        case when logid_to_int(logid)= 32001 then 1 else 0 end
    ) as login,
    (
        case when logid_to_int(logid)= 32003 then duration else 0 end
    ) as login_duration,
    (
        case when logid_to_int(logid)= 32003
            and state is not null then 1 else 0 end
    ) as config_change
from
    $log
where
    $filter
    and nullifna(`user`) is not null

```

```

        and logid_to_int(logid) in (32001, 32003)
    ) t
group by
    f_user,
    ui
having
    sum(login)+ sum(config_change)> 0
order by
    total_num desc

```

Dataset Name	Description	Log Category
Admin-Login-Summary-By-Date	Event admin login summary by date	event

```

select
    $flex_timescale(timestamp) as dom,
    sum(total_num) as total_num,
    sum(total_change) as total_change
from
    ###(select timestamp, sum(login) as total_num, sum(config_change) as total_change from
    (select $flex_timestamp as timestamp, (case when logid_to_int(logid)=32001 then 1 else 0
    end) as login, (case when logid_to_int(logid)=32003 and state is not null then 1 else 0 end)
    as config_change from $log where $filter and logid_to_int(logid) in (32001, 32003)) t group
    by timestamp having sum(login)+sum(config_change)>0 /*SkipSTART*/order by timestamp
    desc/*SkipEND*/)### t group by dom order by dom

```

Dataset Name	Description	Log Category
Admin-Failed-Login-Summary	Event admin failed login summary	event

```

select
    `user` as f_user,
    ui,
    count(status) as total_failed
from
    $log
where
    $filter
    and nullifna(`user`) is not null
    and logid_to_int(logid) = 32002
group by
    ui,
    f_user
order by
    total_failed desc

```

Dataset Name	Description	Log Category
System-Summary-By-Severity	Event system summary by severity	event

```

select
    severity_tmp as severity,
    sum(count) as total_num
from
    ###(select coalesce(nullifna(logdesc), msg) as msg_desc, (case when level in ('critical',
    'alert', 'emergency') then 'Critical' when level='error' then 'High' when level='warning'

```

```
then 'Medium' when level='notice' then 'Low' else 'Info' end) as severity_tmp, count(*) as
count from $log where $filter and subtype='system' group by msg_desc, severity_tmp
/*SkipSTART*/order by count desc/*SkipEND*/)### t group by severity order by total_num desc
```

Dataset Name	Description	Log Category
System-Summary-By-Date	Event system summary by date	event

```
select
  $flex_timescale(timestamp) as dom,
  sum(critical) as critical,
  sum(high) as high,
  sum(medium) as medium
from
  ###(select $flex_timestamp as timestamp, sum(case when level in ('critical', 'alert',
'emergency') then 1 else 0 end) as critical, sum(case when level = 'error' then 1 else 0
end) as high, sum(case when level = 'warning' then 1 else 0 end) as medium from $log where
$filter and subtype='system' group by timestamp /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t group by dom order by dom
```

Dataset Name	Description	Log Category
Important-System-Summary-By-Date	Event system summary by date	event

```
select
  $flex_timescale(timestamp) as dom,
  sum(critical) as critical,
  sum(high) as high,
  sum(medium) as medium
from
  ###(select $flex_timestamp as timestamp, sum(case when level in ('critical', 'alert',
'emergency') then 1 else 0 end) as critical, sum(case when level = 'error' then 1 else 0
end) as high, sum(case when level = 'warning' then 1 else 0 end) as medium from $log where
$filter and subtype='system' group by timestamp /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t group by dom order by dom
```

Dataset Name	Description	Log Category
System-Critical-Severity-Events	Event system critical severity events	event

```
select
  msg_desc as msg,
  severity_tmp as severity,
  sum(count) as counts
from
  ###(select coalesce(nullifna(logdesc), msg) as msg_desc, (case when level in ('critical',
'alert', 'emergency') then 'Critical' when level='error' then 'High' when level='warning'
then 'Medium' when level='notice' then 'Low' else 'Info' end) as severity_tmp, count(*) as
count from $log where $filter and subtype='system' group by msg_desc, severity_tmp
/*SkipSTART*/order by count desc/*SkipEND*/)### t where severity_tmp='Critical' group by
msg, severity_tmp order by counts desc
```

Dataset Name	Description	Log Category
System-High-Severity-Events	Event system high severity events	event


```
select
  msg_desc as msg,
  severity_tmp as severity,
  sum(count) as counts
from
  ###(select coalesce(nullifna(logdesc), msg) as msg_desc, (case when level in ('critical',
  'alert', 'emergency') then 'Critical' when level='error' then 'High' when level='warning'
  then 'Medium' when level='notice' then 'Low' else 'Info' end) as severity_tmp, count(*) as
  count from $log where $filter and subtype='system' group by msg_desc, severity_tmp
  /*SkipSTART*/order by count desc/*SkipEND*/)### t where severity_tmp='High' group by msg,
  severity_tmp order by counts desc
```

Dataset Name	Description	Log Category
System-Medium-Severity-Events	Event system medium severity events	event

```
select
  msg_desc as msg,
  severity_tmp as severity,
  sum(count) as counts
from
  ###(select coalesce(nullifna(logdesc), msg) as msg_desc, (case when level in ('critical',
  'alert', 'emergency') then 'Critical' when level='error' then 'High' when level='warning'
  then 'Medium' when level='notice' then 'Low' else 'Info' end) as severity_tmp, count(*) as
  count from $log where $filter and subtype='system' group by msg_desc, severity_tmp
  /*SkipSTART*/order by count desc/*SkipEND*/)### t where severity_tmp='Medium' group by msg,
  severity_tmp order by counts desc
```

Dataset Name	Description	Log Category
utm-drilldown-Top-Traffic-Summary	UTM drilldown traffic summary	traffic

```
select
  srcip,
  srcname
from
  ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
  srcip, srcname, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth from $log
  where $filter and (logflag&1>0) group by user_src, srcip, srcname order by bandwidth
  desc)### t where $filter-drilldown group by srcip, srcname
```

Dataset Name	Description	Log Category
utm-drilldown-Top-User-Destination	UTM drilldown top user destination	traffic

```
select
  appid,
  app,
  dstip,
  sum(sessions) as sessions,
  sum(bandwidth) as bandwidth
from
  ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
  appid, app, dstip, count(*) as sessions, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as
  bandwidth from $log where $filter and (logflag&1>0) and dstip is not null and nullifna(app)
  is not null group by user_src, appid, app, dstip having sum(coalesce(sentbyte, 0)+coalesce
```

```
(rcvdbyte, 0))>0 order by bandwidth desc)### t where $filter-drilldown group by appid, app,
dstip order by bandwidth desc
```

Dataset Name	Description	Log Category
utm-drilldown-Email-Senders-Summary	UTM drilldown email senders summary	traffic

```
select
  sum(requests) as requests,
  sum(bandwidth) as bandwidth
from
  ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
sender, count(*) as requests, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth
from $log where $filter and (logflag&1>0) and service in ('smtp', 'SMTP', '25/tcp',
'587/tcp', 'smtps', 'SMTPS', '465/tcp') group by user_src, sender order by requests desc)###
t where $filter-drilldown
```

Dataset Name	Description	Log Category
utm-drilldown-Email-Recipients-Summary	UTM drilldown email recipients summary	traffic

```
select
  sum(requests) as requests,
  sum(bandwidth) as bandwidth
from
  ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
recipient, count(*) as requests, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as
bandwidth from $log where $filter and (logflag&1>0) and recipient is not null and service in
('pop3', 'POP3', '110/tcp', 'imap', 'IMAP', '143/tcp', 'imaps', 'IMAPS', '993/tcp', 'pop3s',
'POP3S', '995/tcp') group by user_src, recipient order by requests desc)### t where $filter-
drilldown
```

Dataset Name	Description	Log Category
utm-drilldown-Top-Email-Recipients-By-Bandwidth	UTM drilldown top email recipients	traffic

```
select
  recipient,
  sum(bandwidth) as bandwidth
from
  ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
recipient, count(*) as requests, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as
bandwidth from $log where $filter and (logflag&1>0) and recipient is not null and service in
('pop3', 'POP3', '110/tcp', 'imap', 'IMAP', '143/tcp', 'imaps', 'IMAPS', '993/tcp', 'pop3s',
'POP3S', '995/tcp') group by user_src, recipient order by requests desc)### t where $filter-
drilldown group by recipient having sum(bandwidth)>0 order by bandwidth desc
```

Dataset Name	Description	Log Category
utm-drilldown-Top-Email-Senders-By-Bandwidth	UTM drilldown top email senders	traffic

```

select
    sender,
    sum(bandwidth) as bandwidth
from
    ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
    sender, count(*) as requests, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth
from $log where $filter and (logflag&1>0) and service in ('smtp', 'SMTP', '25/tcp',
'587/tcp', 'smtps', 'SMTPS', '465/tcp') group by user_src, sender order by requests desc)###
t where $filter-drilldown and sender is not null group by sender having sum(bandwidth)>0
order by bandwidth desc

```

Dataset Name	Description	Log Category
utm-drilldown-Top-Allowed-Websites-By-Bandwidth	UTM drilldown top allowed web sites by bandwidth	traffic

```

select
    appid,
    hostname,
    sum(bandwidth) as bandwidth
from
    ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
    appid, hostname, (case when utmaction in ('block', 'blocked') then 1 else 0 end) as blocked,
    sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth from $log-traffic where
    $filter and (logflag&1>0) and (countweb>0 or ((logver is null or logver<502000000) and
    (hostname is not null or utmevent in ('webfilter', 'banned-word', 'web-content', 'command-
    block', 'script-filter')))) and hostname is not null group by user_src, appid, hostname,
    blocked order by bandwidth desc)### t where $filter-drilldown and blocked=0 group by appid,
    hostname order by bandwidth desc

```

Dataset Name	Description	Log Category
utm-drilldown-Top-Blocked-Websites-By-Request	UTM drilldown top blocked web sites by request	webfilter

```

select
    appid,
    hostname,
    sum(requests) as requests
from
    ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, 0 as appid, hostname,
    (case when action='blocked' then 1 else 0 end) as blocked, count(*) as requests from $log
    where $filter and (eventtype is null or logver>=502000000) and hostname is not null group by
    user_src, appid, hostname, blocked order by requests desc)### t where $filter-drilldown and
    blocked=1 group by appid, hostname order by requests desc

```

Dataset Name	Description	Log Category
utm-drilldown-Top-Virus-By-Name	UTM drilldown top virus	virus

```

select
    virus,
    sum(totalnum) as totalnum
from
    ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, virus, count(*) as
    totalnum from $log where $filter and (eventtype is null or logver>=502000000) and nullifna

```

(virus) is not null group by user_src, virus order by totalnum desc)### t where \$filter-drilldown group by virus order by totalnum desc

Dataset Name	Description	Log Category
utm-drilldown-Top-Attacks	UTM drilldown top attacks by name	attack

```
select
  attack,
  sum(attack_count) as attack_count
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, attack, count(*) as
  attack_count from $log where $filter and nullifna(attack) is not null group by user_src,
  attack order by attack_count desc)### t where $filter-drilldown group by attack order by
  attack_count desc
```

Dataset Name	Description	Log Category
utm-drilldown-Top-Vulnerability	UTM drilldown top vulnerability by name	netscan

```
select
  vuln,
  sum(totalnum) as totalnum
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, vuln, count(*) as
  totalnum from $log where $filter and action='vuln-detection' and vuln is not null group by
  user_src, vuln order by totalnum desc)### t where $filter-drilldown group by vuln order by
  totalnum desc
```

Dataset Name	Description	Log Category
utm-drilldown-Top-App-By-Bandwidth	UTM drilldown top applications by bandwidth usage	traffic

```
select
  appid,
  app,
  sum(bandwidth) as bandwidth
from
  ###(select user_src, appid, app, appcat, apprisk, sum(bandwidth) as bandwidth, sum
  (sessions) as sessions from ###base(/*tag:rpt_base_t_top_app*/select dvid, srcip, dstip,
  epid, euid, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
  appid, app, appcat, apprisk, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth,
  count(*) as sessions from $log-traffic where $filter and (logflag&1>0) and nullifna(app) is
  not null group by dvid, srcip, dstip, epid, euid, user_src, appid, app, appcat, apprisk
  order by sessions desc)base### t group by user_src, appid, app, appcat, apprisk
  /*SkipSTART*/order by sessions desc, bandwidth desc/*SkipEND*/)### t where $filter-drilldown
  group by appid, app having sum(bandwidth)>0 order by bandwidth desc
```

Dataset Name	Description	Log Category
utm-drilldown-Top-App-By-Sessions	UTM drilldown top applications by session count	traffic

```
select
  appid,
  app,
  sum(sessions) as sessions
```

```

from
  ###(select user_src, appid, app, appcat, apprisk, sum(bandwidth) as bandwidth, sum
  (sessions) as sessions from ###base(/*tag:rpt_base_t_top_app*/select dvid, srcip, dstip,
  epid, euid, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
  appid, app, appcat, apprisk, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth,
  count(*) as sessions from $log-traffic where $filter and (logflag&1>0) and nullifna(app) is
  not null group by dvid, srcip, dstip, epid, euid, user_src, appid, app, appcat, apprisk
  order by sessions desc)base### t group by user_src, appid, app, appcat, apprisk
  /*SkipSTART*/order by sessions desc, bandwidth desc/*SkipEND*/)### t where $filter-drilldown
  group by appid, app order by sessions desc

```

Dataset Name	Description	Log Category
Top5-Users-By-Bandwidth	UTM drilldown top users by bandwidth usage	traffic

```

select
  coalesce(
    nullifna(`user`),
    nullifna(`unauthuser`),
    ipstr(`srcip`)
  ) as dldn_user,
  count(*) as session,
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) as bandwidth,
  sum(
    coalesce(sentbyte, 0)
  ) as traffic_out,
  sum(
    coalesce(rcvdbyte, 0)
  ) as traffic_in
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
group by
  dldn_user
having
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  )& gt; 0
order by
  bandwidth desc

```

Dataset Name	Description	Log Category
bandwidth-app-Top-App-By-Bandwidth-Sessions	Top applications by bandwidth usage	traffic

```

select
  app_group,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,

```

```

sum(traffic_out) as traffic_out,
sum(sessions) as sessions
from
###(select app_group_name(app) as app_group, appcat, service, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and
(logflag&l>0) and nullifna(app) is not null group by app_group, appcat, service order by
bandwidth desc)### t group by app_group having sum(bandwidth)>0 order by bandwidth desc

```

Dataset Name	Description	Log Category
bandwidth-app-Category-By-Bandwidth	Application risk application usage by category	traffic

```

select
  appcat,
  sum(bandwidth) as bandwidth
from
###(select appid, app, appcat, apprisk, sum(bandwidth) as bandwidth, sum(sessions) as
sessions from ###base(/*tag:rpt_base_t_top_app*/select dvid, srcip, dstip, epid, euid,
coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, appid, app,
appcat, apprisk, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, count(*) as
sessions from $log-traffic where $filter and (logflag&l>0) and nullifna(app) is not null
group by dvid, srcip, dstip, epid, euid, user_src, appid, app, appcat, apprisk order by
sessions desc)base### t group by appid, app, appcat, apprisk /*SkipSTART*/order by sessions
desc, bandwidth desc/*SkipEND*/)### t where $filter-drilldown and nullifna(appcat) is not
null group by appcat order by bandwidth desc

```

Dataset Name	Description	Log Category
bandwidth-app-Top-Users-By-Bandwidth-Sessions	Bandwidth application top users by bandwidth usage	traffic

```

select
  coalesce(
    nullifna(`user`),
    nullifna(`unauthuser`),
    ipstr(`srcip`)
  ) as user_src,
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) as bandwidth,
  sum(
    coalesce(rcvdbyte, 0)
  ) as traffic_in,
  sum(
    coalesce(sentbyte, 0)
  ) as traffic_out,
  count(*) as sessions
from
  $log
where
  $filter
  and (
    logflag&l>0
  )

```

```
group by
  user_src
having
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  )> 0
order by
  bandwidth desc
```

Dataset Name	Description	Log Category
bandwidth-app-Traffic-By-Active-User-Number	Bandwidth application traffic by active user number	traffic

```
select
  $flex_timescale(timestamp) as hodex,
  count(
    distinct(user_src)
  ) as total_user
from
  ###(select $flex_timestamp as timestamp, coalesce(nullifna(`user`), nullifna
(`unauthuser`), ipstr(`srcip`)) as user_src from $log where $filter and (logflag&1>0) group
by timestamp, user_src order by timestamp desc)### t group by hodex order by hodex
```

Dataset Name	Description	Log Category
bandwidth-app-Top-Dest-By-Bandwidth-Sessions	Bandwidth application top dest by bandwidth usage sessions	traffic

```
select
  coalesce(
    nullifna(
      root_domain(hostname)
    ),
    ipstr(`dstip`)
  ) as domain,
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) as bandwidth,
  sum(
    coalesce(rcvdbyte, 0)
  ) as traffic_in,
  sum(
    coalesce(sentbyte, 0)
  ) as traffic_out,
  count(*) as sessions
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
group by
  domain
```

```
order by
  bandwidth desc
```

Dataset Name	Description	Log Category
bandwidth-app-Top-Policies-By-Bandwidth-Sessions	Top policies by bandwidth and sessions	traffic

```
select
  coalesce(
    pol.name,
    cast(policyid as text)
  ) as polid,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out,
  sum(sessions) as sessions
from
  ###(select policyid, poluuid, sum(coalesce(rcvdbyte, 0) + coalesce(sentbyte, 0)) as
bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_
out, count(*) as sessions from $log where $filter and (logflag&1>0) group by policyid,
poluuid order by bandwidth desc)### t1 left join $ADOMTBL_PLHD_POLINFO pol on
t1.poluuid=pol.uuid group by polid order by bandwidth desc
```

Dataset Name	Description	Log Category
bandwidth-app-Traffic-Statistics	Bandwidth application traffic statistics	traffic

```
drop
  table if exists rpt_tmptbl_1; create temporary table rpt_tmptbl_1(
    total_sessions varchar(255),
    total_bandwidth varchar(255),
    ave_session varchar(255),
    ave_bandwidth varchar(255),
    active_date varchar(255),
    total_users varchar(255),
    total_app varchar(255),
    total_dest varchar(255)
  ); insert into rpt_tmptbl_1 (
    total_sessions, total_bandwidth,
    ave_session, ave_bandwidth
  )
select
  format_numeric_no_decimal(
    sum(sessions)
  ) as total_sessions,
  bandwidth_unit(
    sum(bandwidth)
  ) as total_bandwidth,
  format_numeric_no_decimal(
    cast(
      sum(sessions)/ $days_num as decimal(18, 0)
    )
  ) as ave_session,
  bandwidth_unit(
    cast(
```



```

        sum(bandwidth)/ $days_num as decimal(18, 0)
    )
    ) as ave_bandwidth
from
    ###(select count(*) as sessions, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as
    bandwidth from $log where $filter and (logflag&l>0))### t; update rpt_tmptbl_1 set active_
    date=t1.dom from (select dom, sum(sessions) as sessions from ###(select $DAY_OF_MONTH as
    dom, count(*) as sessions from $log where $filter and (logflag&l>0) group by dom order by
    sessions desc)### t group by dom order by sessions desc limit 1) as t1; update rpt_tmptbl_1
    set total_users=t2.totalnum from (select format_numeric_no_decimal(count(distinct(user_
    src))) as totalnum from ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr
    (`srcip`)) as user_src, count(*) as count from $log where $filter and (logflag&l>0) group by
    user_src order by count desc)### t) as t2; update rpt_tmptbl_1 set total_app=t3.totalnum
    from (select format_numeric_no_decimal(count(distinct(app_grp))) as totalnum from ###(select
    app_group_name(app) as app_grp, count(*) as count from $log where $filter and (logflag&l>0)
    and nullifna(app) is not null group by app_grp order by count desc)### t) as t3; update rpt_
    tmptbl_1 set total_dest=t4.totalnum from (select format_numeric_no_decimal(count(distinct
    (dstip))) as totalnum from ###(select dstip, count(*) as count from $log where $filter and
    (logflag&l>0) and dstip is not null group by dstip order by count desc)### t ) as t4; select
    'Total Sessions' as summary, total_sessions as stats from rpt_tmptbl_1 union all select
    'Total Bytes Transferred' as summary, total_bandwidth as stats from rpt_tmptbl_1 union all
    select 'Most Active Date By Sessions' as summary, active_date as stats from rpt_tmptbl_1
    union all select 'Total Users' as summary, total_users as stats from rpt_tmptbl_1 union all
    select 'Total Applications' as summary, total_app as stats from rpt_tmptbl_1 union all
    select 'Total Destinations' as summary, total_dest as stats from rpt_tmptbl_1 union all
    select 'Average Sessions Per Day' as summary, ave_session as stats from rpt_tmptbl_1 union
    all select 'Average Bytes Per Day' as summary, ave_bandwidth as stats from rpt_tmptbl_1

```

Dataset Name	Description	Log Category
Score-Summary-For-All-Users-Devices	Reputation score summary for all users devices	traffic

```

select
    $flex_timescale(timestamp) as hodex,
    sum(scores) as scores
from
    ###(select $flex_timestamp as timestamp, sum(crscore%65536) as scores, count(*) as
    totalnum from $log where $filter and (logflag&l>0) and crscore is not null group by
    timestamp having sum(crscore%65536)>0 order by timestamp desc)### t group by hodex order by
    hodex

```

Dataset Name	Description	Log Category
Number-Of-Incidents-For-All-Users-Devices	Reputation number of incidents for all users devices	traffic

```

select
    $flex_timescale(timestamp) as hodex,
    sum(scores) as scores,
    sum(totalnum) as totalnum
from
    ###(select $flex_timestamp as timestamp, sum(crscore%65536) as scores, count(*) as
    totalnum from $log where $filter and (logflag&l>0) and crscore is not null group by
    timestamp having sum(crscore%65536)>0 order by timestamp desc)### t group by hodex order by
    hodex

```

Dataset Name	Description	Log Category
Top-Users-By-Reputation-Scores	Reputation top users by scores	traffic

```

select
  coalesce(
    nullifna(`user`),
    nullifna(`unauthuser`),
    ipstr(`srcip`)
  ) as user_src,
  sum(crscore % 65536) as scores
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
  and crscore is not null
group by
  user_src
having
  sum(crscore % 65536) > 0
order by
  scores desc

```

Dataset Name	Description	Log Category
Top-Devices-By-Reputation-Scores	Reputation top devices by scores	traffic

```

select
  max(
    get_devtype(srcswversion, osname, devtype)
  ) as devtype_new,
  coalesce(
    nullifna(`srcname`),
    nullifna(`srcmac`),
    ipstr(`srcip`)
  ) as dev_src,
  sum(crscore % 65536) as scores
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
  and crscore is not null
group by
  dev_src
having
  sum(crscore % 65536) > 0
order by
  scores desc

```

Dataset Name	Description	Log Category
Top-Users-With-Increased-Scores	Reputation top users with increased scores	traffic

```
drop
  table if exists rpt_tmptbl_1;
drop
  table if exists rpt_tmptbl_2; create temporary table rpt_tmptbl_1 as
select
  f_user,
  sum(sum_rp_score) as sum_rp_score
from
  ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as f_user,
  sum(crscore%65536) as sum_rp_score from $log where $pre_period $filter and (logflag&1>0) and
  crscore is not null group by f_user having sum(crscore%65536)>0 order by sum_rp_score
  desc)### t group by f_user; create temporary table rpt_tmptbl_2 as select f_user, sum(sum_
  rp_score) as sum_rp_score from ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`),
  ipstr(`srcip`)) as f_user, sum(crscore%65536) as sum_rp_score from $log where $filter and
  (logflag&1>0) and crscore is not null group by f_user having sum(crscore%65536)>0 order by
  sum_rp_score desc)### t group by f_user; select t1.f_user, sum(t1.sum_rp_score) as t1_sum_
  score, sum(t2.sum_rp_score) as t2_sum_score, (sum(t2.sum_rp_score)-sum(t1.sum_rp_score)) as
  delta from rpt_tmptbl_1 as t1 inner join rpt_tmptbl_2 as t2 on t1.f_user=t2.f_user where
  t2.sum_rp_score > t1.sum_rp_score group by t1.f_user order by delta desc
```

Dataset Name	Description	Log Category
Top-Devices-With-Increased-Scores	Reputation top devices with increased scores	traffic

```
drop
  table if exists rpt_tmptbl_1;
drop
  table if exists rpt_tmptbl_2; create temporary table rpt_tmptbl_1 as
select
  f_device,
  devtype_new,
  sum(sum_rp_score) as sum_rp_score
from
  ###(select coalesce(nullifna(`srcname`),nullifna(`srcmac`), ipstr(`srcip`)) as f_device,
  get_devtype(srscswversion, osname, devtype) as devtype_new, sum(crscore%65536) as sum_rp_
  score from $log where $pre_period $filter and (logflag&1>0) and crscore is not null group by
  f_device, devtype_new having sum(crscore%65536)>0 order by sum_rp_score desc)### t group by
  f_device, devtype_new; create temporary table rpt_tmptbl_2 as select f_device, devtype_new,
  sum(sum_rp_score) as sum_rp_score from ###(select coalesce(nullifna(`srcname`),nullifna
  (`srcmac`), ipstr(`srcip`)) as f_device, get_devtype(srscswversion, osname, devtype) as
  devtype_new, sum(crscore%65536) as sum_rp_score from $log where $filter and (logflag&1>0)
  and crscore is not null group by f_device, devtype_new having sum(crscore%65536)>0 order by
  sum_rp_score desc)### t group by f_device, devtype_new; select t1.f_device, t1.devtype_new ,
  sum(t1.sum_rp_score) as t1_sum_score, sum(t2.sum_rp_score) as t2_sum_score, (sum(t2.sum_rp_
  score)-sum(t1.sum_rp_score)) as delta from rpt_tmptbl_1 as t1 inner join rpt_tmptbl_2 as t2
  on t1.f_device=t2.f_device and t1.devtype_new=t2.devtype_new where t2.sum_rp_score > t1.sum_
  rp_score group by t1.f_device, t1.devtype_new order by delta desc
```

Dataset Name	Description	Log Category
Attacks-By-Severity	Threat attacks by severity	attack

```

select
(
case when severity = 'critical' then 'Critical' when severity = 'high' then 'High' when
severity = 'medium' then 'Medium' when severity = 'low' then 'Low' when severity = 'info'
then 'Info' end
) as severity,
count(*) as totalnum
from
$log
where
$filter
group by
severity
order by
totalnum desc

```

Dataset Name	Description	Log Category
Top-Attacks-Detected	Threat top attacks detected	attack

```

select
attack,
attackid,
cve,
severity,
sum(attack_count) as attack_count
from
###(select attack, attackid, t1.severity, cve, (case when t1.severity = 'critical' then 1
when t1.severity = 'high' then 2 when t1.severity = 'medium' then 3 when t1.severity =
'low' then 4 else 5 end) as severity_level, count(*) as attack_count from $log t1 left join
(select name, cve, vuln_type from ips_mdata) t2 on t1.attack=t2.name where $filter and
nullifna(attack) is not null group by attack, attackid, t1.severity, severity_level, cve
/*SkipSTART*/order by severity_level, attack_count desc/*SkipEND*/)### t group by attack,
attackid, severity, severity_level, cve order by severity_level, attack_count desc

```

Dataset Name	Description	Log Category
Top-Attacks-Blocked	Threat top attacks blocked	attack

```

select
attack,
count(*) as attack_count
from
$log
where
$filter
and nullifna(attack) is not null
and action not in ('detected', 'pass_session')
group by
attack
order by
attack_count desc

```

Dataset Name	Description	Log Category
Top-Virus-Source	Threat top virus source	virus

```
select
  srcip,
  hostname,
  sum(totalnum) as totalnum
from
  ###(select srcip , ipstr(`dstip`) as hostname, count(*) as totalnum from $log where
  $filter and (eventtype is null or logver>=502000000) and nullifna(virus) is not null group
  by srcip, hostname /*SkipSTART*/order by totalnum desc/*SkipEND*/)### t group by srcip,
  hostname order by totalnum desc
```

Dataset Name	Description	Log Category
Intrusion-in-Last-7-Days	Threat intrusion timeline	attack

```
select
  $flex_timescale(timestamp) as hindex,
  sum(totalnum) as totalnum
from
  ###(select $flex_timestamp as timestamp, count(*) as totalnum from $log where $filter
  group by timestamp /*SkipSTART*/order by timestamp desc/*SkipEND*/)### t group by hindex
  order by hindex
```

Dataset Name	Description	Log Category
Virus-Time-Line	Threat virus timeline	virus

```
select
  $flex_datetime(timestamp) as hindex,
  sum(totalnum) as totalnum
from
  ###(select $flex_timestamp as timestamp, count(*) as totalnum from $log where $filter and
  (eventtype is null or logver>=502000000) and nullifna(virus) is not null group by timestamp
  /*SkipSTART*/order by timestamp desc/*SkipEND*/)### t group by hindex order by hindex
```

Dataset Name	Description	Log Category
Top-Spyware-Victims	Threat top spyware victims	virus

```
select
  user_src,
  sum(totalnum) as totalnum
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, virus, count(*) as
  totalnum from $log where $filter group by user_src, virus /*SkipSTART*/order by totalnum
  desc/*SkipEND*/)### t where virus like 'Riskware%' group by user_src order by totalnum desc
```

Dataset Name	Description	Log Category
Top-Spyware-by-Name	Threat top spyware by name	virus

```
select
  virus,
  max(virusid_s) as virusid,
  sum(totalnum) as totalnum
from
  ###(select filename, analyticscksum, service, fsaverdict, dtype, coalesce(nullifna
```

```
(`user`), ipstr(`srcip`)) as user_src, virus, virusid_to_str(virusid, eventtype) as virusid_s, count(*) as totalnum from $log where $filter group by filename, analyticscksum, service, fsaverdict, dtype, user_src, virus, virusid_s /*SkipSTART*/order by totalnum desc/*SkipEND*/)### t where virus like 'Riskware%' group by virus order by totalnum desc
```

Dataset Name	Description	Log Category
Top-Spyware-Source	Threat top spyware source	traffic

```
select
  srcip,
  hostname,
  sum(totalnum) as totalnum
from
  ###(select srcip, hostname, virus, count(*) as totalnum from $log where $filter and (logflag&l>0) group by srcip, hostname, virus order by totalnum desc)### t where virus like 'Riskware%' group by srcip, hostname order by totalnum desc
```

Dataset Name	Description	Log Category
Spyware-Time-Line	Threat spyware timeline	virus

```
select
  $flex_timescale(timestamp) as hodex,
  sum(totalnum) as totalnum
from
  ###(select $flex_timestamp as timestamp, virus, count(*) as totalnum from $log where $filter group by timestamp, virus /*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where virus like 'Riskware%' group by hodex order by hodex
```

Dataset Name	Description	Log Category
Top-Adware-Victims	Threat top adware victims	virus

```
select
  user_src,
  sum(totalnum) as totalnum
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, virus, count(*) as totalnum from $log where $filter group by user_src, virus /*SkipSTART*/order by totalnum desc/*SkipEND*/)### t where virus like 'Adware%' group by user_src order by totalnum desc
```

Dataset Name	Description	Log Category
Top-Adware-by-Name	Threat top adware by name	virus

```
select
  virus,
  max(virusid_s) as virusid,
  sum(totalnum) as totalnum
from
  ###(select filename, analyticscksum, service, fsaverdict, dtype, coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, virus, virusid_to_str(virusid, eventtype) as virusid_s, count(*) as totalnum from $log where $filter group by filename, analyticscksum, service, fsaverdict, dtype, user_src, virus, virusid_s /*SkipSTART*/order by totalnum desc/*SkipEND*/)### t where virus like 'Adware%' group by virus order by totalnum desc
```

Dataset Name	Description	Log Category
Top-Adware-Source	Threat top adware source	traffic

```
select
  srcip,
  hostname,
  sum(totalnum) as totalnum
from
  ###(select srcip, hostname, virus, count(*) as totalnum from $log where $filter and
(logflag&l>0) group by srcip, hostname, virus order by totalnum desc)### t where virus like
'Adware%' group by srcip, hostname order by totalnum desc
```

Dataset Name	Description	Log Category
Adware-Time-Line	Threat adware timeline	virus

```
select
  $flex_timescale(timestamp) as hodex,
  sum(totalnum) as totalnum
from
  ###(select $flex_timestamp as timestamp, virus, count(*) as totalnum from $log where
$filter group by timestamp, virus /*SkipSTART*/order by timestamp desc/*SkipEND*/)### t
where virus like 'Adware%' group by hodex order by hodex
```

Dataset Name	Description	Log Category
Intrusions-Timeline-By-Severity	Threat intrusions timeline by severity	attack

```
select
  $flex_timescale(timestamp) as timescale,
  sum(critical) as critical,
  sum(high) as high,
  sum(medium) as medium,
  sum(low) as low,
  sum(info) as info
from
  ###(select $flex_timestamp as timestamp, sum(case when severity = 'critical' then 1 else 0
end) as critical, sum(case when severity = 'high' then 1 else 0 end) as high, sum(case when
severity = 'medium' then 1 else 0 end) as medium, sum(case when severity in ('notice',
'low') then 1 else 0 end) as low, sum(case when severity = 'info' or severity = 'debug' then
1 else 0 end) as info from $log where $filter group by timestamp /*SkipSTART*/order by
timestamp desc/*SkipEND*/)### t group by timescale order by timescale
```

Dataset Name	Description	Log Category
Important-Intrusions-Timeline-By-Severity	Threat intrusions timeline by severity	attack

```
select
  $flex_timescale(timestamp) as timescale,
  sum(critical) as critical,
  sum(high) as high,
  sum(medium) as medium,
  sum(low) as low,
  sum(info) as info
```

```

from
  ###(select $flex_timestamp as timestamp, sum(case when severity = 'critical' then 1 else 0
end) as critical, sum(case when severity = 'high' then 1 else 0 end) as high, sum(case when
severity = 'medium' then 1 else 0 end) as medium, sum(case when severity in ('notice',
'low') then 1 else 0 end) as low, sum(case when severity = 'info' or severity = 'debug' then
1 else 0 end) as info from $log where $filter group by timestamp /*SkipSTART*/order by
timestamp desc/*SkipEND*/)### t group by timescale order by timescale

```

Dataset Name	Description	Log Category
Top-Intrusions-By-Types	Threat top intrusions by types	attack

```

select
  vuln_type,
  count(*) as totalnum
from
  $log t1
  left join (
    select
      name,
      cve,
      vuln_type
    from
      ips_mdata
  ) t2 on t1.attack = t2.name
where
  $filter
  and vuln_type is not null
group by
  vuln_type
order by
  totalnum desc

```

Dataset Name	Description	Log Category
Critical-Severity-Intrusions	Threat critical severity intrusions	attack

```

select
  attack,
  attackid,
  cve,
  vuln_type,
  count(*) as totalnum
from
  $log t1
  left join (
    select
      name,
      cve,
      vuln_type
    from
      ips_mdata
  ) t2 on t1.attack = t2.name
where
  $filter
  and t1.severity = 'critical'

```



```

    and nullifna(attack) is not null
group by
    attack,
    attackid,
    cve,
    vuln_type
order by
    totalnum desc

```

Dataset Name	Description	Log Category
High-Severity-Intrusions	Threat high severity intrusions	attack

```

select
    attack,
    attackid,
    vuln_type,
    cve,
    count(*) as totalnum
from
    $log t1
    left join (
        select
            name,
            cve,
            vuln_type
        from
            ips_mdata
    ) t2 on t1.attack = t2.name
where
    $filter
    and t1.severity = 'high'
    and nullifna(attack) is not null
group by
    attack,
    attackid,
    vuln_type,
    cve
order by
    totalnum desc

```

Dataset Name	Description	Log Category
Medium-Severity-Intrusions	Threat medium severity intrusions	attack

```

select
    attack,
    vuln_type,
    cve,
    count(*) as totalnum
from
    $log t1
    left join (
        select
            name,
            cve,

```

```

        vuln_type
    from
        ips_mdata
    ) t2 on t1.attack = t2.name
where
    $filter
    and t1.severity = 'medium'
    and nullifna(attack) is not null
group by
    attack,
    vuln_type,
    cve
order by
    totalnum desc

```

Dataset Name	Description	Log Category
Top-Intrusion-Victims	Threat top intrusion victims	attack

```

select
    victim,
    sum(cri_num) as critical,
    sum(high_num) as high,
    sum(med_num) as medium,
    sum(cri_num + high_num + med_num) as totalnum
from
    ###(select dstip as victim, sum((case when severity='critical' then 1 else 0 end)) as cri_
num, sum(case when severity='high' then 1 else 0 end) as high_num, sum(case when
severity='medium' then 1 else 0 end) as med_num from $log where $filter and severity in
('critical', 'high', 'medium') group by victim)### t group by victim order by totalnum desc

```

Dataset Name	Description	Log Category
Top-Intrusion-Sources	Threat top intrusion sources	attack

```

select
    source,
    sum(cri_num) as critical,
    sum(high_num) as high,
    sum(med_num) as medium,
    sum(cri_num + high_num + med_num) as totalnum
from
    ###(select srcip as source, sum(case when severity='critical' then 1 else 0 end) as cri_
num, sum(case when severity='high' then 1 else 0 end) as high_num, sum(case when
severity='medium' then 1 else 0 end) as med_num from $log where $filter and severity in
('critical', 'high', 'medium') group by source)### t group by source order by totalnum desc

```

Dataset Name	Description	Log Category
Top-Blocked-Intrusions	Threat top blocked intrusions	attack

```

select
    attack,
    attackid,
    (
        case when severity = 'critical' then 'Critical' when severity = 'high' then 'High' when

```

```

severity = 'medium' then 'Medium' when severity = 'low' then 'Low' when severity = 'info'
then 'Info' end
) as severity_name,
sum(totalnum) as totalnum,
vuln_type,
(
case when severity = 'critical' then 0 when severity = 'high' then 1 when severity =
'medium' then 2 when severity = 'low' then 3 when severity = 'info' then 4 else 5 end
) as severity_number
from
###(select attack, attackid, t1.severity, count(*) as totalnum, vuln_type, action from
$log t1 left join (select name, cve, vuln_type from ips_mdata) t2 on t1.attack=t2.name where
$filter and nullifna(attack) is not null group by attack, attackid, t1.severity, vuln_type,
action order by totalnum desc)### t where action not in ('detected', 'pass_session') group by
attack, attackid, severity, vuln_type order by severity_number, totalnum desc

```

Dataset Name	Description	Log Category
Top-Monitored-Intrusions	Threat top monitored intrusions	attack

```

select
attack,
attackid,
(
case when severity = 'critical' then 'Critical' when severity = 'high' then 'High' when
severity = 'medium' then 'Medium' when severity = 'low' then 'Low' when severity = 'info'
then 'Info' end
) as severity_name,
sum(totalnum) as totalnum,
vuln_type,
(
case when severity = 'critical' then 0 when severity = 'high' then 1 when severity =
'medium' then 2 when severity = 'low' then 3 when severity = 'info' then 4 else 5 end
) as severity_number
from
###(select attack, attackid, t1.severity, count(*) as totalnum, vuln_type, action from
$log t1 left join (select name, cve, vuln_type from ips_mdata) t2 on t1.attack=t2.name where
$filter and nullifna(attack) is not null group by attack, attackid, t1.severity, vuln_type,
action order by totalnum desc)### t where action in ('detected', 'pass_session') group by
attack, attackid, severity, vuln_type order by severity_number, totalnum desc

```

Dataset Name	Description	Log Category
Attacks-Over-HTTP-HTTPS	Threat attacks over HTTP HTTPS	attack

```

select
attack,
attackid,
(
case when severity = 'critical' then 'Critical' when severity = 'high' then 'High' when
severity = 'medium' then 'Medium' when severity = 'low' then 'Low' when severity = 'info'
then 'Info' end
) as severity,
count(*) as totalnum,
(
case when severity = 'critical' then 0 when severity = 'high' then 1 when severity =

```

```

'medium' then 2 when severity = 'low' then 3 when severity = 'info' then 4 else 5 end
) as severity_number
from
$log
where
$filter
and severity in ('critical', 'high', 'medium')
and upper(service) in ('HTTP', 'HTTPS')
group by
attack,
attackid,
severity,
severity_number
order by
severity_number,
totalnum desc

```

Dataset Name	Description	Log Category
default-AP-Detection-Summary-by-Status-OffWire	Default access point detection summary by status off-wire	event

```

select
(
case apstatus when 1 then 'rogue' when 2 then 'accepted' when 3 then 'suppressed' else
'others' end
) as ap_full_status,
count(*) as totalnum
from
(
select
apstatus,
bssid,
ssid
from
###(select apstatus, bssid, ssid, onwire, count(*) as subtotal from $log where $filter
and apstatus is not null and apstatus!=0 and bssid is not null and logid_to_int(logid) in
(43527, 43521, 43525, 43563, 43564, 43565, 43566, 43569, 43570, 43571, 43582, 43583, 43584,
43585) group by apstatus, bssid, ssid, onwire order by subtotal desc)### t where onwire='no'
group by apstatus, bssid, ssid) t group by ap_full_status order by totalnum desc

```

Dataset Name	Description	Log Category
default-AP-Detection-Summary-by-Status-OffWire_table	Default access point detection summary by status off-wire	event

```

select
(
case apstatus when 1 then 'rogue' when 2 then 'accepted' when 3 then 'suppressed' else
'others' end
) as ap_full_status,
count(*) as totalnum
from
(
select
apstatus,

```

```

        bssid,
        ssid
    from
        ###(select apstatus, bssid, ssid, onwire, count(*) as subtotal from $log where $filter
and apstatus is not null and apstatus!=0 and bssid is not null and logid_to_int(logid) in
(43527, 43521, 43525, 43563, 43564, 43565, 43566, 43569, 43570, 43571, 43582, 43583, 43584,
43585) group by apstatus, bssid, ssid, onwire order by subtotal desc)### t where onwire='no'
group by apstatus, bssid, ssid) t group by ap_full_status order by totalnum desc

```

Dataset Name	Description	Log Category
default-AP-Detection-Summary-by-Status-OnWire	Default access point detection summary by status on-wire	event

```

select
(
    case apstatus when 1 then 'rogue' when 2 then 'accepted' when 3 then 'suppressed' else
'others' end
) as ap_full_status,
count(*) as totalnum
from
(
    select
        apstatus,
        bssid,
        ssid
    from
        ###(select apstatus, bssid, ssid, onwire, count(*) as subtotal from $log where $filter
and apstatus is not null and apstatus!=0 and bssid is not null and logid_to_int(logid) in
(43527, 43521, 43525, 43563, 43564, 43565, 43566, 43569, 43570, 43571, 43582, 43583, 43584,
43585) group by apstatus, bssid, ssid, onwire order by subtotal desc)### t where
onwire='yes' group by apstatus, bssid, ssid) t group by ap_full_status order by totalnum
desc

```

Dataset Name	Description	Log Category
default-AP-Detection-Summary-by-Status-OnWire_table	Default access point detection summary by status on-wire	event

```

select
(
    case apstatus when 1 then 'rogue' when 2 then 'accepted' when 3 then 'suppressed' else
'others' end
) as ap_full_status,
count(*) as totalnum
from
(
    select
        apstatus,
        bssid,
        ssid
    from
        ###(select apstatus, bssid, ssid, onwire, count(*) as subtotal from $log where $filter
and apstatus is not null and apstatus!=0 and bssid is not null and logid_to_int(logid) in
(43527, 43521, 43525, 43563, 43564, 43565, 43566, 43569, 43570, 43571, 43582, 43583, 43584,
43585) group by apstatus, bssid, ssid, onwire order by subtotal desc)### t where

```

```
onwire='yes' group by apstatus, bssid, ssid) t group by ap_full_status order by totalnum desc
```

Dataset Name	Description	Log Category
default-Managed-AP-Summary	Default managed access point summary	event

```
select
(
  case when (
    action like '%join%'
    and logid_to_int(logid) in (43522, 43551)
  ) then 'Authorized' else 'Unauthorized' end
) as ap_status,
count(*) as totalnum
from
$log
where
$filter
and logid_to_int(logid) in (43522, 43551)
group by
ap_status
order by
totalnum desc
```

Dataset Name	Description	Log Category
default-Managed-AP-Summary_table	Default managed access point summary	event

```
select
(
  case when (
    action like '%join%'
    and logid_to_int(logid) in (43522, 43551)
  ) then 'Authorized' else 'Unauthorized' end
) as ap_status,
count(*) as totalnum
from
$log
where
$filter
and logid_to_int(logid) in (43522, 43551)
group by
ap_status
order by
totalnum desc
```

Dataset Name	Description	Log Category
default-Unclassified-AP-Summary	Default unclassified access point summary	event

```
select
(
  case onwire when 'no' then 'off-wire' when 'yes' then 'on-wire' else 'others' end
) as ap_status,
count(*) as totalnum
```

```

from
  ###(select onwire, ssid, bssid, count(*) as subtotal from $log where $filter and
  apstatus=0 and bssid is not null and logid_to_int(logid) in (43521, 43525, 43527, 43563,
  43564, 43565, 43566, 43569, 43570, 43571, 43582, 43583, 43584, 43585) group by onwire, ssid,
  bssid order by subtotal desc)### t group by ap_status order by totalnum desc

```

Dataset Name	Description	Log Category
default-Unclassified-AP-Summary_ table	Default unclassified access point summary	event

```

select
  (
    case onwire when 'no' then 'off-wire' when 'yes' then 'on-wire' else 'others' end
  ) as ap_status,
  count(*) as totalnum
from
  ###(select onwire, ssid, bssid, count(*) as subtotal from $log where $filter and
  apstatus=0 and bssid is not null and logid_to_int(logid) in (43521, 43525, 43527, 43563,
  43564, 43565, 43566, 43569, 43570, 43571, 43582, 43583, 43584, 43585) group by onwire, ssid,
  bssid order by subtotal desc)### t group by ap_status order by totalnum desc

```

Dataset Name	Description	Log Category
default-selected-AP-Details-OffWire	Default selected access point details off-wire	event

```

select
  (
    case apstatus when 0 then 'unclassified' when 1 then 'rogue' when 2 then 'accepted' when
  3 then 'suppressed' else 'others' end
  ) as ap_full_status,
  devid,
  vd,
  ssid,
  bssid,
  manuf,
  rssi,
  channel,
  radioband,
  from_dtime(
    min(first_seen)
  ) as first_seen,
  from_dtime(
    max(last_seen)
  ) as last_seen,
  detectionmethod,
  itime,
  onwire as on_wire
from
  ###(select apstatus, devid, vd, ssid, bssid, manuf, rssi, channel, radioband, min(dtime)
  as first_seen, max(dtime) as last_seen, detectionmethod, itime, onwire from $log where
  $filter and apstatus is not null and bssid is not null and logid_to_int(logid) in (43521,
  43563, 43564, 43565, 43566, 43569, 43570, 43571) group by apstatus, devid, vd, ssid, bssid,
  manuf, rssi, channel, radioband, detectionmethod, itime, onwire order by itime desc)### t
  where onwire='no' group by ap_full_status, devid, vd, ssid, bssid, manuf, rssi, channel,
  radioband, detectionmethod, itime, onwire, apstatus order by itime desc

```

Dataset Name	Description	Log Category
default-selected-AP-Details-OnWire	Default selected access point details on-wire	event

```

select
  (
    case apstatus when 0 then 'unclassified' when 1 then 'rogue' when 2 then 'accepted' when
3 then 'suppressed' else 'others' end
  ) as ap_full_status,
  devid,
  vd,
  ssid,
  bssid,
  manuf,
  rssi,
  channel,
  radioband,
  from_dtime(
    min(first_seen)
  ) as first_seen,
  from_dtime(
    max(last_seen)
  ) as last_seen,
  detectionmethod,
  itime,
  onwire as on_wire
from
  ###(select apstatus, devid, vd, ssid, bssid, manuf, rssi, channel, radioband, min(dtime)
as first_seen, max(dtime) as last_seen, detectionmethod, itime, onwire from $log where
$filter and apstatus is not null and bssid is not null and logid_to_int(logid) in (43521,
43563, 43564, 43565, 43566, 43569, 43570, 43571) group by apstatus, devid, vd, ssid, bssid,
manuf, rssi, channel, radioband, detectionmethod, itime, onwire order by itime desc)### t
where onwire='yes' group by ap_full_status, devid, vd, ssid, bssid, manuf, rssi, channel,
radioband, detectionmethod, itime, onwire, apstatus order by itime desc

```

Dataset Name	Description	Log Category
event-Wireless-Client-Details	Event wireless client details	event

```

drop
  table if exists rpt_tmptbl_1; create temporary table rpt_tmptbl_1 as
select
  ip,
  lmac,
  sn,
  ssid,
  channel,
  radioband,
  min(first) as first,
  max(last) as last
from
  ###(select ip, lower(mac) as lmac, sn, ssid, channel, radioband, min(dtime) as first, max
(dtime) as last from $log-event where $filter and ip is not null and mac is not null and sn
is not null and ssid is not null group by ip, lmac, sn, ssid, channel, radioband order by
ip)### t group by ip, lmac, sn, ssid, channel, radioband; select user_src, ip, lmac, sn,
ssid, channel, radioband, from_dtime(first) as first_seen, from_dtime(last) as last_seen,

```



```
cast(volume as decimal(18,2)) as bandwidth from (select * from rpt_tmptbl_1 inner join
(select user_src, srcip, sum(volume) as volume from ###(select coalesce(nullifna(`user`),
nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, srcip, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as volume from $log-traffic where $filter-time and (logflag&1>0)
and srcip is not null group by user_src, srcip having sum(coalesce(sentbyte, 0)+coalesce
(rcvdbyte, 0))>0 order by volume desc)### t group by user_src, srcip order by user_src,
srcip) t on rpt_tmptbl_1.ip = t.srcip) t order by volume desc
```

Dataset Name	Description	Log Category
event-Wireless-Accepted-Offwire	Event wireless accepted off-wire	event

```
select
'accepted' as ap_full_status,
devid,
vd,
ssid,
bssid,
manuf,
channel,
radioband,
from_dtime(
max(last_seen)
) as last_seen,
detectionmethod,
snclosest,
'no' as on_wire
from
###(select devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod, snclosest,
onwire, logid, apstatus, max(dtime) as last_seen from $log where $filter and bssid is not
null and logid_to_int(logid) in (43521, 43525, 43563, 43564, 43565, 43566, 43569, 43570,
43571) group by devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod,
snclosest, onwire, logid, apstatus order by last_seen desc)### t where apstatus=2 and
onwire='no' group by devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod,
snclosest order by last_seen desc
```

Dataset Name	Description	Log Category
event-Wireless-Accepted-Onwire	Event wireless accepted on-wire	event

```
select
'accepted' as ap_full_status,
devid,
vd,
ssid,
bssid,
manuf,
channel,
radioband,
from_dtime(
max(last_seen)
) as last_seen,
detectionmethod,
snclosest,
'yes' as on_wire
from
```

```
###(select devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod, snclosest,
onwire, apstatus, max(dtime) as last_seen from $log where $filter and bssid is not null and
logid_to_int(logid) in (43521, 43525, 43563, 43564, 43565, 43566, 43569, 43570, 43571) group
by devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod, snclosest, onwire,
apstatus order by last_seen desc)### t where apstatus=2 and onwire='yes' group by devid, vd,
ssid, bssid, manuf, channel, radioband, detectionmethod, snclosest order by last_seen desc
```

Dataset Name	Description	Log Category
event-Wireless-Rogue-Offwire	Event wireless rogue off-wire	event

```
select
  'rogue' as ap_full_status,
  devid,
  vd,
  ssid,
  bssid,
  manuf,
  channel,
  radioband,
  from_dtime(
    max(last_seen)
  ) as last_seen,
  detectionmethod,
  snclosest,
  'no' as on_wire
from
  ###(select devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod, snclosest,
onwire, logid, apstatus, max(dtime) as last_seen from $log where $filter and bssid is not
null and logid_to_int(logid) in (43521, 43525, 43563, 43564, 43565, 43566, 43569, 43570,
43571) group by devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod,
snclosest, onwire, logid, apstatus order by last_seen desc)### t where apstatus=1 and
onwire='no' group by devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod,
snclosest order by last_seen desc
```

Dataset Name	Description	Log Category
event-Wireless-Rogue-Onwire	Event wireless rogue on-wire	event

```
select
  'rogue' as ap_full_status,
  devid,
  vd,
  ssid,
  bssid,
  manuf,
  channel,
  radioband,
  from_dtime(
    max(last_seen)
  ) as last_seen,
  detectionmethod,
  snclosest,
  'yes' as on_wire
from
  ###(select devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod, snclosest,
```

```
onwire, apstatus, max(dtime) as last_seen from $log where $filter and bssid is not null and
logid_to_int(logid) in (43521, 43525, 43563, 43564, 43565, 43566, 43569, 43570, 43571) group
by devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod, snclosest, onwire,
apstatus order by last_seen desc)### t where apstatus=1 and onwire='yes' group by devid, vd,
ssid, bssid, manuf, channel, radioband, detectionmethod, snclosest order by last_seen desc
```

Dataset Name	Description	Log Category
event-Wireless-Suppressed-Offwire	Event wireless suppressed off-wire	event

```
select
  'suppressed' as ap_full_status,
  devid,
  vd,
  ssid,
  bssid,
  manuf,
  channel,
  radioband,
  from_dtime(
    max(last_seen)
  ) as last_seen,
  detectionmethod,
  snclosest,
  'no' as on_wire
from
  ###(select devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod, snclosest,
onwire, logid, apstatus, max(dtime) as last_seen from $log where $filter and bssid is not
null and logid_to_int(logid) in (43521, 43525, 43563, 43564, 43565, 43566, 43569, 43570,
43571) group by devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod,
snclosest, onwire, logid, apstatus order by last_seen desc)### t where apstatus=3 and
onwire='no' group by devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod,
snclosest order by last_seen desc
```

Dataset Name	Description	Log Category
event-Wireless-Suppressed-Onwire	Event wireless suppressed on-wire	event

```
select
  'suppressed' as ap_full_status,
  devid,
  vd,
  ssid,
  bssid,
  manuf,
  channel,
  radioband,
  from_dtime(
    max(last_seen)
  ) as last_seen,
  detectionmethod,
  snclosest,
  'yes' as on_wire
from
  ###(select devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod, snclosest,
onwire, apstatus, max(dtime) as last_seen from $log where $filter and bssid is not null and
```

```
logid_to_int(logid) in (43521, 43525, 43563, 43564, 43565, 43566, 43569, 43570, 43571) group
by devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod, snclosest, onwire,
apstatus order by last_seen desc)### t where apstatus=3 and onwire='yes' group by devid, vd,
ssid, bssid, manuf, channel, radioband, detectionmethod, snclosest order by last_seen desc
```

Dataset Name	Description	Log Category
event-Wireless-Unclassified-Offwire	Event wireless unclassified off-wire	event

```
select
  'unclassified' as ap_full_status,
  devid,
  vd,
  ssid,
  bssid,
  manuf,
  channel,
  radioband,
  from_dtime(
    max(last_seen)
  ) as last_seen,
  detectionmethod,
  snclosest,
  'no' as on_wire
from
  ###(select devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod, snclosest,
  onwire, logid, apstatus, max(dtime) as last_seen from $log where $filter and bssid is not
  null and logid_to_int(logid) in (43521, 43525, 43563, 43564, 43565, 43566, 43569, 43570,
  43571) group by devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod,
  snclosest, onwire, logid, apstatus order by last_seen desc)### t where apstatus=0 and
  onwire='no' group by devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod,
  snclosest order by last_seen desc
```

Dataset Name	Description	Log Category
event-Wireless-Unclassified-Onwire	Event wireless unclassified on-wire	event

```
select
  'unclassified' as ap_full_status,
  devid,
  vd,
  ssid,
  bssid,
  manuf,
  channel,
  radioband,
  from_dtime(
    max(last_seen)
  ) as last_seen,
  detectionmethod,
  snclosest,
  'yes' as on_wire
from
  ###(select devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod, snclosest,
  onwire, apstatus, max(dtime) as last_seen from $log where $filter and bssid is not null and
  logid_to_int(logid) in (43521, 43525, 43563, 43564, 43565, 43566, 43569, 43570, 43571) group
```

by devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod, snclosest, onwire, apstatus order by last_seen desc)### t where apstatus=0 and onwire='yes' group by devid, vd, ssid, bssid, manuf, channel, radioband, detectionmethod, snclosest order by last_seen desc

Dataset Name	Description	Log Category
default-Top-IPSEC-Vpn-Dial-Up-User-By-Bandwidth	Default top IPsec VPN dial up user by bandwidth usage	event

```

select
  coalesce(
    xauthuser_agg,
    user_agg,
    ipstr(`remip`)
  ) as user_src,
  from_dtime(
    min(s_time)
  ) as start_time,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out
from
  (
    select
      devid,
      vd,
      string_agg(distinct xauthuser_agg, ' ') as xauthuser_agg,
      string_agg(distinct user_agg, ' ') as user_agg,
      remip,
      tunnelid,
      min(s_time) as s_time,
      max(e_time) as e_time,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_in)+ max(max_traffic_out)
else max(max_traffic_in)- min(min_traffic_in)+ max(max_traffic_out)- min(min_traffic_out)
end
      ) as bandwidth,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_in) else max(max_traffic_in)- min(min_traffic_in) end
      ) as traffic_in,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_out) else max(max_traffic_out)- min(min_traffic_out) end
      ) as traffic_out
    from
      ###(select devid, vd, remip, nullifna(`xauthuser`) as xauthuser_agg, nullifna(`user`)
as user_agg, tunnelid, min(coalesce(dtime, 0)) as s_time, max(coalesce(dtime, 0)) as e_time,
max(coalesce(duration,0)) as max_duration, min(coalesce(duration,0)) as min_duration, min
(coalesce(sentbyte, 0)) as min_traffic_out, min(coalesce(rcvdbyte, 0)) as min_traffic_in,
max(coalesce(sentbyte, 0)) as max_traffic_out, max(coalesce(rcvdbyte, 0)) as max_traffic_in
from $log where $filter and subtype='vpn' and tunneltype like 'ipsec%' and not (tunnelip is
null or tunnelip='0.0.0.0') and action in ('tunnel-stats', 'tunnel-down', 'tunnel-up') and
tunnelid is not null and tunnelid!=0 group by devid, vd, remip, xauthuser_agg, user_agg,
tunnelid order by tunnelid)### t group by devid, vd, remip, tunnelid) tt group by user_src
having sum(bandwidth)>0 order by bandwidth desc

```

Dataset Name	Description	Log Category
default-Top-Sources-Of-SSL-VPN-Tunnels-By-Bandwidth	Default top sources of SSL VPN tunnels by bandwidth usage	event

```

select
  remip as remote_ip,
  sum(bandwidth) as bandwidth
from
  (
    select
      devid,
      vd,
      remip,
      tunnelid,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_in) else max(max_traffic_in)- min(min_traffic_in) end
      ) as traffic_in,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_out) else max(max_traffic_out)- min(min_traffic_out) end
      ) as traffic_out,
      (
        case when min(s_time)= max(e_time) then max(max_traffic_in)+ max(max_traffic_out) else max(max_traffic_in)- min(min_traffic_in)+ max(max_traffic_out)- min(min_traffic_out) end
      ) as bandwidth
    from
      ###(select $flex_timestamp as timestamp, devid, vd, remip, tunnelid, (case when tunneltype like 'ipsec%' then 'ipsec' else tunneltype end) as t_type, (case when action='tunnel-up' then 1 else 0 end) as tunnelup, max(coalesce(sentbyte, 0)) as max_traffic_out, max(coalesce(rcvbyte, 0)) as max_traffic_in, min(coalesce(sentbyte, 0)) as min_traffic_out, min(coalesce(rcvbyte, 0)) as min_traffic_in, min(coalesce(dtime, 0)) as s_time, max(coalesce(dtime, 0)) as e_time from $log where $filter and subtype='vpn' and (tunneltype like 'ipsec%' or tunneltype like 'ssl%') and action in ('tunnel-up','tunnel-stats', 'tunnel-down') and tunnelid is not null and tunnelid!=0 group by timestamp, devid, vd, remip, t_type, tunnelid, action /*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where t_type like 'ssl%' group by devid, vd, remip, tunnelid) tt group by remote_ip having sum(traffic_in+traffic_out)>0 order by bandwidth desc

```

Dataset Name	Description	Log Category
webfilter-Web-Activity-Summary-By-Requests	Webfilter web activity summary by requests	webfilter

```

select
  $flex_timescale(timestamp) as hodex,
  sum(allowed_request) as allowed_request,
  sum(blocked_request) as blocked_request
from
  ###(select $flex_timestamp as timestamp, sum(case when action!='blocked' then 1 else 0 end) as allowed_request, sum(case when action='blocked' then 1 else 0 end) as blocked_request from $log where $filter and (eventtype is null or logver>=502000000) group by timestamp /*SkipSTART*/order by timestamp desc/*SkipEND*/)### t group by hodex order by hodex

```

Dataset Name	Description	Log Category
traffic-Browsing-Time-Summary	Traffic browsing time summary	traffic

```
select
  $flex_timescale(timestamp) as hosex,
  cast(
    ebtr_value(
      ebtr_agg_flat(browsetime),
      null,
      $timespan
    ) / 60.0 as decimal(18, 2)
  ) as browsetime
from
  ###(select $flex_timestamp as timestamp, ebtr_agg_flat($browse_time) as browsetime from
$log where $filter and (logflag&1>0) and $browse_time is not null group by timestamp
/*SkipSTART*/order by timestamp desc/*SkipEND*/)### t group by hosex order by hosex
```

Dataset Name	Description	Log Category
webfilter-Top-Web-Users-By-Blocked-Requests	Webfilter top web users by blocked requests	webfilter

```
select
  user_src,
  sum(requests) as requests
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, action, count(*) as
requests from $log where $filter and (eventtype is null or logver>=502000000) and coalesce
(nullifna(`user`), ipstr(`srcip`)) is not null group by user_src, action /*SkipSTART*/order
by requests desc/*SkipEND*/)### t where action='blocked' group by user_src order by requests
desc
```

Dataset Name	Description	Log Category
webfilter-Top-Web-Users-By-Allowed-Requests	Webfilter top web users by allowed requests	webfilter

```
select
  user_src,
  sum(requests) as requests
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, action, count(*) as
requests from $log where $filter and (eventtype is null or logver>=502000000) and coalesce
(nullifna(`user`), ipstr(`srcip`)) is not null group by user_src, action /*SkipSTART*/order
by requests desc/*SkipEND*/)### t where action!='blocked' group by user_src order by
requests desc
```

Dataset Name	Description	Log Category
traffic-Top-Web-Users-By-Browsing-Time	Traffic top web users by browsing time	traffic

```
select
  user_src,
```

```

    ebtr_value(
        ebtr_agg_flat(browsetime),
        null,
        $timespan
    ) as browsetime,
    sum(bandwidth) as bandwidth,
    sum(traffic_in) as traffic_in,
    sum(traffic_out) as traffic_out
from
    ###(select user_src, ebtr_agg_flat(browsetime) as browsetime, sum(bandwidth) as bandwidth,
    sum(traffic_in) as traffic_in, sum(traffic_out) as traffic_out from (select coalesce
    (nullifna(`user`), ipstr(`srcip`)) as user_src, ebtr_agg_flat($browse_time) as browsetime,
    sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as
    traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out from $log where $filter and $browse_
    time is not null group by user_src) t group by user_src /*SkipSTART*/order by ebtr_value
    (ebtr_agg_flat(browsetime), null, null) desc/*SkipEND*/)### t group by user_src order by
    browsetime desc

```

Dataset Name	Description	Log Category
webfilter-Top-Blocked-Web-Sites-By-Requests	Webfilter top blocked web sites by requests	webfilter

```

select
    domain,
    catdesc,
    sum(requests) as requests
from
    ###(select hostname as domain, catdesc, action, count(*) as requests from $log where
    $filter and (eventtype is null or logver>=502000000) and hostname is not null and catdesc is
    not null group by domain, catdesc, action /*SkipSTART*/order by requests desc/*SkipEND*/)###
    t where action='blocked' group by domain, catdesc order by requests desc

```

Dataset Name	Description	Log Category
webfilter-Top-Allowed-Web-Sites-By-Requests	Webfilter top allowed web sites by requests	webfilter

```

select
    domain,
    string_agg(distinct catdesc, ', ') as agg_catdesc,
    sum(requests) as requests
from
    ###(select hostname as domain, catdesc, action, count(*) as requests from $log where
    $filter and (eventtype is null or logver>=502000000) and hostname is not null and catdesc is
    not null group by domain, catdesc, action /*SkipSTART*/order by requests desc/*SkipEND*/)###
    t where action!='blocked' group by domain order by requests desc

```

Dataset Name	Description	Log Category
webfilter-Top-Video-Streaming-Websites-By-Bandwidth	Webfilter top video streaming websites by bandwidth usage	webfilter

```

select
    domain,
    sum(bandwidth) as bandwidth,

```



```

sum(traffic_in) as traffic_in,
sum(traffic_out) as traffic_out
from
###(select coalesce(nullifna(root_domain(hostname)), 'other') as domain, sum(coalesce
(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in,
sum(coalesce(sentbyte, 0)) as traffic_out from $log-traffic where $filter and (logflag&1>0)
and (countweb>0 or ((logver is null or logver<502000000) and (hostname is not null or
utmevent in ('webfilter', 'banned-word', 'web-content', 'command-block', 'script-filter'))))
and catdesc in ('Streaming Media and Download') group by domain having sum(coalesce
(sentbyte, 0)+coalesce(rcvdbyte, 0))>0 /*SkipSTART*/order by bandwidth desc/*SkipEND*/)### t
group by domain order by bandwidth desc

```

Dataset Name	Description	Log Category
webfilter-Top-Blocked-Web-Categories	Webfilter top blocked web categories	webfilter

```

select
catdesc,
sum(requests) as requests
from
###(select catdesc, action, count(*) as requests from $log-webfilter where $filter and
(eventtype is null or logver>=502000000) and catdesc is not null group by catdesc, action
/*SkipSTART*/order by requests desc/*SkipEND*/)### t where action='blocked' group by catdesc
order by requests desc

```

Dataset Name	Description	Log Category
webfilter-Top-Allowed-Web-Categories	Webfilter top allowed web categories	webfilter

```

select
catdesc,
sum(requests) as requests
from
###(select catdesc, action, count(*) as requests from $log-webfilter where $filter and
(eventtype is null or logver>=502000000) and catdesc is not null group by catdesc, action
/*SkipSTART*/order by requests desc/*SkipEND*/)### t where action!='blocked' group by
catdesc order by requests desc

```

Dataset Name	Description	Log Category
traffic-Top-50-Sites-By-Browsing-Time	Traffic top sites by browsing time	traffic

```

select
hostname,
string_agg(distinct catdesc, ', ') as agg_catdesc,
ebtr_value(
ebtr_agg_flat(browsetime),
null,
$timespan
) as browsetime,
sum(bandwidth) as bandwidth,
sum(traffic_in) as traffic_in,
sum(traffic_out) as traffic_out
from
###(select hostname, catdesc, ebtr_agg_flat(browsetime) as browsetime, sum(bandwidth) as
bandwidth, sum(traffic_in) as traffic_in, sum(traffic_out) as traffic_out from (select

```

```
hostname, catdesc, ebtr_agg_flat($browse_time) as browsetime, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out from $log where $filter and (logflag&1>0) and
hostname is not null and $browse_time is not null group by hostname, catdesc) t group by
hostname, catdesc /*SkipSTART*/order by ebtr_value(ebtr_agg_flat(browsetime), null, null)
desc/*SkipEND*/)### t group by hostname order by browsetime desc
```

Dataset Name	Description	Log Category
traffic-Top-10-Categories-By-Browsing-Time	Traffic top category by browsing time	traffic

```
select
  catdesc,
  ebtr_value(
    ebtr_agg_flat(browsetime),
    null,
    $timespan
  ) as browsetime,
  sum(bandwidth) as bandwidth
from
  ###(select catdesc, ebtr_agg_flat(browsetime) as browsetime, sum(bandwidth) as bandwidth
from (select catdesc, ebtr_agg_flat($browse_time) as browsetime, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth from $log where $filter and (logflag&1>0) and catdesc
is not null and $browse_time is not null group by catdesc) t group by catdesc
/*SkipSTART*/order by ebtr_value(ebtr_agg_flat(browsetime), null, null) desc/*SkipEND*/)###
t group by catdesc order by browsetime desc
```

Dataset Name	Description	Log Category
traffic-Top-Destination-Countries-By-Browsing-Time	Traffic top destination countries by browsing time	traffic

```
select
  dstcountry,
  ebtr_value(
    ebtr_agg_flat(browsetime),
    null,
    $timespan
  ) as browsetime,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out
from
  ###(select dstcountry, ebtr_agg_flat(browsetime) as browsetime, sum(bandwidth) as
bandwidth, sum(traffic_in) as traffic_in, sum(traffic_out) as traffic_out from (select
dstcountry, ebtr_agg_flat($browse_time) as browsetime, sum(coalesce(sentbyte, 0)+coalesce
(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce
(sentbyte, 0)) as traffic_out from $log where $filter and (logflag&1>0) and $browse_time is
not null group by dstcountry) t group by dstcountry /*SkipSTART*/order by ebtr_value(ebtr_
agg_flat(browsetime), null, null) desc/*SkipEND*/)### t group by dstcountry order by
browsetime desc
```

Dataset Name	Description	Log Category
webfilter-Top-Search-Phrases	Webfilter top search phrases	webfilter

```
select
  keyword,
  count(*) as requests
from
  $log
where
  $filter
  and keyword is not null
group by
  keyword
order by
  requests desc
```

Dataset Name	Description	Log Category
Top-10-Users-Browsing-Time	Estimated browsing time	traffic

```
select
  user_src,
  ebtr_value(
    ebtr_agg_flat(browsetime),
    null,
    $timespan
  ) as browsetime
from
  ###(select user_src, ebtr_agg_flat(browsetime) as browsetime from (select coalesce
  (nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, ebtr_agg_flat
  ($browse_time) as browsetime from $log where $filter and (logflag&l>0) and $browse_time is
  not null group by user_src) t group by user_src order by ebtr_value(ebtr_agg_flat
  (browsetime), null, null) desc)### t group by user_src order by browsetime desc
```

Dataset Name	Description	Log Category
Estimated-Browsing-Time	Estimated browsing time	traffic

```
select
  user_src,
  ebtr_value(
    ebtr_agg_flat(browsetime),
    null,
    $timespan
  ) as browsetime
from
  ###(select user_src, ebtr_agg_flat(browsetime) as browsetime from (select coalesce
  (nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, ebtr_agg_flat
  ($browse_time) as browsetime from $log where $filter and (logflag&l>0) and $browse_time is
  not null group by user_src) t group by user_src order by ebtr_value(ebtr_agg_flat
  (browsetime), null, null) desc)### t group by user_src order by browsetime desc
```

Dataset Name	Description	Log Category
wifi-Top-AP-By-Bandwidth	Top access point by bandwidth usage	traffic

```
select
  coalesce(ap, srcintf) as ap_srcintf,
  sum(
```

```

        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    ) as bandwidth
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
    and (
        srcssid is not null
        or dstssid is not null
    )
group by
    ap_srcintf
having
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    )> 0
order by
    bandwidth desc

```

Dataset Name	Description	Log Category
wifi-Top-AP-By-Client	Top access point by client	traffic

```

select
    ap_srcintf as srcintf,
    count(distinct srcmac) as totalnum
from
    ###(select coalesce(ap, srcintf) as ap_srcintf, srcssid, osname, srcswversion, get_devtype
    (srcswversion, osname, devtype) as devtype_new, srcmac, count(*) as subtotal from $log where
    $filter and (logflag&1>0) and (srcssid is not null or dstssid is not null) and srcmac is not
    null group by ap_srcintf, srcssid, osname, srcswversion, devtype_new, srcmac order by
    subtotal desc)### t group by srcintf order by totalnum desc

```

Dataset Name	Description	Log Category
wifi-Top-SSID-By-Bandwidth	Top SSIDs by bandwidth usage	traffic

```

select
    srcssid,
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    ) as bandwidth
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
    and srcssid is not null
group by
    srcssid
having

```

```

sum(
  coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
)& gt; 0
order by
  bandwidth desc

```

Dataset Name	Description	Log Category
wifi-Top-SSID-By-Client	Top SSIDs by client	traffic

```

select
  srcssid,
  count(distinct srcmac) as totalnum
from
  ###(select srcintf, srcssid, osname, srcswversion, osversion, devtype, srcmac, count(*) as
subtotal from $log where $filter and (logflag&1>0) and (srcssid is not null or dstssid is
not null) and srcmac is not null group by srcintf, srcssid, osname, srcswversion, osversion,
devtype, srcmac order by subtotal desc)### t where srcssid is not null group by srcssid
order by totalnum desc

```

Dataset Name	Description	Log Category
wifi-Top-App-By-Bandwidth	Top WiFi applications by bandwidth usage	traffic

```

select
  appid,
  app,
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) as bandwidth
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
  and (
    srcssid is not null
    or dstssid is not null
  )
  and nullifna(app) is not null
group by
  appid,
  app
having
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  )& gt; 0
order by
  bandwidth desc

```

Dataset Name	Description	Log Category
wifi-Top-Client-By-Bandwidth	Top WiFi client by bandwidth usage	traffic

```

select
(
    coalesce(srcname, srcmac, 'unknown') || ' (' || get_devtype(srcswversion, osname,
devtype) || ', ' || coalesce(osname, '') || (
        case when srcswversion is null then '' else ' ' || srcswversion end
    ) || ')'
) as client,
sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
) as bandwidth
from
$log
where
$filter
and (
    logflag&1>0
)
and (
    srcssid is not null
    or dstssid is not null
)
group by
client
having
sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
)& gt; 0
order by
bandwidth desc

```

Dataset Name	Description	Log Category
wifi-Top-OS-By-Bandwidth	Top WiFi os by bandwidth usage	traffic

```

select
(
    coalesce(osname, 'unknown') || ' ' || coalesce(srcswversion, '')
) as os,
sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
) as bandwidth
from
$log
where
$filter
and (
    logflag&1>0
)
and (
    srcssid is not null
    or dstssid is not null
)
group by
os
having
sum(

```

```

        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    )& gt; 0
order by
    bandwidth desc

```

Dataset Name	Description	Log Category
wifi-Top-OS-By-WiFi-Client	Top WiFi os by WiFi client	traffic

```

select
    (
        coalesce(osname, 'unknown') || ' ' || coalesce(osversion, '')
    ) as os,
    count(distinct srcmac) as totalnum
from
    ###(select srcintf, srcssid, osname, srcswversion, osversion, devtype, srcmac, count(*) as
    subtotal from $log where $filter and (logflag&1>0) and (srcssid is not null or dstssid is
    not null) and srcmac is not null group by srcintf, srcssid, osname, srcswversion, osversion,
    devtype, srcmac order by subtotal desc)### t group by os order by totalnum desc

```

Dataset Name	Description	Log Category
wifi-Top-Device-By-Bandwidth	Top WiFi device by bandwidth usage	traffic

```

select
    get_devtype(srcswversion, osname, devtype) as devtype_new,
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    ) as bandwidth
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
    and (
        srcssid is not null
        or dstssid is not null
    )
    and devtype is not null
group by
    devtype_new
having
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    )& gt; 0
order by
    bandwidth desc

```

Dataset Name	Description	Log Category
wifi-Top-Device-By-Client	Top WiFi device by client	traffic

```

select
    devtype_new,

```

```

count(distinct srcmac) as totalnum
from
###(select get_devtype(srcswversion, osname, devtype) as devtype_new, srcmac, count(*) as
subtotal from $log where $filter and (logflag&1>0) and (srcssid is not null or dstssid is
not null) and srcmac is not null group by devtype_new, srcmac order by subtotal desc)### t
where devtype_new is not null group by devtype_new order by totalnum desc

```

Dataset Name	Description	Log Category
wifi-Overall-Traffic	WiFi overall traffic	traffic

```

select
sum(
coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
) as bandwidth
from
$log
where
$filter
and (
logflag&1>0
)
and (
srcssid is not null
or dstssid is not null
)

```

Dataset Name	Description	Log Category
wifi-Num-Distinct-Client	WiFi num distinct client	traffic

```

select
count(distinct srcmac) as totalnum
from
###(select get_devtype(srcswversion, osname, devtype) as devtype_new, srcmac, count(*) as
subtotal from $log where $filter and (logflag&1>0) and (srcssid is not null or dstssid is
not null) and srcmac is not null group by devtype_new, srcmac order by subtotal desc)### t

```

Dataset Name	Description	Log Category
Top30-Subnets-by-Bandwidth-and-Sessions	Top subnets by application bandwidth	traffic

```

select
ip_subnet(`srcip`) as subnet,
sum(
coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
) as bandwidth,
sum(
coalesce(rcvdbyte, 0)
) as traffic_in,
sum(
coalesce(sentbyte, 0)
) as traffic_out,
count(*) as sessions
from

```



```

$log
where
  $filter
  and (
    logflag&1>0
  )
group by
  subnet
having
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  )> 0
order by
  bandwidth desc

```

Dataset Name	Description	Log Category
Top30-Subnets-by-Application-Bandwidth	Top applications by bandwidth	traffic

```

select
  ip_subnet(`srcip`) as subnet,
  app_group_name(app) as app_group,
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) as bandwidth
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
  and nullifna(app) is not null
group by
  subnet,
  app_group
having
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  )> 0
order by
  bandwidth desc

```

Dataset Name	Description	Log Category
Top30-Subnets-by-Application-Sessions	Top applications by sessions	traffic

```

select
  ip_subnet(`srcip`) as subnet,
  app_group_name(app) as app_group,
  count(*) as sessions
from
  $log
where

```

```

$filter
and (
    logflag&1>0
)
and nullifna(app) is not null
group by
    subnet,
    app_group
order by
    sessions desc

```

Dataset Name	Description	Log Category
Top30-Subnets-by-Website-Bandwidth	Top websites and web category by bandwidth	traffic

```

select
    subnet,
    website,
    sum(bandwidth) as bandwidth
from
    ###(select ip_subnet(`srcip`) as subnet, hostname as website, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth from $log-traffic where $filter and hostname is not
null and (logflag&1>0) and (countweb>0 or ((logver is null or logver<502000000) and
(hostname is not null or utmevent in ('webfilter', 'banned-word', 'web-content', 'command-
block', 'script-filter')))) group by subnet, website order by bandwidth desc)### t group by
subnet, website order by bandwidth desc

```

Dataset Name	Description	Log Category
Top30-Subnets-by-Website-Hits	Top websites and web category by sessions	webfilter

```

select
    subnet,
    website,
    sum(hits) as hits
from
    ###(select ip_subnet(`srcip`) as subnet, hostname as website, count(*) as hits from $log
where $filter and hostname is not null and (eventtype is null or logver>=502000000) group by
subnet, website order by hits desc)### t group by subnet, website order by hits desc

```

Dataset Name	Description	Log Category
Top30-Subnets-with-Top10-User-by-Bandwidth	Top users by bandwidth	traffic

```

select
    ip_subnet(`srcip`) as subnet,
    coalesce(
        nullifna(`user`),
        nullifna(`unauthuser`),
        ipstr(`srcip`)
    ) as user_src,
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    ) as bandwidth
from

```

```

$log
where
  $filter
  and (
    logflag&1>0
  )
  and srcip is not null
group by
  subnet,
  user_src
having
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  )> 0
order by
  bandwidth desc

```

Dataset Name	Description	Log Category
Top30-Subnets-with-Top10-User-by-Sessions	Top users by sessions	traffic

```

select
  ip_subnet(`srcip`) as subnet,
  coalesce(
    nullifna(`user`),
    nullifna(`unauthuser`),
    ipstr(`srcip`)
  ) as user_src,
  count(*) as sessions
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
group by
  subnet,
  user_src
order by
  sessions desc

```

Dataset Name	Description	Log Category
app-Top-20-Category-and-Applications-by-Bandwidth	Top category and applications by bandwidth usage	traffic

```

select
  appcat,
  app,
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) as bandwidth
from
  $log

```

```

where
    $filter
    and (
        logflag&1>0
    )
group by
    appcat,
    app
having
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    )> 0
order by
    bandwidth desc

```

Dataset Name	Description	Log Category
app-Top-20-Category-and-Applications-by-Session	Top category and applications by session	traffic

```

select
    appcat,
    app,
    count(*) as sessions
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
group by
    appcat,
    app
order by
    sessions desc

```

Dataset Name	Description	Log Category
app-Top-500-Allowed-Applications-by-Bandwidth	Top allowed applications by bandwidth usage	traffic

```

select
    from_itime(itime) as timestamp,
    coalesce(
        nullifna(`user`),
        nullifna(`unauthuser`),
        ipstr(`srcip`)
    ) as user_src,
    appcat,
    app,
    coalesce(
        root_domain(hostname),
        ipstr(dstip)
    ) as destination,
    sum(

```

```

        coalesce(`sentbyte`, 0)+ coalesce(`rcvdbyte`, 0)
    ) as bandwidth
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
    and action in ('accept', 'close', 'timeout')
group by
    timestamp,
    user_src,
    appcat,
    app,
    destination
order by
    bandwidth desc

```

Dataset Name	Description	Log Category
app-Top-500-Blocked-Applications-by-Session	Top blocked applications by session	traffic

```

select
    coalesce(
        nullifna(`user`),
        nullifna(`unauthuser`),
        ipstr(`srcip`)
    ) as user_src,
    appcat,
    app,
    count(*) as sessions
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
    and action in (
        'deny', 'blocked', 'reset', 'dropped'
    )
group by
    user_src,
    appcat,
    app
order by
    sessions desc

```

Dataset Name	Description	Log Category
web-Detailed-Website-Browsing-Log	Web detailed website browsing log	traffic

```

select
    from_dtime(dtime) as timestamp,

```

```

catdesc,
hostname as website,
status,
sum(bandwidth) as bandwidth
from
###(select dttime, catdesc, hostname, cast(utmaction as text) as status, sum(coalesce
(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth from $log-traffic where $filter and
hostname is not null and (logflag&1>0) and (countweb>0 or ((logver is null or
logver<502000000) and (hostname is not null or utmevent in ('webfilter', 'banned-word',
'web-content', 'command-block', 'script-filter')))) group by dttime, catdesc, hostname,
utmaction order by dttime desc)### t group by dttime, catdesc, website, status order by dttime
desc

```

Dataset Name	Description	Log Category
web-Hourly-Category-and-Website-Hits-Action	Web hourly category and website hits action	webfilter

```

select
  hod,
  website,
  sum(hits) as hits
from
###(select $hour_of_day as hod, (hostname || ' (' || coalesce(`catdesc`, 'Unknown') ||
')) as website , count(*) as hits from $log where $filter and hostname is not null and
(eventtype is null or logver>=502000000) group by hod, website order by hod, hits desc)### t
group by hod, website order by hod, hits desc

```

Dataset Name	Description	Log Category
web-Top-20-Category-and-Websites-by-Bandwidth	Web top category and websites by bandwidth usage	traffic

```

select
  website,
  catdesc,
  sum(bandwidth) as bandwidth
from
###(select hostname as website, catdesc, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))
as bandwidth from $log-traffic where $filter and hostname is not null and (logflag&1>0) and
(countweb>0 or ((logver is null or logver<502000000) and (hostname is not null or utmevent
in ('webfilter', 'banned-word', 'web-content', 'command-block', 'script-filter')))) group by
website, catdesc order by bandwidth desc)### t group by website, catdesc order by bandwidth
desc

```

Dataset Name	Description	Log Category
web-Top-20-Category-and-Websites-by-Session	Web top category and websites by session	webfilter

```

select
  website,
  catdesc,
  sum(sessions) as hits
from
###(select hostname as website, catdesc, count(*) as sessions from $log where $filter and

```

hostname is not null and (eventtype is null or logver>=502000000) group by hostname, catdesc order by sessions desc)### t group by website, catdesc order by hits desc

Dataset Name	Description	Log Category
web-Top-500-Website-Sessions-by-Bandwidth	Web top website sessions by bandwidth usage	traffic

```
select
  from_dtime(dtime) as timestamp,
  user_src,
  website,
  catdesc,
  cast(
    sum(dura)/ 60 as decimal(18, 2)
  ) as dura,
  sum(bandwidth) as bandwidth
from
  ###(select dtime, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as
  user_src, hostname as website, catdesc, sum(coalesce(duration, 0)) as dura, sum(coalesce
  (sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth from $log where $filter and hostname is
  not null and (logflag&1>0) and action in ('accept','close','timeout') group by dtime, user_
  src, website, catdesc having sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))>0 order by
  bandwidth desc)### t group by dtime, user_src, website, catdesc order by bandwidth desc
```

Dataset Name	Description	Log Category
web-Top-500-User-Visted-Websites-by-Bandwidth	Web top user visted websites by bandwidth usage	traffic

```
select
  website,
  catdesc,
  sum(bandwidth) as bandwidth
from
  ###(select hostname as website, catdesc, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))
  as bandwidth from $log-traffic where $filter and hostname is not null and (logflag&1>0) and
  (countweb>0 or ((logver is null or logver<502000000) and (hostname is not null or utmevent
  in ('webfilter', 'banned-word', 'web-content', 'command-block', 'script-filter')))) group by
  hostname, catdesc having sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))>0 order by
  bandwidth desc)### t group by website, catdesc order by bandwidth desc
```

Dataset Name	Description	Log Category
web-Top-500-User-Visted-Websites-by-Session	Web top user visted websites by session	webfilter

```
select
  website,
  catdesc,
  sum(sessions) as sessions
from
  ###(select hostname as website, catdesc, count(*) as sessions from $log where $filter and
  hostname is not null and (eventtype is null or logver>=502000000) group by hostname, catdesc
  order by sessions desc)### t group by website, catdesc order by sessions desc
```

Dataset Name	Description	Log Category
fct-Installed-Feature-Summary	Installed Feature Summary	fct-event

```
select
  subtype,
  count(distinct fctuid) as totalnum
from
  ###(select uid as fctuid, regexp_replace(os, '\\(build.*', '') as os_short, fctver,
  subtype, fgtserial, max(case when msg like 'Compliance rules%applied' then 1 else 0 end) as
  compliance_flag from $log where $filter and subtype != 'admin' group by uid, os_short,
  fctver, subtype, fgtserial)### t where subtype is not null group by subtype order by
  totalnum desc
```

Dataset Name	Description	Log Category
fct-Device-by-Operating-System	Device by OS	fct-event

```
select
  os_short as os,
  count(distinct fctuid) as totalnum
from
  ###(select uid as fctuid, regexp_replace(os, '\\(build.*', '') as os_short, fctver,
  subtype, fgtserial, max(case when msg like 'Compliance rules%applied' then 1 else 0 end) as
  compliance_flag from $log where $filter and subtype != 'admin' group by uid, os_short,
  fctver, subtype, fgtserial)### t where os_short is not null group by os order by totalnum
  desc
```

Dataset Name	Description	Log Category
fct-Installed-FortiClient-Version	FortiClient Version	fct-event

```
select
  fctver as fctver_short,
  count(distinct fctuid) as totalnum
from
  ###(select uid as fctuid, regexp_replace(os, '\\(build.*', '') as os_short, fctver,
  subtype, fgtserial, max(case when msg like 'Compliance rules%applied' then 1 else 0 end) as
  compliance_flag from $log where $filter and subtype != 'admin' group by uid, os_short,
  fctver, subtype, fgtserial)### t where fctver is not null group by fctver order by totalnum
  desc
```

Dataset Name	Description	Log Category
fct-Endpoint-Profile-Deployment	Endpoint Profile Deployment	fct-event

```
select
  profile,
  count(distinct fctuid) as totalnum
from
  ###(select uid as fctuid, coalesce(nullifna(usingpolicy), 'No Profile') as profile from
  $log where $filter group by uid, profile)### t group by profile order by totalnum desc
```

Dataset Name	Description	Log Category
fct-Client-Summary	Client Summary	fct-event


```

select
  hostname,
  deviceip,
  os_short as os,
  profile,
  fctver,
  from_itime(
    max(itime)
  ) as last_seen
from
  ###(select hostname, deviceip, regexp_replace(os, '\\(build.*', '') as os_short, nullifna
(usingpolicy) as profile, fctver, max(itime) as itime from $log where $filter and os is not
null group by hostname, deviceip, os_short, profile, fctver order by itime desc)### t group
by hostname, deviceip, os, profile, fctver order by last_seen desc

```

Dataset Name	Description	Log Category
fct-Total-Threats-Found	Total Threats Found	fct-traffic

```

select
  utmevent_s as utmevent,
  count(distinct threat) as totalnum
from
  ###(select coalesce(nullifna(lower(utmevent)), 'unknown') as utmevent_s, threat from $log
where $filter and threat is not null and utmaction='blocked' group by utmevent_s, threat)###
t group by utmevent order by totalnum desc

```

Dataset Name	Description	Log Category
fct-Top10-AV-Threats-Detected	Top AV Threats Detected	fct-traffic

```

select
  threat,
  sum(totalnum) as totalnum
from
  (
    (
      select
        threat,
        sum(totalnum) as totalnum
      from
        ###(select threat, count(*) as totalnum from $log-fct-traffic where $filter and
threat is not null and lower(utmevent)='antivirus' group by threat order by totalnum
desc)### t group by threat) union all (select threat, sum(totalnum) as totalnum from ###
(select virus as threat, count(*) as totalnum from $log-fct-event where $filter and virus is
not null group by threat order by totalnum desc)### t group by threat)) t group by threat
order by totalnum desc

```

Dataset Name	Description	Log Category
fct-Top10-Infected-Devices-with-Botnet	Top Infected Devices with Botnet	fct-traffic

```

select
  hostname,
  count(*) as totalnum

```

```

from
    $log
where
    $filter
    and hostname is not null
    and lower(utmevent) in ('webfilter', 'appfirewall')
    and lower(threat) like '%botnet%'
group by
    hostname
order by
    totalnum desc

```

Dataset Name	Description	Log Category
fct-Top10-Infected-Devices-with-Virus-Malware	Top Infected Devices with Virus Malware	fct-traffic

```

select
    hostname,
    sum(totalnum) as totalnum
from
    (
        (
            select
                hostname,
                sum(totalnum) as totalnum
            from
                ###(select hostname, count(*) as totalnum from $log-fct-traffic where $filter and
                hostname is not null and lower(utmevent) in ('antivirus', 'antimalware') group by hostname
                order by totalnum desc)### t group by hostname) union all (select hostname, sum(totalnum) as
                totalnum from ###(select hostname, count(*) as totalnum from $log-fct-event where $filter
                and hostname is not null and virus is not null group by hostname order by totalnum desc)###
                t group by hostname)) t group by hostname order by totalnum desc

```

Dataset Name	Description	Log Category
fct-All-Antivirus-Antimalware-Detections	All Antivirus and Antimalware Detections	fct-traffic

```

select
    threat,
    hostname,
    hostuser,
    utmaction,
    from_dtime(
        max(dtime)
    ) as last_seen
from
    (
        (
            select
                threat,
                hostname,
                hostuser,
                utmaction,
                max(dtime) as dtime

```

```

from
    ###(select threat, hostname, coalesce(nullifna(`user`), 'Unknown') as hostuser,
utmaction, max(dtime) as dtime from $log-fct-traffic where $filter and lower(utmevent) in
('antivirus', 'antimalware') group by threat, hostname, hostuser, utmaction order by
threat)### t group by threat, hostname, hostuser, utmaction) union all (select threat,
hostname, hostuser, utmaction, max(dtime) as dtime from ###(select virus as threat,
hostname, coalesce(nullifna(`user`), 'Unknown') as hostuser, action as utmaction, max(dtime)
as dtime from $log-fct-event where $filter and (logflag is null or logflag&8=0) and virus is
not null group by threat, hostname, hostuser, utmaction order by threat)### t group by
threat, hostname, hostuser, utmaction)) t group by threat, hostname, hostuser, utmaction
order by threat

```

Dataset Name	Description	Log Category
fct-Web-Filter-Violations	Web Filter Violations	fct-traffic

```

select
    hostuser,
    hostname,
    string_agg(distinct remotename, ',') as remotename,
    utmaction,
    sum(total) as totalnum,
    from_dtime(
        max(dtime)
    ) as last_seen
from
    ###(select remotename, hostname, coalesce(nullifna(`user`), 'Unknown') as hostuser,
utmaction, count(*) as total, max(dtime) as dtime from $log where $filter and lower
(utmevent)='webfilter' and utmaction='blocked' group by remotename, hostname, hostuser,
utmaction order by total desc)### t group by hostuser, hostname, utmaction order by totalnum
desc

```

Dataset Name	Description	Log Category
fct-Application-Firewall	Application Firewall	fct-traffic

```

select
    threat,
    hostname,
    hostuser,
    utmaction,
    from_dtime(
        max(dtime)
    ) as last_seen
from
    ###(select threat, hostname, coalesce(nullifna(`user`), 'Unknown') as hostuser, utmaction,
max(dtime) as dtime from $log where $filter and lower(utmevent)='appfirewall' and
utmaction='blocked' group by threat, hostname, hostuser, utmaction order by dtime desc)###
t1 left join app_mdata t2 on t1.threat=t2.name group by threat, risk, hostname, hostuser,
utmaction order by risk desc

```

Dataset Name	Description	Log Category
fct-Errors-and-Alerts	Errors and Alerts	fct-event

```

select
  msg,
  hostname,
  hostuser,
  from_dtime(
    max(dtime)
  ) as last_seen
from
  ###(select msg, hostname, coalesce(nullifna(`user`), 'Unknown') as hostuser, max(dtime) as
dtime from $log where $filter and level in ('error', 'alert') group by msg, hostname,
hostuser order by dtime desc)### t group by msg, hostname, hostuser order by last_seen desc

```

Dataset Name	Description	Log Category
fct-Threats-by-Top-Devices	Threats by Top Devices	fct-traffic

```

select
  hostname,
  count(*) as totalnum
from
  $log
where
  $filter
  and hostname is not null
  and utmevent is not null
  and utmaction = 'blocked'
group by
  hostname
order by
  totalnum desc

```

Dataset Name	Description	Log Category
fct-vuln-Device-Vulnerabilities	Vulnerabilities Detected by User/Device	fct-netscan

```

select
  vulnseverity,
  (
    CASE vulnseverity WHEN 'Critical' THEN 5 WHEN 'High' THEN 4 WHEN 'Medium' THEN 3 WHEN
'Info' THEN 2 WHEN 'Low' THEN 1 ELSE 0 END
  ) as severity_number,
  count(distinct vulnname) as vuln_num
from
  ###(select vulnseverity, devid, vulnname from $log where $filter and nullifna
(vulnseverity) is not null and nullifna(vulnname) is not null group by vulnseverity,
vulnname, devid)### t group by vulnseverity order by severity_number desc

```

Dataset Name	Description	Log Category
fct-vuln-Category-Type-Vulnerabilities	Vulnerabilities Detected by Category Type	fct-netscan

```

select
  vulncat,
  count(distinct vulnname) as totalnum
from
  ###(select vulncat, vulnname from $log where $filter and nullifna(vulncat) is not null and

```

```
nullifna(vulnname) is not null group by vulncat, vulnname)### t group by vulncat order by
totalnum desc
```

Dataset Name	Description	Log Category
fct-vuln-Vulnerabilities-by-OS	Forticlient Vulnerabilities by OS	fct-netscan

```
select
  os,
  count(distinct vulnname) as totalnum
from
  ###(select os, vulnname from $log where $filter and nullifna(os) is not null and nullifna
(vulnname) is not null group by os, vulnname)### t group by os order by totalnum desc
```

Dataset Name	Description	Log Category
fct-vuln-Vulnerabilities-by-Risk-Level	Number Vulnerability by Device and Risk Level	fct-netscan

```
select
  vulnseverity,
  (
    case when vulnseverity = 'Critical' then 5 when vulnseverity = 'High' then 4 when
vulnseverity = 'Medium' then 3 when vulnseverity = 'Low' then 2 when vulnseverity = 'Info'
then 1 else 0 end
  ) as severity_number,
  count(distinct vulnname) as vuln_num,
  count(distinct devid) as dev_num
from
  ###(select vulnseverity, devid, vulnname from $log where $filter and nullifna
(vulnseverity) is not null and nullifna(vulnname) is not null group by vulnseverity,
vulnname, devid)### t where nullifna(devid) is not null group by vulnseverity order by dev_
num desc, severity_number desc
```

Dataset Name	Description	Log Category
fct-vuln-Device-by-Risk-Level	Number Vulnerability by Device and Risk Level	fct-netscan

```
select
  vulnseverity,
  (
    case when vulnseverity = 'Critical' then 5 when vulnseverity = 'High' then 4 when
vulnseverity = 'Medium' then 3 when vulnseverity = 'Low' then 2 when vulnseverity = 'Info'
then 1 else 0 end
  ) as severity_number,
  count(distinct vulnname) as vuln_num,
  count(distinct devid) as dev_num
from
  ###(select vulnseverity, devid, vulnname from $log where $filter and nullifna
(vulnseverity) is not null and nullifna(vulnname) is not null group by vulnseverity,
vulnname, devid)### t where nullifna(devid) is not null group by vulnseverity order by dev_
num desc, severity_number desc
```

Dataset Name	Description	Log Category
fct-vuln-Vulnerability-Trend	Vulnerability Trend	fct-netscan

```
select
  $flex_timescale(timestamp) as hosex,
  count(distinct vulnname) as total_num
from
  ###(select $flex_timestamp as timestamp, vulnname from $log where $filter and nullifna
(vulnname) is not null group by timestamp, vulnname order by timestamp desc)### t group by
hosex order by hosex
```

Dataset Name	Description	Log Category
fct-vuln-Details-by-Risk-Level-Device	Vulnerability Details for Each Risk Level by Device	fct-netscan

```
select
  hostname,
  os,
  vulnseverity,
  count(distinct vulnname) as vuln_num,
  count(distinct products) as products,
  count(distinct cve_id) as cve_count
from
  ###(select hostname, os, vulnname, vulnseverity, vulnid from $log where $filter and
vulnname is not null and vulnseverity is not null and hostname is not null group by
hostname, os, vulnname, vulnseverity, vulnid)### t1 left join fct_mdata t2 on
t1.vulnid=t2.vid::int group by hostname, os, vulnseverity order by vuln_num desc, hostname
```

Dataset Name	Description	Log Category
fct-vuln-Details-by-Device-User	Vulnerability Details by Device User	fct-netscan

```
select
  hostname,
  (
    '<div>' || vulnname || '</div>'
  ) as vulnname,
  vulnseverity,
  vulncat,
  string_agg(distinct products, ',') as products,
  string_agg(distinct cve_id, ',') as cve_list,
  (
    '<a href=' || String_agg(DISTINCT vendor_link, ',') || '>Remediation Info</a>'
  ) as vendor_link
from
  ###(select hostname, vulnname, vulnseverity, vulncat, vulnid from $log where $filter and
vulnname is not null and hostname is not null group by hostname, vulnname, vulnseverity,
vulncat, vulnid)### t1 inner join fct_mdata t2 on t1.vulnid=t2.vid::int group by hostname,
vulnname, vulnseverity, vulncat order by hostname
```

Dataset Name	Description	Log Category
fct-vuln-Remediation-by-Device	Remediate The Vulnerability Found on Device	fct-netscan

```
select
  hostname,
  (
    '<div>' || vulnname || '</div>'
  ) as vulnname,
```

```

vulnseverity,
string_agg(distinct vendor_link, ',') as vendor_link
from
###(select hostname, vulnname, vulnseverity, vulnid from $log where $filter and vulnname
is not null and hostname is not null group by hostname, vulnname, vulnseverity, vulnid)###
t1 inner join fct_mdata t2 on t1.vulnid=t2.vid::int group by hostname, vulnname,
vulnseverity order by vulnseverity, hostname

```

Dataset Name	Description	Log Category
fct-vuln-Remediation-by-Vulnerability	Remediation by Vulnerability	fct-netscan

```

select
(
'<b>' || vulnname || '</b><br/><br/>' || 'Description<br/><div style=word-break:normal>'
|| description || '</div><br/><br/>' || 'Affected Products<br/>' || products || '<br/><br/>'
|| 'Impact<br/>' || impact || '<br/><br/>' || 'Recommended Actions<br/>' || vendor_link ||
'<br/><br/><br/>'
) as remediation
from
###(select devid, vulnname, vulnseverity, (case vulnseverity when 'low' then 1 when 'info'
then 2 when 'medium' then 3 when 'high' then 4 when 'critical' then 5 else 0 end) as
severity_level, vulnid from $log where $filter and vulnname is not null group by devid,
vulnname, vulnseverity, severity_level, vulnid order by severity_level)### t1 inner join
fct_mdata t2 on t1.vulnid=t2.vid::int group by remediation order by remediation

```

Dataset Name	Description	Log Category
fct-vuln-Top-30-Targeted-High-Risk-Vulnerabilities	Top 30 Targeted High Risk Vulnerabilities	fct-netscan

```

select
t3.cve_id,
score,
string_agg(distinct products, ',') as products,
(
'<a href=' || String_agg(vendor_link, ',') || '>Mitigation Infomation</a>'
) as vendor_link
from
###(select vulnid from $log where $filter group by vulnid)### t1 inner join fct_mdata t2
on t2.vid=t1.vulnid::text inner join fct_cve_score t3 on strpos(t2.cve_id, t3.cve_id) > 0
group by t3.cve_id, score order by score desc, t3.cve_id

```

Dataset Name	Description	Log Category
fct-Endpoints-by-FortiGate	Endpoints by FortiGate	fct-event

```

select
fgtserial,
count(distinct fctuid) as totalnum
from
###(select uid as fctuid, regexp_replace(os, '\\(build.*', '') as os_short, fctver,
subtype, fgtserial, max(case when msg like 'Compliance rules%applied' then 1 else 0 end) as
compliance_flag from $log where $filter and subtype != 'admin' group by uid, os_short,
fctver, subtype, fgtserial)### t where fgtserial is not null group by fgtserial order by
totalnum desc

```

Dataset Name	Description	Log Category
fct-Top-Malware-Detections	Top Infected Devices with Malware	fct-traffic

```
select
  hostname,
  fctuid,
  sum(totalnum) as totalnum
from
  (
    (
      select
        hostname,
        fctuid,
        sum(totalnum) as totalnum
      from
        ###(select threat, hostname, coalesce(nullifna(`user`), 'Unknown') as hostuser,
        utmaction, max(dtime) as dtime, uid as fctuid, count(*) as totalnum from $log-fct-traffic
        where $filter and lower(utmevent) in ('antivirus', 'antimalware') group by threat, hostname,
        hostuser, utmaction, uid order by threat)### t group by hostname, fctuid) union all (select
        hostname, fctuid, sum(totalnum) as totalnum from ###(select virus as threat, hostname,
        coalesce(nullifna(`user`), 'Unknown') as hostuser, action as utmaction, max(dtime) as dtime,
        uid as fctuid, count(*) as totalnum from $log-fct-event where $filter and (logflag is null
        or logflag&8=0) and virus is not null group by threat, hostname, hostuser, utmaction, uid
        order by threat)### t group by hostname, fctuid)) t group by hostname, fctuid order by
        totalnum desc
```

Dataset Name	Description	Log Category
fct-Top10-Malware-Detections	Top 10 Infected Devices with Malware	fct-traffic

```
select
  threat,
  hostname,
  hostuser,
  utmaction,
  fctuid,
  sum(totalnum) as totalnum
from
  (
    (
      select
        threat,
        hostname,
        hostuser,
        utmaction,
        fctuid,
        sum(totalnum) as totalnum
      from
        ###(select threat, hostname, coalesce(nullifna(`user`), 'Unknown') as hostuser,
        utmaction, max(dtime) as dtime, uid as fctuid, count(*) as totalnum from $log-fct-traffic
        where $filter and lower(utmevent) in ('antivirus', 'antimalware') group by threat, hostname,
        hostuser, utmaction, uid order by threat)### t group by threat, hostname, hostuser,
        utmaction, fctuid) union all (select threat, hostname, hostuser, utmaction, fctuid, sum
        (totalnum) as totalnum from ###(select virus as threat, hostname, coalesce(nullifna(`user`),
        'Unknown') as hostuser, action as utmaction, max(dtime) as dtime, uid as fctuid, count(*) as
```


Dataset Reference List

```
totalnum from $log-fct-event where $filter and (logflag is null or logflag&8=0) and virus is not null group by threat, hostname, hostuser, utmaction, uid order by threat)### t group by threat, hostname, hostuser, utmaction, fctuid) t where utmaction != 'pass' group by threat, hostname, hostuser, utmaction, fctuid order by totalnum desc
```

Dataset Name	Description	Log Category
fct-Devices-with-Botnet	Infected Devices with Botnet	fct-traffic

```
select
  threat,
  hostname,
  coalesce(
    nullifna(`user`),
    'Unknown'
  ) as hostuser,
  utmaction,
  uid as fctuid,
  count(*) as totalnum
from
  $log
where
  $filter
  and hostname is not null
  and lower(utmevent) in ('webfilter', 'appfirewall')
  and lower(threat) like '%botnet%'
group by
  threat,
  hostname,
  hostuser,
  utmaction,
  fctuid
order by
  totalnum desc
```

Dataset Name	Description	Log Category
fct-vuln-Vulnerability-by-Hostname	Vulnerability Details for Each Risk Level by Device	fct-netscan

```
select
  hostname,
  os,
  vulnseverity,
  count(distinct vulnname) as vuln_num,
  count(distinct products) as products,
  count(distinct cve_id) as cve_count
from
  ###(select hostname, os, vulnname, vulnseverity, vulnid from $log where $filter and vulnname is not null and vulnseverity is not null and hostname is not null group by hostname, os, vulnname, vulnseverity, vulnid)### t1 left join fct_mdata t2 on t1.vulnid=t2.vid::int group by hostname, os, vulnseverity order by vuln_num desc, hostname
```

Dataset Name	Description	Log Category
fct-Users-With-Web-Violations	Web Filter Violations	fct-traffic

```

select
  hostuser,
  hostname,
  string_agg(distinct remotename, ',') as remotename,
  utmaction,
  sum(total) as totalnum,
  from_dtime(
    max(dtime)
  ) as last_seen
from
  ###(select remotename, hostname, coalesce(nullifna(`user`), 'Unknown') as hostuser,
  utmaction, count(*) as total, max(dtime) as dtime from $log where $filter and lower
  (utmevent)='webfilter' and utmaction='blocked' group by remotename, hostname, hostuser,
  utmaction order by total desc)### t group by hostuser, hostname, utmaction order by totalnum
desc

```

Dataset Name	Description	Log Category
fct-Compliance-by-FortiGate	FortiClinet Compliance by FortiGate Enforcing	fct-event

```

select
  fgtserial,
  count(distinct fctuid) as totalnum
from
  (
    select
      fgtserial,
      fctuid,
      max(compliance_flag) as compliance_flag
    from
      ###(select uid as fctuid, regexp_replace(os, '\\(build.*', '') as os_short, fctver,
      subtype, fgtserial, max(case when msg like 'Compliance rules%applied' then 1 else 0 end) as
      compliance_flag from $log where $filter and subtype != 'admin' group by uid, os_short,
      fctver, subtype, fgtserial)### tt group by fgtserial, fctuid) t where compliance_flag = 1
    group by fgtserial order by totalnum desc
  )

```

Dataset Name	Description	Log Category
fct-Compliance-Status	Number of FortiClinets by Compliance Status	fct-event

```

select
  (
    case compliance_flag when 1 then 'Compliant' else 'Non-Compliant' end
  ) as compliance,
  count(distinct fctuid) as totalnum
from
  (
    select
      fctuid,
      max(compliance_flag) as compliance_flag
    from
      ###(select uid as fctuid, regexp_replace(os, '\\(build.*', '') as os_short, fctver,
      subtype, fgtserial, max(case when msg like 'Compliance rules%applied' then 1 else 0 end) as
      compliance_flag from $log where $filter and subtype != 'admin' group by uid, os_short,
      fctver, subtype, fgtserial)### tt group by fctuid) t group by compliance order by totalnum
    desc
  )

```

Dataset Name	Description	Log Category
fct-Non-Compliant-Endpoints	Non-compliant Endpoints	fct-event

```
select
  t1.fgtserial,
  t3.srcintf,
  t2.epname as hostname,
  t2.mac,
  'Non-Compliant' as status
from
  (
    select
      fgtserial,
      fctuid,
      max(compliance_flag) as compliance_flag
    from
      ###(select uid as fctuid, regexp_replace(os, '\\(build.*', '') as os_short, fctver,
      subtype, fgtserial, max(case when msg like 'Compliance rules%applied' then 1 else 0 end) as
      compliance_flag from $log where $filter and subtype != 'admin' group by uid, os_short,
      fctver, subtype, fgtserial)### tt group by fgtserial, fctuid) t1 left join $ADOM_ENDPOINT t2
      on t1.fctuid = t2.fctuid left join $ADOM_EPEU_DEVMAP t3 on t2.epid = t3.epid where
      compliance_flag = 0 group by t1.fctuid, t1.fgtserial, t3.srcintf, t2.epname, t2.mac
```

Dataset Name	Description	Log Category
fct-Traffic-Web-Hits	Web Traffic Trend	fct-traffic

```
select
  $flex_timescale(timestamp) as hodesk,
  sum(requests) as requests
from
  ###(select $flex_timestamp as timestamp, count(*) as requests from $log where $filter and
  lower(utmevent)='webfilter' group by timestamp order by timestamp desc)### t group by hodesk
  order by hodesk
```

Dataset Name	Description	Log Category
fct-Traffic-Top-Allowed-Web-Cat	Top Visited Web Categories	fct-traffic

```
select
  category,
  sum(requests) as requests
from
  ###(select fct_webcat(threat) as category, remotename as website, direction, utmaction,
  count(*) as requests from $log where $filter and threat is not null and lower
  (utmevent)='webfilter' group by category, website, direction, utmaction order by requests
  desc)### t where direction='outbound' and utmaction='passthrough' group by category order by
  requests desc
```

Dataset Name	Description	Log Category
fct-Traffic-Top-Allowed-Website	Top Visited Websites	fct-traffic

```
select
  website,
```

```

    string_agg(distinct category, ', ') as agg_category,
    sum(requests) as requests
from
    ###(select fct_webcat(threat) as category, remotename as website, direction, utmaction,
count(*) as requests from $log where $filter and threat is not null and lower
(utmevent)='webfilter' group by category, website, direction, utmaction order by requests
desc)### t where direction='outbound' and utmaction='passthrough' and website is not null
group by website order by requests desc

```

Dataset Name	Description	Log Category
fct-Traffic-Top-Category-By-Website-Session	Top Web Categories by Website Session	fct-traffic

```

select
    category,
    website,
    sum(requests) as requests
from
    ###(select fct_webcat(threat) as category, remotename as website, direction, utmaction,
count(*) as requests from $log where $filter and threat is not null and lower
(utmevent)='webfilter' group by category, website, direction, utmaction order by requests
desc)### t where nullifna(category) is not null group by category, website order by requests
desc

```

Dataset Name	Description	Log Category
fct-Traffic-Top-Web-Users-By-Website	Top Web Users by Website	fct-traffic

```

select
    coalesce(
        nullifna(`user`),
        ipstr(`srcip`)
    ) as user_src,
    remotename as website,
    count(*) as requests
from
    $log
where
    $filter
    and direction = 'outbound'
    and remotename is not null
    and utmaction = 'passthrough'
    and lower(utmevent)= 'webfilter'
group by
    user_src,
    website
order by
    requests desc

```

Dataset Name	Description	Log Category
os-Detect-OS-Count	Detected operation system count	traffic

```

select
    (

```

```

        coalesce(osname, 'Unknown')
    ) as os,
    count(*) as totalnum
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
group by
    os
order by
    totalnum desc

```

Dataset Name	Description	Log Category
drilldown-Top-App-By-Sessions-Table	Drilldown top applications by session count	traffic

```

select
    appid,
    app,
    sum(sessions) as sessions
from
    ###(select appid, app, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`))
as user_src, dstip, srcintf, dstintf, policyid, count(*) as sessions, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth from $log where $filter-exclude-var and (logflag&1>0)
group by appid, app, user_src, dstip, srcintf, dstintf, policyid order by sessions desc)###
t where $filter-drilldown and nullifna(app) is not null group by appid, app order by
sessions desc

```

Dataset Name	Description	Log Category
drilldown-Top-App-By-Sessions-Bar	Drilldown top applications by session count	traffic

```

select
    appid,
    app,
    sum(sessions) as sessions
from
    ###(select appid, app, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`))
as user_src, dstip, srcintf, dstintf, policyid, count(*) as sessions, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth from $log where $filter-exclude-var and (logflag&1>0)
group by appid, app, user_src, dstip, srcintf, dstintf, policyid order by sessions desc)###
t where $filter-drilldown and nullifna(app) is not null group by appid, app order by
sessions desc

```

Dataset Name	Description	Log Category
drilldown-Top-App-By-Bandwidth-Table	Drilldown top applications by bandwidth usage	traffic

```

select
    appid,
    app,
    sum(bandwidth) as bandwidth

```

```

from
  ###(select appid, app, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`))
as user_src, dstip, srcintf, dstintf, policyid, count(*) as sessions, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth from $log where $filter-exclude-var and (logflag&l>0)
group by appid, app, user_src, dstip, srcintf, dstintf, policyid order by sessions desc)###
t where $filter-drilldown and nullifna(app) is not null group by appid, app having sum
(bandwidth)>0 order by bandwidth desc

```

Dataset Name	Description	Log Category
drilldown-Top-App-By-Bandwidth-Bar	Drilldown top applications by bandwidth usage	traffic

```

select
  appid,
  app,
  sum(bandwidth) as bandwidth
from
  ###(select appid, app, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`))
as user_src, dstip, srcintf, dstintf, policyid, count(*) as sessions, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth from $log where $filter-exclude-var and (logflag&l>0)
group by appid, app, user_src, dstip, srcintf, dstintf, policyid order by sessions desc)###
t where $filter-drilldown and nullifna(app) is not null group by appid, app having sum
(bandwidth)>0 order by bandwidth desc

```

Dataset Name	Description	Log Category
drilldown-Top-Destination-By-Sessions-Table	Drilldown top destination by session count	traffic

```

select
  dstip,
  sum(sessions) as sessions
from
  ###(select appid, app, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`))
as user_src, dstip, srcintf, dstintf, policyid, count(*) as sessions, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth from $log where $filter-exclude-var and (logflag&l>0)
group by appid, app, user_src, dstip, srcintf, dstintf, policyid order by sessions desc)###
t where $filter-drilldown and dstip is not null group by dstip order by sessions desc

```

Dataset Name	Description	Log Category
drilldown-Top-Destination-By-Bandwidth-Table	Drilldown top destination by bandwidth usage	traffic

```

select
  dstip,
  sum(bandwidth) as bandwidth
from
  ###(select appid, app, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`))
as user_src, dstip, srcintf, dstintf, policyid, count(*) as sessions, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth from $log where $filter-exclude-var and (logflag&l>0)
group by appid, app, user_src, dstip, srcintf, dstintf, policyid order by sessions desc)###
t where $filter-drilldown and dstip is not null group by dstip having sum(bandwidth)>0 order
by bandwidth desc

```

Dataset Name	Description	Log Category
drilldown-Top-User-By-Sessions-Table	Drilldown top user by session count	traffic

```
select
  user_src,
  sum(sessions) as sessions
from
  ###(select appid, app, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`))
  as user_src, dstip, srcintf, dstintf, policyid, count(*) as sessions, sum(coalesce(sentbyte,
  0)+coalesce(rcvdbyte, 0)) as bandwidth from $log where $filter-exclude-var and (logflag&l>0)
  group by appid, app, user_src, dstip, srcintf, dstintf, policyid order by sessions desc)###
  t where $filter-drilldown and user_src is not null group by user_src order by sessions desc
```

Dataset Name	Description	Log Category
drilldown-Top-User-By-Sessions-Bar	Drilldown top user by session count	traffic

```
select
  user_src,
  sum(sessions) as sessions
from
  ###(select appid, app, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`))
  as user_src, dstip, srcintf, dstintf, policyid, count(*) as sessions, sum(coalesce(sentbyte,
  0)+coalesce(rcvdbyte, 0)) as bandwidth from $log where $filter-exclude-var and (logflag&l>0)
  group by appid, app, user_src, dstip, srcintf, dstintf, policyid order by sessions desc)###
  t where $filter-drilldown and user_src is not null group by user_src order by sessions desc
```

Dataset Name	Description	Log Category
drilldown-Top-User-By-Bandwidth-Table	Drilldown top user by bandwidth usage	traffic

```
select
  user_src,
  sum(bandwidth) as bandwidth
from
  ###(select appid, app, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`))
  as user_src, dstip, srcintf, dstintf, policyid, count(*) as sessions, sum(coalesce(sentbyte,
  0)+coalesce(rcvdbyte, 0)) as bandwidth from $log where $filter-exclude-var and (logflag&l>0)
  group by appid, app, user_src, dstip, srcintf, dstintf, policyid order by sessions desc)###
  t where $filter-drilldown and user_src is not null group by user_src having sum(bandwidth)>0
  order by bandwidth desc
```

Dataset Name	Description	Log Category
drilldown-Top-User-By-Bandwidth-Bar	Drilldown top user by bandwidth usage	traffic

```
select
  user_src,
  sum(bandwidth) as bandwidth
from
  ###(select appid, app, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`))
  as user_src, dstip, srcintf, dstintf, policyid, count(*) as sessions, sum(coalesce(sentbyte,
  0)+coalesce(rcvdbyte, 0)) as bandwidth from $log where $filter-exclude-var and (logflag&l>0)
  group by appid, app, user_src, dstip, srcintf, dstintf, policyid order by sessions desc)###
```

t where \$filter-drilldown and user_src is not null group by user_src having sum(bandwidth)>0
order by bandwidth desc

Dataset Name	Description	Log Category
drilldown-Top-Web-User-By-Visit-Table	Drilldown top web user by visit	traffic

```
select
  user_src,
  sum(requests) as visits
from
  (
    ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_
src, hostname, count(*) as requests from $log-traffic where $filter-exclude-var and
(logflag&l>0) and utmevent in ('webfilter', 'banned-word', 'web-content', 'command-block',
'script-filter') and hostname is not null group by user_src, hostname order by requests
desc)### union all ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src,
hostname, count(*) as requests from $log-webfilter where $filter-exclude-var and (eventtype
is null or logver>=502000000) and hostname is not null group by user_src, hostname order by
requests desc)###) t where $filter-drilldown and user_src is not null group by user_src
order by visits desc
```

Dataset Name	Description	Log Category
drilldown-Top-Web-User-By-Visit-Bar	Drilldown top web user by visit	traffic

```
select
  user_src,
  sum(requests) as visits
from
  (
    ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_
src, hostname, count(*) as requests from $log-traffic where $filter-exclude-var and
(logflag&l>0) and utmevent in ('webfilter', 'banned-word', 'web-content', 'command-block',
'script-filter') and hostname is not null group by user_src, hostname order by requests
desc)### union all ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src,
hostname, count(*) as requests from $log-webfilter where $filter-exclude-var and (eventtype
is null or logver>=502000000) and hostname is not null group by user_src, hostname order by
requests desc)###) t where $filter-drilldown and user_src is not null group by user_src
order by visits desc
```

Dataset Name	Description	Log Category
drilldown-Top-Website-By-Request-Table	Drilldown top website by request	traffic

```
select
  hostname,
  sum(requests) as visits
from
  (
    ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_
src, hostname, count(*) as requests from $log-traffic where $filter-exclude-var and
(logflag&l>0) and utmevent in ('webfilter', 'banned-word', 'web-content', 'command-block',
'script-filter') and hostname is not null group by user_src, hostname order by requests
```



```
desc)### union all ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src,
hostname, count(*) as requests from $log-webfilter where $filter-exclude-var and (eventtype
is null or logver>=502000000) and hostname is not null group by user_src, hostname order by
requests desc)###) t where $filter-drilldown and hostname is not null group by hostname
order by visits desc
```

Dataset Name	Description	Log Category
drilldown-Top-Website-By-Request-Bar	Drilldown top website by request	traffic

```
select
  hostname,
  sum(requests) as visits
from
  (
    ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_
src, hostname, count(*) as requests from $log-traffic where $filter-exclude-var and
(logflag&l>0) and utmevent in ('webfilter', 'banned-word', 'web-content', 'command-block',
'script-filter') and hostname is not null group by user_src, hostname order by requests
desc)### union all ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src,
hostname, count(*) as requests from $log-webfilter where $filter-exclude-var and (eventtype
is null or logver>=502000000) and hostname is not null group by user_src, hostname order by
requests desc)###) t where $filter-drilldown and hostname is not null group by hostname
order by visits desc
```

Dataset Name	Description	Log Category
drilldown-Top-Email-Sender-By-Volume	Drilldown top email sender by volume	traffic

```
select
  sender,
  sum(bandwidth) as volume
from
  (
    ###(select sender, recipient, count(*) as requests, sum(coalesce(sentbyte, 0)+coalesce
(rcvdbyte, 0)) as bandwidth from $log-traffic where $filter-exclude-var and (logflag&l>0)
and service in ('smtp', 'SMTP', '25/tcp', '587/tcp', 'smtps', 'SMTPS', '465/tcp') and
utmevent in ('general-email-log', 'spamfilter') group by sender, recipient order by requests
desc)### union all ###(select `from` as sender, `to` as recipient, count(*) as requests, sum
(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth from $log-emailfilter where
$filter-exclude-var and service in ('smtp', 'SMTP', '25/tcp', '587/tcp', 'smtps', 'SMTPS',
'465/tcp') and eventtype is null group by `from`, `to` order by requests desc)###) t where
$filter-drilldown and sender is not null group by sender having sum(bandwidth)>0 order by
volume desc
```

Dataset Name	Description	Log Category
drilldown-Top-Email-Send-Recipient-By-Volume	Drilldown top email send recipient by volume	traffic

```
select
  recipient,
  sum(bandwidth) as volume
from
```

```
(
  ###(select sender, recipient, count(*) as requests, sum(coalesce(sentbyte, 0)+coalesce
(rcvdbyte, 0)) as bandwidth from $log-traffic where $filter-exclude-var and (logflag&1>0)
and service in ('smtp', 'SMTP', '25/tcp', '587/tcp', 'smtps', 'SMTPS', '465/tcp') and
utmevent in ('general-email-log', 'spamfilter') group by sender, recipient order by requests
desc)### union all ###(select `from` as sender, `to` as recipient, count(*) as requests, sum
(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth from $log-emailfilter where
$filter-exclude-var and service in ('smtp', 'SMTP', '25/tcp', '587/tcp', 'smtps', 'SMTPS',
'465/tcp') and eventtype is null group by `from`, `to` order by requests desc)###) t where
$filter-drilldown and recipient is not null group by recipient having sum(bandwidth)>0 order
by volume desc
```

Dataset Name	Description	Log Category
drilldown-Top-Email-Sender-By-Count	Drilldown top email sender by count	traffic

```
select
  sender,
  sum(requests) as requests
from
  (
    ###(select sender, recipient, count(*) as requests, sum(coalesce(sentbyte, 0)+coalesce
(rcvdbyte, 0)) as bandwidth from $log-traffic where $filter-exclude-var and (logflag&1>0)
and service in ('smtp', 'SMTP', '25/tcp', '587/tcp', 'smtps', 'SMTPS', '465/tcp') and
utmevent in ('general-email-log', 'spamfilter') group by sender, recipient order by requests
desc)### union all ###(select `from` as sender, `to` as recipient, count(*) as requests, sum
(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth from $log-emailfilter where
$filter-exclude-var and service in ('smtp', 'SMTP', '25/tcp', '587/tcp', 'smtps', 'SMTPS',
'465/tcp') and eventtype is null group by `from`, `to` order by requests desc)###) t where
$filter-drilldown and sender is not null group by sender order by requests desc
```

Dataset Name	Description	Log Category
drilldown-Top-Email-Send-Recipient-By-Count	Drilldown top email send recipient by count	traffic

```
select
  recipient,
  sum(requests) as requests
from
  (
    ###(select sender, recipient, count(*) as requests, sum(coalesce(sentbyte, 0)+coalesce
(rcvdbyte, 0)) as bandwidth from $log-traffic where $filter-exclude-var and (logflag&1>0)
and service in ('smtp', 'SMTP', '25/tcp', '587/tcp', 'smtps', 'SMTPS', '465/tcp') and
utmevent in ('general-email-log', 'spamfilter') group by sender, recipient order by requests
desc)### union all ###(select `from` as sender, `to` as recipient, count(*) as requests, sum
(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth from $log-emailfilter where
$filter-exclude-var and service in ('smtp', 'SMTP', '25/tcp', '587/tcp', 'smtps', 'SMTPS',
'465/tcp') and eventtype is null group by `from`, `to` order by requests desc)###) t where
$filter-drilldown and recipient is not null group by recipient order by requests desc
```

Dataset Name	Description	Log Category
drilldown-Top-Email-Recipient-By-Volume	Drilldown top email receiver by volume	traffic

```

select
  recipient,
  sum(bandwidth) as volume
from
  (
    ###(select recipient, sender, count(*) as requests, sum(coalesce(sentbyte, 0)+coalesce
    (rcvdbyte, 0)) as bandwidth from $log where $filter-exclude-var and (logflag&1>0) and
    service in ('pop3', 'POP3', '110/tcp', 'imap', 'IMAP', '143/tcp', 'imaps', 'IMAPS',
    '993/tcp', 'pop3s', 'POP3S', '995/tcp') and utmevent in ('general-email-log', 'spamfilter')
    group by recipient, sender order by requests desc)### union all ###(select `to` as
    recipient, `from` as sender, count(*) as requests, sum(coalesce(sentbyte, 0)+coalesce
    (rcvdbyte, 0)) as bandwidth from $log-emailfilter where $filter-exclude-var and service in
    ('pop3', 'POP3', '110/tcp', 'imap', 'IMAP', '143/tcp', 'imaps', 'IMAPS', '993/tcp', 'pop3s',
    'POP3S', '995/tcp') and eventtype is null group by `to`, `from` order by requests desc)###)
    t where $filter-drilldown and recipient is not null group by recipient having sum
    (bandwidth)>0 order by volume desc
  )

```

Dataset Name	Description	Log Category
drilldown-Top-Email-Receive-Sender-By-Volume	Drilldown top email receive sender by volume	traffic

```

select
  sender,
  sum(bandwidth) as volume
from
  (
    ###(select recipient, sender, count(*) as requests, sum(coalesce(sentbyte, 0)+coalesce
    (rcvdbyte, 0)) as bandwidth from $log where $filter-exclude-var and (logflag&1>0) and
    service in ('pop3', 'POP3', '110/tcp', 'imap', 'IMAP', '143/tcp', 'imaps', 'IMAPS',
    '993/tcp', 'pop3s', 'POP3S', '995/tcp') and utmevent in ('general-email-log', 'spamfilter')
    group by recipient, sender order by requests desc)### union all ###(select `to` as
    recipient, `from` as sender, count(*) as requests, sum(coalesce(sentbyte, 0)+coalesce
    (rcvdbyte, 0)) as bandwidth from $log-emailfilter where $filter-exclude-var and service in
    ('pop3', 'POP3', '110/tcp', 'imap', 'IMAP', '143/tcp', 'imaps', 'IMAPS', '993/tcp', 'pop3s',
    'POP3S', '995/tcp') and eventtype is null group by `to`, `from` order by requests desc)###)
    t where $filter-drilldown and sender is not null group by sender having sum(bandwidth)>0
    order by volume desc
  )

```

Dataset Name	Description	Log Category
drilldown-Top-Email-Recipient-By-Count	Drilldown top email receiver by count	traffic

```

select
  recipient,
  sum(requests) as requests
from
  (
    ###(select recipient, sender, count(*) as requests, sum(coalesce(sentbyte, 0)+coalesce
    (rcvdbyte, 0)) as bandwidth from $log where $filter-exclude-var and (logflag&1>0) and
    service in ('pop3', 'POP3', '110/tcp', 'imap', 'IMAP', '143/tcp', 'imaps', 'IMAPS',
    '993/tcp', 'pop3s', 'POP3S', '995/tcp') and utmevent in ('general-email-log', 'spamfilter')
    group by recipient, sender order by requests desc)### union all ###(select `to` as
    recipient, `from` as sender, count(*) as requests, sum(coalesce(sentbyte, 0)+coalesce
    (rcvdbyte, 0)) as bandwidth from $log-emailfilter where $filter-exclude-var and service in
  )

```

```
('pop3', 'POP3', '110/tcp', 'imap', 'IMAP', '143/tcp', 'imaps', 'IMAPS', '993/tcp', 'pop3s',
'POP3S', '995/tcp') and eventtype is null group by `to`, `from` order by requests desc)###)
t where $filter-drilldown and recipient is not null group by recipient order by requests
desc
```

Dataset Name	Description	Log Category
drilldown-Top-Email-Receive-Sender-By-Count	Drilldown top email receive sender by count	traffic

```
select
  sender,
  sum(requests) as requests
from
  (
    ###(select recipient, sender, count(*) as requests, sum(coalesce(sentbyte, 0)+coalesce
(rcvdbyte, 0)) as bandwidth from $log where $filter-exclude-var and (logflag&1>0) and
service in ('pop3', 'POP3', '110/tcp', 'imap', 'IMAP', '143/tcp', 'imaps', 'IMAPS',
'993/tcp', 'pop3s', 'POP3S', '995/tcp') and utmevent in ('general-email-log', 'spamfilter')
group by recipient, sender order by requests desc)### union all ###(select `to` as
recipient, `from` as sender, count(*) as requests, sum(coalesce(sentbyte, 0)+coalesce
(rcvdbyte, 0)) as bandwidth from $log-emailfilter where $filter-exclude-var and service in
('pop3', 'POP3', '110/tcp', 'imap', 'IMAP', '143/tcp', 'imaps', 'IMAPS', '993/tcp', 'pop3s',
'POP3S', '995/tcp') and eventtype is null group by `to`, `from` order by requests desc)###)
t where $filter-drilldown and sender is not null group by sender order by requests desc
```

Dataset Name	Description	Log Category
drilldown-Top-Attack-Destination	Drilldown top attack dest	attack

```
select
  dstip,
  sum(totalnum) as totalnum
from
  ###(select srcip, dstip, count(*) as totalnum from $log where $filter-exclude-var group by
srcip, dstip order by totalnum desc)### t where $filter-drilldown and dstip is not null
group by dstip order by totalnum desc
```

Dataset Name	Description	Log Category
drilldown-Top-Attack-Source	Drilldown top attack source	attack

```
select
  srcip,
  sum(totalnum) as totalnum
from
  ###(select srcip, dstip, count(*) as totalnum from $log where $filter-exclude-var group by
srcip, dstip order by totalnum desc)### t where $filter-drilldown and srcip is not null
group by srcip order by totalnum desc
```

Dataset Name	Description	Log Category
drilldown-Top-Attack-List	Drilldown top attack list	attack

```
select
  from_itime(itime) as timestamp,
```

```

    attack,
    srcip,
    dstip
from
    ###(select itime, attack, srcip, dstip from $log where $filter-exclude-var order by itime
desc)### t where $filter-drilldown order by timestamp desc

```

Dataset Name	Description	Log Category
drilldown-Top-Virus	UTM top virus	virus

```

select
    virus,
    max(virusid_s) as virusid,
    (
        case when virus like 'Riskware%' then 'Spyware' when virus like 'Adware%' then 'Adware'
else 'Virus' end
    ) as malware_type,
    sum(totalnum) as totalnum
from
    ###(select virus, virusid_to_str(virusid, eventtype) as virusid_s, count(*) as totalnum
from $log where $filter and (eventtype is null or logver>=502000000) and nullifna(virus) is
not null group by virus, virusid_s /*SkipSTART*/order by totalnum desc/*SkipEND*/)### t
group by virus, malware_type order by totalnum desc

```

Dataset Name	Description	Log Category
drilldown-Virus-Detail	Drilldown virus detail	virus

```

select
    from_itime(itime) as timestamp,
    virus,
    user_src,
    dstip,
    hostname,
    recipient
from
    ###(select itime, virus, coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, dstip,
cast(' ' as char) as hostname, cast(' ' as char) as recipient from $log where $filter and
(eventtype is null or logver>=502000000) and nullifna(virus) is not null order by itime
desc)### t where $filter-drilldown order by timestamp desc

```

Dataset Name	Description	Log Category
user-drilldown-Top-Blocked-Web-Sites-By-Requests	User drilldown top blocked web sites by requests	webfilter

```

select
    hostname,
    sum(requests) as requests
from
    ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, hostname, action, count
(*) as requests from $log where $filter and hostname is not null group by user_src,
hostname, action order by requests desc)### t where $filter-drilldown and action='blocked'
group by hostname order by requests desc

```

Dataset Name	Description	Log Category
user-drilldown-Top-Allowed-Web-Sites-By-Requests	User drilldown top allowed web sites by requests	webfilter

```
select
  hostname,
  sum(requests) as requests
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, hostname, action, count
  (*) as requests from $log where $filter and hostname is not null group by user_src,
  hostname, action order by requests desc)### t where $filter-drilldown and action!='blocked'
group by hostname order by requests desc
```

Dataset Name	Description	Log Category
user-drilldown-Top-Blocked-Web-Categories	User drilldown top blocked web categories	webfilter

```
select
  catdesc,
  sum(requests) as requests
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, catdesc, action, count
  (*) as requests from $log where $filter and catdesc is not null group by user_src, catdesc,
  action order by requests desc)### t where $filter-drilldown and action='blocked' group by
  catdesc order by requests desc
```

Dataset Name	Description	Log Category
user-drilldown-Top-Allowed-Web-Categories	User drilldown top allowed web categories	webfilter

```
select
  catdesc,
  sum(requests) as requests
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, catdesc, action, count
  (*) as requests from $log where $filter and catdesc is not null group by user_src, catdesc,
  action order by requests desc)### t where $filter-drilldown and action!='blocked' group by
  catdesc order by requests desc
```

Dataset Name	Description	Log Category
user-drilldown-Top-Attacks	User drilldown top attacks by name	attack

```
select
  attack,
  sum(attack_count) as attack_count
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, attack, (case when
  severity in ('critical', 'high') then 1 else 0 end) as high_severity, count(*) as attack_
  count from $log where $filter and nullifna(attack) is not null group by user_src, attack,
  high_severity order by attack_count desc)### t where $filter-drilldown group by attack order
  by attack_count desc
```

Dataset Name	Description	Log Category
user-drilldown-Top-Attacks-High-Severity	User drilldown top attacks high severity	attack

```
select
  attack,
  sum(attack_count) as attack_count
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, attack, (case when
severity in ('critical', 'high') then 1 else 0 end) as high_severity, count(*) as attack_
count from $log where $filter and nullifna(attack) is not null group by user_src, attack,
high_severity order by attack_count desc)### t where $filter-drilldown and high_severity=1
group by attack order by attack_count desc
```

Dataset Name	Description	Log Category
user-drilldown-Top-Virus-By-Name	User drilldown top virus	virus

```
select
  virus,
  max(virusid_s) as virusid,
  sum(totalnum) as totalnum
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, virus, virusid_to_str
(virusid, eventtype) as virusid_s, count(*) as totalnum from $log where $filter and nullifna
(virus) is not null group by user_src, virus, virusid_s order by totalnum desc)### t where
$filter-drilldown group by virus order by totalnum desc
```

Dataset Name	Description	Log Category
user-drilldown-Top-Virus-Receivers-Over-Email	User drilldown top virus receivers over email	virus

```
select
  receiver,
  sum(totalnum) as totalnum
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, `to` as receiver, count
(*) as totalnum from $log where $filter and subtype='infected' and (service in ('smtp',
'SMTP', '25/tcp', '587/tcp', 'smtps', 'SMTPS', '465/tcp') or service in ('pop3', 'POP3',
'110/tcp', 'imap', 'IMAP', '143/tcp', 'imaps', 'IMAPS', '993/tcp', 'pop3s', 'POP3S',
'995/tcp')) and nullifna(virus) is not null group by user_src, receiver order by totalnum
desc)### t where $filter-drilldown group by receiver order by totalnum desc
```

Dataset Name	Description	Log Category
user-drilldown-Count-Spam-Activity-by-Hour-of-Day	User drilldown count spam activity by hour of day	emailfilter

```
select
  $hour_of_day(timestamp) as hourstamp,
  sum(totalnum) as totalnum
from
  ###(select $flex_timestamp as timestamp, coalesce(nullifna(`user`), ipstr(`srcip`)) as
```

```
user_src, `from` as mf_sender, `to` as mf_receiver, action, eventtype, count(*) as totalnum
from $log where $filter group by timestamp, user_src, mf_sender, mf_receiver, action,
eventtype /*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where $filter-drilldown and
mf_receiver is not null and action in ('detected', 'blocked') group by hourstamp order by
hourstamp
```

Dataset Name	Description	Log Category
user-drilldown-Top-Spam-Sources	User drilldown top spam sources	emailfilter

```
select
  mf_sender,
  sum(totalnum) as totalnum
from
  ###(select $flex_timestamp as timestamp, coalesce(nullifna(`user`), ipstr(`srcip`)) as
user_src, `from` as mf_sender, `to` as mf_receiver, action, eventtype, count(*) as totalnum
from $log where $filter group by timestamp, user_src, mf_sender, mf_receiver, action,
eventtype /*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where $filter-drilldown and
mf_sender is not null and action in ('detected', 'blocked') group by mf_sender order by
totalnum desc
```

Dataset Name	Description	Log Category
event-Usage-CPU	Event usage CPU	event

```
select
  $hour_of_day(timestamp) as hourstamp,
  cast(
    sum(total_cpu)/ sum(count) as decimal(6, 2)
  ) as cpu_avg_usage
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by hourstamp order by hourstamp
```

Dataset Name	Description	Log Category
event-Usage-Memory	Event usage memory	event

```
select
  $hour_of_day(timestamp) as hourstamp,
  cast(
    sum(total_mem)/ sum(count) as decimal(6, 2)
  ) as mem_avg_usage
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
```



```
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by hourstamp order by hourstamp
```

Dataset Name	Description	Log Category
event-Usage-Sessions	Event usage sessions	event

```
select
  $hour_of_day(timestamp) as hourstamp,
  cast(
    sum(totalsession)/ sum(count) as decimal(10, 2)
  ) as sess_avg_usage
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by hourstamp order by hourstamp
```

Dataset Name	Description	Log Category
event-Usage-CPU-Sessions	Event usage CPU sessions	event

```
select
  $hour_of_day(timestamp) as hourstamp,
  cast(
    sum(totalsession)/ sum(count) as decimal(10, 2)
  ) as sess_avg_usage,
  cast(
    sum(total_cpu)/ sum(count) as decimal(6, 2)
  ) as cpu_avg_usage
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
```

```
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast(
coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by hourstamp order by hourstamp
```

Dataset Name	Description	Log Category
App-Risk-Top-Users-By-Bandwidth	Top users by bandwidth usage	traffic

```
select
  coalesce(
    nullifna(`user`),
    nullifna(`unauthuser`),
    ipstr(`srcip`)
  ) as user_src,
  srcip,
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) as bandwidth,
  sum(
    coalesce(rcvdbyte, 0)
  ) as traffic_in,
  sum(
    coalesce(sentbyte, 0)
  ) as traffic_out
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
  and srcip is not null
group by
  user_src,
  srcip
having
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  )> 0
order by
  bandwidth desc
```

Dataset Name	Description	Log Category
App-Risk-Top-User-Source-By-Sessions	Application risk top user source by session count	traffic

```
select
  srcip,
  coalesce(
    nullifna(`user`),
    nullifna(`unauthuser`),
```

```

        ipstr(`srcip`)
    ) as user_src,
    count(*) as sessions
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
    and srcip is not null
group by
    srcip,
    user_src
order by
    sessions desc

```

Dataset Name	Description	Log Category
App-Risk-Top-Users-By-Reputation-Scores-Bar	Application risk reputation top users by scores	traffic

```

select
    coalesce(
        nullifna(`user`),
        nullifna(`unauthuser`),
        ipstr(`srcip`)
    ) as user_src,
    sum(crscore % 65536) as scores
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
    and crscore is not null
group by
    user_src
having
    sum(crscore % 65536) > 0
order by
    scores desc

```

Dataset Name	Description	Log Category
App-Risk-Top-Devices-By-Reputation-Scores	Application risk reputation top devices by scores	traffic

```

select
    max(
        get_devtype(srswversion, osname, devtype)
    ) as devtype_new,
    coalesce(
        nullifna(`srcname`),
        nullifna(`srcmac`),

```

```

        ipstr(`srcip`)
    ) as dev_src,
    sum(crsscore % 65536) as scores
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
    and crsscore is not null
group by
    dev_src
having
    sum(crsscore % 65536)& gt; 0
order by
    scores desc

```

Dataset Name	Description	Log Category
App-Risk-Application-Usage-By-Category-With-Pie	Application risk application usage by category	traffic

```

select
    appcat,
    sum(bandwidth) as bandwidth
from
    ###(select appid, app, appcat, apprisk, sum(bandwidth) as bandwidth, sum(sessions) as
sessions from ###base(/*tag:rpt_base_t_top_app*/select dvid, srcip, dstip, epid, euid,
coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, appid, app,
appcat, apprisk, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, count(*) as
sessions from $log-traffic where $filter and (logflag&1>0) and nullifna(app) is not null
group by dvid, srcip, dstip, epid, euid, user_src, appid, app, appcat, apprisk order by
sessions desc)base### t group by appid, app, appcat, apprisk /*SkipSTART*/order by sessions
desc, bandwidth desc/*SkipEND*/)### t where $filter-drilldown and nullifna(appcat) is not
null group by appcat order by bandwidth desc

```

Dataset Name	Description	Log Category
App-Risk-App-Usage-by-Category	Application risk application usage by category	traffic

```

select
    appcat,
    sum(bandwidth) as bandwidth
from
    ###(select appid, app, appcat, apprisk, sum(bandwidth) as bandwidth, sum(sessions) as
sessions from ###base(/*tag:rpt_base_t_top_app*/select dvid, srcip, dstip, epid, euid,
coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, appid, app,
appcat, apprisk, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, count(*) as
sessions from $log-traffic where $filter and (logflag&1>0) and nullifna(app) is not null
group by dvid, srcip, dstip, epid, euid, user_src, appid, app, appcat, apprisk order by
sessions desc)base### t group by appid, app, appcat, apprisk /*SkipSTART*/order by sessions
desc, bandwidth desc/*SkipEND*/)### t where $filter-drilldown and nullifna(appcat) is not
null group by appcat order by bandwidth desc

```

Dataset Name	Description	Log Category
Top-20-Categories-By-Bandwidth	Webfilter categories by bandwidth usage	webfilter

```
select
  catdesc,
  sum(bandwidth) as bandwidth
from
  ###(select catdesc, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth from
$log-traffic where $filter and (logflag&l>0) and (countweb>0 or ((logver is null or
logver<502000000) and (hostname is not null or utmevent in ('webfilter', 'banned-word',
'web-content', 'command-block', 'script-filter')))) and catdesc is not null group by catdesc
/*SkipSTART*/order by bandwidth desc/*SkipEND*/)### t group by catdesc order by bandwidth
desc
```

Dataset Name	Description	Log Category
App-Risk-Key-Applications-Crossing-The-Network	Application risk application activity	traffic

```
select
  app_group,
  appcat,
  sum(bandwidth) as bandwidth,
  sum(sessions) as num_session
from
  ###(select app_group_name(app) as app_group, appcat, service, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and
(logflag&l>0) and nullifna(app) is not null group by app_group, appcat, service order by
bandwidth desc)### t group by app_group, appcat order by bandwidth desc
```

Dataset Name	Description	Log Category
App-Risk-Applications-Running-Over-HTTP	Application risk applications running over HTTP	traffic

```
select
  app_group,
  service,
  sum(sessions) as sessions,
  sum(bandwidth) as bandwidth
from
  ###(select app_group_name(app) as app_group, appcat, service, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and
(logflag&l>0) and nullifna(app) is not null group by app_group, appcat, service order by
bandwidth desc)### t where service in ('80/tcp', '443/tcp', 'HTTP', 'HTTPS', 'http',
'https') group by app_group, service having sum(bandwidth)>0 order by bandwidth desc
```

Dataset Name	Description	Log Category
App-Risk-Top-Web-Sites-Visited-By-Network-Users-Pie-Cha	Application risk web browsing summary category	traffic

```
select
  catdesc,
  sum(num_sess) as num_sess,
  sum(bandwidth) as bandwidth
from
  ###(select catdesc, count(*) as num_sess, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))
as bandwidth from $log-traffic where $filter and (logflag&l>0) and (countweb>0 or ((logver
is null or logver<502000000) and (hostname is not null or utmevent in ('webfilter', 'banned-
word', 'web-content', 'command-block', 'script-filter')))) and catdesc is not null group by
catdesc order by num_sess desc)### t group by catdesc order by num_sess desc
```

Dataset Name	Description	Log Category
App-Risk-Top-Web-Sites-Visited-By-Network-Users	Application risk web browsing summary category	traffic

```
select
  catdesc,
  sum(num_sess) as num_sess,
  sum(bandwidth) as bandwidth
from
  ###(select catdesc, count(*) as num_sess, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))
as bandwidth from $log-traffic where $filter and (logflag&l>0) and (countweb>0 or ((logver
is null or logver<502000000) and (hostname is not null or utmevent in ('webfilter', 'banned-
word', 'web-content', 'command-block', 'script-filter')))) and catdesc is not null group by
catdesc order by num_sess desc)### t group by catdesc order by num_sess desc
```

Dataset Name	Description	Log Category
App-Risk-Web-Browsing-Hostname-Category	Application risk web browsing activity hostname category	webfilter

```
select
  domain,
  catdesc,
  sum(visits) as visits
from
  ###(select coalesce(nullifna(hostname), ipstr(`dstip`)) as domain, catdesc, count(*) as
visits from $log where $filter and (eventtype is null or logver>=502000000) and catdesc is
not null group by domain, catdesc order by visits desc)### t group by domain, catdesc order
by visits desc
```

Dataset Name	Description	Log Category
Top-Destination-Countries-By-Browsing-Time	Traffic top destination countries by browsing time	traffic

```
select
  dstcountry,
  ebtr_value(
    ebtr_agg_flat(browsetime),
    null,
    $timespan
  ) as browsetime,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
```

```

    sum(traffic_out) as traffic_out
from
    ###(select dstcountry, ebtr_agg_flat(browsetime) as browsetime, sum(bandwidth) as
bandwidth, sum(traffic_in) as traffic_in, sum(traffic_out) as traffic_out from (select
dstcountry, ebtr_agg_flat($browse_time) as browsetime, sum(coalesce(sentbyte, 0)+coalesce
(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce
(sentbyte, 0)) as traffic_out from $log where $filter and (logflag&1>0) and $browse_time is
not null group by dstcountry) t group by dstcountry /*SkipSTART*/order by ebtr_value(ebtr_
agg_flat(browsetime), null, null) desc/*SkipEND*/)### t group by dstcountry order by
browsetime desc

```

Dataset Name	Description	Log Category
App-Risk-Traffic-Top-Hostnames-By-Browsing-Time	Traffic top domains by browsing time	traffic

```

select
    hostname,
    ebtr_value(
        ebtr_agg_flat(browsetime),
        null,
        $timespan
    ) as browsetime,
    sum(bandwidth) as bandwidth,
    sum(traffic_in) as traffic_in,
    sum(traffic_out) as traffic_out
from
    ###(select hostname, ebtr_agg_flat(browsetime) as browsetime, sum(bandwidth) as bandwidth,
sum(traffic_in) as traffic_in, sum(traffic_out) as traffic_out from (select hostname, ebtr_
agg_flat($browse_time) as browsetime, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as
bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_
out from $log where $filter and (logflag&1>0) and hostname is not null and $browse_time is
not null group by hostname) t group by hostname /*SkipSTART*/order by ebtr_value(ebtr_agg_
flat(browsetime), null, null) desc/*SkipEND*/)### t group by hostname order by browsetime
desc

```

Dataset Name	Description	Log Category
App-Risk-Top-Threat-Vectors-Crossing-The-Network	Application risk top threat vectors	attack

```

select
    severity,
    sum(totalnum) as totalnum
from
    ###(select attack, severity, ref, count(*) as totalnum from $log where $filter and
nullifna(attack) is not null group by attack, severity, ref order by totalnum desc)### t
group by severity order by totalnum desc

```

Dataset Name	Description	Log Category
App-Risk-Top-Critical-Threat-Vectors-Crossing-The-Network	Application risk top critical threat vectors	attack

```

select
    attack,

```

```

    severity,
    ref,
    sum(totalnum) as totalnum
from
    ###(select attack, severity, ref, count(*) as totalnum from $log where $filter and
    nullifna(attack) is not null group by attack, severity, ref order by totalnum desc)### t
where severity='critical' group by attack, severity, ref order by totalnum desc

```

Dataset Name	Description	Log Category
App-Risk-Top-High-Threat-Vectors-Crossing-The-Network	Application risk top high threat vectors	attack

```

select
    attack,
    severity,
    ref,
    sum(totalnum) as totalnum
from
    ###(select attack, severity, ref, count(*) as totalnum from $log where $filter and
    nullifna(attack) is not null group by attack, severity, ref order by totalnum desc)### t
where severity='high' group by attack, severity, ref order by totalnum desc

```

Dataset Name	Description	Log Category
App-Risk-Top-Medium-Threat-Vectors-Crossing-The-Network	Application risk top medium threat vectors	attack

```

select
    attack,
    severity,
    ref,
    sum(totalnum) as totalnum
from
    ###(select attack, severity, ref, count(*) as totalnum from $log where $filter and
    nullifna(attack) is not null group by attack, severity, ref order by totalnum desc)### t
where severity='medium' group by attack, severity, ref order by totalnum desc

```

Dataset Name	Description	Log Category
App-Risk-Top-Low-Threat-Vectors-Crossing-The-Network	Application risk top low threat vectors	attack

```

select
    attack,
    severity,
    ref,
    sum(totalnum) as totalnum
from
    ###(select attack, severity, ref, count(*) as totalnum from $log where $filter and
    nullifna(attack) is not null group by attack, severity, ref order by totalnum desc)### t
where severity='low' group by attack, severity, ref order by totalnum desc

```


Dataset Name	Description	Log Category
App-Risk-Top-Info-Threat-Vectors-Crossing-The-Network	Application risk top info threat vectors	attack

```
select
  attack,
  severity,
  ref,
  sum(totalnum) as totalnum
from
  ###(select attack, severity, ref, count(*) as totalnum from $log where $filter and
  nullifna(attack) is not null group by attack, severity, ref order by totalnum desc)### t
where severity='info' group by attack, severity, ref order by totalnum desc
```

Dataset Name	Description	Log Category
App-Risk-Top-Virus-By-Name	UTM top virus	virus

```
select
  virus,
  max(virusid_s) as virusid,
  (
    case when virus like 'Riskware%' then 'Spyware' when virus like 'Adware%' then 'Adware'
  else 'Virus' end
  ) as malware_type,
  sum(totalnum) as totalnum
from
  ###(select virus, virusid_to_str(virusid, eventtype) as virusid_s, count(*) as totalnum
  from $log where $filter and (eventtype is null or logver>=502000000) and nullifna(virus) is
  not null group by virus, virusid_s /*SkipSTART*/order by totalnum desc/*SkipEND*/)### t
group by virus, malware_type order by totalnum desc
```

Dataset Name	Description	Log Category
App-Risk-Top-Virus-Victim	UTM top virus user	virus

```
select
  user_src,
  sum(totalnum) as totalnum
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, eventtype, logver,
  virus, count(*) as totalnum from $log where $filter group by user_src, eventtype, logver,
  virus /*SkipSTART*/order by totalnum desc/*SkipEND*/)### t where (eventtype is null or
  logver>=502000000) and nullifna(virus) is not null group by user_src order by totalnum desc
```

Dataset Name	Description	Log Category
App-Risk-Data-Loss-Prevention-Type-Events	Application risk DLP UTM event	dlp

```
select
  subtype : :text as utmsubtype,
  count(*) as number
from
```

```

###(select itime, hostname, `from` as sender, `to` as receiver, profile, action, service,
subtype, srcip, dstip, severity, filename, direction, filesize, (case when
severity='critical' then 'Critical Data Exfiltration' else (case when coalesce(nullifna
(`user`), ipstr(`srcip`)) is not null then 'User Associated Data Loss' else NULL end) end)
as data_loss from $log where $filter /*SkipSTART*/order by itime desc/*SkipEND*/)### t where
$filter-drilldown and subtype is not null group by subtype order by number desc

```

Dataset Name	Description	Log Category
App-Risk-Vulnerability-Discovered	Application risk vulnerability discovered	netscan

```

select
  vuln,
  vulnref as ref,
  vulncat,
  severity,
  count(*) as totalnum
from
  $log
where
  $filter
  and vuln is not null
group by
  vuln,
  vulnref,
  vulncat,
  severity
order by
  totalnum desc

```

Dataset Name	Description	Log Category
App-Risk-Malware-Discovered	Application risk virus discovered	virus

```

select
  dom,
  sum(totalnum) as totalnum
from
  ###(select $DAY_OF_MONTH as dom, count(*) as totalnum from $log where $filter and nullifna
(virus) is not null and (eventtype is null or logver>=502000000) group by dom order by
totalnum desc)### t group by dom order by totalnum desc

```

Dataset Name	Description	Log Category
App-Risk-Breakdown-Of-Risk-Applications	Application risk breakdown of risk applications	traffic

```

select
  unnest(
    string_to_array(behavior, ',')
  ) as d_behavior,
  count(*) as number
from
  $log t1
  inner join app_mdata t2 on t1.appid = t2.id
where

```

```

$filter
and (
    logflag&1>0
)
group by
    d_behavior
order by
    number desc

```

Dataset Name	Description	Log Category
App-Risk-Number-Of-Applications-By-Risk-Behavior	Application risk number of applications by risk behavior	traffic

```

select
    risk as d_risk,
    unnest(
        string_to_array(behavior, ',')
    ) as f_behavior,
    count(*) as number
from
    $log t1
    inner join app_mdata t2 on t1.appid = t2.id
where
    $filter
    and (
        logflag&1>0
    )
group by
    risk,
    f_behavior
order by
    risk desc,
    number desc

```

Dataset Name	Description	Log Category
App-Risk-High-Risk-Application	Application risk high risk application	traffic

```

select
    risk as d_risk,
    behavior as d_behavior,
    t2.id,
    t2.name,
    t2.app_cat,
    t2.technology,
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    ) as bandwidth,
    count(*) as sessions
from
    $log t1
    inner join app_mdata t2 on t1.appid = t2.id
where
    $filter
    and (

```

```

        logflag&1>0
    )
    and behavior is not null
group by
    t2.id
order by
    risk desc,
    sessions desc

```

Dataset Name	Description	Log Category
Apprisk-Ctrl-Severe-High-Risk-Application	Severe and high risk applications	traffic

```

select
    appcat,
    count(distinct app) as total_num
from
    ###(select appid, app, appcat, apprisk, sum(bandwidth) as bandwidth, sum(sessions) as
sessions from ###base(/*tag:rpt_base_t_top_app*/select dvid, srcip, dstip, epid, euid,
coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, appid, app,
appcat, apprisk, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, count(*) as
sessions from $log-traffic where $filter and (logflag&1>0) and nullifna(app) is not null
group by dvid, srcip, dstip, epid, euid, user_src, appid, app, appcat, apprisk order by
sessions desc)base### t group by appid, app, appcat, apprisk /*SkipSTART*/order by sessions
desc, bandwidth desc/*SkipEND*/)### t where $filter-drilldown and nullifna(appcat) is not
null and apprisk in ('critical', 'high') group by appcat order by total_num desc

```

Dataset Name	Description	Log Category
Apprisk-Ctrl-Threats-Prevention	Threat Prevention	app-ctrl

```

select
    threat_name,
    count(distinct threats) as total_num
from
    (
        ###(select cast('Malware & Botnet C&C' as char(32)) as threat_name, app as threats from
$log-app-ctrl where $filter and lower(appcat)='botnet' group by app)### union all ###(select
cast('Malware & Botnet C&C' as char(32)) as threat_name, virus as threats from $log-virus
where $filter and nullifna(virus) is not null group by virus)### union all ###(select cast
('Malicious & Phishing Sites' as char(32)) as threat_name, hostname as threats from $log-
webfilter where $filter and cat in (26, 61) group by hostname)### union all ###(select cast
('Critical & High Intrusion Attacks' as char(32)) as threat_name, attack as threats from
$log-attack where $filter and severity in ('critical', 'high') group by attack)###) t group
by threat_name order by total_num desc

```

Dataset Name	Description	Log Category
Apprisk-Ctrl-Application-Vulnerability	Application vulnerabilities discovered	attack

```

select
    attack,
    attackid,
    vuln_type,
    cve,

```

```

severity_number,
count(distinct dstip) as victims,
count(distinct srcip) as sources,
sum(totalnum) as totalnum
from
###(select attack, attackid, vuln_type, t2.cve, (case when t1.severity='critical' then 5
when t1.severity='high' then 4 when t1.severity='medium' then 3 when t1.severity='low' then
2 when t1.severity='info' then 1 else 0 end) as severity_number, dstip, srcip, count(*) as
totalnum from $log t1 left join (select name, cve, vuln_type from ips_mdata) t2 on
t1.attack=t2.name where $filter and nullifna(attack) is not null and t1.severity is not null
group by attack, attackid, vuln_type, t2.cve, t1.severity, dstip, srcip)### t group by
attack, attackid, vuln_type, severity_number, cve order by severity_number desc, totalnum
desc

```

Dataset Name	Description	Log Category
Apprisk-Ctrl-Breakdown-Of-High-Risk-Application	Severe and high risk applications	traffic

```

select
  appcat,
  count(distinct app) as total_num
from
###(select appid, app, appcat, apprisk, sum(bandwidth) as bandwidth, sum(sessions) as
sessions from ###base(/*tag:rpt_base_t_top_app*/select dvid, srcip, dstip, epid, euid,
coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, appid, app,
appcat, apprisk, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, count(*) as
sessions from $log-traffic where $filter and (logflag&1>0) and nullifna(app) is not null
group by dvid, srcip, dstip, epid, euid, user_src, appid, app, appcat, apprisk order by
sessions desc)base### t group by appid, app, appcat, apprisk /*SkipSTART*/order by sessions
desc, bandwidth desc/*SkipEND*/)### t where $filter-drilldown and nullifna(appcat) is not
null and apprisk in ('critical', 'high') group by appcat order by total_num desc

```

Dataset Name	Description	Log Category
Apprisk-Ctrl-Top-20-High-Risk-Application	Application risk high risk application	traffic

```

select
  risk as d_risk,
  count(distinct user_src) as users,
  id,
  name,
  app_cat,
  technology,
  sum(bandwidth) as bandwidth,
  sum(sessions) as sessions
from
###(select lower(app) as lowapp, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr
(`srcip`)) as user_src, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, count
(*) as sessions from $log where $filter and (logflag&1>0) group by lowapp, user_src order by
bandwidth desc)### t1 inner join app_mdata t2 on t1.lowapp=lower(t2.name) where risk>='4'
group by id, name, app_cat, technology, risk order by d_risk desc, sessions desc

```

Dataset Name	Description	Log Category
Apprisk-Ctrl-High-Risk-Application-Behavioral	Application Behavioral Characteristics	traffic

```

select
  behavior,
  round(
    sum(total_num) * 100 / sum(
      sum(total_num)
    ) over (),
    2
  ) as percentage
from
  (
    ###(select (case when lower(appcat)='botnet' then 'malicious' when lower
(appcat)='remote.access' then 'tunneling' when lower(appcat) in ('storage.backup',
'video/audio') then 'bandwidth-consuming' when lower(appcat)='p2p' then 'peer-to-peer' when
lower(appcat)='proxy' then 'proxy' end) as behavior, sum(sessions) as total_num from ###base
/*tag:rpt_base_t_top_app*/select dvid, srcip, dstip, epid, euid, coalesce(nullifna(`user`),
nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, appid, app, appcat, apprisk, sum
(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, count(*) as sessions from $log-
traffic where $filter and (logflag&1>0) and nullifna(app) is not null group by dvid, srcip,
dstip, epid, euid, user_src, appid, app, appcat, apprisk order by sessions desc)base### t
where lower(appcat) in ('botnet', 'remote.access', 'storage.backup', 'video/audio', 'p2p',
'proxy') and apprisk in ('critical', 'high') group by appcat order by total_num desc)###
union all ###(select 'malicious' as behavior, count(*) as total_num from $log-attack where
$filter and (logflag&16>0) and severity in ('critical', 'high') group by behavior)###) t
where $filter-drilldown group by behavior order by percentage desc

```

Dataset Name	Description	Log Category
Apprisk-Ctrl-Key-Application-Crossing-The-Network	Key Application Crossing The Network	traffic

```

select
  risk as d_risk,
  count(distinct user_src) as users,
  id,
  name,
  app_cat,
  technology,
  sum(bandwidth) as bandwidth,
  sum(sessions) as sessions
from
  ###(select app, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as
user_src, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, count(*) as
sessions from $log where $filter and (logflag&1>0) group by app, user_src order by bandwidth
desc)### t1 inner join app_mdata t2 on t1.app=t2.name group by id, app, app_cat, technology,
risk order by bandwidth desc

```

Dataset Name	Description	Log Category
Apprisk-Ctrl-Risk-Application-Usage-By-Category-With-Pie	Application risk application usage by category	traffic

```

select
  appcat,
  sum(bandwidth) as bandwidth
from
  ###(select appid, app, appcat, apprisk, sum(bandwidth) as bandwidth, sum(sessions) as
sessions from ###base(/*tag:rpt_base_t_top_app*/select dvid, srcip, dstip, epid, euid,
coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, appid, app,
appcat, apprisk, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, count(*) as
sessions from $log-traffic where $filter and (logflag&1>0) and nullifna(app) is not null
group by dvid, srcip, dstip, epid, euid, user_src, appid, app, appcat, apprisk order by
sessions desc)base### t group by appid, app, appcat, apprisk /*SkipSTART*/order by sessions
desc, bandwidth desc/*SkipEND*/)### t where $filter-drilldown and nullifna(appcat) is not
null group by appcat order by bandwidth desc

```

Dataset Name	Description	Log Category
Apprisk-Ctrl-Category-Breakdown-By-Bandwidth	Category breakdown of all applications, sorted by bandwidth	traffic

```

select
  appcat,
  count(distinct app) as app_num,
  count(distinct user_src) as user_num,
  sum(bandwidth) as bandwidth,
  sum(sessions) as num_session
from
  ###(select app, appcat, user_src, sum(bandwidth) as bandwidth, sum(sessions) as sessions
from ###base(/*tag:rpt_base_t_top_app*/select dvid, srcip, dstip, epid, euid, coalesce
(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, appid, app, appcat,
apprisk, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, count(*) as sessions
from $log-traffic where $filter and (logflag&1>0) and nullifna(app) is not null group by
dvid, srcip, dstip, epid, euid, user_src, appid, app, appcat, apprisk order by sessions
desc)base### t where nullifna(appcat) is not null group by app, appcat, user_src order by
bandwidth desc)### t where $filter-drilldown group by appcat order by bandwidth desc

```

Dataset Name	Description	Log Category
Apprisk-Ctrl-Top-Web-Applications-by-Bandwidth	Top 25 Web Applications By Bandwidth	traffic

```

select
  d_risk,
  id,
  name,
  technology,
  count(distinct f_user) as user_num,
  sum(bandwidth) as bandwidth,
  sum(num_session) as num_session
from
  ###(select risk as d_risk, t2.id, t2.name, t2.technology, coalesce(nullifna(t1.`user`),
nullifna(t1.`unauthuser`), ipstr(t1.`srcip`)) as f_user, sum(coalesce(sentbyte, 0)+coalesce
(rcvdbyte, 0)) as bandwidth, count(*) as num_session from $log t1 inner join app_mdata t2 on
t1.appid=t2.id where $filter and (logflag&1>0) and nullifna(app) is not null and service in
('80/tcp', '443/tcp', 'HTTP', 'HTTPS', 'http', 'https') group by risk, t2.id, t2.name,
t2.technology, f_user)### t group by d_risk, id, name, technology order by bandwidth desc

```

Dataset Name	Description	Log Category
Apprisk-Ctrl-Top-Web-Categories-Visited	Top 25 Web Categories Visited	traffic

```
select
  catdesc,
  count(distinct f_user) as user_num,
  sum(sessions) as sessions,
  sum(bandwidth) as bandwidth
from
  ###(select catdesc, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as
  f_user, count(*) as sessions, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth
  from $log-traffic where $filter and catdesc is not null and (logflag&l>0) and (countweb>0 or
  ((logver is null or logver<502000000) and (hostname is not null or utmevent in ('webfilter',
  'banned-word', 'web-content', 'command-block', 'script-filter')))) group by f_user, catdesc
  order by sessions desc)### t group by catdesc order by sessions desc
```

Dataset Name	Description	Log Category
Apprisk-Ctrl-Common-Virus-Botnet-Spyware	Common virus disvocered, the botnet communications and the spyware/adware	traffic

```
select
  virus_s as virus,
  (
    case when lower(appcat)= 'botnet' then 'Botnet C&C' else (
      case when virus_s like 'Riskware%' then 'Spyware' when virus_s like 'Adware%' then
'Adware' else 'Virus' end
    ) end
  ) as malware_type,
  appid,
  app,
  count(distinct dstip) as victims,
  count(distinct srcip) as source,
  sum(total_num) as total_num
from
  (
    ###(select app as virus_s, appcat, appid, app, dstip, srcip, count(*) as total_num from
    $log-traffic where $filter and (logflag&l>0) and lower(appcat)='botnet' group by virus_s,
    appcat, appid, dstip, srcip, app order by total_num desc)### union all ###(select unnest
    (string_to_array(virus, ',')) as virus_s, appcat, appid, app, dstip, srcip, count(*) as
    total_num from $log-traffic where $filter and (logflag&l>0) and virus is not null group by
    virus_s, appcat, appid, dstip, srcip, app order by total_num desc)### union all ###(select
    attack as virus_s, 'botnet' as appcat, 0 as appid, attack as app, dstip, srcip, count(*) as
    total_num from $log-attack where $filter and (logflag&l6>0) group by virus_s, appcat, appid,
    dstip, srcip, app order by total_num desc)###) t group by virus, appid, app, malware_type
  order by total_num desc
```

Dataset Name	Description	Log Category
Apprisk-Ctrl-Zero-Day-Detected-On-Network	Zero-day malware detected on the network	traffic


```

select
    virus_s,
    appid,
    app,
    count(distinct dstip) as victims,
    count(distinct srcip) as source,
    sum(total_num) as total_num
from
    ###(select unnest(string_to_array(virus, ',')) as virus_s, appid, app, dstip, srcip, count
    (*) as total_num from $log where $filter and (logflag&1>0) and virus like
    '%PossibleThreat.SB%' group by virus_s, dstip, srcip, appid, app )### t where virus_s like
    '%PossibleThreat.SB%' group by virus_s, appid, app order by total_num desc

```

Dataset Name	Description	Log Category
Apprisk-Ctrl-Files-Analyzed-By-FortiCloud-Sandbox	Files analyzed by FortiCloud Sandbox	virus

```

select
    $DAY_OF_MONTH as dom,
    count(*) as total_num
from
    $log
where
    $filter
    and nullifna(filename) is not null
    and logid_to_int(logid)= 9233
group by
    dom
order by
    dom

```

Dataset Name	Description	Log Category
Apprisk-Ctrl-Malicious-Files-Detected-By-FortiCloud-Sandbox	Files detected by FortiCloud Sandbox	virus

```

select
    filename,
    analyticscksum,
    count(distinct dstip) as victims,
    count(distinct srcip) as source
from
    ###(select filename, analyticscksum, dstip, srcip from $log where $filter and filename is
    not null and logid_to_int(logid)=9233 and analyticscksum is not null group by filename,
    analyticscksum, srcip, dstip)### t group by filename, analyticscksum order by victims desc,
    source desc

```

Dataset Name	Description	Log Category
Apprisk-Ctrl-File-Transferred-By-Application	File transferred by applications on the network	app-ctrl

```

select
    appid,
    app,

```

```

    filename,
    cloudaction,
    max(filesize) as filesize
from
    $log
where
    $filter
    and filesize is not null
    and clouduser is not null
    and filename is not null
group by
    cloudaction,
    appid,
    app,
    filename
order by
    filesize desc

```

Dataset Name	Description	Log Category
appctrl-Top-Blocked-SCCP-Callers	Appctrl top blocked SCCP callers	app-ctrl

```

select
    caller,
    sum(totalnum) as totalnum
from
    ###(select srcname as caller, app, count(*) as totalnum from $log where $filter and
srcname is not null and lower(appcat)='voip' and action='block' group by caller, app order
by totalnum desc)### t where app='sccp' group by caller order by totalnum desc

```

Dataset Name	Description	Log Category
appctrl-Top-Blocked-SIP-Callers	Appctrl top blocked SIP callers	app-ctrl

```

select
    caller,
    sum(totalnum) as totalnum
from
    ###(select srcname as caller, app, count(*) as totalnum from $log where $filter and
srcname is not null and lower(appcat)='voip' and action='block' group by caller, app order
by totalnum desc)### t where app='sip' group by caller order by totalnum desc

```

Dataset Name	Description	Log Category
security-Top20-High-Risk-Application-In-Use	High risk application in use	traffic

```

select
    d_risk,
    count(distinct f_user) as users,
    name,
    app_cat,
    technology,
    sum(bandwidth) as bandwidth,
    sum(sessions) as sessions
from

```

```
###(select risk as d_risk, coalesce(nullifna(t1.`user`), nullifna(t1.`unauthuser`), ipstr
(t1.`srcip`)) as f_user, t2.name, t2.app_cat, t2.technology, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, count(*) as sessions from $log t1 inner join app_
mdata t2 on t1.appid=t2.id where $filter and risk>='4' and (logflag&l>0) group by f_user,
t2.name, t2.app_cat, t2.technology, risk)### t group by d_risk, name, app_cat, technology
order by d_risk desc, sessions desc
```

Dataset Name	Description	Log Category
security-High-Risk-Application-By-Category	High risk application by category	traffic

```
select
  app_cat,
  count(distinct app) as total_num
from
  ###(select app_cat, app from $log t1 inner join app_mdata t2 on t1.appid=t2.id where
$filter and risk>='4' and (logflag&l>0) group by app_cat, app)### t group by app_cat order
by total_num desc
```

Dataset Name	Description	Log Category
security-Top10-Application-Categories-By-Bandwidth	Application risk application usage by category	traffic

```
select
  appcat,
  sum(bandwidth) as bandwidth
from
  ###(select appid, app, appcat, apprisk, sum(bandwidth) as bandwidth, sum(sessions) as
sessions from ###base(/*tag:rpt_base_t_top_app*/select dvid, srcip, dstip, epid, euid,
coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, appid, app,
appcat, apprisk, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, count(*) as
sessions from $log-traffic where $filter and (logflag&l>0) and nullifna(app) is not null
group by dvid, srcip, dstip, epid, euid, user_src, appid, app, appcat, apprisk order by
sessions desc)base### t group by appid, app, appcat, apprisk /*SkipSTART*/order by sessions
desc, bandwidth desc/*SkipEND*/)### t where $filter-drilldown and nullifna(appcat) is not
null group by appcat order by bandwidth desc
```

Dataset Name	Description	Log Category
Security-Category-Breakdown-By-Bandwidth	Category breakdown of all applications, sorted by bandwidth	traffic

```
select
  appcat,
  count(distinct app) as app_num,
  count(distinct user_src) as user_num,
  sum(bandwidth) as bandwidth,
  sum(sessions) as num_session
from
  ###(select app, appcat, user_src, sum(bandwidth) as bandwidth, sum(sessions) as sessions
from ###base(/*tag:rpt_base_t_top_app*/select dvid, srcip, dstip, epid, euid, coalesce
(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, appid, app, appcat,
apprisk, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, count(*) as sessions
from $log-traffic where $filter and (logflag&l>0) and nullifna(app) is not null group by
```

dvid, srcip, dstip, epid, euid, user_src, appid, app, appcat, apprisk order by sessions desc)base### t where nullifna(appcat) is not null group by app, appcat, user_src order by bandwidth desc)### t where \$filter-drilldown group by appcat order by bandwidth desc

Dataset Name	Description	Log Category
security-Top25-Web-Applications-By-Bandwidth	Top Web Applications by Bandwidth	traffic

```
select
  d_risk,
  name,
  app_cat,
  technology,
  count(distinct f_user) as users,
  sum(bandwidth) as bandwidth,
  sum(num_session) as sessions
from
  ###(select risk as d_risk, t2.app_cat, t2.name, t2.technology, coalesce(nullifna
(t1.`user`), nullifna(t1.`unauthuser`), ipstr(t1.`srcip`)) as f_user, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, count(*) as num_session from $log t1 inner join app_
mdata t2 on t1.appid=t2.id where $filter and (logflag&1>0) and nullifna(app) is not null and
service in ('80/tcp', '443/tcp', 'HTTP', 'HTTPS', 'http', 'https') group by risk, t2.app_
cat, t2.name, t2.technology, f_user)### t group by d_risk, name, app_cat, technology order
by bandwidth desc
```

Dataset Name	Description	Log Category
Security-Top25-Web-Categories-Visited	Top 25 Web Categories Visited	traffic

```
select
  catdesc,
  count(distinct f_user) as user_num,
  sum(sessions) as sessions,
  sum(bandwidth) as bandwidth
from
  ###(select catdesc, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as
f_user, count(*) as sessions, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth
from $log-traffic where $filter and catdesc is not null and (logflag&1>0) and (countweb>0 or
((logver is null or logver<502000000) and (hostname is not null or utmevent in ('webfilter',
'banned-word', 'web-content', 'command-block', 'script-filter')))) group by f_user, catdesc
order by sessions desc)### t group by catdesc order by sessions desc
```

Dataset Name	Description	Log Category
security-Top25-Malware-Virus-Botnet-Spyware	Malware: viruses, Bots, Spyware/Adware	traffic

```
select
  virus_s as virus,
  (
    case when lower(appcat)= 'botnet' then 'Botnet C&C' else (
      case when virus_s like 'Riskware%' then 'Spyware' when virus_s like 'Adware%' then
'Adware' else 'Virus' end
    ) end
```

```

    ) as malware_type,
    count(distinct dstip) as victims,
    count(distinct srcip) as source,
    sum(total_num) as total_num
from
(
    ###(select app as virus_s, appcat, dstip, srcip, count(*) as total_num from $log-traffic
    where $filter and (logflag&1>0) and lower(appcat)='botnet' group by virus_s, appcat, dstip,
    srcip order by total_num desc)### union all ###(select unnest(string_to_array(virus, ','))
    as virus_s, appcat, dstip, srcip, count(*) as total_num from $log-traffic where $filter and
    (logflag&1>0) and virus is not null group by virus_s, appcat, dstip, srcip order by total_
    num desc)### union all ###(select attack as virus_s, 'null' as appcat, dstip, srcip, count
    (*) as total_num from $log-attack where $filter and (logflag&16>0) group by virus_s, appcat,
    dstip, srcip order by total_num desc)###) t group by virus, malware_type order by total_num
    desc

```

Dataset Name	Description	Log Category
security-Top10-Malware-Virus-Spyware	Malware: viruses, Spyware/Adware	virus

```

select
    virus,
    max(virusid_s) as virusid,
    malware_type,
    count(distinct dstip) as victims,
    count(distinct srcip) as source,
    sum(total_num) as total_num
from
    ###(select virus, virusid_to_str(virusid, eventtype) as virusid_s, srcip, dstip, (case
    when virus like 'Riskware%' then 'Spyware' when virus like 'Adware%' then 'Adware' else
    'Virus' end) as malware_type, count(*) as total_num from $log where $filter and nullifna
    (virus) is not null group by virus, virusid_s, srcip, dstip order by total_num desc)### t
    group by virus, malware_type order by total_num desc

```

Dataset Name	Description	Log Category
security-Top10-Malware-Botnet	Malware: Botnet	appctrl

```

select
    app,
    appid,
    malware_type,
    count(distinct dstip) as victims,
    count(distinct srcip) as source,
    sum(total_num) as total_num
from
(
    ###(select app, appid, cast('Botnet C&C' as char(32)) as malware_type, srcip, dstip,
    count(*) as total_num from $log-app-ctrl where $filter and lower(appcat)='botnet' and
    nullifna(app) is not null group by app, appid, malware_type, srcip, dstip order by total_num
    desc)### union all ###(select attack, 0 as appid, cast('Botnet C&C' as char(32)) as malware_
    type, srcip, dstip, count(*) as total_num from $log-attack where $filter and (logflag&16>0)
    group by attack, appid, malware_type, srcip, dstip order by total_num desc)###) t group by
    app, appid, malware_type order by total_num desc

```

Dataset Name	Description	Log Category
security-Top10-Victims-of-Malware	Victims of Malware	virus

```
select
  coalesce(
    nullifna(`user`),
    nullifna(`unauthuser`),
    ipstr(`srcip`)
  ) as user_src,
  virus as malware,
  count(*) as total_num
from
  $log
where
  $filter
  and virus is not null
group by
  user_src,
  malware
order by
  total_num desc
```

Dataset Name	Description	Log Category
security-Top10-Victims-of-Phishing-Site	Victims of Phishing Site	webfilter

```
select
  coalesce(
    nullifna(`user`),
    nullifna(`unauthuser`),
    ipstr(`srcip`)
  ) as user_src,
  (
    lower(service) || '://' || hostname || url
  ) as phishing_site,
  count(*) as total_num
from
  $log
where
  $filter
  and lower(service) in ('http', 'https')
  and hostname is not null
  and cat in (26, 61)
group by
  user_src,
  phishing_site
order by
  total_num desc
```

Dataset Name	Description	Log Category
security-Top25-Malicious-Phishing-Sites	Malicious Phishing Site	webfilter

```

select
  phishing_site,
  count(distinct dstip) as victims,
  count(distinct srcip) as source,
  sum(total) as total_num
from
  ###(select (lower(service) || '://' || hostname || url) as phishing_site, dstip, srcip,
  count(*) as total from $log where $filter and lower(service) in ('http', 'https') and
  hostname is not null and cat in (26, 61) group by phishing_site, dstip, srcip order by total
  desc)### t group by phishing_site order by total_num desc

```

Dataset Name	Description	Log Category
security-Application-Vulnerability	Application vulnerabilities discovered	attack

```

select
  attack,
  attackid,
  vuln_type,
  cve,
  severity_number,
  count(distinct dstip) as victims,
  count(distinct srcip) as sources,
  sum(totalnum) as totalnum
from
  ###(select attack, attackid, vuln_type, t2.cve, (case when t1.severity='critical' then 5
  when t1.severity='high' then 4 when t1.severity='medium' then 3 when t1.severity='low' then
  2 when t1.severity='info' then 1 else 0 end) as severity_number, dstip, srcip, count(*) as
  totalnum from $log t1 left join (select name, cve, vuln_type from ips_mdata) t2 on
  t1.attack=t2.name where $filter and nullifna(attack) is not null and t1.severity is not null
  group by attack, attackid, vuln_type, t2.cve, t1.severity, dstip, srcip )### t group by
  attack, attackid, vuln_type, severity_number, cve order by severity_number desc, totalnum
  desc

```

Dataset Name	Description	Log Category
security-Files-Analyzed-By-FortiCloud-Sandbox	Files analyzed by FortiCloud Sandbox	virus

```

select
  $day_of_week as dow,
  count(*) as total_num
from
  $log
where
  $filter
  and nullifna(filename) is not null
  and logid_to_int(logid)= 9233
group by
  dow
order by
  dow

```

Dataset Name	Description	Log Category
Security-Zero-Day-Detected-On-Network	Zero-day malware detected on the network	traffic

```
select
  virus_s,
  app,
  count(distinct dstip) as victims,
  count(distinct srcip) as source,
  sum(total_num) as total_num
from
  ###(select unnest(string_to_array(virus, ',')) as virus_s, app, dstip, srcip, count(*) as
total_num from $log where $filter and (logflag&1>0) and virus like '%PossibleThreat.SB%'
group by virus_s, dstip, srcip, app)### t group by virus_s, app order by total_num desc
```

Dataset Name	Description	Log Category
security-Data-Loss-Incidents-By-Severity	Data loss incidents summary by severity	dlp

```
select
  initcap(severity : :text) as s_severity,
  count(*) as total_num
from
  ###(select itime, hostname, `from` as sender, `to` as receiver, profile, action, service,
subtype, srcip, dstip, severity, filename, direction, filesize, (case when
severity='critical' then 'Critical Data Exfiltration' else (case when coalesce(nullifna
(`user`), ipstr(`srcip`)) is not null then 'User Associated Data Loss' else NULL end) end)
as data_loss from $log where $filter /*SkipSTART*/order by itime desc/*SkipEND*/)### t where
$filter-drilldown and severity is not null group by s_severity order by total_num desc
```

Dataset Name	Description	Log Category
security-Data-Loss-Files-By-Service	Data Loss Files By Service	dlp

```
select
  filename,
  (
    case direction when 'incoming' then 'Download' when 'outgoing' then 'Upload' end
  ) as action,
  max(filesize) as filesize,
  service
from
  ###(select itime, hostname, `from` as sender, `to` as receiver, profile, action, service,
subtype, srcip, dstip, severity, filename, direction, filesize, (case when
severity='critical' then 'Critical Data Exfiltration' else (case when coalesce(nullifna
(`user`), ipstr(`srcip`)) is not null then 'User Associated Data Loss' else NULL end) end)
as data_loss from $log where $filter /*SkipSTART*/order by itime desc/*SkipEND*/)### t where
$filter-drilldown and filesize is not null group by filename, direction, service order by
filesize desc
```

Dataset Name	Description	Log Category
security-Endpoint-Security-Events-Summary	Endpoint Security Events summary	fct-traffic


```

select
(
    case utmevent when 'antivirus' then 'Malware incidents' when 'webfilter' then
'Malicious/phishing websites' when 'appfirewall' then 'Risk applications' when 'dlp' then
'Data loss incidents' when 'netscan' then 'Vulnerability detected' else 'Others' end
) as events,
count(*) as total_num
from
$log
where
$filter
and utmevent is not null
group by
events
order by
total_num desc

```

Dataset Name	Description	Log Category
security-Top-Endpoing-Running-High-Risk-Application	Endpoints Running High Risk Application	fct-traffic

```

select
    coalesce(
        nullifna(`user`),
        ipstr(`srcip`),
        'Unknown'
    ) as f_user,
    coalesce(
        nullifna(hostname),
        'Unknown'
    ) as host_name,
    threat as app,
    t2.app_cat as appcat,
    risk as d_risk
from
$log t1
inner join app_mdata t2 on t1.threat = t2.name
where
$filter
and utmevent = 'appfirewall'
and risk & gt;= '4'
group by
f_user,
host_name,
t1.threat,
t2.app_cat,
t2.risk
order by
risk desc

```

Dataset Name	Description	Log Category
security-Top-Endpoints-Infected-With-Malware	Endpoints Infected With Malware	fct-event

```

select
  coalesce(
    nullifna(`user`),
    ipstr(`deviceip`),
    'Unknown'
  ) as f_user,
  coalesce(
    nullifna(hostname),
    'Unknown'
  ) as host_name,
  virus,
  file
from
  $log
where
  $filter
  and subtype = 'av'
  and virus is not null
group by
  f_user,
  host_name,
  virus,
  file

```

Dataset Name	Description	Log Category
security-Top-Endpoints-With-Web-Violateions	Endpoints With Web Violations	fct-traffic

```

select
  f_user,
  host_name,
  remotename,
  sum(total_num) as total_num
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as f_user, coalesce(nullifna(
hostname), 'Unknown') as host_name, remotename, count(*) as total_num from $log where
$filter and utmevent='webfilter' and remotename is not null and utmaction='blocked' group by
f_user, host_name, remotename order by total_num desc)### t group by f_user, host_name,
remotename order by total_num desc

```

Dataset Name	Description	Log Category
security-Top-Endpoints-With-Data-Loss-Incidents	Endpoints With Data Loss Incidents	fct-event

```

select
  f_user,
  host_name,
  msg,
  sum(total_num) as total_num
from
  ###(select coalesce(nullifna(`user`), ipstr(`deviceip`), 'Unknown') as f_user, coalesce(
nullifna(hostname), 'Unknown') as host_name, msg, count(*) as total_num from $log where
$filter and subtype='dlp' group by f_user, host_name, msg order by total_num desc)### t
group by f_user, host_name, msg order by total_num desc

```

Dataset Name	Description	Log Category
content-Count-Total-SCCP-Call-Registrations-by-Hour-of-Day	Content count total SCCP call registrations by hour of day	content

```
select
    hourstamp,
    count(totalnum) as totalnum
from
    ###(select $hour_of_day as hourstamp, proto, kind, status, sum(duration) as sccp_usage,
    count(*) as totalnum from $log-content where $filter group by hourstamp, proto, kind, status
    order by totalnum desc)### t where proto='sccp' and kind='register' group by hourstamp order
    by hourstamp
```

Dataset Name	Description	Log Category
content-Count-Total-SCCP-Calls-Duration-by-Hour-of-Day	Content count total SCCP calls duration by hour of day	content

```
select
    hourstamp,
    sum(sccp_usage) as sccp_usage
from
    ###(select $hour_of_day as hourstamp, proto, kind, status, sum(duration) as sccp_usage,
    count(*) as totalnum from $log-content where $filter group by hourstamp, proto, kind, status
    order by totalnum desc)### t where proto='sccp' and kind='call-info' and status='end' group
    by hourstamp order by hourstamp
```

Dataset Name	Description	Log Category
content-Count-Total-SCCP-Calls-per-Status	Content count total SCCP calls per status	content

```
select
    status,
    count(totalnum) as totalnum
from
    ###(select $hour_of_day as hourstamp, proto, kind, status, sum(duration) as sccp_usage,
    count(*) as totalnum from $log-content where $filter group by hourstamp, proto, kind, status
    order by totalnum desc)### t where proto='sccp' and kind='call-info' group by status order
    by totalnum desc
```

Dataset Name	Description	Log Category
content-Count-Total-SIP-Call-Registrations-by-Hour-of-Day	Content count total SIP call registrations by hour of day	content

```
select
    hourstamp,
    count(totalnum) as totalnum
from
    ###(select $hour_of_day as hourstamp, proto, kind, status, sum(duration) as sccp_usage,
    count(*) as totalnum from $log-content where $filter group by hourstamp, proto, kind, status
    order by totalnum desc)### t where proto='sip' and kind='register' group by hourstamp order
    by hourstamp
```

Dataset Name	Description	Log Category
content-Count-Total-SIP-Calls-per-Status	Content count total SIP calls per status	content

```
select
  status,
  count(totalnum) as totalnum
from
  ###(select $hour_of_day as hourstamp, proto, kind, status, sum(duration) as sccp_usage,
  count(*) as totalnum from $log-content where $filter group by hourstamp, proto, kind, status
  order by totalnum desc)### t where proto='sip' and kind='call' group by status order by
  totalnum desc
```

Dataset Name	Description	Log Category
content-Dist-Total-SIP-Calls-by-Duration	Content dist total SIP calls by duration	content

```
select
  (
    case when duration<60 then 'LESS_ONE_MIN' when duration<600 then 'LESS_TEN_MIN' when
    duration<3600 then 'LESS_ONE_HOUR' when duration & gt;= 3600 then 'MORE_ONE_HOUR' else
    'unknown' end
  ) as f_duration,
  count(*) as totalnum
from
  $log
where
  $filter
  and proto = 'sip'
  and kind = 'call'
  and status = 'end'
group by
  f_duration
order by
  totalnum desc
```

Dataset Name	Description	Log Category
Botnet-Activity-By-Sources	Botnet activity by sources	traffic

```
select
  app,
  user_src,
  sum(events) as events
from
  (
    (
      select
        app,
        user_src,
        sum(totalnum) as events
      from
        ###(select app, appcat, apprisk, srcip, dstip, coalesce(nullifna(`user`), nullifna
        (`unauthuser`), ipstr(`srcip`)) as user_src, count(*) as totalnum from $log-traffic where
```

```
$filter and (logflag&1>0) and appcat='Botnet' and nullifna(app) is not null group by app,
appcat, apprisk, srcip, dstip, user_src order by totalnum desc)### t group by app, user_src
order by events desc) union all (select attack, user_src, sum(totalnum) as events from ###
(select attack, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_
src, $flex_timestamp as timestamp, hostname, severity, crlevel, eventtype, service, dstip,
srcip, count(*) as totalnum from $log-attack where $filter and (logflag&16>0) group by
attack, user_src, timestamp, hostname, severity, crlevel, eventtype, service, dstip, srcip
order by timestamp desc)### t group by attack, user_src order by events desc)) t group by
app, user_src order by events desc
```

Dataset Name	Description	Log Category
Botnet-Infected-Hosts	Botnet infected hosts	traffic

```
select
  user_src,
  devtype_new,
  host_mac,
  sum(events) as events
from
  (
    ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_
src, get_devtype(srcswversion, osname, devtype) as devtype_new, coalesce(srcname, srcmac) as
host_mac, count(*) as events from $log-traffic where $filter and (logflag&1>0) and
appcat='Botnet' group by user_src, devtype_new, host_mac order by events desc)### union all
###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
'Unknown' as devtype_new, hostname as host_mac, count(*) as events from $log-attack where
$filter and (logflag&16>0) group by user_src, devtype_new, host_mac order by events
desc)###) t group by user_src, devtype_new, host_mac order by events desc
```

Dataset Name	Description	Log Category
Detected-Botnet	Detected botnet	traffic

```
select
  app,
  sum(events) as events
from
  (
    (
      select
        app,
        sum(totalnum) as events
      from
        ###(select app, appcat, apprisk, srcip, dstip, coalesce(nullifna(`user`), nullifna
(`unauthuser`), ipstr(`srcip`)) as user_src, count(*) as totalnum from $log-traffic where
$filter and (logflag&1>0) and appcat='Botnet' and nullifna(app) is not null group by app,
appcat, apprisk, srcip, dstip, user_src order by totalnum desc)### t group by app order by
events desc) union all (select attack, sum(totalnum) as events from ###(select attack,
coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, $flex_
timestamp as timestamp, hostname, severity, crlevel, eventtype, service, dstip, srcip, count
(*) as totalnum from $log-attack where $filter and (logflag&16>0) group by attack, user_src,
timestamp, hostname, severity, crlevel, eventtype, service, dstip, srcip order by timestamp
desc)### t group by attack order by events desc)) t group by app order by events desc
```

Dataset Name	Description	Log Category
Botnet-Sources	Botnet sources	traffic

```

select
  dstip,
  domain,
  sum(events) as events
from
  (
    (
      select
        dstip,
        domain,
        sum(events) as events
      from
        ###(select dstip, root_domain(hostname) as domain, count(*) as events from $log-
traffic where $filter and (logflag&1>0) and appcat='Botnet' and dstip is not null group by
dstip, domain order by events desc)### t group by dstip, domain) union all (select dstip,
root_domain(hostname) as domain, sum(totalnum) as events from ###(select attack, coalesce
(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, $flex_timestamp as
timestamp, hostname, severity, crlevel, eventtype, service, dstip, srcip, count(*) as
totalnum from $log-attack where $filter and (logflag&16>0) group by attack, user_src,
timestamp, hostname, severity, crlevel, eventtype, service, dstip, srcip order by timestamp
desc)### t group by dstip, domain)) t group by dstip, domain order by events desc

```

Dataset Name	Description	Log Category
Botnet-Victims	Botnet victims	traffic

```

select
  user_src,
  sum(events) as events
from
  (
    (
      select
        user_src,
        sum(totalnum) as events
      from
        ###(select app, appcat, apprisk, srcip, dstip, coalesce(nullifna(`user`), nullifna
(`unauthuser`), ipstr(`srcip`)) as user_src, count(*) as totalnum from $log-traffic where
$filter and (logflag&1>0) and appcat='Botnet' and nullifna(app) is not null group by app,
appcat, apprisk, srcip, dstip, user_src order by totalnum desc)### t group by user_src)
union all (select user_src, sum(totalnum) as events from ###(select attack, coalesce
(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, $flex_timestamp as
timestamp, hostname, severity, crlevel, eventtype, service, dstip, srcip, count(*) as
totalnum from $log-attack where $filter and (logflag&16>0) group by attack, user_src,
timestamp, hostname, severity, crlevel, eventtype, service, dstip, srcip order by timestamp
desc)### t group by user_src)) t group by user_src order by events desc

```

Dataset Name	Description	Log Category
Botnet-Timeline	Botnet timeline	traffic

```

select
    $flex_datetime(timestamp) as hodex,
    sum(events) as events
from
    (
        ###(select $flex_timestamp as timestamp, count(*) as events from $log-traffic where
        $filter and (logflag&1>0) and appcat='Botnet' group by timestamp order by timestamp desc)###
        union all ###(select $flex_timestamp as timestamp, count(*) as events from $log-dns where
        $filter and (botnetdomain is not null or botnetip is not null) group by timestamp order by
        timestamp)### union all ###(select $flex_timestamp as timestamp, count(*) as events from
        $log-attack where $filter and (logflag&16>0) group by timestamp order by timestamp)###) t
group by hodex order by hodex

```

Dataset Name	Description	Log Category
Application-Session-History	Application session history	traffic

```

select
    $flex_timescale(timestamp) as hodex,
    sum(counter) as counter
from
    ###(select $flex_timestamp as timestamp, count(*) as counter from $log where $filter and
    (logflag&1>0) group by timestamp order by timestamp desc)### t group by hodex order by hodex

```

Dataset Name	Description	Log Category
Application-Usage-List	Detailed application usage	traffic

```

select
    appid,
    app,
    appcat,
    (
        case when (
            utmaction in ('block', 'blocked')
            or action = 'deny'
        ) then 'Blocked' else 'Allowed' end
    ) as custaction,
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    ) as bandwidth,
    count(*) as num_session
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
    and nullifna(app) is not null
    and policyid != 0
group by
    appid,
    app,
    appcat,
    custaction

```

```
order by
  bandwidth desc
```

Dataset Name	Description	Log Category
PCI-DSS-Compliance-Summary	PCI DSS Compliance Summary	event

```
select
  status,
  num_reason as requirements,
  cast(
    num_reason * 100.0 /(
      sum(num_reason) over()
    ) as decimal(18, 2)
  ) as percent
from
  (
    select
      (
        case when fail_count>0 then 'Non-Compliant' else 'Compliant' end
      ) as status,
      count(distinct reason) as num_reason
    from
      (
        select
          ftnt_pci_id,
          (
            sum(fail_count) over (partition by ftnt_pci_id)
          ) as fail_count,
          reason
        from
          ###(select ftnt_pci_id, (case when result='fail' then 1 else 0 end) as fail_count,
reason from $log t1 inner join pci_dss_mdata t2 on t1.reason=t2.ftnt_id where $filter and
subtype='compliance-check' group by ftnt_pci_id, result, reason)### t) t group by status) t
    order by status
```

Dataset Name	Description	Log Category
PCI-DSS-Non-Compliant-Requirements-By-Severity	PCI DSS Non-Compliant Requirements by Severity	event

```
with query as (
  select
    *
  from
    (
      select
        ftnt_pci_id,
        severity,
        (
          sum(fail_count) over (partition by ftnt_pci_id)
        ) as fail_count,
        reason
      from
        ###(select ftnt_pci_id, t2.severity, (case when result='fail' then 1 else 0 end) as
fail_count, reason from $log t1 inner join pci_dss_mdata t2 on t1.reason=t2.ftnt_id where
```



```

$filter and subtype='compliance-check' group by ftnt_pci_id, t2.severity, result, reason)###
t) t where fail_count>0) select t.severity, count(distinct t.reason) as requirements from
(select distinct on (1) reason, severity from query order by reason, (case lower(severity)
when 'high' then 4 when 'critical' then 3 when 'medium' then 2 when 'low' then 1 else 0 end)
desc) t group by t.severity order by requirements desc

```

Dataset Name	Description	Log Category
PCI-DSS-Compliant-Requirements-By-Severity	PCI DSS Compliant Requirements by Severity	event

```

with query as (
  select
    *
  from
    (
      select
        ftnt_pci_id,
        severity,
        (
          sum(fail_count) over (partition by ftnt_pci_id)
        ) as fail_count,
        reason
      from
        ###(select ftnt_pci_id, t2.severity, (case when result='fail' then 1 else 0 end) as
fail_count, reason from $log t1 inner join pci_dss_mdata t2 on t1.reason=t2.ftnt_id where
$filter and subtype='compliance-check' group by ftnt_pci_id, t2.severity, result, reason)###
t) t where fail_count=0) select t.severity, count(distinct t.reason) as requirements from
(select distinct on (1) reason, severity from query order by reason, (case lower(severity)
when 'high' then 4 when 'critical' then 3 when 'medium' then 2 when 'low' then 1 else 0 end)
desc) t group by t.severity order by requirements desc

```

Dataset Name	Description	Log Category
PCI-DSS-Fortinet-Security-Best-Practice-Summary	PCI DSS Fortinet Security Best Practice Summary	event

```

select
  status,
  num_reason as practices,
  cast(
    num_reason * 100.0 /(
      sum(num_reason) over()
    ) as decimal(18, 2)
  ) as percent
from
  (
    select
      (
        case when result = 'fail' then 'Failed' else 'Passed' end
      ) as status,
      count(distinct reason) as num_reason
    from
      ###(select result, reason from $log where $filter and subtype='compliance-check' and
result in ('fail','pass') group by result, reason)### t group by status) t order by status
desc

```

Dataset Name	Description	Log Category
PCI-DSS-Failed-Fortinet-Security-Best-Practices-By-Severity	PCI DSS Failed Fortinet Security Best Practices by Severity	event

```
select
  status,
  num_reason as practices,
  cast(
    num_reason * 100.0 / (
      sum(num_reason) over()
    ) as decimal(18, 2)
  ) as percent
from
  (
    select
      initcap(status) as status,
      count(distinct reason) as num_reason
    from
      ###(select status, reason, result from $log where $filter and subtype='compliance-check' group by status, reason, result)### t where result='fail' group by status) t order by status
```

Dataset Name	Description	Log Category
PCI-DSS-Passed-Fortinet-Security-Best-Practices-By-Severity	PCI DSS Passed Fortinet Security Best Practices by Severity	event

```
select
  status,
  num_reason as practices,
  cast(
    num_reason * 100.0 / (
      sum(num_reason) over()
    ) as decimal(18, 2)
  ) as percent
from
  (
    select
      initcap(status) as status,
      count(distinct reason) as num_reason
    from
      ###(select status, reason, result from $log where $filter and subtype='compliance-check' group by status, reason, result)### t where result='pass' group by status) t order by status
```

Dataset Name	Description	Log Category
PCI-DSS-Requirements-Compliance-Details	PCI DSS Requirements Compliance Details	event

```
select
  ftnt_pci_id,
  left(
    string_agg(distinct ftnt_id, ','),
```

```

120
) as practice,
(
    case when sum(fail_count)& gt; 0 then 'Non-Compliant' else 'Compliant' end
) as compliance,
pci_requirement
from
###(select ftnt_pci_id, ftnt_id, (case when result='fail' then 1 else 0 end) as fail_
count, pci_requirement from $log t1 inner join pci_dss_mdata t2 on t1.reason=t2.ftnt_id
where $filter and subtype='compliance-check' group by ftnt_pci_id, ftnt_id, result, pci_
requirement)### t group by ftnt_pci_id, pci_requirement order by ftnt_pci_id

```

Dataset Name	Description	Log Category
PCI-DSS-Fortinet-Security-Best-Practice-Details	PCI DSS Fortinet Security Best Practice Details	event

```

select
    reason as ftnt_id,
    msg,
    initcap(status) as status,
    module
from
    $log
where
    $filter
    and subtype = 'compliance-check'
group by
    reason,
    status,
    module,
    msg
order by
    ftnt_id

```

Dataset Name	Description	Log Category
DLP-Email-Activity-Details	Email DLP Violations Summary	dlp

```

select
    from_itime(itime) as timestamp,
    sender,
    receiver,
    regexp_replace(filename, '.*/', '') as filename,
    filesize,
    profile,
    action,
    direction
from
    ###(select itime, hostname, `from` as sender, `to` as receiver, profile, action, service,
    subtype, srcip, dstip, severity, filename, direction, filesize, (case when
    severity='critical' then 'Critical Data Exfiltration' else (case when coalesce(nullifna
    (`user`), ipstr(`srcip`)) is not null then 'User Associated Data Loss' else NULL end) end)
    as data_loss from $log where $filter /*SkipSTART*/order by itime desc/*SkipEND*/)### t where
    $filter-drilldown and (service in ('smtp', 'SMTP', '25/tcp', '587/tcp', 'smtps', 'SMTPS',

```

```
'465/tcp') or service in ('pop3', 'POP3', '110/tcp', 'imap', 'IMAP', '143/tcp', 'imaps', 'IMAPS', '993/tcp', 'pop3s', 'POP3S', '995/tcp')) order by timestamp desc
```

Dataset Name	Description	Log Category
Email-DLP-Chart	Email DLP Activity Summary	dlp

```
select
  profile,
  count(*) as total_num
from
  ###(select itime, hostname, `from` as sender, `to` as receiver, profile, action, service,
  subtype, srcip, dstip, severity, filename, direction, filesize, (case when
  severity='critical' then 'Critical Data Exfiltration' else (case when coalesce(nullifna
  (`user`), ipstr(`srcip`)) is not null then 'User Associated Data Loss' else NULL end) end)
  as data_loss from $log where $filter /*SkipSTART*/order by itime desc/*SkipEND*/)### t where
  $filter-drilldown and (service in ('smtp', 'SMTP', '25/tcp', '587/tcp', 'smtps', 'SMTPS',
  '465/tcp') or service in ('pop3', 'POP3', '110/tcp', 'imap', 'IMAP', '143/tcp', 'imaps',
  'IMAPS', '993/tcp', 'pop3s', 'POP3S', '995/tcp')) group by profile order by total_num desc
```

Dataset Name	Description	Log Category
DLP-Web-Activity-Details	Web DLP Violations Summary	dlp

```
select
  from_itime(itime) as timestamp,
  srcip,
  dstip,
  hostname,
  profile,
  filename,
  filesize,
  action,
  direction
from
  ###(select itime, hostname, `from` as sender, `to` as receiver, profile, action, service,
  subtype, srcip, dstip, severity, filename, direction, filesize, (case when
  severity='critical' then 'Critical Data Exfiltration' else (case when coalesce(nullifna
  (`user`), ipstr(`srcip`)) is not null then 'User Associated Data Loss' else NULL end) end)
  as data_loss from $log where $filter /*SkipSTART*/order by itime desc/*SkipEND*/)### t where
  $filter-drilldown and lower(service) in ('http', 'https') order by timestamp desc
```

Dataset Name	Description	Log Category
Web-DLP-Chart	Web DLP Activity Summary	dlp

```
select
  profile,
  count(*) as total_num
from
  ###(select itime, hostname, `from` as sender, `to` as receiver, profile, action, service,
  subtype, srcip, dstip, severity, filename, direction, filesize, (case when
  severity='critical' then 'Critical Data Exfiltration' else (case when coalesce(nullifna
  (`user`), ipstr(`srcip`)) is not null then 'User Associated Data Loss' else NULL end) end)
  as data_loss from $log where $filter /*SkipSTART*/order by itime desc/*SkipEND*/)### t where
```

```
$filter-drilldown and lower(service) in ('http', 'https') group by profile order by total_num desc
```

Dataset Name	Description	Log Category
DLP-FTP-Activity-Details	Web DLP Violations Summary	dlp

```
select
  from_itime(itime) as timestamp,
  srcip,
  dstip,
  filename,
  profile,
  filesize,
  action,
  direction
from
  ###(select itime, hostname, `from` as sender, `to` as receiver, profile, action, service,
  subtype, srcip, dstip, severity, filename, direction, filesize, (case when
  severity='critical' then 'Critical Data Exfiltration' else (case when coalesce(nullifna
  (`user`), ipstr(`srcip`)) is not null then 'User Associated Data Loss' else NULL end) end)
  as data_loss from $log where $filter /*SkipSTART*/order by itime desc/*SkipEND*/)### t where
  $filter-drilldown and lower(service) in ('ftp', 'ftps') order by timestamp desc
```

Dataset Name	Description	Log Category
FTP-DLP-Chart	FTP DLP Activity Summary	dlp

```
select
  profile,
  count(*) as total_num
from
  ###(select itime, hostname, `from` as sender, `to` as receiver, profile, action, service,
  subtype, srcip, dstip, severity, filename, direction, filesize, (case when
  severity='critical' then 'Critical Data Exfiltration' else (case when coalesce(nullifna
  (`user`), ipstr(`srcip`)) is not null then 'User Associated Data Loss' else NULL end) end)
  as data_loss from $log where $filter /*SkipSTART*/order by itime desc/*SkipEND*/)### t where
  $filter-drilldown and lower(service) in ('ftp', 'ftps') group by profile order by total_num
  desc
```

Dataset Name	Description	Log Category
top-users-by-browsetime	Top Users by website browsetime	traffic

```
select
  user_src,
  domain,
  ebtr_value(
    ebtr_agg_flat(browsetime),
    null,
    $timespan
  ) as browsetime
from
  ###(select user_src, domain, ebtr_agg_flat(browsetime) as browsetime from (select coalesce
  (nullifna(`user`), ipstr(`srcip`)) as user_src, coalesce(nullifna(hostname), ipstr(`dstip`))
  as domain, ebtr_agg_flat($browse_time) as browsetime from $log where $filter and $browse_
```

```
time is not null group by user_src, domain) t group by user_src, domain order by ebtr_value
(ebtr_agg_flat(browsetime), null, null) desc)### t group by user_src, domain order by
browsetime desc
```

Dataset Name	Description	Log Category
wifi-usage-by-hour-authenticated	Wifi Usage by Hour - Authenticated	event

```
select
  hod,
  count(distinct stamac) as totalnum
from
  ###(select $HOURL_OF_DAY as hod, stamac from $log where $filter and subtype='wireless' and
  action='client-authentication' group by hod, stamac)### t group by hod order by hod
```

Dataset Name	Description	Log Category
wifi-usage-authenticated-timeline	Wifi Usage Timeline - Authenticated	event

```
select
  $flex_timescale(timestamp) as hodex,
  count(distinct stamac) as totalnum
from
  ###(select $flex_timestamp as timestamp, stamac from $log where $filter and
  subtype='wireless' and action='client-authentication' group by timestamp, stamac order by
  timestamp desc)### t group by hodex order by hodex
```

Dataset Name	Description	Log Category
app-top-user-by-bandwidth	Top 10 Applications Bandwidth by User Drilldown	traffic

```
select
  app,
  coalesce(
    nullifna(`user`),
    nullifna(`unauthuser`),
    ipstr(`srcip`)
  ) as user_src,
  sum(
    coalesce(`sentbyte`, 0) + coalesce(`rcvdbyte`, 0)
  ) as bandwidth
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
  and nullifna(app) is not null
group by
  app,
  user_src
order by
  bandwidth desc
```

Dataset Name	Description	Log Category
app-top-user-by-session	Top 10 Application Sessions by User Drilldown	traffic

```

select
  app,
  coalesce(
    nullifna(`user`),
    nullifna(`unauthuser`),
    ipstr(`srcip`)
  ) as user_src,
  count(*) as sessions
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
  and nullifna(app) is not null
group by
  app,
  user_src
order by
  sessions desc

```

Dataset Name	Description	Log Category
traffic-Interface-Bandwidth-Usage	Interface Bandwidth Usage	traffic

```

with qry as (
  select
    dom as dom_s,
    devid as devid_s,
    vd as vd_s,
    srcintf,
    dstintf,
    total_sent,
    total_rcvd
  from
    ###(select $DAY_OF_MONTH as dom, devid, vd, srcintf, dstintf, sum(coalesce(sentbyte, 0))
    as total_sent, sum(coalesce(rcvdbyte, 0)) as total_rcvd, sum(coalesce(sentbyte, 0)+coalesce
    (rcvdbyte, 0)) as total from $log where $filter and (logflag&1>0) and nullifna(srcintf) is
    not null and nullifna(dstintf) is not null group by dom, devid, vd, srcintf, dstintf having
    sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))>0 order by total desc)### t) select dom,
    unnest(array['download', 'upload']) as type, unnest(array[sum(download), sum(upload)]) as
    bandwidth from (select coalesce(t1.dom_s, t2.dom_s) as dom, coalesce(t1.devid_s, t2.devid_s)
    as devid, coalesce(t1.vd_s, t2.vd_s) as vd, coalesce(t1.srcintf, t2.dstintf) as intf, sum
    (coalesce(t1.total_sent, 0)+coalesce(t2.total_rcvd, 0)) as download, sum(coalesce(t2.total_
    sent, 0)+coalesce(t1.total_rcvd, 0)) as upload from qry t1 full join qry t2 on t1.dom_
    s=t2.dom_s and t1.srcintf=t2.dstintf group by dom, devid, vd, intf) t where $filter-
    drilldown group by dom order by dom

```

Dataset Name	Description	Log Category
ctap-SB-Files-Needing-Inspection-vs- Others	Files Needing Inspection vs Others	virus

```
select
(
case when suffix in (
'bat', 'cmd', 'exe', 'jar', 'msi', 'vbs',
'7z', 'zip', 'gzip', 'lzw', 'tar',
'rar', 'cab', 'doc', 'docx', 'xls',
'xlsx', 'ppt', 'pptx', 'pdf', 'swf',
'lnk', 'js'
) then 'Higher Risk File Types' else 'Excluded Files' end
) as files,
sum(total_num) as total_num
from
###(select file_name_ext(filename) as suffix, count(*) as total_num from $log where
$filter and dtype='fortisandbox' and nullifna(filename) is not null group by suffix order by
total_num desc)### t group by files order by total_num desc
```

Dataset Name	Description	Log Category
ctap-SB-Breakdown-of-File-Types	Breakdown of File Types	virus

```
select
(
case when suffix in (
'exe', 'msi', 'upx', 'vbs', 'bat', 'cmd',
'dll', 'ps1', 'jar'
) then 'Executable Files' when suffix in ('pdf') then 'Adobe PDF' when suffix in ('swf')
then 'Adobe Flash' when suffix in (
'doc', 'docx', 'rtf', 'dotx', 'docm',
'dotm', 'dot'
) then 'Microsoft Word' when suffix in (
'xls', 'xlsx', 'xltx', 'xslm', 'xlsb',
'xlam', 'xlt'
) then 'Microsoft Excel' when suffix in (
'ppsx', 'ppt', 'pptx', 'potx', 'sldx',
'pptm', 'ppsm', 'potm', 'ppam', 'sldm',
'pps', 'pot'
) then 'Microsoft PowerPoint' when suffix in ('msg') then 'Microsoft Outlook' when
suffix in ('htm', 'js', 'url', 'lnk') then 'Web Files' when suffix in (
'cab', 'tgz', 'z', '7z', 'tar', 'lzh',
'kgb', 'rar', 'zip', 'gz', 'xz', 'bz2'
) then 'Archive Files' when suffix in ('apk') then 'Android Files' else 'Others' end
) as filetype,
sum(total_num) as total_num
from
###(select file_name_ext(filename) as suffix, count(*) as total_num from $log where
$filter and dtype='fortisandbox' and nullifna(filename) is not null group by suffix order by
total_num desc)### t group by filetype order by total_num desc
```

Dataset Name	Description	Log Category
ctap-SB-Top-Sandbox-Malicious-Exes		virus


```

select
(
    case fsaverdict when 'malicious' then 5 when 'high risk' then 4 when 'medium risk' then
3 when 'low risk' then 2 else 1 end
) as risk,
filename,
service,
count(*) as total_num
from
$log
where
$filter
and dtype = 'fortisandbox'
and file_name_ext(filename)= 'exe'
and fsaverdict not in ('clean', 'submission failed')
group by
filename,
risk,
service
order by
risk desc,
total_num desc,
filename

```

Dataset Name	Description	Log Category
ctap-SB-Sources-of-Sandbox-Discovered-Malware	Sources of Sandbox Discovered Malware	virus

```

select
srcip,
count(*) as total_num
from
$log
where
$filter
and dtype = 'fortisandbox'
and nullifna(filename) is not null
and fsaverdict not in ('clean', 'submission failed')
group by
srcip
order by
total_num desc

```

Dataset Name	Description	Log Category
ctap-apprisk-ctrl-High-Risk-Application	Application risk high risk application	traffic

```

select
risk as d_risk,
count(distinct user_src) as users,
id,
name,
app_cat,
technology,
sum(bandwidth) as bandwidth,

```

```

sum(sessions) as sessions
from
  ###(select lower(app) as lowapp, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr
(`srcip`)) as user_src, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, count
(*) as sessions from $log where $filter and (logflag&1>0) group by lowapp, user_src order by
bandwidth desc)### t1 inner join app_mdata t2 on t1.lowapp=lower(t2.name) where risk>='4'
group by id, name, app_cat, technology, risk order by d_risk desc, sessions desc

```

Dataset Name	Description	Log Category
ctap-apprisk-ctrl-Application-Vulnerability	Application vulnerabilities discovered	attack

```

select
  attack,
  attackid,
  vuln_type,
  cve,
  severity_number,
  count(distinct dstip) as victims,
  count(distinct srcip) as sources,
  sum(totalnum) as totalnum
from
  ###(select attack, attackid, vuln_type, t2.cve, (case when t1.severity='critical' then 5
when t1.severity='high' then 4 when t1.severity='medium' then 3 when t1.severity='low' then
2 when t1.severity='info' then 1 else 0 end) as severity_number, dstip, srcip, count(*) as
totalnum from $log t1 left join (select name, cve, vuln_type from ips_mdata) t2 on
t1.attack=t2.name where $filter and nullifna(attack) is not null and t1.severity is not null
group by attack, attackid, vuln_type, t2.cve, t1.severity, dstip, srcip)### t group by
attack, attackid, vuln_type, severity_number, cve order by severity_number desc, totalnum
desc

```

Dataset Name	Description	Log Category
ctap-apprisk-ctrl-Common-Virus-Botnet-Spyware	Common Virus Botnet Spyware	app-ctrl

```

select
  malware as virus,
  (
    case when lower(appcat)= 'botnet' then 'Botnet C&C' else (
      case when malware like 'Riskware%' then 'Spyware' when malware like 'Adware%' then
'Adware' else 'Virus' end
    ) end
  ) as malware_type,
  appid,
  app,
  count(distinct dstip) as victims,
  count(distinct srcip) as source,
  sum(total_num) as total_num
from
  (
    ###(select app as malware, appcat, appid, app, dstip, srcip, count(*) as total_num from
$log-app-ctrl where $filter and lower(appcat)='botnet' group by malware, appcat, appid, app,
dstip, srcip, app order by total_num desc)### union all ###(select virus as malware, 'null'
as appcat, 0 as appid, service as app, dstip, srcip, count(*) as total_num from $log-virus

```

```
where $filter and virus is not null group by malware, appcat, app, appid, dstip, srcip order
by total_num desc)### union all ###(select attack as malware, 'null' as appcat, 0 as appid,
service as app, dstip, srcip, count(*) as total_num from $log-attack where $filter and
(logflag&16>0) group by malware, appcat, app, appid, dstip, srcip order by total_num
desc)###) t group by malware, malware_type, app, appid order by total_num desc
```

Dataset Name	Description	Log Category
ctap-App-Risk-Reputation-Top-Devices-By-Scores	Reputation Top Devices By-Scores	traffic

```
select
  coalesce(
    nullifna(`srcname`),
    ipstr(`srcip`),
    nullifna(`srcmac`)
  ) as dev_src,
  sum(crscore % 65536) as scores
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
  and crscore is not null
group by
  dev_src
having
  sum(crscore % 65536)& gt; 0
order by
  scores desc
```

Dataset Name	Description	Log Category
ctap-HTTP-SSL-Traffic-Ratio	HTTP SSL Traffic Ratio	traffic

```
select
  (
    case when service in ('80/tcp', 'HTTP', 'http') then 'HTTP' else 'HTTPS' end
  ) as service,
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) as bandwidth
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
  and nullifna(app) is not null
  and service in (
    '80/tcp', '443/tcp', 'HTTP', 'HTTPS',
    'http', 'https'
  )
```

```
group by
  service
having
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  )> 0
order by
  bandwidth desc
```

Dataset Name	Description	Log Category
ctap-Top-Source-Countries	Top Source Countries	traffic

```
select
  srccountry,
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) as bandwidth
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
  and nullifna(srccountry) is not null
  and srccountry <> 'Reserved'
group by
  srccountry
having
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  )> 0
order by
  bandwidth desc,
  srccountry
```

Dataset Name	Description	Log Category
ctap-SaaS-Apps	CTAP SaaS Apps	traffic

```
select
  app_group,
  sum(bandwidth) as bandwidth
from
  ###(select app_group_name(app) as app_group, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and (logflag&1>0) and nullifna(app) is not null group by app_group having sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))>0 order by bandwidth desc)### t1 inner join app_mdata t2 on lower(t1.app_group)=lower(t2.name) where behavior like '%Cloud%' group by app_group order by bandwidth desc
```

Dataset Name	Description	Log Category
ctap-IaaS-Apps	CTAP IaaS Apps	traffic

```
select
  app_group,
  sum(bandwidth) as bandwidth
from
  ###(select app_group_name(app) as app_group, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and (logflag&1>0) and nullifna (app) is not null group by app_group having sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))>0 order by bandwidth desc)### t1 inner join app_mdata t2 on lower(t1.app_group)=lower (t2.name) where app_cat='Cloud.IT' group by app_group order by bandwidth desc
```

Dataset Name	Description	Log Category
ctap-RAS-Apps	CTAP RAS Apps	traffic

```
select
  name as app_group,
  sum(bandwidth) as bandwidth
from
  ###(select app_group_name(app) as app_group, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and (logflag&1>0) and nullifna (app) is not null group by app_group having sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))>0 order by bandwidth desc)### t1 inner join app_mdata t2 on lower(t1.app_group)=lower (t2.name) where app_cat='Remote.Access' group by name order by bandwidth desc
```

Dataset Name	Description	Log Category
ctap-Proxy-Apps	CTAP Proxy Apps	traffic

```
select
  name as app_group,
  sum(bandwidth) as bandwidth
from
  ###(select app_group_name(app) as app_group, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and (logflag&1>0) and nullifna (app) is not null group by app_group having sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))>0 order by bandwidth desc)### t1 inner join app_mdata t2 on lower(t1.app_group)=lower (t2.name) where app_cat='Proxy' group by name order by bandwidth desc
```

Dataset Name	Description	Log Category
ctap-Top-SocialMedia-App-By-Bandwidth	Top SocialMedia Applications by Bandwidth Usage	traffic

```
select
  app_group,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out,
  sum(sessions) as sessions
from
  ###(select app_group_name(app) as app_group, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and (logflag&1>0) and nullifna
```

```
(app) is not null group by app_group having sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))>0 order by bandwidth desc)### t1 inner join app_mdata t2 on lower(t1.app_group)=lower(t2.name) where app_cat='Social.Media' group by app_group order by bandwidth desc
```

Dataset Name	Description	Log Category
ctap-Top-Streaming-App-By-Bandwidth	Top Streaming applications by bandwidth usage	traffic

```
select
  app_group,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out,
  sum(sessions) as sessions
from
  ###(select app_group_name(app) as app_group, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and (logflag&1>0) and nullifna (app) is not null group by app_group having sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))>0 order by bandwidth desc)### t1 inner join app_mdata t2 on lower(t1.app_group)=lower(t2.name) where app_cat='Video/Audio' group by app_group order by bandwidth desc
```

Dataset Name	Description	Log Category
ctap-Top-Game-App-By-Bandwidth	Top Game applications by bandwidth usage	traffic

```
select
  app_group,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out,
  sum(sessions) as sessions
from
  ###(select app_group_name(app) as app_group, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and (logflag&1>0) and nullifna (app) is not null group by app_group having sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))>0 order by bandwidth desc)### t1 inner join app_mdata t2 on lower(t1.app_group)=lower(t2.name) where app_cat='Game' group by app_group order by bandwidth desc
```

Dataset Name	Description	Log Category
ctap-Top-P2P-App-By-Bandwidth	Top P2P applications by bandwidth usage	traffic

```
select
  app_group,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out,
  sum(sessions) as sessions
from
  ###(select app_group_name(app) as app_group, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and (logflag&1>0) and nullifna (app) is not null group by app_group having sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))>0 order by bandwidth desc)### t1 inner join app_mdata t2 on lower(t1.app_group)=lower(t2.name) where app_cat='P2P' group by app_group order by bandwidth desc
```

```
0))>0 order by bandwidth desc)### t1 inner join app_mdata t2 on lower(t1.app_group)=lower
(t2.name) where app_cat='P2P' group by app_group order by bandwidth desc
```

Dataset Name	Description	Log Category
ctap-apprisk-ctrl-Top-Web-Categories-Visited	Top 25 Web Categories Visited	traffic

```
select
  catdesc,
  count(distinct f_user) as user_num,
  sum(sessions) as sessions,
  sum(bandwidth) as bandwidth
from
  ###(select catdesc, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as
f_user, count(*) as sessions, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth
from $log-traffic where $filter and catdesc is not null and (logflag&l>0) and (countweb>0 or
((logver is null or logver<502000000) and (hostname is not null or utmevent in ('webfilter',
'banned-word', 'web-content', 'command-block', 'script-filter')))) group by f_user, catdesc
order by sessions desc)### t group by catdesc order by sessions desc
```

Dataset Name	Description	Log Category
ctap-App-Risk-Applications-Running-Over-HTTP	Application risk applications running over HTTP	traffic

```
select
  app_group,
  service,
  sum(sessions) as sessions,
  sum(bandwidth) as bandwidth
from
  ###(select app_group_name(app) as app_group, appcat, service, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and
(logflag&l>0) and nullifna(app) is not null group by app_group, appcat, service order by
bandwidth desc)### t where service in ('80/tcp', '443/tcp', 'HTTP', 'HTTPS', 'http',
'https') group by app_group, service having sum(bandwidth)>0 order by bandwidth desc
```

Dataset Name	Description	Log Category
ctap-App-Risk-Web-Browsing-Activity-Hostname-Category	Application risk web browsing activity hostname category	webfilter

```
select
  domain,
  catdesc,
  sum(visits) as visits
from
  ###(select coalesce(nullifna(hostname), ipstr(`dstip`)) as domain, catdesc, count(*) as
visits from $log where $filter and (eventtype is null or logver>=502000000) and catdesc is
not null group by domain, catdesc order by visits desc)### t group by domain, catdesc order
by visits desc
```

Dataset Name	Description	Log Category
ctap-Top-Sites-By-Browsing-Time	Traffic top sites by browsing time	traffic

```
select
  hostname,
  string_agg(distinct catdesc, ', ') as agg_catdesc,
  ebtr_value(
    ebtr_agg_flat(browsetime),
    null,
    $timespan
  ) as browsetime,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out
from
  ###(select hostname, catdesc, ebtr_agg_flat(browsetime) as browsetime, sum(bandwidth) as
bandwidth, sum(traffic_in) as traffic_in, sum(traffic_out) as traffic_out from (select
hostname, catdesc, ebtr_agg_flat($browse_time) as browsetime, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out from $log where $filter and (logflag&1>0) and
hostname is not null and $browse_time is not null group by hostname, catdesc) t group by
hostname, catdesc /*SkipSTART*/order by ebtr_value(ebtr_agg_flat(browsetime), null, null)
desc/*SkipEND*/)### t group by hostname order by browsetime desc
```

Dataset Name	Description	Log Category
ctap-Average-Bandwidth-Hour	Average Bandwidth Hour	traffic

```
select
  hourstamp,
  sum(bandwidth)/ count(distinct daystamp) as bandwidth
from
  ###(select to_char(from_dtime(dtime), 'HH24:00') as hourstamp, to_char(from_dtime(dtime),
'DD Mon') as daystamp, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth from
$log where $filter and (logflag&1>0) group by hourstamp, daystamp having sum(coalesce
(sentbyte, 0)+coalesce(rcvdbyte, 0))>0 order by hourstamp)### t group by hourstamp order by
hourstamp
```

Dataset Name	Description	Log Category
ctap-Top-Bandwidth-Hosts	Top Bandwidth Hosts	traffic

```
select
  hostname,
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) as bandwidth
from
  $log - traffic
where
  $filter
  and hostname is not null
  and (
    logflag&1>0
  )
```



```
group by
  hostname
having
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  )>0
order by
  bandwidth desc
```

Dataset Name	Description	Log Category
saas-Application-Discovered	All Applications Discovered on the Network	traffic

```
select
  (
    case is_saas when 1 then 'SaaS Apps' else 'Other Apps' end
  ) as app_type,
  count(distinct app_s) as total_num
from
  ###(select app_s, (case when saas_s>=10 then 1 else 0 end) as is_saas from (select unnest
  (apps) as app_s, unnest(saasinfo) as saas_s from $log where $filter and apps is not null) t
  group by app_s, is_saas)### t group by is_saas order by is_saas
```

Dataset Name	Description	Log Category
saas-SaaS-Application-by-Category	Number of SaaS Applications by Category	traffic

```
select
  (
    case saas_cat when 0 then 'Sanctioned' else 'Unsanctioned' end
  ) as saas_cat_str,
  count(distinct app_s) as num_saas_app
from
  ###(select app_s, saas_s%10 as saas_cat, sum(sentbyte+rcvdbyte) as bandwidth, count(*) as
  total_app from (select unnest(apps) as app_s, unnest(saasinfo) as saas_s, coalesce(sentbyte,
  0) as sentbyte, coalesce(rcvdbyte, 0) as rcvdbyte from $log where $filter and apps is not
  null) t where saas_s>=10 group by app_s, saas_cat order by bandwidth desc)### t where saas_
  cat in (0, 1) group by saas_cat order by saas_cat
```

Dataset Name	Description	Log Category
saas-SaaS-Application-by-Bandwidth	Number of SaaS Applications by Bandwidth	traffic

```
select
  (
    case saas_cat when 0 then 'Sanctioned' else 'Tolerated' end
  ) as saas_cat_str,
  sum(bandwidth) as bandwidth
from
  ###(select app_s, saas_s%10 as saas_cat, sum(sentbyte+rcvdbyte) as bandwidth, count(*) as
  total_app from (select unnest(apps) as app_s, unnest(saasinfo) as saas_s, coalesce(sentbyte,
  0) as sentbyte, coalesce(rcvdbyte, 0) as rcvdbyte from $log where $filter and apps is not
  null) t where saas_s>=10 group by app_s, saas_cat order by bandwidth desc)### t where saas_
  cat in (0, 2) group by saas_cat order by saas_cat
```

Dataset Name	Description	Log Category
saas-SaaS-Application-by-Session	Number of SaaS Applications by Session	traffic

```
select
(
case saas_cat when 0 then 'Sanctioned' else 'Tolerated' end
) as saas_cat_str,
sum(total_app) as total_app
from
###(select app_s, saas_s%10 as saas_cat, sum(sentbyte+rcvdbyte) as bandwidth, count(*) as
total_app from (select unnest(apps) as app_s, unnest(saasinfo) as saas_s, coalesce(sentbyte,
0) as sentbyte, coalesce(rcvdbyte, 0) as rcvdbyte from $log where $filter and apps is not
null) t where saas_s>=10 group by app_s, saas_cat order by bandwidth desc)### t where saas_
cat in (0, 2) group by saas_cat order by saas_cat
```

Dataset Name	Description	Log Category
saas-SaaS-App-Users-vs-Others	Number of Users of SaaS Apps vs Others	traffic

```
select
(
case is_saas when 0 then 'Other Apps' else 'SaaS Apps' end
) as app_type,
count(distinct saasuser) as total_user
from
###(select saasuser, saas_s/10 as is_saas from (select coalesce(nullifna(`user`), nullifna
(`clouduser`), nullifna(`unauthuser`), srcname, ipstr(`srcip`)) as saasuser, unnest
(saasinfo) as saas_s from $log where $filter and apps is not null) t group by saasuser, is_
saas)### t group by app_type
```

Dataset Name	Description	Log Category
saas-SaaS-App-Users	Number of Users of SaaS Apps	traffic

```
select
(
case saas_cat when 0 then 'Sanctioned' when 1 then 'Unsanctioned' else 'Others' end
) as app_type,
count(distinct saasuser) as total_user
from
###(select saasuser, saas_s%10 as saas_cat from (select coalesce(nullifna(`user`),
nullifna(`clouduser`), nullifna(`unauthuser`), srcname, ipstr(`srcip`)) as saasuser, unnest
(saasinfo) as saas_s from $log where $filter and apps is not null) t where saas_s>=10 group
by saasuser, saas_cat)### t group by saas_cat order by saas_cat
```

Dataset Name	Description	Log Category
saas-Top-SaaS-User-by-Bandwidth-Session	Top SaaS Users by Bandwidth and Session	traffic

```
select
saasuser,
sum(bandwidth) as bandwidth,
sum(traffic_in) as traffic_in,
sum(traffic_out) as traffic_out,
```

```

sum(sessions) as sessions,
sum(session_block) as session_block,
(
    sum(sessions)- sum(session_block)
) as session_pass,
count(distinct app_s) as total_app
from
###(select saasuser, app_s, sum(sentbyte+rcvdbyte) as bandwidth, sum(rcvdbyte) as traffic_in,
sum(sentbyte) as traffic_out, count(*) as sessions, sum(is_blocked) as session_block
from (select coalesce(nullifna(`user`), nullifna(`clouduser`), nullifna(`unauthuser`),
srcname, ipstr(`srcip`)) as saasuser, unnest(apps) as app_s, unnest(saasinfo) as saas_s,
coalesce(sentbyte, 0) as sentbyte, coalesce(rcvdbyte, 0) as rcvdbyte, (CASE WHEN
(logflag&2>0) THEN 1 ELSE 0 END) as is_blocked from $log where $filter and apps is not null)
t where saas_s>=10 group by saasuser, app_s order by bandwidth desc)### t group by saasuser
order by bandwidth desc

```

Dataset Name	Description	Log Category
saas-Top-Category-by-SaaS-Application-Usage	Top Categories by SaaS Application Usage	traffic

```

select
    app_cat,
    (
        case saas_cat when 0 then 'Sanctioned' else 'Unsactioned' end
    ) as saas_cat_str,
    count(distinct app_s) as total_app
from
###(select app_s, saas_s%10 as saas_cat from (select unnest(apps) as app_s, unnest
(saasinfo) as saas_s from $log where $filter and apps is not null) t where saas_s>=10 group
by app_s, saas_cat)### t1 inner join app_mdata t2 on t1.app_s=t2.name where saas_cat in (0,
1) group by app_cat, saas_cat order by total_app desc

```

Dataset Name	Description	Log Category
saas-Top-SaaS-Category-by-Number-of-User	Top SaaS Categories by Number of Users	traffic

```

select
    app_cat,
    (
        case saas_cat when 0 then 'Sanctioned' else 'Unsactioned' end
    ) as saas_cat_str,
    count(distinct saasuser) as total_user
from
###(select app_s, saas_s%10 as saas_cat, saasuser from (select unnest(apps) as app_s,
unnest(saasinfo) as saas_s, coalesce(nullifna(`user`), nullifna(`clouduser`), nullifna
(`unauthuser`), srcname, ipstr(`srcip`)) as saasuser from $log where $filter and apps is not
null) t where saas_s>=10 group by app_s, saas_cat, saasuser)### t1 inner join app_mdata t2
on t1.app_s=t2.name where saas_cat in (0, 1) group by app_cat, saas_cat order by total_user
desc

```

Dataset Name	Description	Log Category
saas-Top-User-by-Number-of-SaaS-Application	Top Users by Number of SaaS Applications	traffic

```

select
  saasuser,
  (
    case saas_cat when 0 then 'Sanctioned' else 'Unsanctioned' end
  ) as saas_cat_str,
  count(distinct app_s) as total_app
from
  ###(select app_s, saas_s%10 as saas_cat, saasuser from (select unnest(apps) as app_s,
unnest(saasinfo) as saas_s, coalesce(nullifna(`user`), nullifna(`clouduser`), nullifna
(`unauthuser`), srcname, ipstr(`srcip`)) as saasuser from $log where $filter and apps is not
null) t where saas_s>=10 group by app_s, saas_cat, saasuser)### t where saas_cat in (0, 1)
group by saasuser, saas_cat order by total_app desc

```

Dataset Name	Description	Log Category
saas-Top-SaaS-Application-by-Bandwidth-Session	Top SaaS Applications by Sessions and Bandwidth	traffic

```

select
  t2.id as app_id,
  app_s,
  app_cat,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out,
  sum(sessions) as sessions,
  sum(session_block) as session_block,
  (
    sum(sessions)- sum(session_block)
  ) as session_pass
from
  ###(select app_s, sum(sentbyte+rcvdbyte) as bandwidth, sum(rcvdbyte) as traffic_in, sum
(sentbyte) as traffic_out, count(*) as sessions, sum(is_blocked) as session_block from
(select unnest(apps) as app_s, unnest(saasinfo) as saas_s, coalesce(sentbyte, 0) as
sentbyte, coalesce(rcvdbyte, 0) as rcvdbyte, (CASE WHEN (logflag&2>0) THEN 1 ELSE 0 END) as
is_blocked from $log where $filter and apps is not null) t where saas_s>=10 group by app_
s)### t1 inner join app_mdata t2 on t1.app_s=t2.name group by app_id, app_s, app_cat order
by bandwidth desc

```

Dataset Name	Description	Log Category
saas-Top-Tolerated-SaaS-Application-by-Bandwidth	Top Tolerated SaaS Applications by Bandwidth	traffic

```

select
  app_s,
  sum(sentbyte + rcvdbyte) as bandwidth
from
  (
    select
      unnest(apps) as app_s,
      unnest(saasinfo) as saas_s,
      coalesce(sentbyte, 0) as sentbyte,
      coalesce(rcvdbyte, 0) as rcvdbyte
    from
      $log

```

```

        where
            $filter
            and apps is not null
    ) t
where
    saas_s = 12
group by
    app_s
order by
    bandwidth desc

```

Dataset Name	Description	Log Category
saas-drilldown-Top-Tolerated-SaaS-Application	Top Tolerated SaaS Applications	traffic

```

select
    app_s,
    sum(bandwidth) as bandwidth,
    sum(traffic_in) as traffic_in,
    sum(traffic_out) as traffic_out,
    sum(sessions) as sessions,
    sum(session_block) as session_block,
    (
        sum(sessions)- sum(session_block)
    ) as session_pass
from
    ###(select saasuser, app_s, sum(sentbyte+rcvdbyte) as bandwidth, sum(rcvdbyte) as traffic_in,
    sum(sentbyte) as traffic_out, count(*) as sessions, sum(is_blocked) as session_block
    from (select coalesce(nullifna(`user`), nullifna(`clouduser`), nullifna(`unauthuser`),
    srcname, ipstr(`srcip`)) as saasuser, unnest(apps) as app_s, unnest(saasinfo) as saas_s,
    coalesce(sentbyte, 0) as sentbyte, coalesce(rcvdbyte, 0) as rcvdbyte, (CASE WHEN
    (logflag&2>0) THEN 1 ELSE 0 END) as is_blocked from $log where $filter and apps is not null)
    t where saas_s=12 group by saasuser, app_s order by bandwidth desc)### t where $filter-
    drilldown group by app_s order by bandwidth desc

```

Dataset Name	Description	Log Category
saas-Top-User-by-Tolerated-SaaS-Application-Drilldown	Top Users by Tolerated SaaS Applications	traffic

```

select
    saasuser,
    count(distinct app_s) as total_app
from
    ###(select saasuser, app_s, sum(sentbyte+rcvdbyte) as bandwidth, sum(rcvdbyte) as traffic_in,
    sum(sentbyte) as traffic_out, count(*) as sessions, sum(is_blocked) as session_block
    from (select coalesce(nullifna(`user`), nullifna(`clouduser`), nullifna(`unauthuser`),
    srcname, ipstr(`srcip`)) as saasuser, unnest(apps) as app_s, unnest(saasinfo) as saas_s,
    coalesce(sentbyte, 0) as sentbyte, coalesce(rcvdbyte, 0) as rcvdbyte, (CASE WHEN
    (logflag&2>0) THEN 1 ELSE 0 END) as is_blocked from $log where $filter and apps is not null)
    t where saas_s=12 group by saasuser, app_s order by bandwidth desc)### t group by saasuser
    order by total_app desc

```

Dataset Name	Description	Log Category
saas-drilldown-Top-File-Sharing-SaaS-Application-Detail	Top File Sharing SaaS Applications Detail	traffic

```

select
  saasuser,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out,
  sum(sessions) as sessions,
  sum(session_block) as session_block,
  (
    sum(sessions)- sum(session_block)
  ) as session_pass
from
  ###(select app_group_name(app_s) as app_group, saasuser, sum(sentbyte+rcvdbyte) as
  bandwidth, sum(rcvdbyte) as traffic_in, sum(sentbyte) as traffic_out, count(*) as sessions,
  sum(is_blocked) as session_block from (select coalesce(nullifna(`user`), nullifna
  (`clouduser`), nullifna(`unauthuser`), srcname, ipstr(`srcip`)) as saasuser, unnest(apps) as
  app_s, unnest(saasinfo) as saas_s, coalesce(sentbyte, 0) as sentbyte, coalesce(rcvdbyte, 0)
  as rcvdbyte, (CASE WHEN (logflag&2>0) THEN 1 ELSE 0 END) as is_blocked from $log where
  $filter and apps is not null) t where saas_s>=10 group by app_group, saasuser order by
  bandwidth desc)### t where $filter-drilldown group by saasuser order by sessions desc

```

Dataset Name	Description	Log Category
saas-Top-File-Sharing-SaaS-Application	Top File Sharing Applications	traffic

```

select
  t2.id as appid,
  (
    case t2.risk when '5' then 'Critical' when '4' then 'High' when '3' then 'Medium' when
  '2' then 'Info' else 'Low' end
  ) as risk,
  app_group,
  bandwidth,
  traffic_in,
  traffic_out,
  sessions,
  session_block,
  session_pass,
  total_user
from
  (
    select
      app_group,
      count(distinct saasuser) as total_user,
      sum(bandwidth) as bandwidth,
      sum(traffic_in) as traffic_in,
      sum(traffic_out) as traffic_out,
      sum(sessions) as sessions,
      sum(session_block) as session_block,
      (
        sum(sessions)- sum(session_block)

```

```

    ) as session_pass
from
    ###(select app_group_name(app_s) as app_group, saasuser, sum(sentbyte+rcvdbyte) as
bandwidth, sum(rcvdbyte) as traffic_in, sum(sentbyte) as traffic_out, count(*) as sessions,
sum(is_blocked) as session_block from (select coalesce(nullifna(`user`), nullifna
(`clouduser`), nullifna(`unauthuser`), srcname, ipstr(`srcip`)) as saasuser, unnest(apps) as
app_s, unnest(saasinfo) as saas_s, coalesce(sentbyte, 0) as sentbyte, coalesce(rcvdbyte, 0)
as rcvdbyte, (CASE WHEN (logflag&2>0) THEN 1 ELSE 0 END) as is_blocked from $log where
$filter and apps is not null) t where saas_s>=10 group by app_group, saasuser order by
bandwidth desc)### t group by app_group) t1 inner join app_mdata t2 on lower(t1.app_
group)=lower(t2.name) where t2.app_cat='Storage.Backup' order by total_user desc, bandwidth
desc

```

Dataset Name	Description	Log Category
saas-Top-File-Sharing-SaaS-Application-Drilldown	Top File Sharing Applications	traffic

```

select
    t2.id as appid,
    (
        case t2.risk when '5' then 'Critical' when '4' then 'High' when '3' then 'Medium' when
'2' then 'Info' else 'Low' end
    ) as risk,
    app_group,
    bandwidth,
    traffic_in,
    traffic_out,
    sessions,
    session_block,
    session_pass,
    total_user
from
    (
        select
            app_group,
            count(distinct saasuser) as total_user,
            sum(bandwidth) as bandwidth,
            sum(traffic_in) as traffic_in,
            sum(traffic_out) as traffic_out,
            sum(sessions) as sessions,
            sum(session_block) as session_block,
            (
                sum(sessions)- sum(session_block)
            ) as session_pass
        from
            ###(select app_group_name(app_s) as app_group, saasuser, sum(sentbyte+rcvdbyte) as
bandwidth, sum(rcvdbyte) as traffic_in, sum(sentbyte) as traffic_out, count(*) as sessions,
sum(is_blocked) as session_block from (select coalesce(nullifna(`user`), nullifna
(`clouduser`), nullifna(`unauthuser`), srcname, ipstr(`srcip`)) as saasuser, unnest(apps) as
app_s, unnest(saasinfo) as saas_s, coalesce(sentbyte, 0) as sentbyte, coalesce(rcvdbyte, 0)
as rcvdbyte, (CASE WHEN (logflag&2>0) THEN 1 ELSE 0 END) as is_blocked from $log where
$filter and apps is not null) t where saas_s>=10 group by app_group, saasuser order by
bandwidth desc)### t group by app_group) t1 inner join app_mdata t2 on lower(t1.app_
group)=lower(t2.name) where t2.app_cat='Storage.Backup' order by total_user desc, bandwidth
desc

```

Dataset Name	Description	Log Category
aware-Device-By-Location	Device by Location	traffic

```
select
  'All' : :text as country,
  count(distinct devid) as device_count
from
  ###(select devid from $log where $filter group by devid)### t
```

Dataset Name	Description	Log Category
aware-Network-Endpoint-Devices	Endpoint Devices on Network	

```
select
  category,
  total_num
from
  (
    select
      'Seen Devices' as category,
      1 as idx,
      count(distinct epname) as total_num
    from
      (
        select
          epname,
          map_dev.devid,
          map_dev.vd,
          max(lastseen) as itime
        from
          $ADOM_ENDPOINT t
          inner join $ADOM_EPEU_DEVMAP map_dev on t.epid = map_dev.epid
        where
          $filter - drilldown
          and epname is not null
        group by
          epname,
          map_dev.devid,
          map_dev.vd
      ) t
    where
      $filter
      and $filter - drilldown
    union all
    select
      'New Devices' as category,
      2 as idx,
      count(distinct epname) as total_num
    from
      (
        select
          epname,
          map_dev.devid,
          map_dev.vd,
          min(firstseen) as itime
```



```

        from
            $ADOM_ENDPOINT t
        inner join $ADOM_EPEU_DEVMAP map_dev on t.epid = map_dev.epid
    where
        epname is not null
    group by
        epname,
        map_dev.devid,
        map_dev.vd
    ) t
where
    $filter
    and $filter - drilldown
union all
select
    'Unseen Devices' as category,
    3 as idx,
    count(distinct t1.epname) as total_num
from
    $ADOM_ENDPOINT t1
where
    not exists (
        select
            1
        from
            (
                select
                    epname,
                    map_dev.devid,
                    map_dev.vd,
                    max(lastseen) as itime
                from
                    $ADOM_ENDPOINT t
                inner join $ADOM_EPEU_DEVMAP map_dev on t.epid = map_dev.epid
                where
                    epname is not null
                group by
                    epname,
                    map_dev.devid,
                    map_dev.vd
            ) t2
        where
            $filter
            and $filter - drilldown
            and t1.epname = t2.epname
    )
) t
order by
    idx

```

Dataset Name	Description	Log Category
aware-New-Endpoint-Devices	New Endpoint Devices	

```

drop
    table if exists devmap_tmp; create temporary table devmap_tmp as (

```

```
select
    epid,
    max(euid) as max_euid
from
    $ADOM_EPEU_DEVMAP
where
    $filter - drilldown
    and euid & gt;= 1024
group by
    epid
);
select
    timestamp,
    epname as hostname,
    max(osname) as osname,
    max(devtype) as devtype,
    max(srcip) as srcip,
    string_agg(distinct epname, ',') as user_agg
from
    (
        select
            from_itime(itime) as timestamp,
            osname,
            epname,
            epdevtype as devtype,
            epip as srcip,
            epid
        from
            (
                select
                    max(osname) as osname,
                    max(epname) as epname,
                    max(epdevtype) as epdevtype,
                    max(epip) as epip,
                    t.epid,
                    map_dev.devid,
                    map_dev.vd,
                    min(firstseen) as itime
                from
                    $ADOM_ENDPOINT t
                inner join $ADOM_EPEU_DEVMAP map_dev on t.epid = map_dev.epid
                where
                    epname is not null
                group by
                    epname,
                    t.epid,
                    map_dev.devid,
                    map_dev.vd
            ) t
        where
            $filter
            and $filter - drilldown
    ) t1
inner join devmap_tmp on devmap_tmp.epid = t1.epid
inner join $ADOM_ENDUSER as teu on devmap_tmp.max_euid = teu.euid
group by
```

```

timestamp,
hostname
order by
timestamp desc

```

Dataset Name	Description	Log Category
aware-New-Endpoint-Devices-Trend	New Endpoint Devices Trend	

```

select
    $flex_timescale(itime) as hodex,
    count(distinct epname) as total_num
from
    (
        select
            epname,
            map_dev.devid,
            map_dev.vd,
            min(firstseen) as itime
        from
            $ADOM_ENDPOINT t
            inner join $ADOM_EPEU_DEVMAP map_dev on t.epid = map_dev.epid
        where
            $filter - drilldown
            and epname is not null
        group by
            epname,
            map_dev.devid,
            map_dev.vd
    ) t
where
    $filter
    and $filter - drilldown
group by
    hodex
order by
    hodex

```

Dataset Name	Description	Log Category
aware-Top-Endpoint-Operating-Systems	Top Endpoint Operating Systems	fct-traffic

```

select
    os1 as os,
    count(distinct hostname) as total_num
from
    ###(select split_part(os, ',', 1) as os1, hostname from $log where $filter and nullifna
    (os) is not null group by os1, hostname)### t group by os order by total_num desc

```

Dataset Name	Description	Log Category
aware-Top-Endpoint-Applications-Windows	Top Endpoint Applications Windows	fct-traffic

```
select
  srcname1 as srcname,
  count(distinct hostname) as total_num
from
  ###(select split_part(srcname, '.', 1) as srcname1, hostname from $log where $filter and
  nullifna(srcname) is not null and lower(os) like '%windows%' group by srcname, hostname)###
  t group by srcname order by total_num desc
```

Dataset Name	Description	Log Category
aware-Top-Endpoint-Applications-Mac	Top Endpoint Applications Mac	fct-traffic

```
select
  srcname1 as srcname,
  count(distinct hostname) as total_num
from
  ###(select split_part(srcname, '.', 1) as srcname1, hostname from $log where $filter and
  nullifna(srcname) is not null and lower(os) like '%mac os%' group by srcname, hostname)### t
  group by srcname order by total_num desc
```

Dataset Name	Description	Log Category
aware-Top-SaaS-Application-by-Number-of-Users	Top SaaS Applications by Number of Users	traffic

```
select
  app_group,
  count(distinct saasuser) as total_user
from
  ###(select app_group_name(app_s) as app_group, saasuser from (select unnest(apps) as app_
  s, unnest(saasinfo) as saas_s, coalesce(nullifna(`user`), nullifna(`clouduser`), nullifna
  (`unauthuser`), srcname, ipstr(`srcip`)) as saasuser from $log where $filter and
  (logflag&l>0) and apps is not null) t where saas_s>=10 group by app_group, saasuser)### t
  group by app_group order by total_user desc
```

Dataset Name	Description	Log Category
aware-Summary-Of-Changes	Summary of Changes	event

```
select
  regexp_replace(msg, '[^ ]*$', '') as msg_trim,
  count(*) as total_num
from
  $log
where
  $filter
  and logid_to_int(logid)= 44547
group by
  msg_trim
order by
  total_num desc
```

Dataset Name	Description	Log Category
aware-Change-Details	Change Details	event

```
select
    $calendar_time as timestamp,
    `user`,
    ui,
    msg
from
    $log
where
    $filter
    and logid_to_int(logid)= 44547
order by
    timestamp desc
```

Dataset Name	Description	Log Category
aware-Vulnerabilities-By-Severity	Vulnerabilities by Security	fct-netscan

```
select
    vulnseverity,
    count(distinct vulnname) as vuln_num
from
    ###(select vulnseverity, vulnname from $log where $filter and nullifna(vulnname) is not
    null and nullifna(vulnseverity) is not null group by vulnseverity, vulnname)### t group by
    vulnseverity order by vuln_num desc
```

Dataset Name	Description	Log Category
aware-Vulnerabilities-Trend	Vulnerabilities Trend	fct-netscan

```
select
    $flex_timescale(timestamp) as timescale,
    sum(critical) as critical,
    sum(high) as high,
    sum(medium) as medium,
    sum(low) as low
from
    ###(select $flex_timestamp as timestamp, sum(case when lower(vulnseverity) = 'critical'
    then 1 else 0 end) as critical, sum(case when lower(vulnseverity) = 'high' then 1 else 0
    end) as high, sum(case when lower(vulnseverity) = 'medium' then 1 else 0 end) as medium, sum
    (case when lower(vulnseverity) = 'notice' then 1 else 0 end) as Low from $log where $filter
    group by timestamp order by timestamp desc)### t group by timescale order by timescale
```

Dataset Name	Description	Log Category
aware-Top-Critical-Vulnerabilities	Top Critical Vulnerabilities	fct-netscan

```
select
    vulnname,
    vulnseverity,
    vulncat,
    count(distinct hostname) as total_num
from
    ###(select hostname, vulnname, vulnseverity, vulncat, count(*) as total_num from $log
    where $filter and nullifna(vulnname) is not null and vulnseverity='Critical' group by
    hostname, vulnname, vulnseverity, vulncat order by total_num desc)### t group by vulnname,
    vulnseverity, vulncat order by total_num desc
```

Dataset Name	Description	Log Category
aware-Top-Vulnerabilities-Last-Period	Top Vulnerabilities Last Period	fct-netscan

```

select
    vulnname,
    vulnseverity,
    sev_num,
    vulncat,
    count(distinct hostname) as total_num
from
    ###(select hostname, vulnname, vulnseverity, (CASE vulnseverity WHEN 'Critical' THEN 5
    WHEN 'High' THEN 4 WHEN 'Medium' THEN 3 WHEN 'Info' THEN 2 WHEN 'Low' THEN 1 ELSE 0 END) as
    sev_num, vulncat, count(*) as total_num from $log where $pre_period $filter and nullifna
    (vulnname) is not null group by hostname, vulnname, vulnseverity, vulncat order by sev_num
    desc, total_num desc)### t group by vulnname, vulnseverity, sev_num, vulncat order by sev_
    num desc, total_num desc

```

Dataset Name	Description	Log Category
aware-Top-New-Vulnerabilities	Top New Vulnerabilities	fct-netscan

```

drop
    table if exists rpt_tmptbl_1;
drop
    table if exists rpt_tmptbl_2; create temporary table rpt_tmptbl_1 as
select
    vulnid,
    vulnname,
    vulnseverity,
    vulncat,
    hostname
from
    ###(select vulnid, vulnname, vulnseverity, vulncat, hostname from $log where $pre_period
    $filter and nullifna(vulnname) is not null group by vulnid, vulnname, vulnseverity, vulncat,
    hostname)### t group by vulnid, vulnname, vulnseverity, vulncat, hostname; create temporary
    table rpt_tmptbl_2 as select vulnid, vulnname, vulnseverity, vulncat, hostname from ###
    (select vulnid, vulnname, vulnseverity, vulncat, hostname from $log where $filter and
    nullifna(vulnname) is not null group by vulnid, vulnname, vulnseverity, vulncat,
    hostname)### t group by vulnid, vulnname, vulnseverity, vulncat, hostname; select vulnname,
    (case when vulnseverity='Critical' then 5 when vulnseverity='High' then 4 when
    vulnseverity='Medium' then 3 when vulnseverity='Low' then 2 when vulnseverity='Info' then 1
    else 0 end) as sev, vulnseverity, vulncat, count(distinct hostname) as host_num, cve_id from
    rpt_tmptbl_2 t1 left join fct_mdata t2 on t1.vulnid=t2.vid::int where not exists (select 1
    from rpt_tmptbl_1 where t1.vulnid=rpt_tmptbl_1.vulnid) group by vulnname, sev, vulnseverity,
    vulncat, cve_id order by sev desc, host_num desc

```

Dataset Name	Description	Log Category
aware-Top-User-With-Critical-Vulnerabilities	Top Users with Critical Vulnerabilities	fct-netscan

```

select
    hostname,
    `user` as user_src,
    vulnname,

```

```

    vulncat,
    count(*) as total_num
from
    $log
where
    $filter
    and nullifna(`user`) is not null
    and vulnseverity = 'Critical'
group by
    hostname,
    user_src,
    vulnname,
    vulncat
order by
    total_num desc

```

Dataset Name	Description	Log Category
aware-Ingress-Data-Flow-By-Zone	Ingress Data Flow By Zone	traffic

```

select
    app,
    tag,
    sum(rcvdbyte) as rcvdbyte
from
    ###(select dvid, app, dstintf, sum(coalesce(rcvdbyte, 0)) as rcvdbyte from $log where
    $filter group by dvid, app, dstintf having sum(coalesce(rcvdbyte, 0)) > 0 order by rcvdbyte
    desc)### tt1 inner join (select dvid, intfname, unnest(tags) as tag from intfinfo) tt2 on
    tt1.dvid=tt2.dvid and tt1.dstintf=tt2.intfname group by app, tag order by rcvdbyte desc

```

Dataset Name	Description	Log Category
aware-Egress-Data-Flow-By-Zone	Egress Data Flow By Zone	traffic

```

select
    app,
    tag,
    sum(sentbyte) as sentbyte
from
    ###(select dvid, app, srcintf, sum(coalesce(sentbyte, 0)) as sentbyte from $log where
    $filter group by dvid, app, srcintf having sum(coalesce(sentbyte, 0)) > 0 order by sentbyte
    desc)### tt1 inner join (select dvid, intfname, unnest(tags) as tag from intfinfo) tt2 on
    tt1.dvid=tt2.dvid and tt1.srcintf=tt2.intfname group by app, tag order by sentbyte desc

```

Dataset Name	Description	Log Category
aware-Top-Device-Attack-Targets	Top Device Attack Targets	fct-netscan

```

select
    hostname,
    count(*) as total_num
from
    $log
where
    $filter
    and nullifna(hostname) is not null

```

```

    and nullifna(vulnname) is not null
group by
    hostname
order by
    total_num desc

```

Dataset Name	Description	Log Category
aware-Top-Attack-Targets	Top Attack Targets	fct-netscan

```

select
    hostname,
    srcip,
    os,
    vuln_num,
    (
        CASE sevid WHEN 5 THEN 'Critical' WHEN 4 THEN 'High' WHEN 3 THEN 'Medium' WHEN '2' THEN
'Info' ELSE 'Low' END
    ) as vulnseverity,
    sevid as severity_num,
    left(cve_agg, 512) as cve_agg
from
    (
        select
            hostname,
            max(srcip) as srcip,
            string_agg(distinct os1, '/') as os,
            count(distinct vulnname) as vuln_num,
            max(
                (
                    CASE vulnseverity WHEN 'Critical' THEN 5 WHEN 'High' THEN 4 WHEN 'Medium' THEN 3
WHEN 'Info' THEN 2 WHEN 'Low' THEN 1 ELSE 0 END
                )
            ) as sevid,
            string_agg(distinct cve_id, ',') as cve_agg
        from
            ###(select hostname, max(deviceip) as srcip, split_part(os, ',', 1) as os1, vulnname,
vulnseverity, vulnid from $log where $filter and nullifna(vulnname) is not null and nullifna
(vulnseverity) is not null group by hostname, os1, vulnname, vulnseverity, vulnid)### t1
        left join fct_mdata t2 on t1.vulnid=t2.vid::int group by hostname) t order by severity_num
desc, vuln_num desc

```

Dataset Name	Description	Log Category
aware-Threats-By-Severity	Threats by Severity	attack

```

select
    initcap(sev) as severity,
    sum(total_num) as total_num
from
    (
        ###(select crlevel::text as sev, count(*) as total_num from $log-virus where $filter and
nullifna(virus) is not null and crlevel is not null group by sev order by total_num
desc)### union all ###(select severity::text as sev, count(*) as total_num from $log-attack
where $filter and nullifna(attack) is not null and severity is not null group by sev order
by total_num desc)### union all ###(select apprisk::text as sev, count(*) as total_num from

```


\$log-app-ctrl where \$filter and lower(appcat)='botnet' and apprisk is not null group by sev order by total_num desc)###) t group by severity order by total_num desc

Dataset Name	Description	Log Category
aware-Threats-Type-By-Severity	Threats Type by Severity	virus

```
select
    threat_type,
    sum(critical) as critical,
    sum(high) as high,
    sum(medium) as medium,
    sum(low) as low
from
    (
        ###(select (case when eventtype='botnet' then 'Botnets' else 'Malware' end) as threat_
        type, sum(case when crlevel = 'critical' then 1 else 0 end) as critical, sum(case when
        crlevel = 'high' then 1 else 0 end) as high, sum(case when crlevel = 'medium' then 1 else 0
        end) as medium, sum(case when crlevel = 'low' then 1 else 0 end) as low from $log-virus
        where $filter and nullifna(virus) is not null group by threat_type)### union all ###(select
        'Intrusions' as threat_type, sum(case when severity = 'critical' then 1 else 0 end) as
        critical, sum(case when severity = 'high' then 1 else 0 end) as high, sum(case when severity
        = 'medium' then 1 else 0 end) as medium, sum(case when severity = 'low' then 1 else 0 end)
        as low from $log-attack where $filter and nullifna(attack) is not null group by threat_
        type)### union all ###(select 'Botnets' as threat_type, sum(case when apprisk = 'critical'
        then 1 else 0 end) as critical, sum(case when apprisk = 'high' then 1 else 0 end) as high,
        sum(case when apprisk = 'medium' then 1 else 0 end) as medium, sum(case when apprisk = 'low'
        then 1 else 0 end) as low from $log-app-ctrl where $filter and lower(appcat)='botnet' group
        by threat_type)###) t group by threat_type
```

Dataset Name	Description	Log Category
aware-Threats-By-Day	Threats by Day	virus

```
select
    daystamp,
    sum(total_num) as total_num
from
    (
        ###(select $day_of_week as daystamp, count(*) as total_num from $log-virus where $filter
        and nullifna(virus) is not null group by daystamp)### union all ###(select $day_of_week as
        daystamp, count(*) as total_num from $log-attack where $filter and nullifna(attack) is not
        null group by daystamp)### union all ###(select $day_of_week as daystamp, count(*) as total_
        num from $log-app-ctrl where $filter and lower(appcat)='botnet' group by daystamp)###) t
        group by daystamp order by daystamp
```

Dataset Name	Description	Log Category
aware-Threats-By-Day-Radar	Threats by Day	virus

```
select
    daystamp,
    sum(total_num) as total_num
from
    (
        ###(select $day_of_week as daystamp, count(*) as total_num from $log-virus where $filter
```

```
and nullifna(virus) is not null group by daystamp)### union all ###(select $day_of_week as
daystamp, count(*) as total_num from $log-attack where $filter and nullifna(attack) is not
null group by daystamp)### union all ###(select $day_of_week as daystamp, count(*) as total_
num from $log-app-ctrl where $filter and lower(appcat)='botnet' group by daystamp)###) t
group by daystamp order by daystamp
```

Dataset Name	Description	Log Category
aware-Count-Of-Malware-Events	Count of Malware Events	virus

```
select
    virus,
    count(*) as total_num
from
    $log
where
    $filter
    and nullifna(virus) is not null
group by
    virus
order by
    total_num desc
```

Dataset Name	Description	Log Category
aware-Top-Malware-By-Count	Top Malware by Count	app-ctrl

```
select
    virus,
    malware_type,
    risk_level,
    count(distinct dstip) as victim,
    count(distinct srcip) as source,
    sum(total_num) as total_num
from
    (
        ###(select app as virus, 'Botnet C&C' as malware_type, apprisk::text as risk_level,
dstip, srcip, count(*) as total_num from $log-app-ctrl where $filter and lower
(appcat)='botnet' and apprisk is not null group by app, malware_type, apprisk, dstip, srcip
order by total_num desc)### union all ###(select virus, (case when eventtype='botnet' then
'Botnet C&C' else 'Virus' end) as malware_type, crlevel::text as risk_level, dstip, srcip,
count(*) as total_num from $log-virus where $filter and nullifna(virus) is not null and
crlevel is not null group by virus, malware_type, crlevel, dstip, srcip order by total_num
desc)### union all ###(select attack as virus, (case when eventtype='botnet' then 'Botnet
C&C' else 'Virus' end) as malware_type, crlevel::text as risk_level, dstip, srcip, count(*)
as total_num from $log-attack where $filter and (logflag&16>0) and crlevel is not null group
by virus, malware_type, crlevel, dstip, srcip order by total_num desc)###) t group by virus,
malware_type, risk_level order by total_num desc
```

Dataset Name	Description	Log Category
aware-Top-Failed-Login-Attempts	Top Failed Login Attempts	event

```
select
    `user` as f_user,
    ui,
```

```

dstip,
count(status) as total_failed
from
$log
where
$filter
and nullifna(`user`) is not null
and logid_to_int(logid) = 32002
group by
ui,
f_user,
dstip
order by
total_failed desc

```

Dataset Name	Description	Log Category
aware-Top-Failed-Authentication-Attempts	VPN failed logins	event

```

select
f_user,
tunneltype,
sum(total_num) as total_num
from
###(select coalesce(nullifna(`xauthuser`), `user`) as f_user, tunneltype, count(*) as
total_num from $log where $filter and subtype='vpn' and (tunneltype='ipsec' or left
(tunneltype, 3)='ssl') and action in ('ssl-login-fail', 'ipsec-login-fail') and coalesce
(nullifna(`xauthuser`), nullifna(`user`)) is not null group by f_user, tunneltype)### t
group by f_user, tunneltype order by total_num desc

```

Dataset Name	Description	Log Category
aware-Top-Denied-Connections	Top Denied Connections	traffic

```

select
coalesce(
nullifna(`user`),
ipstr(`srcip`)
) as user_src,
service || '(' || ipstr(srcip) || ')' as interface,
dstip,
count(*) as total_num
from
$log
where
$filter
and (
logflag&1>0
)
and action = 'deny'
group by
user_src,
interface,
dstip

```

```
order by
  total_num desc
```

Dataset Name	Description	Log Category
aware-Failed-Compliance-Checked-By-Device	Failed Compliance Checked by Device	event

```
select
  devid,
  'Failed' as results,
  count(distinct reason) as total_num
from
  ###(select devid, reason from $log where $filter and subtype='compliance-check' and
  result='fail' group by devid, reason)### t group by devid, results order by total_num desc
```

Dataset Name	Description	Log Category
aware-loc-Blacklist-Summary	IOC Blacklist Summary	app-ctrl

```
drop
  table if exists tmp_ep_eu_map; create temporary table tmp_ep_eu_map as (
    select
      epid,
      euid
    from
      $ADOM_EPEU_DEVMAP
    where
      euid & gt;= 1024
  );
select
  coalesce(
    nullifna(epname),
    nullifna(
      ipstr(`srcip`)
    ),
    'Unknown'
  ) as epname,
  user_agg,
  sevid,
  (
    CASE sevid WHEN 5 THEN 'Critical' WHEN 4 THEN 'High' WHEN 3 THEN 'Medium' WHEN '2' THEN
'Info' ELSE 'Low' END
  ) as severity,
  threats,
  bl_count as total_bl
from
  (
    select
      th1.epid,
      srcip,
      sevid,
      bl_count,
      threats
    from
      (
```

```
select
  epid,
  srcip,
  max(verdict)+ 1 as sevid,
  sum(bl_count) as bl_count
from
  (
    (
      select
        epid,
        srcip,
        day_st as itime,
        bl_count,
        verdict,
        unnest(dvid) as dvid_s
      from
        $ADOMTBL_PLHD_IOC_VERDICT
      where
        bl_count>0
    )
    union all
    (
      select
        epid,
        srcip,
        day_st as itime,
        bl_count,
        verdict,
        unnest(dvid) as dvid_s
      from
        $ADOMTBL_PLHD_INTERIM_IOC_VERDICT
      where
        bl_count>0
    )
  ) tvdt
inner join devtable td on td.dvid = tvdt.dvid_s
where
  $filter
  and $filter - drilldown
  and $dev_filter
group by
  epid,
  srcip
) th1
inner join (
  select
    epid,
    string_agg(name, ',') as threats
  from
    (
      (
        select
          epid,
          thid
        from
          (

```

```
(
    select
        epid,
        thid,
        itime,
        unnest(dvid) as dvid_s
    from
        (
            select
                epid,
                unnest(threatid) as thid,
                day_st as itime,
                dvid
            from
                $ADOMTBL_PLHD_IOC_VERDICT
            where
                bl_count>0
        ) ta1
    )
union all
    (
        select
            epid,
            thid,
            itime,
            unnest(dvid) as dvid_s
        from
            (
                select
                    epid,
                    unnest(threatid) as thid,
                    day_st as itime,
                    dvid
                from
                    $ADOMTBL_PLHD_INTERIM_IOC_VERDICT
                where
                    bl_count>0
            ) ta2
        )
    ) t
inner join devtable td on td.dvid = t.dvid_s
where
    $filter
    and $filter - drilldown
    and $dev_filter
group by
    epid,
    thid
) thr
inner join td_threat_name_mdata tm on tm.id = thr.thid
) t
group by
    epid
) th2 on th1.epid = th2.epid
) t1
left join (
```

```

select
    epid,
    string_agg(distinct euname, ',') as user_agg
from
    tmp_ep_eu_map tpu
    inner join $ADOM_ENDUSER as teu on tpu.euid = teu.euid
group by
    epid
) t2 on t2.epid = t1.epid
inner join $ADOM_ENDPOINT as tep on tep.epid = t1.epid
order by
    total_bl desc,
    sevid desc

```

Dataset Name	Description	Log Category
aware-loc-Potential-Breach-By-Day	IOC Potential Breach by Day	app-ctrl

```

select
    number,
    day_st as itime
from
    (
        select
            count(epid) as number,
            to_char(
                from_itime(itime),
                'Day'
            ) as day_st
        from
            (
                select
                    epid,
                    day_st as itime,
                    unnest(dvid) as dvid_s
                from
                    $ADOMTBL_PLHD_INTERIM_IOC_VERDICT
                where
                    $filter - drilldown
                    and cs_count>0
                union all
                (
                    select
                        epid,
                        day_st as itime,
                        unnest(dvid) as dvid_s
                    from
                        $ADOMTBL_PLHD_IOC_VERDICT
                    where
                        $filter - drilldown
                        and cs_count>0
                )
            ) t
        inner join devtable td on td.dvid = t.dvid_s
    where
        $filter

```

```

        and $filter - drilldown
    group by
        day_st
) tt
order by
    itime

```

Dataset Name	Description	Log Category
aware-loc-Potential-Breach-By-Day-Bar	IOC Potential Breach by Day	app-ctrl

```

select
    number,
    day_st as itime
from
    (
        select
            count(epid) as number,
            to_char(
                from_itime(itime),
                'Day'
            ) as day_st
        from
            (
                select
                    epid,
                    day_st as itime,
                    unnest(dvid) as dvid_s
                from
                    $ADOMTBL_PLHD_INTERIM_IOC_VERDICT
                where
                    $filter - drilldown
                    and cs_count>0
                union all
                (
                    select
                        epid,
                        day_st as itime,
                        unnest(dvid) as dvid_s
                    from
                        $ADOMTBL_PLHD_IOC_VERDICT
                    where
                        $filter - drilldown
                        and cs_count>0
                )
            ) t
        inner join devtable td on td.dvid = t.dvid_s
    ) where
        $filter
        and $filter - drilldown
    group by
        day_st
) tt
order by
    itime

```


Dataset Name	Description	Log Category
aware-loc-Suspicion-Summary	IOC Suspicion Summary	app-ctrl

```

select
  coalesce(
    nullifna(epname),
    nullifna(
      ipstr(`srcip`)
    ),
    'Unknown'
  ) as epname,
  cs_count as total_cs,
  cs_score as max_cs,
  verdict as max_verdict,
  threats
from
  (
    select
      th1.epid,
      srcip,
      itime,
      cs_count,
      verdict,
      cs_score,
      threats
    from
      (
        select
          epid,
          srcip,
          min(itime) as itime,
          sum(cs_count) as cs_count,
          max(verdict) as verdict,
          max(cs_score) as cs_score
        from
          (
            (
              select
                epid,
                srcip,
                day_st as itime,
                cs_count,
                verdict,
                cs_score,
                unnest(dvid) as dvid_s
              from
                $ADOMTBL_PLHD_IOC_VERDICT
              where
                $filter - drilldown
                and bl_count = 0
                and cs_count>0
            )
            union all
            (
              select

```

```
        epid,
        srcip,
        day_st as itime,
        cs_count,
        verdict,
        cs_score,
        unnest(dvid) as dvid_s
    from
        $ADOMTBL_PLHD_INTERIM_IOC_VERDICT
    where
        $filter - drilldown
        and bl_count = 0
        and cs_count>0
    )
    ) tvdt
    inner join devtable td on td.dvid = tvdt.dvid_s
where
    $filter
    and $filter - drilldown
group by
    epid,
    srcip
) th1
inner join (
    select
        epid,
        string_agg(name, ',') as threats
    from
        (
            (
                select
                    epid,
                    thid
                from
                    (
                        (
                            select
                                epid,
                                thid,
                                itime,
                                unnest(dvid) as dvid_s
                            from
                                (
                                    select
                                        epid,
                                        unnest(threatid) as thid,
                                        day_st as itime,
                                        dvid
                                    from
                                        $ADOMTBL_PLHD_IOC_VERDICT
                                    where
                                        bl_count = 0
                                        and cs_count>0
                                ) tal
                            )
                        )
                    )
                union all
```

```

(
    select
        epid,
        thid,
        itime,
        unnest(dvid) as dvid_s
    from
        (
            select
                epid,
                unnest(threatid) as thid,
                day_st as itime,
                dvid
            from
                $ADOMTBL_PLHD_INTERIM_IOC_VERDICT
            where
                bl_count = 0
                and cs_count>0
        ) ta2
    )
    ) tt1
    inner join devtable td on td.dvid = tt1.dvid_s
where
    $filter
    and $filter - drilldown
group by
    epid,
    thid
    ) thr
    inner join td_threat_name_mdata tm on tm.id = thr.thid
    ) tt2
group by
    epid
    ) th2 on th1.epid = th2.epid
    ) t
    inner join $ADOM_ENDPOINT as tep on tep.epid = t.epid
order by
    max_verdict desc,
    max_cs desc,
    total_cs desc

```

Dataset Name	Description	Log Category
aware-Botnet-IP	Top Source IP Affected by Botnet	virus

```

select
    f_user,
    srcip,
    string_agg(distinct `virus`, ',') as virus_agg,
    count(
        distinct ipstr(`dstip`)
    ) as dstip_cnt,
    max(action) as action,
    sum(total_num) as total_num,
    min(
        from_itime(first_seen)
    )

```

```

    ) as first_seen,
    max(
        from_itime(last_seen)
    ) as last_seen
from
    ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`)) as f_user, srcip, virus,
dstip, max(action) as action, count(*) as total_num, min(itime) as first_seen, max(itime) as
last_seen from $log where $filter and logid in ('0202009248', '0202009249') and virus is not
null group by srcip, f_user, virus, dstip order by total_num desc)### t group by srcip, f_
user order by total_num desc

```

Dataset Name	Description	Log Category
aware-Botnet-Domain	New Botnet Domains	dns

```

select
    botnet,
    count(distinct `qname`) as qname_cnt,
    count(
        distinct ipstr(`dstip`)
    ) as dnssvr_cnt,
    sum(total_num) as total_num,
    min(
        from_itime(first_seen)
    ) as first_seen,
    max(
        from_itime(last_seen)
    ) as last_seen
from
    ###(select coalesce(`botnetdomain`, ipstr(`botnetip`)) as botnet, qname, dstip, count(*)
as total_num, min(nanosec_to_sec(eventtime)) as first_seen, max(nanosec_to_sec(eventtime))
as last_seen from $log where $filter and logid in ('1501054601', '1501054600') group by
botnet, qname, dstip order by total_num desc)### t group by botnet order by first_seen desc

```

Dataset Name	Description	Log Category
aware-High-Risk-URL-Category	Category of High Risk URLs	webfilter

```

select
    catdesc,
    string_agg(distinct hostname, ',') as hostname_agg,
    max(action) as action,
    sum(total_num) as total_num,
    min(
        from_itime(first_seen)
    ) as first_seen,
    max(
        from_itime(last_seen)
    ) as last_seen
from
    ###(select catdesc, hostname, max(action) as action, count(*) as total_num, min(itime) as
first_seen, max(itime) as last_seen from $log where $filter and cat in (26, 61, 86, 88, 90,
91, 93) group by catdesc, hostname order by total_num desc)### t group by catdesc order by
total_num desc

```

Dataset Name	Description	Log Category
aware-Malicious-Files	Type of Malicious Files from AV and Sandbox	virus

```

select
  virus,
  left(url_agg, 1000) as url_agg,
  left(filename_agg, 1000) as filename_agg,
  quarskip,
  action,
  from_sandbox,
  total_num,
  first_seen,
  last_seen
from
  (
    select
      virus,
      string_agg(distinct url, '<br/>') as url_agg,
      string_agg(distinct filename, '<br/>') as filename_agg,
      max(quarskip) as quarskip,
      max(action) as action,
      max(from_sandbox) as from_sandbox,
      sum(total_num) as total_num,
      min(
        from_etime(first_seen)
      ) as first_seen,
      max(
        from_etime(last_seen)
      ) as last_seen
    from
      ###(select virus, url, filename, max(quarskip) as quarskip, max(action) as action,
      (case when logid in ('0211009234', '0211009235') then 1 else 0 end) as from_sandbox, count
      (*) as total_num, min(etime) as first_seen, max(etime) as last_seen from $log where $filter
      and virus is not null and logid in ('0211009234', '0201009235', '0211008192', '0211008193',
      '0211008194', '0211008195') group by virus, url, filename, from_sandbox order by total_num
      desc)### t group by virus) t order by total_num desc

```

Dataset Name	Description	Log Category
newthing-New-Users	New users	fct-traffic

```

drop
  table if exists rpt_tmptbl_1;
drop
  table if exists rpt_tmptbl_2; create temporary table rpt_tmptbl_1 as
select
  f_user,
  min(start_time) as start_time
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as f_user, min(dtime) as start_time
  from $log where $pre_period $filter group by f_user order by start_time desc)### t group by
  f_user; create temporary table rpt_tmptbl_2 as select f_user, min(start_time) as start_time
  from ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as f_user, min(dtime) as start_
  time from $log where $filter group by f_user order by start_time desc)### t group by f_user;
  select f_user, from_dtime(min(start_time)) as start_time from rpt_tmptbl_2 where f_user is

```

```
not null and not exists (select 1 from rpt_tmptbl_1 where rpt_tmptbl_2.f_user=rpt_tmptbl_1.f_user) group by f_user order by start_time desc
```

Dataset Name	Description	Log Category
newthing-New-Devices	New devices	fct-traffic

```
drop
  table if exists rpt_tmptbl_1;
drop
  table if exists rpt_tmptbl_2; create temporary table rpt_tmptbl_1 as
select
  hostname,
  os,
  srcip,
  fctver
from
  ###(select hostname, os, srcip, fctver from $log where $pre_period $filter and hostname is
not null group by hostname, os, srcip, fctver order by hostname)### t group by hostname, os,
srcip, fctver; create temporary table rpt_tmptbl_2 as select hostname, os, srcip, fctver
from ###(select hostname, os, srcip, fctver from $log where $filter and hostname is not null
group by hostname, os, srcip, fctver order by hostname)### t group by hostname, os, srcip,
fctver; select hostname, max(fctos_to_devtype(os)) as devtype, string_agg(distinct os, '/')
as os_agg, string_agg(distinct ipstr(srcip), '/') as srcip_agg, string_agg(distinct fctver,
'/') as fctver_agg from rpt_tmptbl_2 where not exists (select 1 from rpt_tmptbl_1 where rpt_
tmptbl_2.hostname=rpt_tmptbl_1.hostname) group by hostname order by hostname
```

Dataset Name	Description	Log Category
newthing-New-Software-Installed	New software installed	fct-traffic

```
drop
  table if exists rpt_tmptbl_1;
drop
  table if exists rpt_tmptbl_2; create temporary table rpt_tmptbl_1 as
select
  srcproduct,
  hostname
from
  ###(select srcproduct, hostname from $log where $pre_period $filter and nullifna
(srcproduct) is not null group by srcproduct, hostname order by srcproduct)### t group by
srcproduct, hostname; create temporary table rpt_tmptbl_2 as select srcproduct, hostname
from ###(select srcproduct, hostname from $log where $filter and nullifna(srcproduct) is not
null group by srcproduct, hostname order by srcproduct)### t group by srcproduct, hostname;
select srcproduct, string_agg(distinct hostname, ',') as host_agg from rpt_tmptbl_2 where
not exists (select 1 from rpt_tmptbl_1 where rpt_tmptbl_2.srcproduct=rpt_tmptbl_1
.srcproduct) group by srcproduct order by srcproduct
```

Dataset Name	Description	Log Category
newthing-New-Security-Threats	New security threats	virus

```
drop
  table if exists rpt_tmptbl_1;
drop
  table if exists rpt_tmptbl_2; create temporary table rpt_tmptbl_1 as
```

```

select
    threat_name,
    cat_id,
    srcip
from
    (
        ###(select app as threat_name, 1 as cat_id, srcip from $log-app-ctrl where $pre_period
        $filter and nullifna(app) is not null and lower(appcat)='botnet' group by threat_name, cat_
        id, srcip)### union all ###(select virus as threat_name, 2 as cat_id, srcip from $log-virus
        where $pre_period $filter and nullifna(virus) is not null group by threat_name, cat_id,
        srcip)### union all ###(select attack as threat_name, 3 as cat_id, srcip from $log-attack
        where $pre_period $filter and nullifna(attack) is not null group by threat_name, cat_id,
        srcip)###) t; create temporary table rpt_tmptbl_2 as select daystamp, threat_name, cat_id,
        srcip from (###(select $DAY_OF_MONTH as daystamp, app as threat_name, 1 as cat_id, srcip
        from $log-app-ctrl where $filter and nullifna(app) is not null and lower(appcat)='botnet'
        group by daystamp, threat_name, cat_id, srcip order by daystamp)### union all ###(select
        $DAY_OF_MONTH as daystamp, virus as threat_name, 2 as cat_id, srcip from $log-virus where
        $filter and nullifna(virus) is not null group by daystamp, threat_name, cat_id, srcip order
        by daystamp)### union all ###(select $DAY_OF_MONTH as daystamp, attack as threat_name, 3 as
        cat_id, srcip from $log-attack where $filter and nullifna(attack) is not null group by
        daystamp, threat_name, cat_id, srcip order by daystamp)###) t; select threat_name, (case
        cat_id when 1 then 'Botnet' when 2 then 'Malware' when 3 then 'Attack' end) as threat_cat,
        count(distinct srcip) as host_num, string_agg(distinct cve, ',') as cve_agg from rpt_tmptbl_
        2 left join ips_mdata t2 on rpt_tmptbl_2.threat_name=t2.name where not exists (select 1 from
        rpt_tmptbl_1 where rpt_tmptbl_2.threat_name=rpt_tmptbl_1.threat_name) group by threat_name,
        threat_cat order by host_num desc

```

Dataset Name	Description	Log Category
newthing-dns-Botnet-Domain-IP	New Queried Botnet C&C Domains and IPs	dns

```

drop
    table if exists rpt_tmptbl_1;
drop
    table if exists rpt_tmptbl_2; create temporary table rpt_tmptbl_1 as
select
    domain,
    malware_type,
    action_s as action,
    srcip,
    sevid
from
    ###(select coalesce(botnetdomain, ipstr(botnetip)) as domain, cast('Botnet C&C' as char
    (32)) as malware_type, (case when action='block' then 'Blocked' when action='redirect' then
    'Redirected' else 'Passed' end) as action_s, srcip, (CASE WHEN level IN ('critical',
    'alert', 'emergency') THEN 5 WHEN level='error' THEN 4 WHEN level='warning' THEN 3 WHEN
    level='notice' THEN 2 ELSE 1 END) as sevid, coalesce(botnetdomain, ipstr(botnetip)) as
    sources_s, count(*) as total_num from $log where $pre_period $filter and (botnetdomain is
    not null or botnetip is not null) group by domain, action_s, srcip, sevid order by sevid
    desc)### t group by domain, malware_type, action, srcip, sevid; create temporary table rpt_
    tmptbl_2 as select domain, malware_type, action_s as action, srcip, sevid from ###(select
    coalesce(botnetdomain, ipstr(botnetip)) as domain, cast('Botnet C&C' as char(32)) as
    malware_type, (case when action='block' then 'Blocked' when action='redirect' then
    'Redirected' else 'Passed' end) as action_s, srcip, (CASE WHEN level IN ('critical',
    'alert', 'emergency') THEN 5 WHEN level='error' THEN 4 WHEN level='warning' THEN 3 WHEN
    level='notice' THEN 2 ELSE 1 END) as sevid, coalesce(botnetdomain, ipstr(botnetip)) as

```

```
sources_s, count(*) as total_num from $log where $filter and (botnetdomain is not null or
botnetip is not null) group by domain, action_s, srcip, sevid order by sevid desc)### t
group by domain, malware_type, action, srcip, sevid; select domain, srcip, sevid, (CASE
sevid WHEN 5 THEN 'Critical' WHEN 4 THEN 'High' WHEN 3 THEN 'Medium' WHEN '2' THEN 'Info'
ELSE 'Low' END) as severity from rpt_tmptbl_2 where (domain is not null and not exists
(select 1 from rpt_tmptbl_1 where rpt_tmptbl_2.domain=rpt_tmptbl_1.domain)) or (srcip is not
null and not exists (select 1 from rpt_tmptbl_1 where rpt_tmptbl_2.srcip=rpt_tmptbl_
1.srcip)) group by domain, srcip, sevid order by sevid desc, domain
```

Dataset Name	Description	Log Category
newthing-New-Security-Threats-Timeline	New security threats timeline	virus

```
drop
  table if exists rpt_tmptbl_1;
drop
  table if exists rpt_tmptbl_2; create temporary table rpt_tmptbl_1 as
select
  threat_name,
  cat_id,
  srcip
from
  (
    ###(select app as threat_name, 1 as cat_id, srcip from $log-app-ctrl where $pre_period
$filter and nullifna(app) is not null and lower(appcat)='botnet' group by threat_name, cat_
id, srcip)### union all ###(select virus as threat_name, 2 as cat_id, srcip from $log-virus
where $pre_period $filter and nullifna(virus) is not null group by threat_name, cat_id,
srcip)### union all ###(select attack as threat_name, 3 as cat_id, srcip from $log-attack
where $pre_period $filter and nullifna(attack) is not null group by threat_name, cat_id,
srcip)###) t; create temporary table rpt_tmptbl_2 as select timestamp, threat_name, cat_id,
srcip from (###(select $flex_timestamp as timestamp, app as threat_name, 1 as cat_id, srcip
from $log-app-ctrl where $filter and nullifna(app) is not null and lower(appcat)='botnet'
group by timestamp, threat_name, cat_id, srcip order by timestamp)### union all ###(select
$flex_timestamp as timestamp, virus as threat_name, 2 as cat_id, srcip from $log-virus where
$filter and nullifna(virus) is not null group by timestamp, threat_name, cat_id, srcip order
by timestamp)### union all ###(select $flex_timestamp as timestamp, attack as threat_name, 3
as cat_id, srcip from $log-attack where $filter and nullifna(attack) is not null group by
timestamp, threat_name, cat_id, srcip order by timestamp)###) t; select $flex_datetime
(timestamp) as timescale, count(distinct srcip) as host_num, (case cat_id when 1 then
'Botnet' when 2 then 'Malware' when 3 then 'Attack' end) as threat_cat from rpt_tmptbl_2
where not exists (select 1 from rpt_tmptbl_1 where rpt_tmptbl_2.threat_name=rpt_tmptbl_
1.threat_name) group by timescale, cat_id order by timescale, cat_id
```

Dataset Name	Description	Log Category
newthing-New-Vulnerability	New vulnerabilities	fct-netscan

```
drop
  table if exists rpt_tmptbl_1;
drop
  table if exists rpt_tmptbl_2; create temporary table rpt_tmptbl_1 as
select
  vulnid,
  vulnname,
  vulnseverity,
```



```

    vulncat,
    hostname
from
    ###(select vulnid, vulnname, vulnseverity, vulncat, hostname from $log where $pre_period
$filter and nullifna(vulnname) is not null group by vulnid, vulnname, vulnseverity, vulncat,
hostname)### t group by vulnid, vulnname, vulnseverity, vulncat, hostname; create temporary
table rpt_tmptbl_2 as select vulnid, vulnname, vulnseverity, vulncat, hostname from ###
(select vulnid, vulnname, vulnseverity, vulncat, hostname from $log where $filter and
nullifna(vulnname) is not null group by vulnid, vulnname, vulnseverity, vulncat,
hostname)### t group by vulnid, vulnname, vulnseverity, vulncat, hostname; select vulnname,
(case when vulnseverity='Critical' then 5 when vulnseverity='High' then 4 when
vulnseverity='Medium' then 3 when vulnseverity='Low' then 2 when vulnseverity='Info' then 1
else 0 end) as sev, vulnseverity, vulncat, count(distinct hostname) as host_num, cve_id from
rpt_tmptbl_2 t1 left join fct_mdata t2 on t1.vulnid=t2.vid::int where not exists (select 1
from rpt_tmptbl_1 where t1.vulnid=rpt_tmptbl_1.vulnid) group by vulnname, sev, vulnseverity,
vulncat, cve_id order by sev desc, host_num desc

```

Dataset Name	Description	Log Category
newthing-New-Vulnerability-Graph	New vulnerabilities (Graph)	fct-netscan

```

drop
    table if exists rpt_tmptbl_1;
drop
    table if exists rpt_tmptbl_2; create temporary table rpt_tmptbl_1 as
select
    vulnid,
    vulnname,
    vulnseverity,
    vulncat,
    hostname
from
    ###(select vulnid, vulnname, vulnseverity, vulncat, hostname from $log where $pre_period
$filter and nullifna(vulnname) is not null group by vulnid, vulnname, vulnseverity, vulncat,
hostname)### t group by vulnid, vulnname, vulnseverity, vulncat, hostname; create temporary
table rpt_tmptbl_2 as select vulnid, vulnname, vulnseverity, vulncat, hostname from ###
(select vulnid, vulnname, vulnseverity, vulncat, hostname from $log where $filter and
nullifna(vulnname) is not null group by vulnid, vulnname, vulnseverity, vulncat,
hostname)### t group by vulnid, vulnname, vulnseverity, vulncat, hostname; select
vulnseverity, count (distinct vulnid) as vuln_num from rpt_tmptbl_2 where not exists (select
1 from rpt_tmptbl_1 where rpt_tmptbl_2.vulnid=rpt_tmptbl_1.vulnid) group by vulnseverity
order by (case when vulnseverity='Critical' then 5 when vulnseverity='High' then 4 when
vulnseverity='Medium' then 3 when vulnseverity='Low' then 2 when vulnseverity='Info' then 1
else 0 end) desc

```

Dataset Name	Description	Log Category
newthing-System-Alerts	System Alerts	local-event

```

select
    from_itime(itime) as timestamp,
    msg
from
    $log
where
    $filter

```

```

    and msg is not null
    and level = 'critical'
order by
    timestamp desc

```

Dataset Name	Description	Log Category
newthing-Configuration-Changes	Configuration Changes	event

```

select
    `user` as f_user,
    devid,
    from_dtime(dtime) as time_s,
    ui,
    msg
from
    $log
where
    $filter
    and cfgtid>0
order by
    time_s desc

```

Dataset Name	Description	Log Category
newthing-FortiGate-Upgrades	FortiGate Upgrades	event

```

select
    devid,
    from_dtime(dtime) as time_s,
    info[1] as intf,
    info[2] as prev_ver,
    info[3] as new_ver
from
    (
        select
            devid,
            dtime,
            regexp_matches(
                msg, 'from ([^ ]+) \\(((\\^ ]+) -> ([^)]+))\\)'
            ) as info
        from
            $log
        where
            $filter
            and action = 'restore-image'
    ) t
order by
    time_s desc

```

Dataset Name	Description	Log Category
newthing-User-Upgrades	User Upgrades	fct-event

```

drop
    table if exists rpt_tmptbl_1;

```

```
drop
  table if exists rpt_tmptbl_2; create temporary table rpt_tmptbl_1 as
select
  fgtserial,
  hostname,
  deviceip,
  os,
  dtype
from
  ###(select distinct on (fgtserial, hostname) fgtserial, hostname, deviceip, os, dtype from
$log where $pre_period $filter and hostname is not null order by fgtserial, hostname, dtype
desc)### t; create temporary table rpt_tmptbl_2 as select fgtserial, hostname, deviceip, os,
dtype from ###(select distinct on (fgtserial, hostname) fgtserial, hostname, deviceip, os,
dtype from $log where $filter and hostname is not null order by fgtserial, hostname, dtype
desc)### t; select distinct on (1, 2) t2.fgtserial as devid, t2.hostname, t2.deviceip, t1.os
as prev_os, t2.os as cur_os, from_dtype(t1.dtype) as time_s from rpt_tmptbl_2 t2 inner join
rpt_tmptbl_1 t1 on t2.fgtserial=t1.fgtserial and t2.hostname=t1.hostname and t2.os!=t1.os
order by devid, t2.hostname, t1.dtype desc
```

Dataset Name	Description	Log Category
GTP-List-of-APN-Used	List of APNs Used	gtp

```
select
  apn,
  from_dtype(
    min(first_seen)
  ) as first_seen,
  from_dtype(
    max(last_seen)
  ) as last_seen
from
  ###(select apn, min(dtype) as first_seen, max(dtype) as last_seen from $log where $filter
and nullifna(apn) is not null group by apn order by last_seen desc)### t group by apn order
by last_seen desc, first_seen
```

Dataset Name	Description	Log Category
GTP-Top-APN-by-Bytes	Top APNs by Bytes	gtp

```
select
  apn,
  sum(
    coalesce(`u-bytes`, 0)
  ) as total_bytes
from
  $log
where
  $filter
  and nullifna(apn) is not null
  and status = 'traffic-count'
group by
  apn
having
  sum(
    coalesce(`u-bytes`, 0)
```

```

)& gt; 0
order by
  total_bytes desc

```

Dataset Name	Description	Log Category
GTP-Top-APN-by-Duration	Top APNs by Duration	gtp

```

select
  apn,
  sum(
    coalesce(duration, 0)
  ) as total_dura
from
  $log
where
  $filter
  and nullifna(apn) is not null
  and status = 'traffic-count'
group by
  apn
having
  sum(
    coalesce(duration, 0)
  )>0
order by
  total_dura desc

```

Dataset Name	Description	Log Category
GTP-Top-APN-by-Packets	Top APNs by Number of Packets	gtp

```

select
  apn,
  sum(
    coalesce(`u-pkts`, 0)
  ) as total_num
from
  $log
where
  $filter
  and nullifna(apn) is not null
  and status = 'traffic-count'
group by
  apn
having
  sum(
    coalesce(`u-pkts`, 0)
  )& gt; 0
order by
  total_num desc

```

Dataset Name	Description	Log Category
Top10-dns-Botnet-Domain-IP	Top Queried Botnet C&C Domains and IPs	dns

```

select
  domain,
  malware_type,
  action,
  count(distinct srcip) as victims,
  count(distinct sources_s) as sources,
  sum(total_num) as total_num
from
  ###(select coalesce(botnetdomain, ipstr(botnetip)) as domain, cast('Botnet C&C' as char
  (32)) as malware_type, (case when action='block' then 'Blocked' when action='redirect' then
  'Redirected' else 'Passed' end) as action, srcip, (CASE WHEN level IN ('critical', 'alert',
  'emergency') THEN 5 WHEN level='error' THEN 4 WHEN level='warning' THEN 3 WHEN
  level='notice' THEN 2 ELSE 1 END) as sevid, coalesce(botnetdomain, ipstr(botnetip)) as
  sources_s, count(*) as total_num from $log where $filter and (botnetdomain is not null or
  botnetip is not null) group by domain, action, srcip, sevid order by sevid desc)### t group
  by domain, malware_type, action order by total_num desc

```

Dataset Name	Description	Log Category
dns-Botnet-Usage	Top Queried Botnet C&C Domains and IPs	dns

```

select
  domain,
  malware_type,
  action,
  count(distinct srcip) as victims,
  count(distinct sources_s) as sources,
  sum(total_num) as total_num
from
  ###(select coalesce(botnetdomain, ipstr(botnetip)) as domain, cast('Botnet C&C' as char
  (32)) as malware_type, (case when action='block' then 'Blocked' when action='redirect' then
  'Redirected' else 'Passed' end) as action, srcip, (CASE WHEN level IN ('critical', 'alert',
  'emergency') THEN 5 WHEN level='error' THEN 4 WHEN level='warning' THEN 3 WHEN
  level='notice' THEN 2 ELSE 1 END) as sevid, coalesce(botnetdomain, ipstr(botnetip)) as
  sources_s, count(*) as total_num from $log where $filter and (botnetdomain is not null or
  botnetip is not null) group by domain, action, srcip, sevid order by sevid desc)### t group
  by domain, malware_type, action order by total_num desc

```

Dataset Name	Description	Log Category
Dns-Detected-Botnet	Top Queried Botnet C&C Domains and IPs	dns

```

select
  domain,
  malware_type,
  action,
  count(distinct srcip) as victims,
  count(distinct sources_s) as sources,
  sum(total_num) as total_num
from
  ###(select coalesce(botnetdomain, ipstr(botnetip)) as domain, cast('Botnet C&C' as char
  (32)) as malware_type, (case when action='block' then 'Blocked' when action='redirect' then
  'Redirected' else 'Passed' end) as action, srcip, (CASE WHEN level IN ('critical', 'alert',
  'emergency') THEN 5 WHEN level='error' THEN 4 WHEN level='warning' THEN 3 WHEN
  level='notice' THEN 2 ELSE 1 END) as sevid, coalesce(botnetdomain, ipstr(botnetip)) as
  sources_s, count(*) as total_num from $log where $filter and (botnetdomain is not null or

```

botnetip is not null) group by domain, action, srcip, sevid order by sevid desc)### t group by domain, malware_type, action order by total_num desc

Dataset Name	Description	Log Category
dns-Botnet-Domain-IP	Queried Botnet C&C Domains and IPs	dns

```
select
  domain,
  srcip,
  sevid,
  (
    CASE sevid WHEN 5 THEN 'Critical' WHEN 4 THEN 'High' WHEN 3 THEN 'Medium' WHEN '2' THEN
'Info' ELSE 'Low' END
  ) as severity
from
  ###(select coalesce(botnetdomain, ipstr(botnetip)) as domain, cast('Botnet C&C' as char
(32)) as malware_type, (case when action='block' then 'Blocked' when action='redirect' then
'Redirected' else 'Passed' end) as action, srcip, (CASE WHEN level IN ('critical', 'alert',
'emergency') THEN 5 WHEN level='error' THEN 4 WHEN level='warning' THEN 3 WHEN
level='notice' THEN 2 ELSE 1 END) as sevid, coalesce(botnetdomain, ipstr(botnetip)) as
sources_s, count(*) as total_num from $log where $filter and (botnetdomain is not null or
botnetip is not null) group by domain, action, srcip, sevid order by sevid desc)### t group
by domain, srcip, sevid order by sevid desc, domain
```

Dataset Name	Description	Log Category
dns-High-Risk-Source	High Risk Sources	dns

```
select
  srcip,
  sum(total_num) as total_num,
  sum(
    case when sevid = 5 then total_num else 0 end
  ) as num_cri,
  sum(
    case when sevid = 4 then total_num else 0 end
  ) as num_hig,
  sum(
    case when sevid = 3 then total_num else 0 end
  ) as num_med
from
  ###(select srcip, (CASE WHEN level IN ('critical', 'alert', 'emergency') THEN 5 WHEN
level='error' THEN 4 WHEN level='warning' THEN 3 WHEN level='notice' THEN 2 ELSE 1 END) as
sevid, count(*) as total_num from $log where $filter and srcip is not null group by srcip,
sevid order by total_num desc)### t where sevid>=3 group by srcip having sum(total_num)>0
order by total_num desc
```

Dataset Name	Description	Log Category
dns-DNS-Request-Over-Time	DNS Request Over Time	dns

```
select
  $flex_timescale(timestamp) as timescale,
  sum(
    case when sevid = 5 then total_num else 0 end
```

```

) as num_cri,
sum(
  case when sevid = 4 then total_num else 0 end
) as num_hig,
sum(
  case when sevid = 3 then total_num else 0 end
) as num_med,
sum(
  case when sevid = 2 then total_num else 0 end
) as num_inf,
sum(
  case when sevid = 1 then total_num else 0 end
) as num_low
from
  ###(select $flex_timestamp as timestamp, (CASE WHEN level IN ('critical', 'alert',
'emergency') THEN 5 WHEN level='error' THEN 4 WHEN level='warning' THEN 3 WHEN
level='notice' THEN 2 ELSE 1 END) as sevid, count(*) as total_num from $log where $filter
group by timestamp, sevid order by total_num desc)### t group by timescale order by
timescale

```

Dataset Name	Description	Log Category
dns-Top-Queried-Domain	Top Queried Domain	dns

```

select
  qname,
  count(*) as total_num
from
  $log
where
  $filter
  and qname is not null
group by
  qname
order by
  total_num desc

```

Dataset Name	Description	Log Category
dns-Top-Domain-Lookup-Failure-Bar	Top Domain Lookup Failures	dns

```

select
  qname,
  srcip,
  count(*) as total_num
from
  $log
where
  $filter
  and qname is not null
  and (
    action = 'block'
    or logid_to_int(logid)= 54200
  )
group by
  qname,

```

```
srcip
order by
total_num desc
```

Dataset Name	Description	Log Category
dns-Top-Domain-Lookup-Failure-Table	Top Domain Lookup Failures	dns

```
select
  qname,
  srcip,
  count(*) as total_num
from
  $log
where
  $filter
  and qname is not null
  and (
    action = 'block'
    or logid_to_int(logid)= 54200
  )
group by
  qname,
  srcip
order by
  total_num desc
```

Dataset Name	Description	Log Category
dns-Query-Timeout	Query Timeout	dns

```
select
  srcip,
  qname,
  count(*) as total_num
from
  $log
where
  $filter
  and srcip is not null
  and logid_to_int(logid)= 54200
group by
  qname,
  srcip
order by
  total_num desc
```

Dataset Name	Description	Log Category
dns-Blocked-Query	Blocked Queries	dns

```
select
  srcip,
  msg,
  count(*) as total_num
```



```

from
    $log
where
    $filter
    and srcip is not null
    and action = 'block'
group by
    srcip,
    msg
order by
    total_num desc

```

Dataset Name	Description	Log Category
perf-stat-cpu-usage-drilldown	Fortigate resource detail timeline	event

```

select
    hodex,
    cast(
        sum(cpu_ave)/ count(*) as decimal(6, 0)
    ) as cpu_ave,
    cast(
        sum(mem_ave)/ count(*) as decimal(6, 0)
    ) as mem_ave,
    cast(
        sum(disk_ave)/ count(*) as decimal(6, 0)
    ) as disk_ave,
    cast(
        sum(log_rate)/ count(*) as decimal(10, 2)
    ) as log_rate,
    cast(
        sum(sessions)/ count(*) as decimal(10, 0)
    ) as sessions,
    cast(
        sum(sent_kbps)/ count(*) as decimal(10, 0)
    ) as sent_kbps,
    cast(
        sum(recv_kbps)/ count(*) as decimal(10, 0)
    ) as recv_kbps,
    cast(
        sum(transmit_kbps)/ count(*) as decimal(10, 0)
    ) as transmit_kbps,
    max(mem_peak) as mem_peak,
    max(disk_peak) as disk_peak,
    max(cpu_peak) as cpu_peak,
    max(lograte_peak) as lograte_peak,
    max(session_peak) as session_peak,
    max(transmit_kbps_peak) as transmit_kbps_peak,
    cast(
        sum(cps_ave)/ count(*) as decimal(10, 0)
    ) as cps_ave,
    max(cps_peak) as cps_peak
from
    (
        select
            hodex,

```

```

    devid,
    get_fgt_role(devid, slot) as role,
    cast(
        sum(cpu_ave) / count(*) as decimal(6, 0)
    ) as cpu_ave,
    cast(
        sum(mem_ave) / count(*) as decimal(6, 0)
    ) as mem_ave,
    cast(
        sum(disk_ave) / count(*) as decimal(6, 0)
    ) as disk_ave,
    cast(
        sum(log_rate) as decimal(10, 2)
    ) as log_rate,
    cast(
        sum(sessions) as decimal(10, 0)
    ) as sessions,
    cast(
        sum(sent_kbps) as decimal(10, 0)
    ) as sent_kbps,
    cast(
        sum(recv_kbps) as decimal(10, 0)
    ) as recv_kbps,
    cast(
        sum(transmit_kbps) as decimal(10, 0)
    ) as transmit_kbps,
    max(mem_peak) as mem_peak,
    max(disk_peak) as disk_peak,
    max(cpu_peak) as cpu_peak,
    cast(
        max(lograte_peak) as decimal(10, 2)
    ) as lograte_peak,
    max(session_peak) as session_peak,
    max(transmit_kbps_peak) as transmit_kbps_peak,
    cast(
        sum(cps_ave) as decimal(10, 0)
    ) as cps_ave,
    sum(cps_peak) as cps_peak
from
(
    select
        $flex_timescale(timestamp) as hodex,
        devid,
        slot,
        sum(total_cpu) / sum(count) as cpu_ave,
        sum(total_mem) / sum(count) as mem_ave,
        sum(total_disk) / sum(count) as disk_ave,
        sum(
            total_trate + total_erate + total_orate
        ) / 100.00 / sum(count) as log_rate,
        sum(totalsession) / sum(count) as sessions,
        sum(sent) / sum(count) as sent_kbps,
        sum(recv) / sum(count) as recv_kbps,
        sum(sent + recv) / sum(count) as transmit_kbps,
        max(mem_peak) as mem_peak,
        max(disk_peak) as disk_peak,

```

```

        max(cpu_peak) as cpu_peak,
        max(lograte_peak)/ 100.00 as lograte_peak,
        max(session_peak) as session_peak,
        max(transmit_peak) as transmit_kbps_peak,
        sum(cps)/ sum(count) as cps_ave,
        max(cps_peak) as cps_peak
    from
        ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as
total_trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate,
min(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t where $filter-drilldown group by hodex, devid, slot) t group
by hodex, devid, role) t group by hodex order by hodex

```

Dataset Name	Description	Log Category
perf-stat-mem-usage-drilldown	Fortigate resource detail timeline	event

```

select
    hodex,
    cast(
        sum(cpu_ave)/ count(*) as decimal(6, 0)
    ) as cpu_ave,
    cast(
        sum(mem_ave)/ count(*) as decimal(6, 0)
    ) as mem_ave,
    cast(
        sum(disk_ave)/ count(*) as decimal(6, 0)
    ) as disk_ave,
    cast(
        sum(log_rate)/ count(*) as decimal(10, 2)
    ) as log_rate,
    cast(
        sum(sessions)/ count(*) as decimal(10, 0)
    ) as sessions,
    cast(
        sum(sent_kbps)/ count(*) as decimal(10, 0)
    ) as sent_kbps,
    cast(
        sum(recv_kbps)/ count(*) as decimal(10, 0)
    ) as recv_kbps,
    cast(
        sum(transmit_kbps)/ count(*) as decimal(10, 0)
    ) as transmit_kbps,
    max(mem_peak) as mem_peak,
    max(disk_peak) as disk_peak,
    max(cpu_peak) as cpu_peak,
    max(lograte_peak) as lograte_peak,

```

```
max(session_peak) as session_peak,
max(transmit_kbps_peak) as transmit_kbps_peak,
cast(
    sum(cps_ave)/ count(*) as decimal(10, 0)
) as cps_ave,
max(cps_peak) as cps_peak
from
(
    select
        hodex,
        devid,
        get_fgt_role(devid, slot) as role,
        cast(
            sum(cpu_ave)/ count(*) as decimal(6, 0)
        ) as cpu_ave,
        cast(
            sum(mem_ave)/ count(*) as decimal(6, 0)
        ) as mem_ave,
        cast(
            sum(disk_ave)/ count(*) as decimal(6, 0)
        ) as disk_ave,
        cast(
            sum(log_rate) as decimal(10, 2)
        ) as log_rate,
        cast(
            sum(sessions) as decimal(10, 0)
        ) as sessions,
        cast(
            sum(sent_kbps) as decimal(10, 0)
        ) as sent_kbps,
        cast(
            sum(recv_kbps) as decimal(10, 0)
        ) as recv_kbps,
        cast(
            sum(transmit_kbps) as decimal(10, 0)
        ) as transmit_kbps,
        max(mem_peak) as mem_peak,
        max(disk_peak) as disk_peak,
        max(cpu_peak) as cpu_peak,
        cast(
            max(lograte_peak) as decimal(10, 2)
        ) as lograte_peak,
        max(session_peak) as session_peak,
        max(transmit_kbps_peak) as transmit_kbps_peak,
        cast(
            sum(cps_ave) as decimal(10, 0)
        ) as cps_ave,
        sum(cps_peak) as cps_peak
    from
    (
        select
            $flex_timescale(timestamp) as hodex,
            devid,
            slot,
            sum(total_cpu)/ sum(count) cpu_ave,
            sum(total_mem)/ sum(count) as mem_ave,
```

```

sum(total_disk)/ sum(count) as disk_ave,
sum(
    total_trate + total_erate + total_orate
)/ 100.00 / sum(count) as log_rate,
sum(totalsession)/ sum(count) as sessions,
sum(sent)/ sum(count) as sent_kbps,
sum(recv)/ sum(count) as recv_kbps,
sum(sent + recv)/ sum(count) as transmit_kbps,
max(mem_peak) as mem_peak,
max(disk_peak) as disk_peak,
max(cpu_peak) as cpu_peak,
max(lograte_peak)/ 100.00 as lograte_peak,
max(session_peak) as session_peak,
max(transmit_peak) as transmit_kbps_peak,
sum(cps)/ sum(count) as cps_ave,
max(cps_peak) as cps_peak
from
    ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as
total_trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate,
min(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t where $filter-drilldown group by hodex, devid, slot) t group
by hodex, devid, role) t group by hodex order by hodex

```

Dataset Name	Description	Log Category
perf-stat-disk-usage-drilldown	Fortigate resource detail timeline	event

```

select
    hodex,
    cast(
        sum(cpu_ave)/ count(*) as decimal(6, 0)
    ) as cpu_ave,
    cast(
        sum(mem_ave)/ count(*) as decimal(6, 0)
    ) as mem_ave,
    cast(
        sum(disk_ave)/ count(*) as decimal(6, 0)
    ) as disk_ave,
    cast(
        sum(log_rate)/ count(*) as decimal(10, 2)
    ) as log_rate,
    cast(
        sum(sessions)/ count(*) as decimal(10, 0)
    ) as sessions,
    cast(
        sum(sent_kbps)/ count(*) as decimal(10, 0)
    ) as sent_kbps,

```

```
cast(
    sum(recv_kbps)/ count(*) as decimal(10, 0)
) as recv_kbps,
cast(
    sum(transmit_kbps)/ count(*) as decimal(10, 0)
) as transmit_kbps,
max(mem_peak) as mem_peak,
max(disk_peak) as disk_peak,
max(cpu_peak) as cpu_peak,
max(lograte_peak) as lograte_peak,
max(session_peak) as session_peak,
max(transmit_kbps_peak) as transmit_kbps_peak,
cast(
    sum(cps_ave)/ count(*) as decimal(10, 0)
) as cps_ave,
max(cps_peak) as cps_peak
from
(
    select
        hodex,
        devid,
        get_fgt_role(devid, slot) as role,
        cast(
            sum(cpu_ave)/ count(*) as decimal(6, 0)
        ) as cpu_ave,
        cast(
            sum(mem_ave)/ count(*) as decimal(6, 0)
        ) as mem_ave,
        cast(
            sum(disk_ave)/ count(*) as decimal(6, 0)
        ) as disk_ave,
        cast(
            sum(log_rate) as decimal(10, 2)
        ) as log_rate,
        cast(
            sum(sessions) as decimal(10, 0)
        ) as sessions,
        cast(
            sum(sent_kbps) as decimal(10, 0)
        ) as sent_kbps,
        cast(
            sum(recv_kbps) as decimal(10, 0)
        ) as recv_kbps,
        cast(
            sum(transmit_kbps) as decimal(10, 0)
        ) as transmit_kbps,
        max(mem_peak) as mem_peak,
        max(disk_peak) as disk_peak,
        max(cpu_peak) as cpu_peak,
        cast(
            max(lograte_peak) as decimal(10, 2)
        ) as lograte_peak,
        max(session_peak) as session_peak,
        max(transmit_kbps_peak) as transmit_kbps_peak,
        cast(
            sum(cps_ave) as decimal(10, 0)
        ) as cps_ave,
```

```

    ) as cps_ave,
    sum(cps_peak) as cps_peak
from
(
    select
        $flex_timescale(timestamp) as hodex,
        devid,
        slot,
        sum(total_cpu)/ sum(count) cpu_ave,
        sum(total_mem)/ sum(count) as mem_ave,
        sum(total_disk)/ sum(count) as disk_ave,
        sum(
            total_trate + total_erate + total_orate
        ) / 100.00 / sum(count) as log_rate,
        sum(totalsession)/ sum(count) as sessions,
        sum(sent)/ sum(count) as sent_kbps,
        sum(recv)/ sum(count) as recv_kbps,
        sum(sent + recv)/ sum(count) as transmit_kbps,
        max(mem_peak) as mem_peak,
        max(disk_peak) as disk_peak,
        max(cpu_peak) as cpu_peak,
        max(lograte_peak)/ 100.00 as lograte_peak,
        max(session_peak) as session_peak,
        max(transmit_peak) as transmit_kbps_peak,
        sum(cps)/ sum(count) as cps_ave,
        max(cps_peak) as cps_peak
    from
        ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as
total_trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate,
min(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t where $filter-drilldown group by hodex, devid, slot) t group
by hodex, devid, role) t group by hodex order by hodex

```

Dataset Name	Description	Log Category
perf-stat-sessions-drilldown	Fortigate resource detail timeline	event

```

select
    hodex,
    cast(
        sum(cpu_ave)/ count(*) as decimal(6, 0)
    ) as cpu_ave,
    cast(
        sum(mem_ave)/ count(*) as decimal(6, 0)
    ) as mem_ave,
    cast(
        sum(disk_ave)/ count(*) as decimal(6, 0)
    ) as disk_ave

```

```
) as disk_ave,
cast(
  sum(log_rate)/ count(*) as decimal(10, 2)
) as log_rate,
cast(
  sum(sessions)/ count(*) as decimal(10, 0)
) as sessions,
cast(
  sum(sent_kbps)/ count(*) as decimal(10, 0)
) as sent_kbps,
cast(
  sum(recv_kbps)/ count(*) as decimal(10, 0)
) as recv_kbps,
cast(
  sum(transmit_kbps)/ count(*) as decimal(10, 0)
) as transmit_kbps,
max(mem_peak) as mem_peak,
max(disk_peak) as disk_peak,
max(cpu_peak) as cpu_peak,
max(lograte_peak) as lograte_peak,
max(session_peak) as session_peak,
max(transmit_kbps_peak) as transmit_kbps_peak,
cast(
  sum(cps_ave)/ count(*) as decimal(10, 0)
) as cps_ave,
max(cps_peak) as cps_peak
from
(
  select
    hodex,
    devid,
    get_fgt_role(devid, slot) as role,
    cast(
      sum(cpu_ave)/ count(*) as decimal(6, 0)
    ) as cpu_ave,
    cast(
      sum(mem_ave)/ count(*) as decimal(6, 0)
    ) as mem_ave,
    cast(
      sum(disk_ave)/ count(*) as decimal(6, 0)
    ) as disk_ave,
    cast(
      sum(log_rate) as decimal(10, 2)
    ) as log_rate,
    cast(
      sum(sessions) as decimal(10, 0)
    ) as sessions,
    cast(
      sum(sent_kbps) as decimal(10, 0)
    ) as sent_kbps,
    cast(
      sum(recv_kbps) as decimal(10, 0)
    ) as recv_kbps,
    cast(
      sum(transmit_kbps) as decimal(10, 0)
    ) as transmit_kbps,
```



```

max(mem_peak) as mem_peak,
max(disk_peak) as disk_peak,
max(cpu_peak) as cpu_peak,
cast(
    max(lograte_peak) as decimal(10, 2)
) as lograte_peak,
max(session_peak) as session_peak,
max(transmit_kbps_peak) as transmit_kbps_peak,
cast(
    sum(cps_ave) as decimal(10, 0)
) as cps_ave,
sum(cps_peak) as cps_peak
from
(
    select
        $flex_timescale(timestamp) as hodex,
        devid,
        slot,
        sum(total_cpu)/ sum(count) cpu_ave,
        sum(total_mem)/ sum(count) as mem_ave,
        sum(total_disk)/ sum(count) as disk_ave,
        sum(
            total_trate + total_erate + total_orate
        ) / 100.00 / sum(count) as log_rate,
        sum(totalsession)/ sum(count) as sessions,
        sum(sent)/ sum(count) as sent_kbps,
        sum(recv)/ sum(count) as recv_kbps,
        sum(sent + recv)/ sum(count) as transmit_kbps,
        max(mem_peak) as mem_peak,
        max(disk_peak) as disk_peak,
        max(cpu_peak) as cpu_peak,
        max(lograte_peak)/ 100.00 as lograte_peak,
        max(session_peak) as session_peak,
        max(transmit_peak) as transmit_kbps_peak,
        sum(cps)/ sum(count) as cps_ave,
        max(cps_peak) as cps_peak
    from
        ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as
total_trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate,
min(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t where $filter-drilldown group by hodex, devid, slot) t group
by hodex, devid, role) t group by hodex order by hodex

```

Dataset Name	Description	Log Category
perf-stat-lograte-drilldown	Fortigate resource detail timeline	event

```
select
  horex,
  cast(
    sum(cpu_ave)/ count(*) as decimal(6, 0)
  ) as cpu_ave,
  cast(
    sum(mem_ave)/ count(*) as decimal(6, 0)
  ) as mem_ave,
  cast(
    sum(disk_ave)/ count(*) as decimal(6, 0)
  ) as disk_ave,
  cast(
    sum(log_rate)/ count(*) as decimal(10, 2)
  ) as log_rate,
  cast(
    sum(sessions)/ count(*) as decimal(10, 0)
  ) as sessions,
  cast(
    sum(sent_kbps)/ count(*) as decimal(10, 0)
  ) as sent_kbps,
  cast(
    sum(recv_kbps)/ count(*) as decimal(10, 0)
  ) as recv_kbps,
  cast(
    sum(transmit_kbps)/ count(*) as decimal(10, 0)
  ) as transmit_kbps,
  max(mem_peak) as mem_peak,
  max(disk_peak) as disk_peak,
  max(cpu_peak) as cpu_peak,
  max(lograte_peak) as lograte_peak,
  max(session_peak) as session_peak,
  max(transmit_kbps_peak) as transmit_kbps_peak,
  cast(
    sum(cps_ave)/ count(*) as decimal(10, 0)
  ) as cps_ave,
  max(cps_peak) as cps_peak
from
  (
    select
      horex,
      devid,
      get_fgt_role(devid, slot) as role,
      cast(
        sum(cpu_ave)/ count(*) as decimal(6, 0)
      ) as cpu_ave,
      cast(
        sum(mem_ave)/ count(*) as decimal(6, 0)
      ) as mem_ave,
      cast(
        sum(disk_ave)/ count(*) as decimal(6, 0)
      ) as disk_ave,
      cast(
        sum(log_rate) as decimal(10, 2)
      ) as log_rate,
      cast(
        sum(sessions) as decimal(10, 0)
```

```

    ) as sessions,
    cast(
        sum(sent_kbps) as decimal(10, 0)
    ) as sent_kbps,
    cast(
        sum(recv_kbps) as decimal(10, 0)
    ) as recv_kbps,
    cast(
        sum(transmit_kbps) as decimal(10, 0)
    ) as transmit_kbps,
    max(mem_peak) as mem_peak,
    max(disk_peak) as disk_peak,
    max(cpu_peak) as cpu_peak,
    cast(
        max(lograte_peak) as decimal(10, 2)
    ) as lograte_peak,
    max(session_peak) as session_peak,
    max(transmit_kbps_peak) as transmit_kbps_peak,
    cast(
        sum(cps_ave) as decimal(10, 0)
    ) as cps_ave,
    sum(cps_peak) as cps_peak
from
(
    select
        $flex_timescale(timestamp) as hindex,
        devid,
        slot,
        sum(total_cpu) / sum(count) as cpu_ave,
        sum(total_mem) / sum(count) as mem_ave,
        sum(total_disk) / sum(count) as disk_ave,
        sum(
            total_trate + total_erate + total_orate
        ) / 100.00 / sum(count) as log_rate,
        sum(totalsession) / sum(count) as sessions,
        sum(sent) / sum(count) as sent_kbps,
        sum(recv) / sum(count) as recv_kbps,
        sum(sent + recv) / sum(count) as transmit_kbps,
        max(mem_peak) as mem_peak,
        max(disk_peak) as disk_peak,
        max(cpu_peak) as cpu_peak,
        max(lograte_peak) / 100.00 as lograte_peak,
        max(session_peak) as session_peak,
        max(transmit_peak) as transmit_kbps_peak,
        sum(cps) / sum(count) as cps_ave,
        max(cps_peak) as cps_peak
    from
        ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as
        total_trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate,
        min(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
        (coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
        as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
        (coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
        (totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
        (coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
        part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,

```

```
'/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t where $filter-drilldown group by hodex, devid, slot) t group
by hodex, devid, role) t group by hodex order by hodex
```

Dataset Name	Description	Log Category
perf-stat-connections-drilldown	Fortigate resource detail timeline	event

```
select
  hodex,
  cast(
    sum(cpu_ave)/ count(*) as decimal(6, 0)
  ) as cpu_ave,
  cast(
    sum(mem_ave)/ count(*) as decimal(6, 0)
  ) as mem_ave,
  cast(
    sum(disk_ave)/ count(*) as decimal(6, 0)
  ) as disk_ave,
  cast(
    sum(log_rate)/ count(*) as decimal(10, 2)
  ) as log_rate,
  cast(
    sum(sessions)/ count(*) as decimal(10, 0)
  ) as sessions,
  cast(
    sum(sent_kbps)/ count(*) as decimal(10, 0)
  ) as sent_kbps,
  cast(
    sum(recv_kbps)/ count(*) as decimal(10, 0)
  ) as recv_kbps,
  cast(
    sum(transmit_kbps)/ count(*) as decimal(10, 0)
  ) as transmit_kbps,
  max(mem_peak) as mem_peak,
  max(disk_peak) as disk_peak,
  max(cpu_peak) as cpu_peak,
  max(lograte_peak) as lograte_peak,
  max(session_peak) as session_peak,
  max(transmit_kbps_peak) as transmit_kbps_peak,
  cast(
    sum(cps_ave)/ count(*) as decimal(10, 0)
  ) as cps_ave,
  max(cps_peak) as cps_peak
from
  (
    select
      hodex,
      devid,
      get_fgt_role(devid, slot) as role,
      cast(
        sum(cpu_ave)/ count(*) as decimal(6, 0)
      ) as cpu_ave,
      cast(
```

```

        sum(mem_ave)/ count(*) as decimal(6, 0)
    ) as mem_ave,
    cast(
        sum(disk_ave)/ count(*) as decimal(6, 0)
    ) as disk_ave,
    cast(
        sum(log_rate) as decimal(10, 2)
    ) as log_rate,
    cast(
        sum(sessions) as decimal(10, 0)
    ) as sessions,
    cast(
        sum(sent_kbps) as decimal(10, 0)
    ) as sent_kbps,
    cast(
        sum(recv_kbps) as decimal(10, 0)
    ) as recv_kbps,
    cast(
        sum(transmit_kbps) as decimal(10, 0)
    ) as transmit_kbps,
    max(mem_peak) as mem_peak,
    max(disk_peak) as disk_peak,
    max(cpu_peak) as cpu_peak,
    cast(
        max(lograte_peak) as decimal(10, 2)
    ) as lograte_peak,
    max(session_peak) as session_peak,
    max(transmit_kbps_peak) as transmit_kbps_peak,
    cast(
        sum(cps_ave) as decimal(10, 0)
    ) as cps_ave,
    sum(cps_peak) as cps_peak
from
(
    select
        $flex_timescale(timestamp) as hindex,
        devid,
        slot,
        sum(total_cpu)/ sum(count) cpu_ave,
        sum(total_mem)/ sum(count) as mem_ave,
        sum(total_disk)/ sum(count) as disk_ave,
        sum(
            total_trate + total_erate + total_orate
        )/ 100.00 / sum(count) as log_rate,
        sum(totalsession)/ sum(count) as sessions,
        sum(sent)/ sum(count) as sent_kbps,
        sum(recv)/ sum(count) as recv_kbps,
        sum(sent + recv)/ sum(count) as transmit_kbps,
        max(mem_peak) as mem_peak,
        max(disk_peak) as disk_peak,
        max(cpu_peak) as cpu_peak,
        max(lograte_peak)/ 100.00 as lograte_peak,
        max(session_peak) as session_peak,
        max(transmit_peak) as transmit_kbps_peak,
        sum(cps)/ sum(count) as cps_ave,
        max(cps_peak) as cps_peak

```

```

from
    ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as
total_trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate,
min(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t where $filter-drilldown group by hodex, devid, slot) t group
by hodex, devid, role) t group by hodex order by hodex

```

Dataset Name	Description	Log Category
perf-stat-bandwidth-drilldown	Fortigate resource detail timeline	event

```

select
    hodex,
    cast(
        sum(cpu_ave)/ count(*) as decimal(6, 0)
    ) as cpu_ave,
    cast(
        sum(mem_ave)/ count(*) as decimal(6, 0)
    ) as mem_ave,
    cast(
        sum(disk_ave)/ count(*) as decimal(6, 0)
    ) as disk_ave,
    cast(
        sum(log_rate)/ count(*) as decimal(10, 2)
    ) as log_rate,
    cast(
        sum(sessions)/ count(*) as decimal(10, 0)
    ) as sessions,
    cast(
        sum(sent_kbps)/ count(*) as decimal(10, 0)
    ) as sent_kbps,
    cast(
        sum(recv_kbps)/ count(*) as decimal(10, 0)
    ) as recv_kbps,
    cast(
        sum(transmit_kbps)/ count(*) as decimal(10, 0)
    ) as transmit_kbps,
    max(mem_peak) as mem_peak,
    max(disk_peak) as disk_peak,
    max(cpu_peak) as cpu_peak,
    max(lograte_peak) as lograte_peak,
    max(session_peak) as session_peak,
    max(transmit_kbps_peak) as transmit_kbps_peak,
    cast(
        sum(cps_ave)/ count(*) as decimal(10, 0)
    ) as cps_ave,
    max(cps_peak) as cps_peak

```

```
from
(
  select
    hindex,
    devid,
    get_fgt_role(devid, slot) as role,
    cast(
      sum(cpu_ave)/ count(*) as decimal(6, 0)
    ) as cpu_ave,
    cast(
      sum(mem_ave)/ count(*) as decimal(6, 0)
    ) as mem_ave,
    cast(
      sum(disk_ave)/ count(*) as decimal(6, 0)
    ) as disk_ave,
    cast(
      sum(log_rate) as decimal(10, 2)
    ) as log_rate,
    cast(
      sum(sessions) as decimal(10, 0)
    ) as sessions,
    cast(
      sum(sent_kbps) as decimal(10, 0)
    ) as sent_kbps,
    cast(
      sum(recv_kbps) as decimal(10, 0)
    ) as recv_kbps,
    cast(
      sum(transmit_kbps) as decimal(10, 0)
    ) as transmit_kbps,
    max(mem_peak) as mem_peak,
    max(disk_peak) as disk_peak,
    max(cpu_peak) as cpu_peak,
    cast(
      max(lograte_peak) as decimal(10, 2)
    ) as lograte_peak,
    max(session_peak) as session_peak,
    max(transmit_kbps_peak) as transmit_kbps_peak,
    cast(
      sum(cps_ave) as decimal(10, 0)
    ) as cps_ave,
    sum(cps_peak) as cps_peak
  from
  (
    select
      $flex_timescale(timestamp) as hindex,
      devid,
      slot,
      sum(total_cpu)/ sum(count) cpu_ave,
      sum(total_mem)/ sum(count) as mem_ave,
      sum(total_disk)/ sum(count) as disk_ave,
      sum(
        total_trate + total_erate + total_orate
      )/ 100.00 / sum(count) as log_rate,
      sum(totalsession)/ sum(count) as sessions,
      sum(sent)/ sum(count) as sent_kbps,
```

```

sum(recv)/ sum(count) as recv_kbps,
sum(sent + recv)/ sum(count) as transmit_kbps,
max(mem_peak) as mem_peak,
max(disk_peak) as disk_peak,
max(cpu_peak) as cpu_peak,
max(lograte_peak)/ 100.00 as lograte_peak,
max(session_peak) as session_peak,
max(transmit_peak) as transmit_kbps_peak,
sum(cps)/ sum(count) as cps_ave,
max(cps_peak) as cps_peak
from
###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as
total_trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate,
min(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t where $filter-drilldown group by hindex, devid, slot) t group
by hindex, devid, role) t group by hindex order by hindex

```

Dataset Name	Description	Log Category
perf-stat-usage-summary-average	Fortigate resource summary view	event

```

select
devid,
get_fgt_role(devid, slot) as role,
cast(
sum(cpu_ave)/ count(*) as decimal(6, 0)
) as cpu_ave,
cast(
sum(mem_ave)/ count(*) as decimal(6, 0)
) as mem_ave,
cast(
sum(disk_ave)/ count(*) as decimal(6, 0)
) as disk_ave,
cast(
sum(log_rate) as decimal(10, 2)
) as log_rate,
cast(
sum(sessions) as decimal(10, 0)
) as sessions,
cast(
sum(sent_kbps) as decimal(10, 0)
) as sent_kbps,
cast(
sum(recv_kbps) as decimal(10, 0)
) as recv_kbps,
cast(
sum(transmit_kbps) as decimal(10, 0)
) as transmit_kbps

```



```

) as transmit_kbps,
max(mem_peak) as mem_peak,
max(disk_peak) as disk_peak,
max(cpu_peak) as cpu_peak,
cast(
  max(lograte_peak) as decimal(10, 2)
) as lograte_peak,
max(session_peak) as session_peak,
max(transmit_kbps_peak) as transmit_kbps_peak
from
(
  select
    devid,
    slot,
    sum(total_cpu) / sum(count) as cpu_ave,
    sum(total_mem) / sum(count) as mem_ave,
    sum(total_disk) / sum(count) as disk_ave,
    sum(
      total_trate + total_erate + total_orate
    ) / 100.00 / sum(count) as log_rate,
    sum(totalsession) / sum(count) as sessions,
    sum(sent) / sum(count) as sent_kbps,
    sum(recv) / sum(count) as recv_kbps,
    sum(sent + recv) / sum(count) as transmit_kbps,
    max(mem_peak) as mem_peak,
    max(disk_peak) as disk_peak,
    max(cpu_peak) as cpu_peak,
    max(lograte_peak) / 100.00 as lograte_peak,
    max(session_peak) as session_peak,
    max(transmit_peak) as transmit_kbps_peak
  from
    ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as
total_trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate,
min(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by devid, slot) t group by devid, role order by devid,
role

```

Dataset Name	Description	Log Category
perf-stat-usage-summary-peak	Fortigate resource summary view	event

```

select
  devid,
  get_fgt_role(devid, slot) as role,
  cast(
    sum(cpu_ave) / count(*) as decimal(6, 0)
  ) as cpu_ave,

```

```

cast(
    sum(mem_ave)/ count(*) as decimal(6, 0)
) as mem_ave,
cast(
    sum(disk_ave)/ count(*) as decimal(6, 0)
) as disk_ave,
cast(
    sum(log_rate) as decimal(10, 2)
) as log_rate,
cast(
    sum(sessions) as decimal(10, 0)
) as sessions,
cast(
    sum(sent_kbps) as decimal(10, 0)
) as sent_kbps,
cast(
    sum(recv_kbps) as decimal(10, 0)
) as recv_kbps,
cast(
    sum(transmit_kbps) as decimal(10, 0)
) as transmit_kbps,
max(mem_peak) as mem_peak,
max(disk_peak) as disk_peak,
max(cpu_peak) as cpu_peak,
cast(
    max(lograte_peak) as decimal(10, 2)
) as lograte_peak,
max(session_peak) as session_peak,
max(transmit_kbps_peak) as transmit_kbps_peak
from
(
    select
        devid,
        slot,
        sum(total_cpu)/ sum(count) as cpu_ave,
        sum(total_mem)/ sum(count) as mem_ave,
        sum(total_disk)/ sum(count) as disk_ave,
        sum(
            total_trate + total_erate + total_orate
        )/ 100.00 / sum(count) as log_rate,
        sum(totalsession)/ sum(count) as sessions,
        sum(sent)/ sum(count) as sent_kbps,
        sum(recv)/ sum(count) as recv_kbps,
        sum(sent + recv)/ sum(count) as transmit_kbps,
        max(mem_peak) as mem_peak,
        max(disk_peak) as disk_peak,
        max(cpu_peak) as cpu_peak,
        max(lograte_peak)/ 100.00 as lograte_peak,
        max(session_peak) as session_peak,
        max(transmit_peak) as transmit_kbps_peak
    from
        ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as
        total_trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate,
        min(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
        (coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
        as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max

```

```
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by devid, slot) t group by devid, role order by devid,
role
```

Dataset Name	Description	Log Category
perf-stat-usage-details-drilldown-master	Fortigate resource summary view	event

```
select
  devid,
  get_fgt_role(devid, slot) as role,
  cast(
    sum(cpu_ave)/ count(*) as decimal(6, 0)
  ) as cpu_ave,
  cast(
    sum(mem_ave)/ count(*) as decimal(6, 0)
  ) as mem_ave,
  cast(
    sum(disk_ave)/ count(*) as decimal(6, 0)
  ) as disk_ave,
  cast(
    sum(log_rate) as decimal(10, 2)
  ) as log_rate,
  cast(
    sum(sessions) as decimal(10, 0)
  ) as sessions,
  cast(
    sum(sent_kbps) as decimal(10, 0)
  ) as sent_kbps,
  cast(
    sum(recv_kbps) as decimal(10, 0)
  ) as recv_kbps,
  cast(
    sum(transmit_kbps) as decimal(10, 0)
  ) as transmit_kbps,
  max(mem_peak) as mem_peak,
  max(disk_peak) as disk_peak,
  max(cpu_peak) as cpu_peak,
  cast(
    max(lograte_peak) as decimal(10, 2)
  ) as lograte_peak,
  max(session_peak) as session_peak,
  max(transmit_kbps_peak) as transmit_kbps_peak
from
  (
    select
      devid,
      slot,
      sum(total_cpu)/ sum(count) as cpu_ave,
```

```

sum(total_mem)/ sum(count) as mem_ave,
sum(total_disk)/ sum(count) as disk_ave,
sum(
    total_trate + total_erate + total_orate
)/ 100.00 / sum(count) as log_rate,
sum(totalsession)/ sum(count) as sessions,
sum(sent)/ sum(count) as sent_kbps,
sum(recv)/ sum(count) as recv_kbps,
sum(sent + recv)/ sum(count) as transmit_kbps,
max(mem_peak) as mem_peak,
max(disk_peak) as disk_peak,
max(cpu_peak) as cpu_peak,
max(lograte_peak)/ 100.00 as lograte_peak,
max(session_peak) as session_peak,
max(transmit_peak) as transmit_kbps_peak
from
    ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as
total_trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate,
min(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by devid, slot) t group by devid, role order by devid,
role

```

Dataset Name	Description	Log Category
incident-Incident-Count-by-Status	Incident status distribution	

```

select
    status,
    count(*) as cnt
from
    $incident
where
    $filter - drilldown
group by
    status
order by
    status

```

Dataset Name	Description	Log Category
incident-Incident-Count-by-Status-Donut	Incident status distribution	

```

select
    status,
    count(*) as cnt
from

```

```

    $incident
where
    $filter - drilldown
group by
    status
order by
    status

```

Dataset Name	Description	Log Category
incident-Open-Incident-Count-Timeline	Incident count by status over time	

```

select
    $flex_timescale(agg_time) as hodex,
    max(num_sta_draft) as num_sta_draft,
    max(num_sta_analysis) as num_sta_analysis,
    max(num_sta_response) as num_sta_response,
    max(num_sta_closed) as num_sta_closed,
    max(num_sta_cancelled) as num_sta_cancelled
from
    $incident_history
where
    $filter - drilldown
    and $cust_time_filter(agg_time)
group by
    hodex
order by
    hodex

```

Dataset Name	Description	Log Category
incident-Closed-Incident-Count-Timeline	Incident count by status over time	

```

select
    $flex_timescale(agg_time) as hodex,
    max(num_sta_draft) as num_sta_draft,
    max(num_sta_analysis) as num_sta_analysis,
    max(num_sta_response) as num_sta_response,
    max(num_sta_closed) as num_sta_closed,
    max(num_sta_cancelled) as num_sta_cancelled
from
    $incident_history
where
    $filter - drilldown
    and $cust_time_filter(agg_time)
group by
    hodex
order by
    hodex

```

Dataset Name	Description	Log Category
Top-10-Apps-by-Bandwidth	Top applications by bandwidth usage	traffic

```

select
  app_group,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out,
  sum(sessions) as sessions
from
  ###(select app_group_name(app) as app_group, appcat, service, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and
(logflag&1>0) and nullifna(app) is not null group by app_group, appcat, service order by
bandwidth desc)### t group by app_group having sum(bandwidth)>0 order by bandwidth desc

```

Dataset Name	Description	Log Category
Top-10-User-by-Bandwidth	Top users by bandwidth usage	traffic

```

select
  coalesce(
    nullifna(`user`),
    nullifna(`unauthuser`),
    ipstr(`srcip`)
  ) as user_src,
  srcip,
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) as bandwidth,
  sum(
    coalesce(rcvdbyte, 0)
  ) as traffic_in,
  sum(
    coalesce(sentbyte, 0)
  ) as traffic_out
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
  and srcip is not null
group by
  user_src,
  srcip
having
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  )> 0
order by
  bandwidth desc

```

Dataset Name	Description	Log Category
Top-10-Applications-by-Number-of-Users	Top Applications by number of users	traffic

```
select
  app_group_name(app) as app_group,
  count(distinct user_src) as number
from
  ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
  app, appcat from $log where $filter and (logflag&l>0) and nullifna(app) is not null group by
  user_src, app, appcat)### t group by app_group order by number desc
```

Dataset Name	Description	Log Category
Top-10-User-by-Session	Top user by session count	traffic

```
select
  user_src,
  sum(sessions) as sessions
from
  ###(select coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src,
  count(*) as sessions from $log where $filter and (logflag&l>0) group by user_src order by
  sessions desc)### t group by user_src order by sessions desc
```

Dataset Name	Description	Log Category
Top-10-Apps-by-Session	Top applications by bandwidth usage	traffic

```
select
  app_group,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out,
  sum(sessions) as sessions
from
  ###(select app_group_name(app) as app_group, appcat, service, sum(coalesce(sentbyte,
  0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
  (coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and
  (logflag&l>0) and nullifna(app) is not null group by app_group, appcat, service order by
  bandwidth desc)### t group by app_group having sum(bandwidth)>0 order by bandwidth desc
```

Dataset Name	Description	Log Category
Applications-by-Risk-Level	Applications by Risk Level	traffic

```
select
  app_group_name(app) as app_group,
  min(id) as id,
  appcat,
  max(risk) as d_risk,
  (
    case when max(risk)= '5' then 'Critical' when max(risk)= '4' then 'High' when max(risk)=
    '3' then 'Medium' when max(risk)= '2' then 'Low' else 'Info' end
  ) as risk_level,
  sum(sessions) as sessions,
  sum(sent) as sent,
  sum(received) as received,
  sum(bandwidth) as bandwidth
from
  ###(select appid, app, appcat, sum(coalesce(sentbyte, 0)) as sent, sum(coalesce(rcvdbyte,
```

```
0)) as received, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, count(*) as
sessions from $log where $filter and (logflag&1>0) group by appid, app, appcat order by
bandwidth desc)### t1 inner join app_mdata t2 on lower(t1.app)=lower(t2.name) group by app_
group, appcat order by d_risk desc, bandwidth desc
```

Dataset Name	Description	Log Category
soc-Event-vs-Incident-Today-Trend	Events vs Incidents Today Trend	

```
select
    item,
    num_cur,
    num_pre,
    num_diff
from
    (
        select
            'Events' as item,
            num_cur,
            num_pre,
            (num_cur - num_pre) as num_diff
        from
            (
                select
                    (
                        select
                            count(*)
                        from
                            $event
                        where
                            $cust_time_filter(alerttime, TODAY)
                    ) as num_cur,
                    (
                        select
                            count(*)
                        from
                            $event
                        where
                            $cust_time_filter(alerttime, YESTERDAY)
                    ) as num_pre
                ) t
        union all
        select
            'Incidents' as item,
            num_cur,
            num_pre,
            (num_cur - num_pre) as num_diff
        from
            (
                select
                    (
                        select
                            count(*)
                        from
                            $incident
                        where
```



```

        $cust_time_filter(createtime, TODAY)
    ) as num_cur,
    (
        select
            count(*)
        from
            $incident
        where
            $cust_time_filter(createtime, YESTERDAY)
    ) as num_pre
    ) t
) t
order by
    item

```

Dataset Name	Description	Log Category
soc-Event-vs-Incident-History-Trend	Events vs Incidents History Trend	

```

select
    item,
    num_cur,
    num_pre,
    num_diff
from
    (
        select
            'Events' as item,
            num_cur,
            num_pre,
            (num_cur - num_pre) as num_diff
        from
            (
                select
                    (
                        select
                            count(*)
                        from
                            $event
                        where
                            $cust_time_filter(alerttime)
                    ) as num_cur,
                    (
                        select
                            count(*)
                        from
                            $event
                        where
                            $cust_time_filter(alerttime, LAST_N_PERIOD, 1)
                    ) as num_pre
                ) t
            union all
            select
                'Incidents' as item,
                num_cur,
                num_pre,

```

```

        (num_cur - num_pre) as num_diff
    from
        (
            select
                (
                    select
                        count(*)
                    from
                        $incident
                    where
                        $cust_time_filter(createtime)
                ) as num_cur,
            (
                select
                    count(*)
                from
                    $incident
                where
                    $cust_time_filter(createtime, LAST_N_PERIOD, 1)
                ) as num_pre
        ) t
    ) t
order by
    item

```

Dataset Name	Description	Log Category
soc-Event-vs-Incident-Trend	Events vs Incidents Trend	

```

select
    t1.item,
    t1.num_cur as num_today,
    t1.num_pre as num_yesterday,
    t1.num_diff as num_diff1,
    t2.num_cur as num_this_period,
    t2.num_pre as num_last_period,
    t2.num_diff as num_diff2
from
    (
        select
            'Events' as item,
            num_cur,
            num_pre,
            (num_cur - num_pre) as num_diff
        from
            (
                select
                    (
                        select
                            count(*)
                        from
                            $event
                        where
                            $cust_time_filter(alerttime, TODAY)
                        ) as num_cur,
                (

```

```
        select
            count(*)
        from
            $event
        where
            $cust_time_filter(alerttime, YESTERDAY)
    ) as num_pre
) t
union all
select
    'Incidents' as item,
    num_cur,
    num_pre,
    (num_cur - num_pre) as num_diff
from
    (
        select
            (
                select
                    count(*)
                from
                    $incident
                where
                    $cust_time_filter(createtime, TODAY)
            ) as num_cur,
            (
                select
                    count(*)
                from
                    $incident
                where
                    $cust_time_filter(createtime, YESTERDAY)
            ) as num_pre
        ) t
) t1 full
join (
    select
        'Events' as item,
        num_cur,
        num_pre,
        (num_cur - num_pre) as num_diff
    from
        (
            select
                (
                    select
                        count(*)
                    from
                        $event
                    where
                        $cust_time_filter(alerttime)
                ) as num_cur,
                (
                    select
                        count(*)
                    from
```

```

        $sevent
    where
        $cust_time_filter(alerttime, LAST_N_PERIOD, 1)
    ) as num_pre
) t
union all
select
    'Incidents' as item,
    num_cur,
    num_pre,
    (num_cur - num_pre) as num_diff
from
    (
        select
            (
                select
                    count(*)
                from
                    $incident
                where
                    $cust_time_filter(createtime)
            ) as num_cur,
            (
                select
                    count(*)
                from
                    $incident
                where
                    $cust_time_filter(createtime, LAST_N_PERIOD, 1)
            ) as num_pre
        ) t
    ) t2 on t1.item = t2.item
order by
    t1.item

```

Dataset Name	Description	Log Category
soc-Total-Event-by-Severity	Total Events by Severity	

```

select
    (
        CASE severity WHEN 0 THEN 'Critical' WHEN 1 THEN 'High' WHEN 2 THEN 'Medium' WHEN 3 THEN
'Low' ELSE NULL END
    ) as sev,
    count(*) as num_events
from
    $sevent
where
    $filter - drilldown
group by
    severity
order by
    severity

```

Dataset Name	Description	Log Category
soc-Total-Event-by-Severity-History	Total Events by Severity History	

```

select
  dom,
  (
    CASE severity WHEN 0 THEN 'Critical' WHEN 1 THEN 'High' WHEN 2 THEN 'Medium' WHEN 3 THEN
'Low' ELSE NULL END
  ) as sev,
  sum(num_events) as num_events
from
  (
    select
      dom,
      unnest(agg_sev) as severity,
      unnest(agg_num) as num_events
    from
      (
        select
          $DAY_OF_MONTH(agg_time) as dom,
          array[0,
            1,
            2,
            3] as agg_sev,
          array[max(num_sev_critical),
            max(num_sev_high),
            max(num_sev_medium),
            max(num_sev_low) ] as agg_num
        from
          $event_history
        where
          $filter - drilldown
          and $cust_time_filter(agg_time)
        group by
          dom
        order by
          dom
      ) t
    ) t
group by
  dom,
  severity
order by
  dom,
  severity

```

Dataset Name	Description	Log Category
soc-Total-Event-by-Severity-Category	Total Events Count by Severity and Category	

```

select
  (
    CASE severity WHEN 0 THEN 'Critical' WHEN 1 THEN 'High' WHEN 2 THEN 'Medium' WHEN 3 THEN
'Low' ELSE NULL END
  ) as sev,
  triggername,
  count(*) as num_events
from
  $event

```

```

where
    $filter - drilldown
group by
    severity,
    triggername
order by
    severity,
    triggername

```

Dataset Name	Description	Log Category
soc-Total-Incident-by-Severity	Total Incidents by Severity	

```

select
    severity,
    count(*) as num_inc
from
    $incident
where
    $filter - drilldown
group by
    severity
order by
    severity

```

Dataset Name	Description	Log Category
soc-Total-Event-vs-Incident-History	Total Events vs Incidents History	

```

select
    coalesce(t1.hodex, t2.hodex) as hodex,
    coalesce(num_event_total, 0) as num_event_total,
    coalesce(num_inc_total, 0) as num_inc_total,
    coalesce(num_event_high, 0) as num_event_high
from
    (
        select
            $flex_timescale(agg_time) as hodex,
            max(num_total) as num_event_total,
            max(num_sev_critical + num_sev_high) as num_event_high
        from
            $event_history
        where
            $cust_time_filter(agg_time)
        group by
            hodex
        order by
            hodex
    ) t1 full
join (
    select
        $flex_timescale(agg_time) as hodex,
        max(
            num_sev_high + num_sev_medium + num_sev_low
        ) as num_inc_total
    from

```

```

    $incident_history
  where
    $cust_time_filter(agg_time)
  group by
    hodex
  order by
    hodex
) t2 on t1.hodex = t2.hodex
order by
  hodex

```

Dataset Name	Description	Log Category
soc-Incident-List	List of Incidents	

```

select
  incid_to_str(incid) as incnum,
  from_itime(createtime) as timestamp,
  inc_cat_encode(category) as category,
  severity,
  status,
  endpoint
from
  $incident
where
  $cust_time_filter(createtime)
order by
  createtime desc

```

Dataset Name	Description	Log Category
soc-Incident-by-Severity	Incidents by Severity	

```

select
  severity,
  count(*) as incnum
from
  $incident
where
  $filter - drilldown
  and $cust_time_filter(createtime)
group by
  severity
order by
  incnum desc

```

Dataset Name	Description	Log Category
soc-Incident-by-Status	Incidents by Status	

```

select
  status,
  count(*) as incnum
from
  $incident
where

```

```
$filter - drilldown
and $cust_time_filter(createtime)
group by
status
order by
incnum desc
```

Dataset Name	Description	Log Category
soc-Incident-by-Category-Unresolved	Unresolved Incidents by Category	

```
select
inc_cat_encode(category) as category,
count(*) as incnum
from
$incident
where
$filter - drilldown
and $cust_time_filter(createtime)
and status not in ('closed', 'cancelled')
group by
category
order by
incnum desc
```

Dataset Name	Description	Log Category
soc-Incident-by-Severity-Unresolved	Unresolved Incidents by Severity	

```
select
severity,
count(*) as incnum
from
$incident
where
$filter - drilldown
and $cust_time_filter(createtime)
and status not in ('closed', 'cancelled')
group by
severity
order by
incnum desc
```

Dataset Name	Description	Log Category
soc-Incident-Timeline-by-Category	Incidents Timeline by Category	

```
select
$flex_timescale(agg_time) as hodesk,
max(num_cat_cat1) as num_cat1,
max(num_cat_cat2) as num_cat2,
max(num_cat_cat3) as num_cat3,
max(num_cat_cat4) as num_cat4,
max(num_cat_cat5) as num_cat5,
max(num_cat_cat6) as num_cat6
from
```



```

    $incident_history
where
    $filter - drilldown
    and $cust_time_filter(agg_time)
group by
    hosex
order by
    hosex

```

Dataset Name	Description	Log Category
soc-Incident-List-Unresolved	List of Unresolved Incidents	

```

select
    incid_to_str(incid) as incnum,
    from_otime(createtime) as timestamp,
    severity,
    status,
    endpoint,
    description
from
    $incident
where
    $filter - drilldown
    and $cust_time_filter(createtime)
    and status not in ('closed', 'cancelled')
order by
    severity desc

```

Dataset Name	Description	Log Category
fex-RSRQ-timeline	FortiExtender RSRQ timeline	event

```

select
    $flex_timescale(timestamp) as hosex,
    cast(
        sum(rsrq_sum) / sum(count) as decimal(18, 2)
    ) || 'dB' as rsrq
from
    ###(select $flex_timestamp(dtime) as timestamp, sum(to_number(rsrq, '999999.99')) as rsrq_
sum, sum(to_number(sinr, '999999.99')) as sinr_sum, count(*) as count from $log where
$filter and logid='0111046409' group by timestamp order by timestamp desc)### t group by
hosex order by hosex desc

```

Dataset Name	Description	Log Category
fex-SINR-timeline	FortiExtender SINR timeline	event

```

select
    $flex_timescale(timestamp) as hosex,
    cast(
        sum(sinr_sum) / sum(count) as decimal(18, 0)
    ) || 'dB' as sinr
from
    ###(select $flex_timestamp(dtime) as timestamp, sum(to_number(rsrq, '999999.99')) as rsrq_
sum, sum(to_number(sinr, '999999.99')) as sinr_sum, count(*) as count from $log where

```

Dataset Reference List

```
$filter and logid='0111046409' group by timestamp order by timestamp desc)### t group by  
hodex order by hodex desc
```

Dataset Name	Description	Log Category
fgt-device-monitoring-inventory	FortiGate Device Monitoring Inventory	event

```
select  
  devname,  
  (' ' || devid) as id_devid,  
  ip,  
  platform,  
  os,  
  '1' as total_num  
from  
  $func - fgt - inventory as t1  
where  
  exists (  
    select  
      1  
    from  
      devtable t2  
    where  
      $dev_filter  
      and t2.devid = t1.devid  
  )  
order by  
  devname
```

Dataset Name	Description	Log Category
fgt-inventory-hardware	FortiGate Monitoring Inventory Hardware	event

```
select  
  platform,  
  count(*) as total_num  
from  
  $func - fgt - inventory as t1  
where  
  exists (  
    select  
      1  
    from  
      devtable t2  
    where  
      $dev_filter  
      and t2.devid = t1.devid  
  )  
group by  
  platform  
order by  
  total_num desc
```

Dataset Name	Description	Log Category
fgt-inventory-software	FortiGate Monitoring Inventory Software	event

```

select
  'FortiOS' as sf_name,
  (platform || ' ' || os) as firmware,
  count(*) as total_num
from
  $func - fgt - inventory as t1
where
  exists (
    select
      1
    from
      devtable t2
    where
      $dev_filter
      and t2.devid = t1.devid
  )
group by
  platform,
  os
order by
  total_num desc

```

Dataset Name	Description	Log Category
cup-utilization-timeline-for-each-device	FortiGate cpu utilization timeline	event

```

select
  $flex_timescale(timestamp) as horex,
  devid,
  cast(
    sum(total_cpu)/ sum(count) as decimal(6, 0)
  ) as cpu_ave,
  cast(
    sum(total_mem)/ sum(count) as decimal(6, 0)
  ) as mem_ave,
  cast(
    sum(total_disk)/ sum(count) as decimal(6, 0)
  ) as disk_ave,
  cast(
    sum(sent)/ sum(count) as decimal(10, 0)
  ) as sent_kbps,
  cast(
    sum(recv)/ sum(count) as decimal(10, 0)
  ) as recv_kbps
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,

```

count(*) as count from \$log where \$filter and subtype='system' and action='perf-stats' group by timestamp, devid, slot)### t where \$filter-drilldown group by hodex, devid order by hodex

Dataset Name	Description	Log Category
status-timeline-by-device-cpu-utilization	FortiGate cpu summary view	event

```
select
  devid,
  cast(
    sum(total_cpu)/ sum(count) as decimal(6, 0)
  ) as cpu_ave,
  max(cpu_peak) as cpu_peak
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by devid order by cpu_peak desc
```

Dataset Name	Description	Log Category
event-cpu-utilization-dev	FortiGate cpu summary view	event

```
select
  devid,
  cast(
    sum(total_cpu)/ sum(count) as decimal(6, 0)
  ) as cpu_ave,
  max(cpu_peak) as cpu_peak
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by devid order by cpu_peak desc
```

Dataset Name	Description	Log Category
memory-utilization-timeline-for-each-device	FortiGate cpu utilization timeline	event

```

select
  $flex_timescale(timestamp) as hodex,
  devid,
  cast(
    sum(total_cpu)/ sum(count) as decimal(6, 0)
  ) as cpu_ave,
  cast(
    sum(total_mem)/ sum(count) as decimal(6, 0)
  ) as mem_ave,
  cast(
    sum(total_disk)/ sum(count) as decimal(6, 0)
  ) as disk_ave,
  cast(
    sum(sent)/ sum(count) as decimal(10, 0)
  ) as sent_kbps,
  cast(
    sum(recv)/ sum(count) as decimal(10, 0)
  ) as recv_kbps
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t where $filter-drilldown group by hodex, devid order by hodex

```

Dataset Name	Description	Log Category
status-timeline-by-device-mem-utilization	FortiGate memory summary view	event

```

select
  devid,
  cast(
    sum(total_mem)/ sum(count) as decimal(6, 0)
  ) as mem_ave,
  max(mem_peak) as mem_peak
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce

```

```
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast(
coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by devid order by mem_peak desc
```

Dataset Name	Description	Log Category
event-mem-utilization-dev	FortiGate memory summary view	event

```
select
  devid,
  cast(
    sum(total_mem)/ sum(count) as decimal(6, 0)
  ) as mem_ave,
  max(mem_peak) as mem_peak
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by devid order by mem_peak desc
```

Dataset Name	Description	Log Category
disk-utilization-timeline-for-each-device	FortiGate cpu utilization timeline	event

```
select
  $flex_timescale(timestamp) as hodex,
  devid,
  cast(
    sum(total_cpu)/ sum(count) as decimal(6, 0)
  ) as cpu_ave,
  cast(
    sum(total_mem)/ sum(count) as decimal(6, 0)
  ) as mem_ave,
  cast(
    sum(total_disk)/ sum(count) as decimal(6, 0)
  ) as disk_ave,
  cast(
    sum(sent)/ sum(count) as decimal(10, 0)
  ) as sent_kbps,
  cast(
    sum(recv)/ sum(count) as decimal(10, 0)
  ) as recv_kbps
```

```

from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t where $filter-drilldown group by hodex, devid order by hodex

```

Dataset Name	Description	Log Category
status-timeline-by-device-disk-utilization	FortiGate disk summary view	event

```

select
  devid,
  cast(
    sum(total_disk)/ sum(count) as decimal(6, 0)
  ) as disk_ave,
  max(disk_peak) as disk_peak
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by devid order by disk_peak desc

```

Dataset Name	Description	Log Category
event-disk-utilization-dev	FortiGate disk summary view	event

```

select
  devid,
  cast(
    sum(total_disk)/ sum(count) as decimal(6, 0)
  ) as disk_ave,
  max(disk_peak) as disk_peak
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))

```

```
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by devid order by disk_peak desc
```

Dataset Name	Description	Log Category
event-total-session-summary	FortiGate Total Sessions	event

```
select
  devid,
  max(session_peak) as max_session,
  cast(
    sum(totalsession)/ sum(count) as decimal(10, 0)
  ) as sessions,
  max(cps_peak) as cps_peak,
  cast(
    sum(cps)/ sum(count) as decimal(10, 0)
  ) as cps_ave
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by devid order by max_session desc
```

Dataset Name	Description	Log Category
event-session-rate-summary	FortiGate Session Rate	event

```
select
  devid,
  max(cps_peak) as max_rate
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
```



```
'/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by devid order by max_rate desc
```

Dataset Name	Description	Log Category
event-session-summary-dev	FortiGate Total Sessions	event

```
select
  devid,
  max(session_peak) as max_session,
  cast(
    sum(totalsession)/ sum(count) as decimal(10, 0)
  ) as sessions,
  max(cps_peak) as cps_peak,
  cast(
    sum(cps)/ sum(count) as decimal(10, 0)
  ) as cps_ave
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by devid order by max_session desc
```

Dataset Name	Description	Log Category
fgt-intf-down-timeline-for-each-device	FortiGate Interface Down Timeline	event

```
select
  $flex_timescale(timestamp) as hodex,
  devid,
  sum(total_num) as total_num
from
  ###(select $flex_timestamp as timestamp, devid, status, count(*) as total_num from $log
where $filter and logid_to_int(logid)=20099 and status='DOWN' group by timestamp, devid,
status)### t where $filter-drilldown group by hodex, devid order by hodex
```

Dataset Name	Description	Log Category
fgt-intf-down-timeline-by-device	FortiGate Interface Down by Device	event

```
select
  devid,
  status,
  sum(total_num) as total_num
from
```

```
###(select $flex_timestamp as timestamp, devid, status, count(*) as total_num from $log
where $filter and logid_to_int(logid)=20099 and status='DOWN' group by timestamp, devid,
status)### t group by devid, status order by total_num desc
```

Dataset Name	Description	Log Category
fgt-intf-down-dev-donut	FortiGate Interface Down by Device	event

```
select
  devid,
  status,
  sum(total_num) as total_num
from
  ###(select $flex_timestamp as timestamp, devid, status, count(*) as total_num from $log
where $filter and logid_to_int(logid)=20099 and status='DOWN' group by timestamp, devid,
status)### t group by devid, status order by total_num desc
```

Dataset Name	Description	Log Category
fgt-intf-down-dev-tbl	FortiGate Interface Down by Device	event

```
select
  devid,
  status,
  sum(total_num) as total_num
from
  ###(select $flex_timestamp as timestamp, devid, status, count(*) as total_num from $log
where $filter and logid_to_int(logid)=20099 and status='DOWN' group by timestamp, devid,
status)### t group by devid, status order by total_num desc
```

Dataset Name	Description	Log Category
intf-sent-timeline-for-each-device	FortiGate cpu utilization timeline	event

```
select
  $flex_timescale(timestamp) as hodex,
  devid,
  cast(
    sum(total_cpu)/ sum(count) as decimal(6, 0)
  ) as cpu_ave,
  cast(
    sum(total_mem)/ sum(count) as decimal(6, 0)
  ) as mem_ave,
  cast(
    sum(total_disk)/ sum(count) as decimal(6, 0)
  ) as disk_ave,
  cast(
    sum(sent)/ sum(count) as decimal(10, 0)
  ) as sent_kbps,
  cast(
    sum(recv)/ sum(count) as decimal(10, 0)
  ) as recv_kbps
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
```

```
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t where $filter-drilldown group by hodec, devid order by hodec
```

Dataset Name	Description	Log Category
status-timeline-by-device-intf-sent	FortiGate interface summary view	event

```
select
  devid,
  cast(
    sum(sent)/ sum(count) as decimal(10, 0)
  ) as sent_kbps,
  cast(
    sum(recv)/ sum(count) as decimal(10, 0)
  ) as recv_kbps,
  cast(
    sum(sent + recv)/ sum(count) as decimal(10, 0)
  ) as transmit_kbps,
  max(transmit_kbps) as transmit_kbps_peak
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by devid order by transmit_kbps_peak desc
```

Dataset Name	Description	Log Category
intf-recv-timeline-for-each-device	FortiGate cpu utilization timeline	event

```
select
  $flex_timescale(timestamp) as hodec,
  devid,
  cast(
    sum(total_cpu)/ sum(count) as decimal(6, 0)
  ) as cpu_ave,
  cast(
    sum(total_mem)/ sum(count) as decimal(6, 0)
  ) as mem_ave,
  cast(
```

```

        sum(total_disk)/ sum(count) as decimal(6, 0)
    ) as disk_ave,
    cast(
        sum(sent)/ sum(count) as decimal(10, 0)
    ) as sent_kbps,
    cast(
        sum(recv)/ sum(count) as decimal(10, 0)
    ) as recv_kbps
from
    ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t where $filter-drilldown group by hodecx, devid order by hodecx

```

Dataset Name	Description	Log Category
status-timeline-by-device-intf-recv	FortiGate interface summary view	event

```

select
    devid,
    cast(
        sum(sent)/ sum(count) as decimal(10, 0)
    ) as sent_kbps,
    cast(
        sum(recv)/ sum(count) as decimal(10, 0)
    ) as recv_kbps,
    cast(
        sum(sent + recv)/ sum(count) as decimal(10, 0)
    ) as transmit_kbps,
    max(transmit_peak) as transmit_kbps_peak
from
    ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by devid order by transmit_kbps_peak desc

```

Dataset Name	Description	Log Category
event-intf-summary-dev	FortiGate interface summary view	event

```

select
    devid,
    cast(
        sum(sent)/ sum(count) as decimal(10, 0)
    ) as sent_kbps,
    cast(
        sum(recv)/ sum(count) as decimal(10, 0)
    ) as recv_kbps,
    cast(
        sum(sent + recv)/ sum(count) as decimal(10, 0)
    ) as transmit_kbps,
    max(transmit_peak) as transmit_kbps_peak
from
    ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by devid order by transmit_kbps_peak desc

```

Dataset Name	Description	Log Category
fgt-intf-stats-timeline-util-in-each	FortiGate Interface Statistics Timeline	event

```

select
    $flex_timescale(timestamp) as hindex,
    (devname || ':' || intfname) as dev_intf,
    cast(
        sum(bps_out)/ sum(interval)/ 1000 as decimal(10, 0)
    ) as kbps_out_avg,
    cast(
        sum(bps_in)/ sum(interval)/ 1000 as decimal(10, 0)
    ) as kbps_in_avg,
    cast(
        sum(util_out)/ sum(interval)/ 100 as decimal(10, 2)
    ) as util_out_avg,
    cast(
        sum(util_in)/ sum(interval)/ 100 as decimal(10, 2)
    ) as util_in_avg
from
    (
        select
            $flex_timestamp(timestamp) as timestamp,
            devid,
            intfname,
            sum(interval) as interval,
            sum(sentbps * interval) as bps_out,
            sum(rcvdbps * interval) as bps_in,
            sum(sentutil * interval) as util_out,

```

```

        sum(rcvdutil * interval) as util_in
    from
        intfstats
    where
        $cust_time_filter(timestamp)
    group by
        tmstamp,
        dvid,
        intfname
) t1
left join devtable t2 on t1.dvid = t2.dvid
where
    $filter - drilldown
group by
    hodex,
    dev_intf
order by
    hodex

```

Dataset Name	Description	Log Category
fgt-intf-stats-timeline-util-in	FortiGate Interface Received Utilization	event

```

select
    (devname || ':' || intfname) as dev_intf,
    cast(
        sum(bps_out)/ sum(interval)/ 1000 as decimal(10, 0)
    ) as kbps_out_avg,
    cast(
        sum(bps_in)/ sum(interval)/ 1000 as decimal(10, 0)
    ) as kbps_in_avg,
    cast(
        sum(util_out)/ sum(interval)/ 100 as decimal(10, 2)
    ) as util_out_avg,
    cast(
        sum(util_in)/ sum(interval)/ 100 as decimal(10, 2)
    ) as util_in_avg
from
    (
        select
            $flex_timestamp(timestamp) as tmstamp,
            tbl_intf.dvid,
            intfname,
            sum(interval) as interval,
            sum(sentbps * interval) as bps_out,
            sum(rcvdbps * interval) as bps_in,
            sum(sentutil * interval) as util_out,
            sum(rcvdutil * interval) as util_in
        from
            (
                select
                    distinct dvid
                from
                    ###(select dvid from $log-event where $filter and action='perf-stats' group by
                    dvid)### t) tbl_log inner join intfstats tbl_intf on tbl_log.dvid = tbl_intf.dvid where
                    $cust_time_filter(timestamp) group by tmstamp, tbl_intf.dvid, intfname) t1 left join

```

```
devtable t2 on t1.dvid = t2.dvid group by dev_intf order by util_in_avg desc, kbps_in_avg desc, kbps_out_avg desc
```

Dataset Name	Description	Log Category
fgt-intf-stats-timeline-util-out-each	FortiGate Interface Statistics Timeline	event

```
select
  $flex_timescale(tmstamp) as hodex,
  (devname || ':' || intfname) as dev_intf,
  cast(
    sum(bps_out) / sum(interval) / 1000 as decimal(10, 0)
  ) as kbps_out_avg,
  cast(
    sum(bps_in) / sum(interval) / 1000 as decimal(10, 0)
  ) as kbps_in_avg,
  cast(
    sum(util_out) / sum(interval) / 100 as decimal(10, 2)
  ) as util_out_avg,
  cast(
    sum(util_in) / sum(interval) / 100 as decimal(10, 2)
  ) as util_in_avg
from
  (
    select
      $flex_timestamp(timestamp) as tmstamp,
      dvid,
      intfname,
      sum(interval) as interval,
      sum(sentbps * interval) as bps_out,
      sum(rcvdbps * interval) as bps_in,
      sum(sentutil * interval) as util_out,
      sum(rcvdutil * interval) as util_in
    from
      intfstats
    where
      $cust_time_filter(timestamp)
    group by
      tmstamp,
      dvid,
      intfname
  ) t1
left join devtable t2 on t1.dvid = t2.dvid
where
  $filter - drilldown
group by
  hodex,
  dev_intf
order by
  hodex
```

Dataset Name	Description	Log Category
fgt-intf-stats-timeline-util-out	FortiGate Interface Sent Utilization	event

```

select
  (devname || ':' || intfname) as dev_intf,
  cast(
    sum(bps_out)/ sum(interval)/ 1000 as decimal(10, 0)
  ) as kbps_out_avg,
  cast(
    sum(bps_in)/ sum(interval)/ 1000 as decimal(10, 0)
  ) as kbps_in_avg,
  cast(
    sum(util_out)/ sum(interval)/ 100 as decimal(10, 2)
  ) as util_out_avg,
  cast(
    sum(util_in)/ sum(interval)/ 100 as decimal(10, 2)
  ) as util_in_avg
from
  (
    select
      $flex_timestamp(timestamp) as tmstamp,
      tbl_intf.dvid,
      intfname,
      sum(interval) as interval,
      sum(sentbps * interval) as bps_out,
      sum(rcvdbps * interval) as bps_in,
      sum(sentutil * interval) as util_out,
      sum(rcvdutil * interval) as util_in
    from
      (
        select
          distinct dvid
        from
          ###(select dvid from $log-event where $filter and action='perf-stats' group by
dvid)### t) tbl_log inner join intfstats tbl_intf on tbl_log.dvid = tbl_intf.dvid where
$cust_time_filter(timestamp) group by tmstamp, tbl_intf.dvid, intfname) t1 left join
devtable t2 on t1.dvid = t2.dvid group by dev_intf order by util_out_avg desc, kbps_out_avg
desc, kbps_in_avg desc

```

Dataset Name	Description	Log Category
fgt-intf-stats-timeline-bit-rate-in-each	FortiGate Interface Statistics Timeline	event

```

select
  $flex_timescale(tmstamp) as hodex,
  (devname || ':' || intfname) as dev_intf,
  cast(
    sum(bps_out)/ sum(interval)/ 1000 as decimal(10, 0)
  ) as kbps_out_avg,
  cast(
    sum(bps_in)/ sum(interval)/ 1000 as decimal(10, 0)
  ) as kbps_in_avg,
  cast(
    sum(util_out)/ sum(interval)/ 100 as decimal(10, 2)
  ) as util_out_avg,
  cast(
    sum(util_in)/ sum(interval)/ 100 as decimal(10, 2)
  ) as util_in_avg
from

```



```

(
  select
    $flex_timestamp(timestamp) as tmstamp,
    dvid,
    intfname,
    sum(interval) as interval,
    sum(sentbps * interval) as bps_out,
    sum(rcvdbps * interval) as bps_in,
    sum(sentutil * interval) as util_out,
    sum(rcvdutil * interval) as util_in
  from
    intfstats
  where
    $cust_time_filter(timestamp)
  group by
    tmstamp,
    dvid,
    intfname
) t1
left join devtable t2 on t1.dvid = t2.dvid
where
  $filter - drilldown
group by
  hodex,
  dev_intf
order by
  hodex

```

Dataset Name	Description	Log Category
fgt-intf-stats-timeline-bit-rate-in	FortiGate Interface Received Bit Rate	event

```

select
  (devname || ':' || intfname) as dev_intf,
  cast(
    sum(bps_out) / sum(interval) / 1000 as decimal(10, 0)
  ) as kbps_out_avg,
  cast(
    sum(bps_in) / sum(interval) / 1000 as decimal(10, 0)
  ) as kbps_in_avg,
  cast(
    sum(util_out) / sum(interval) / 100 as decimal(10, 2)
  ) as util_out_avg,
  cast(
    sum(util_in) / sum(interval) / 100 as decimal(10, 2)
  ) as util_in_avg
from
  (
    select
      $flex_timestamp(timestamp) as tmstamp,
      tbl_intf.dvid,
      intfname,
      sum(interval) as interval,
      sum(sentbps * interval) as bps_out,
      sum(rcvdbps * interval) as bps_in,
      sum(sentutil * interval) as util_out,

```

```

        sum(rcvdutil * interval) as util_in
    from
    (
        select
            distinct dvid
        from
            ###(select dvid from $log-event where $filter and action='perf-stats' group by
dvid)### t) tbl_log inner join intfstats tbl_intf on tbl_log.dvid = tbl_intf.dvid where
$cust_time_filter(timestamp) group by tmstamp, tbl_intf.dvid, intfname) t1 left join
devtable t2 on t1.dvid = t2.dvid group by dev_intf order by kbps_in_avg desc

```

Dataset Name	Description	Log Category
fgt-intf-stats-timeline-bit-rate-out-each	FortiGate Interface Statistics Timeline	event

```

select
    $flex_timescale(tmstamp) as hindex,
    (devname || ':' || intfname) as dev_intf,
    cast(
        sum(bps_out)/ sum(interval)/ 1000 as decimal(10, 0)
    ) as kbps_out_avg,
    cast(
        sum(bps_in)/ sum(interval)/ 1000 as decimal(10, 0)
    ) as kbps_in_avg,
    cast(
        sum(util_out)/ sum(interval)/ 100 as decimal(10, 2)
    ) as util_out_avg,
    cast(
        sum(util_in)/ sum(interval)/ 100 as decimal(10, 2)
    ) as util_in_avg
from
    (
        select
            $flex_timestamp(timestamp) as tmstamp,
            dvid,
            intfname,
            sum(interval) as interval,
            sum(sentbps * interval) as bps_out,
            sum(rcvdbps * interval) as bps_in,
            sum(sentutil * interval) as util_out,
            sum(rcvdutil * interval) as util_in
        from
            intfstats
        where
            $cust_time_filter(timestamp)
        group by
            tmstamp,
            dvid,
            intfname
    ) t1
left join devtable t2 on t1.dvid = t2.dvid
where
    $filter - drilldown
group by
    hindex,
    dev_intf

```

order by
hodox

Dataset Name	Description	Log Category
fgt-intf-stats-timeline-bit-rate-out	FortiGate Interface Sent Bit Rate	event

```
select
  (devname || ':' || intfname) as dev_intf,
  cast(
    sum(bps_out) / sum(interval) / 1000 as decimal(10, 0)
  ) as kbps_out_avg,
  cast(
    sum(bps_in) / sum(interval) / 1000 as decimal(10, 0)
  ) as kbps_in_avg,
  cast(
    sum(util_out) / sum(interval) / 100 as decimal(10, 2)
  ) as util_out_avg,
  cast(
    sum(util_in) / sum(interval) / 100 as decimal(10, 2)
  ) as util_in_avg
from
  (
    select
      $flex_timestamp(timestamp) as tmstamp,
      tbl_intf.dvid,
      intfname,
      sum(interval) as interval,
      sum(sentbps * interval) as bps_out,
      sum(rcvdbps * interval) as bps_in,
      sum(sentutil * interval) as util_out,
      sum(rcvdutil * interval) as util_in
    from
      (
        select
          distinct dvid
        from
          ###(select dvid from $log-event where $filter and action='perf-stats' group by
dvid)### t) tbl_log inner join intfstats tbl_intf on tbl_log.dvid = tbl_intf.dvid where
$cust_time_filter(timestamp) group by tmstamp, tbl_intf.dvid, intfname) t1 left join
devtable t2 on t1.dvid = t2.dvid group by dev_intf order by kbps_out_avg desc
```

Dataset Name	Description	Log Category
fgt-intf-stats-summary-view	FortiGate Interface Received Utilization	event

```
select
  (devname || ':' || intfname) as dev_intf,
  cast(
    sum(bps_out) / sum(interval) / 1000 as decimal(10, 0)
  ) as kbps_out_avg,
  cast(
    sum(bps_in) / sum(interval) / 1000 as decimal(10, 0)
  ) as kbps_in_avg,
  cast(
    sum(util_out) / sum(interval) / 100 as decimal(10, 2)
```

```

    ) as util_out_avg,
    cast(
        sum(util_in)/ sum(interval)/ 100 as decimal(10, 2)
    ) as util_in_avg
from
(
    select
        $flex_timestamp(timestamp) as tmstamp,
        tbl_intf.dvid,
        intfname,
        sum(interval) as interval,
        sum(sentbps * interval) as bps_out,
        sum(rcvdbps * interval) as bps_in,
        sum(sentutil * interval) as util_out,
        sum(rcvdutil * interval) as util_in
    from
        (
            select
                distinct dvid
            from
                ###(select dvid from $log-event where $filter and action='perf-stats' group by
dvid)### t) tbl_log inner join intfstats tbl_intf on tbl_log.dvid = tbl_intf.dvid where
$cust_time_filter(timestamp) group by tmstamp, tbl_intf.dvid, intfname) t1 left join
devtable t2 on t1.dvid = t2.dvid group by dev_intf order by util_in_avg desc, kbps_in_avg
desc, kbps_out_avg desc

```

Dataset Name	Description	Log Category
fgt-ha-failure-timeline	FortiGate HA Failure Timeline	event

```

select
    $flex_timescale(timestamp) as hodex,
    count(*) as total_num
from
    ###(select $flex_timestamp as timestamp, dtype, devid, coalesce(nullifna(logdesc), msg) as
msg_desc from $log where $filter and subtype='ha' and logid_to_int(logid) in (35011, 35012,
35013, 37892, 37893, 37897, 37898, 37901, 37902, 37907, 37908) order by dtype desc)### t
group by hodex order by hodex

```

Dataset Name	Description	Log Category
fgt-ha-failure-summary	FortiGate HA Failure Summary	event

```

select
    from_dtype(dtype) as time_s,
    devid,
    msg_desc
from
    ###(select $flex_timestamp as timestamp, dtype, devid, coalesce(nullifna(logdesc), msg) as
msg_desc from $log where $filter and subtype='ha' and logid_to_int(logid) in (35011, 35012,
35013, 37892, 37893, 37897, 37898, 37901, 37902, 37907, 37908) order by dtype desc)### t
order by time_s desc

```

Dataset Name	Description	Log Category
fgt-env-faults-power	FortiGate Power Supply Faults	event

```
select
  time_s,
  devid,
  msg_desc
from
  ###(select from_dtime(dtime) as time_s, devid, coalesce(nullifna(logdesc), msg) as msg_desc, logid_to_int(logid) as logid from $log where $filter and logid_to_int(logid) in (22105, 22107, 22108, 22109) order by time_s desc)### t where logid in (22105, 22107) order by time_s desc
```

Dataset Name	Description	Log Category
fgt-env-faults-fan	FortiGate Fan Faults	event

```
select
  time_s,
  devid,
  msg_desc
from
  ###(select from_dtime(dtime) as time_s, devid, coalesce(nullifna(logdesc), msg) as msg_desc, logid_to_int(logid) as logid from $log where $filter and logid_to_int(logid) in (22105, 22107, 22108, 22109) order by time_s desc)### t where logid=22108 order by time_s desc
```

Dataset Name	Description	Log Category
fgt-env-faults-temperature	FortiGate Temperatre Too High	event

```
select
  time_s,
  devid,
  msg_desc
from
  ###(select from_dtime(dtime) as time_s, devid, coalesce(nullifna(logdesc), msg) as msg_desc, logid_to_int(logid) as logid from $log where $filter and logid_to_int(logid) in (22105, 22107, 22108, 22109) order by time_s desc)### t where logid=22109 order by time_s desc
```

Dataset Name	Description	Log Category
Behaviour-Banned-Application	Bullying Chat Search and Message Logging	app-ctrl

```
select
  filename,
  string_agg(distinct app, ' ') as app_agg,
  string_agg(
    distinct from_itime(itime): :text,
    ' '
  ) as itime_agg,
  string_agg(distinct user_src, ' ') as user_agg,
  string_agg(distinct `group`, ' ') as group_agg,
  string_agg(
    distinct ipstr(`srcip`),
    ' '
  ) as srcip_agg,
  count(*) as requests
```

```

from
  ###(select filename, app, itime, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr
(`srcip`)) as user_src, `group`, `srcip` from $log where $filter and (lower(app) in
('facebook_post', 'facebook_chat', 'twitter_post', 'youtube_video.access', 'gmail_chat',
'gmail_send.message', 'linkedin_post', 'vimeo_video.access', 'google.search_search.phrase',
'bing.search_search.phrase')) order by itime desc)### t where ($bully_keywords) group by
filename order by requests desc

```

Dataset Name	Description	Log Category
Behaviour-Banned-User	Bullying Chat Search and Message Logging	app-ctrl

```

select
  filename,
  string_agg(distinct app, ' ') as app_agg,
  string_agg(
    distinct from_itime(itime): :text,
    ' '
  ) as itime_agg,
  string_agg(distinct user_src, ' ') as user_agg,
  string_agg(distinct `group`, ' ') as group_agg,
  string_agg(
    distinct ipstr(`srcip`),
    ' '
  ) as srcip_agg,
  count(*) as requests
from
  ###(select filename, app, itime, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr
(`srcip`)) as user_src, `group`, `srcip` from $log where $filter and (lower(app) in
('facebook_post', 'facebook_chat', 'twitter_post', 'youtube_video.access', 'gmail_chat',
'gmail_send.message', 'linkedin_post', 'vimeo_video.access', 'google.search_search.phrase',
'bing.search_search.phrase')) order by itime desc)### t where ($bully_keywords) group by
filename order by requests desc

```

Dataset Name	Description	Log Category
Behaviour-Banned-User-Drilldown	Bullying Chat Search and Message Logging	app-ctrl

```

select
  filename,
  string_agg(distinct app, ' ') as app_agg,
  string_agg(
    distinct from_itime(itime): :text,
    ' '
  ) as itime_agg,
  string_agg(distinct user_src, ' ') as user_agg,
  string_agg(distinct `group`, ' ') as group_agg,
  string_agg(
    distinct ipstr(`srcip`),
    ' '
  ) as srcip_agg,
  count(*) as requests
from
  ###(select filename, app, itime, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr
(`srcip`)) as user_src, `group`, `srcip` from $log where $filter and (lower(app) in
('facebook_post', 'facebook_chat', 'twitter_post', 'youtube_video.access', 'gmail_chat',

```

```
'gmail_send.message', 'linkedin_post', 'vimeo_video.access', 'google.search_search.phrase',
'bing.search_search.phrase')) order by itime desc)### t where ($bully_keywords) group by
filename order by requests desc
```

Dataset Name	Description	Log Category
behaviour-banned	Bullying Chat Search and Message Logging	app-ctrl

```
select
  filename,
  string_agg(distinct app, ' ') as app_agg,
  string_agg(
    distinct from_itime(itime): :text,
    ' '
  ) as itime_agg,
  string_agg(distinct user_src, ' ') as user_agg,
  string_agg(distinct `group`, ' ') as group_agg,
  string_agg(
    distinct ipstr(`srcip`),
    ' '
  ) as srcip_agg,
  count(*) as requests
from
  ###(select filename, app, itime, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr
(`srcip`)) as user_src, `group`, `srcip` from $log where $filter and (lower(app) in
('facebook_post', 'facebook_chat', 'twitter_post', 'youtube_video.access', 'gmail_chat',
'gmail_send.message', 'linkedin_post', 'vimeo_video.access', 'google.search_search.phrase',
'bing.search_search.phrase')) order by itime desc)### t where ($bully_keywords) group by
filename order by requests desc
```

Dataset Name	Description	Log Category
Self-Harm-Behaviour-Banned-User-Pie	Self-Harm Chat Search and Message Logging	app-ctrl

```
select
  filename,
  string_agg(distinct app, ' ') as app_agg,
  string_agg(
    distinct from_itime(itime): :text,
    ' '
  ) as itime_agg,
  string_agg(distinct user_src, ' ') as user_agg,
  string_agg(distinct `group`, ' ') as group_agg,
  string_agg(
    distinct ipstr(`srcip`),
    ' '
  ) as srcip_agg,
  count(*) as requests
from
  ###(select filename, app, itime, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr
(`srcip`)) as user_src, `group`, `srcip` from $log where $filter and (lower(app) in
('facebook_post', 'facebook_chat', 'twitter_post', 'youtube_video.access', 'gmail_chat',
'gmail_send.message', 'linkedin_post', 'vimeo_video.access', 'google.search_search.phrase',
'bing.search_search.phrase')) order by itime desc)### t where ($banned_keywords) group by
filename order by requests desc
```

Dataset Name	Description	Log Category
Self-Harm-Behaviour-Banned-Application-Pie	Self-Harm Chat Search and Message Logging	app-ctrl

```

select
  filename,
  string_agg(distinct app, ' ') as app_agg,
  string_agg(
    distinct from_itime(itime): :text,
    ' '
  ) as itime_agg,
  string_agg(distinct user_src, ' ') as user_agg,
  string_agg(distinct `group`, ' ') as group_agg,
  string_agg(
    distinct ipstr(`srcip`),
    ' '
  ) as srcip_agg,
  count(*) as requests
from
  ###(select filename, app, itime, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr
(`srcip`)) as user_src, `group`, `srcip` from $log where $filter and (lower(app) in
('facebook_post', 'facebook_chat', 'twitter_post', 'youtube_video.access', 'gmail_chat',
'gmail_send.message', 'linkedin_post', 'vimeo_video.access', 'google.search_search.phrase',
'bing.search_search.phrase')) order by itime desc)### t where ($banned_keywords) group by
filename order by requests desc

```

Dataset Name	Description	Log Category
Self-Harm-Behaviour-Banned-User-Bar	Self-Harm Chat Search and Message Logging	app-ctrl

```

select
  filename,
  string_agg(distinct app, ' ') as app_agg,
  string_agg(
    distinct from_itime(itime): :text,
    ' '
  ) as itime_agg,
  string_agg(distinct user_src, ' ') as user_agg,
  string_agg(distinct `group`, ' ') as group_agg,
  string_agg(
    distinct ipstr(`srcip`),
    ' '
  ) as srcip_agg,
  count(*) as requests
from
  ###(select filename, app, itime, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr
(`srcip`)) as user_src, `group`, `srcip` from $log where $filter and (lower(app) in
('facebook_post', 'facebook_chat', 'twitter_post', 'youtube_video.access', 'gmail_chat',
'gmail_send.message', 'linkedin_post', 'vimeo_video.access', 'google.search_search.phrase',
'bing.search_search.phrase')) order by itime desc)### t where ($banned_keywords) group by
filename order by requests desc

```


Dataset Name	Description	Log Category
Self-Harm-Behaviour-Banned-User-Drilldown	Self-Harm Chat Search and Message Logging	app-ctrl

```
select
  filename,
  string_agg(distinct app, ' ') as app_agg,
  string_agg(
    distinct from_itime(itime): :text,
    ' '
  ) as itime_agg,
  string_agg(distinct user_src, ' ') as user_agg,
  string_agg(distinct `group`, ' ') as group_agg,
  string_agg(
    distinct ipstr(`srcip`),
    ' '
  ) as srcip_agg,
  count(*) as requests
from
  ###(select filename, app, itime, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(
  `srcip`)) as user_src, `group`, `srcip` from $log where $filter and (lower(app) in
  ('facebook_post', 'facebook_chat', 'twitter_post', 'youtube_video.access', 'gmail_chat',
  'gmail_send.message', 'linkedin_post', 'vimeo_video.access', 'google.search_search.phrase',
  'bing.search_search.phrase')) order by itime desc)### t where ($banned_keywords) group by
  filename order by requests desc
```

Dataset Name	Description	Log Category
Self-Harm-behaviour-banned	Self-Harm Chat Search and Message Logging	app-ctrl

```
select
  filename,
  string_agg(distinct app, ' ') as app_agg,
  string_agg(
    distinct from_itime(itime): :text,
    ' '
  ) as itime_agg,
  string_agg(distinct user_src, ' ') as user_agg,
  string_agg(distinct `group`, ' ') as group_agg,
  string_agg(
    distinct ipstr(`srcip`),
    ' '
  ) as srcip_agg,
  count(*) as requests
from
  ###(select filename, app, itime, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(
  `srcip`)) as user_src, `group`, `srcip` from $log where $filter and (lower(app) in
  ('facebook_post', 'facebook_chat', 'twitter_post', 'youtube_video.access', 'gmail_chat',
  'gmail_send.message', 'linkedin_post', 'vimeo_video.access', 'google.search_search.phrase',
  'bing.search_search.phrase')) order by itime desc)### t where ($banned_keywords) group by
  filename order by requests desc
```

Dataset Name	Description	Log Category
Browsing-Time-per-Social-Media	Browsing Time vs. Domain	traffic

```

select
  domain,
  ebtr_value(
    ebtr_agg_flat(browsetime),
    null,
    $timespan
  ) as browsetime
from
  ###(select domain, f_user, srcip, ebtr_agg_flat(browsetime) as browsetime, sum(bandwidth)
as bandwidth from (select app_group_name(app) as app_group, coalesce(nullifna(`user`),
nullifna(`unauthuser`), ipstr(`srcip`)) as f_user, srcip, coalesce(nullifna(root_domain
(hostname)), ipstr(dstip), NULL) as domain, ebtr_agg_flat($browse_time) as browsetime, sum
(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth from $log where $filter and
(logflag&l>0) group by app_group, f_user, hostname, domain, srcip, dstip) t1 inner join app_
mdata t2 on lower(t1.app_group)=lower(t2.name) where app_cat='Social.Media' group by domain,
f_user, srcip order by browsetime, bandwidth desc)### t where browsetime is not null group
by domain order by browsetime desc

```

Dataset Name	Description	Log Category
Social-Networking-Bar-Graph	Social Networking Browsing Time	traffic

```

select
  f_user,
  sum(bandwidth) as bandwidth
from
  ###(select domain, f_user, srcip, ebtr_agg_flat(browsetime) as browsetime, sum(bandwidth)
as bandwidth from (select app_group_name(app) as app_group, coalesce(nullifna(`user`),
nullifna(`unauthuser`), ipstr(`srcip`)) as f_user, srcip, coalesce(nullifna(root_domain
(hostname)), ipstr(dstip), NULL) as domain, ebtr_agg_flat($browse_time) as browsetime, sum
(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth from $log where $filter and
(logflag&l>0) group by app_group, f_user, hostname, domain, srcip, dstip) t1 inner join app_
mdata t2 on lower(t1.app_group)=lower(t2.name) where app_cat='Social.Media' group by domain,
f_user, srcip order by browsetime, bandwidth desc)### t where bandwidth>0 group by f_user
order by bandwidth desc

```

Dataset Name	Description	Log Category
Top-Social-Networking-Durations-Sources-Drilldown	Top Social Networking Durations from Sources Drilldown	traffic

```

select
  f_user,
  ebtr_value(
    ebtr_agg_flat(browsetime),
    null,
    $timespan
  ) as browsetime
from
  ###(select domain, f_user, srcip, ebtr_agg_flat(browsetime) as browsetime, sum(bandwidth)
as bandwidth from (select app_group_name(app) as app_group, coalesce(nullifna(`user`),
nullifna(`unauthuser`), ipstr(`srcip`)) as f_user, srcip, coalesce(nullifna(root_domain
(hostname)), ipstr(dstip), NULL) as domain, ebtr_agg_flat($browse_time) as browsetime, sum
(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth from $log where $filter and
(logflag&l>0) group by app_group, f_user, hostname, domain, srcip, dstip) t1 inner join app_
mdata t2 on lower(t1.app_group)=lower(t2.name) where app_cat='Social.Media' group by domain,

```

```
f_user, srcip order by browsetime, bandwidth desc)### t where $filter-drilldown and
browsetime is not null group by f_user order by browsetime desc
```

Dataset Name	Description	Log Category
Top-Social-Networking-Durations-Domains-Drilldown	Browsing Time vs. Domain	traffic

```
select
  domain,
  ebtr_value(
    ebtr_agg_flat(browsetime),
    null,
    $timespan
  ) as browsetime
from
  ###(select domain, f_user, srcip, ebtr_agg_flat(browsetime) as browsetime, sum(bandwidth)
as bandwidth from (select app_group_name(app) as app_group, coalesce(nullifna(`user`),
nullifna(`unauthuser`), ipstr(`srcip`)) as f_user, srcip, coalesce(nullifna(root_domain
(hostname)), ipstr(dstip), NULL) as domain, ebtr_agg_flat($browse_time) as browsetime, sum
(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth from $log where $filter and
(logflag&l>0) group by app_group, f_user, hostname, domain, srcip, dstip) t1 inner join app_
mdata t2 on lower(t1.app_group)=lower(t2.name) where app_cat='Social.Media' group by domain,
f_user, srcip order by browsetime, bandwidth desc)### t where browsetime is not null group
by domain order by browsetime desc
```

Dataset Name	Description	Log Category
Facebook-Posts	Facebook Posts	app-ctrl

```
select
  i_time,
  f_user,
  srcip,
  filename
from
  ###(select from_itime(itime) as i_time, coalesce(nullifna(`user`), nullifna(`unauthuser`),
ipstr(`srcip`)) as f_user, srcip, filename, app from $log where $filter and filename is not
null order by i_time desc)### t where lower(app)=lower('Facebook_Post') order by i_time desc
```

Dataset Name	Description	Log Category
Facebook-Chats	Facebook Chats	app-ctrl

```
select
  filename,
  string_agg(
    distinct from_itime(itime): :text,
    ' '
  ) as itime_agg,
  string_agg(distinct user_src, ' ') as user_agg,
  string_agg(distinct `group`, ' ') as group_agg,
  string_agg(
    distinct ipstr(srcip),
    ' '
  ) as srcip_agg,
```

```

count(*) as requests
from
  ###(select filename, itime, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr
(`srcip`)) as user_src, `group`, srcip, app from $log where $filter and filename is not null
order by itime desc)### t where lower(app)=lower('Facebook_Chat') group by filename order by
requests desc

```

Dataset Name	Description	Log Category
Twitter-Posts	Twitter Posts	app-ctrl

```

select
  i_time,
  f_user,
  srcip,
  filename
from
  ###(select from_itime(itime) as i_time, coalesce(nullifna(`user`), nullifna(`unauthuser`),
ipstr(`srcip`)) as f_user, srcip, filename, app from $log where $filter and filename is not
null order by i_time desc)### t where lower(app)=lower('Twitter_Post') order by i_time desc

```

Dataset Name	Description	Log Category
LinkedIn-Posts-and-Comments	LinkedIn Posts and Comments	app-ctrl

```

select
  filename,
  string_agg(
    distinct from_itime(itime): :text,
    ' '
  ) as itime_agg,
  string_agg(distinct user_src, ' ') as user_agg,
  string_agg(distinct `group`, ' ') as group_agg,
  string_agg(
    distinct ipstr(srcip),
    ' '
  ) as srcip_agg,
  count(*) as requests
from
  ###(select filename, itime, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr
(`srcip`)) as user_src, `group`, srcip, app from $log where $filter and filename is not null
order by itime desc)### t where lower(app)=lower('LinkedIn_Post') group by filename order by
requests desc

```

Dataset Name	Description	Log Category
sdwan-fw-Device-Interface-Quality_ Bibandwidth-drilldown	SD-WAN Device-Interface Statistic	event

```

select
  devid,
  sum(bibandwidth)/ sum(count_linkup) as bibandwidth
from
  ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck
as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)

```

```

as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
(CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
convert_unit_to_num(inbandwidththused) as inbandwidth, convert_unit_to_num(outbandwidththused)
as outbandwidth, convert_unit_to_num(bibandwidththused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t where $filter-drilldown and bibandwidth is not null group by devid
having sum(count_linkup)>0 order by bibandwidth desc

```

Dataset Name	Description	Log Category
sdwan-Device-Interface-Latency-Line	SD-WAN Device-Interface Latency Timeline	event

```

select
  $flex_timescale(timestamp) as hodesk,
  t1.interface,
  min(latency) as latency
from
  (
    select
      timestamp,
      devid,
      interface,
      sum(latency)/ sum(count_linkup) as latency
    from
      ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface,
healthcheck as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_
latency, sum(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss,
sum(latency) as latency, max(latency) as latency_max, min(latency) as latency_min, sum
(jitter) as jitter, max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as
packetloss, max(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum
(inbandwidth) as inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as
bibandwidth, count(*) as count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_
linkup, min(sdwan_status) as sdwan_status from (select itime, csf, devname, devid, vd,
interface, healthcheck, link_status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS
latency, (CASE WHEN link_status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_
status=1 THEN packetloss ELSE NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND
metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss, (CASE WHEN sla_failed=1 AND
metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN sla_failed=1 AND
metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_failed=1 THEN 3 ELSE
sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth, bibandwidth from (select

```

```

itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN status='down' THEN 0 ELSE
1 END) AS link_status, latency::float as latency, jitter::float as jitter, trim(trailing '%'
from packetloss)::float as packetloss, (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA
failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1
ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidththused) as inbandwidth, convert_
unit_to_num(outbandwidththused) as outbandwidth, convert_unit_to_num(bibandwidththused) as
bibandwidth from $log where $filter and logid_to_int(logid) in (22925, 22933) and interface
is not null) t) t group by timestamp, csf, devname, devid, vd, interface, healthcheck
/*SkipSTART*/order by timestamp desc/*SkipEND*/)### t group by timestamp, devid, interface
having sum(count_linkup)>0) t1 inner join (select interface, count(*) as num_intf from ###
(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck as
sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
(CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
convert_unit_to_num(inbandwidththused) as inbandwidth, convert_unit_to_num(outbandwidththused)
as outbandwidth, convert_unit_to_num(bibandwidththused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t where $filter-drilldown and interface is not null group by interface
order by num_intf desc limit 10)t2 on t1.interface=t2.interface group by hodesk, t1.interface
order by hodesk

```

Dataset Name	Description	Log Category
sdwan-Device-Interface-Jitter-Line	SD-WAN Device-Interface Jitter Timeline	event

```

select
  $flex_timescale(timestamp) as hodesk,
  t1.interface,
  min(jitter) as jitter
from
  (
    select
      timestamp,
      devid,
      interface,
      sum(jitter)/ sum(count_linkup) as jitter
    from
      ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface,
healthcheck as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_

```

```

latency, sum(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss,
sum(latency) as latency, max(latency) as latency_max, min(latency) as latency_min, sum
(jitter) as jitter, max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as
packetloss, max(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum
(inbandwidth) as inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as
bibandwidth, count(*) as count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_
linkup, min(sdwan_status) as sdwan_status from (select itime, csf, devname, devid, vd,
interface, healthcheck, link_status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS
latency, (CASE WHEN link_status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_
status=1 THEN packetloss ELSE NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND
metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss, (CASE WHEN sla_failed=1 AND
metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN sla_failed=1 AND
metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_failed=1 THEN 3 ELSE
sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth, bibandwidth from (select
itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN status='down' THEN 0 ELSE
1 END) AS link_status, latency::float as latency, jitter::float as jitter, trim(trailing '%'
from packetloss)::float as packetloss, (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA
failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1
ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthused) as inbandwidth, convert_
unit_to_num(outbandwidthused) as outbandwidth, convert_unit_to_num(bibandwidthused) as
bibandwidth from $log where $filter and logid_to_int(logid) in (22925, 22933) and interface
is not null) t) t group by timestamp, csf, devname, devid, vd, interface, healthcheck
/*SkipSTART*/order by timestamp desc/*SkipEND*/)### t group by timestamp, devid, interface
having sum(count_linkup)>0) t1 inner join (select interface, count(*) as num_intf from ###
(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck as
sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
(CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
convert_unit_to_num(inbandwidthused) as inbandwidth, convert_unit_to_num(outbandwidthused)
as outbandwidth, convert_unit_to_num(bibandwidthused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t where $filter-drilldown and interface is not null group by interface
order by num_intf desc limit 10)t2 on t1.interface=t2.interface group by hindex, t1.interface
order by hindex

```

Dataset Name	Description	Log Category
sdwan-Device-Interface-Packetloss-Line	SD-WAN Device-Interface Packetloss Timeline	event

```

select
    $flex_timescale(timestamp) as hodesk,
    t1.interface,
    min(packetloss) as packetloss
from
    (
        select
            timestamp,
            devid,
            interface,
            sum(packetloss)/ sum(count_linkup) as packetloss
        from
            ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface,
healthcheck as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_
latency, sum(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss,
sum(latency) as latency, max(latency) as latency_max, min(latency) as latency_min, sum
(jitter) as jitter, max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as
packetloss, max(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum
(inbandwidth) as inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as
bibandwidth, count(*) as count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_
linkup, min(sdwan_status) as sdwan_status from (select itime, csf, devname, devid, vd,
interface, healthcheck, link_status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS
latency, (CASE WHEN link_status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_
status=1 THEN packetloss ELSE NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND
metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss, (CASE WHEN sla_failed=1 AND
metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN sla_failed=1 AND
metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_failed=1 THEN 3 ELSE
sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth, bibandwidth from (select
itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN status='down' THEN 0 ELSE
1 END) AS link_status, latency::float as latency, jitter::float as jitter, trim(trailing '%'
from packetloss)::float as packetloss, (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA
failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1
ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthused) as inbandwidth, convert_
unit_to_num(outbandwidthused) as outbandwidth, convert_unit_to_num(bibandwidthused) as
bibandwidth from $log where $filter and logid_to_int(logid) in (22925, 22933) and interface
is not null) t) t group by timestamp, csf, devname, devid, vd, interface, healthcheck
/*SkipSTART*/order by timestamp desc/*SkipEND*/)### t group by timestamp, devid, interface
having sum(count_linkup)>0) t1 inner join (select interface, count(*) as num_intf from ###
(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck as
sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,

```



```
(CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
convert_unit_to_num(inbandwidththused) as inbandwidth, convert_unit_to_num(outbandwidththused)
as outbandwidth, convert_unit_to_num(bibandwidththused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t where $filter-drilldown and interface is not null group by interface
order by num_intf desc limit 10)t2 on t1.interface=t2.interface group by hodec, t1.interface
order by hodec
```

Dataset Name	Description	Log Category
sdwan-Device-Latency-Line	SD-WAN Device Latency Timeline	event

```
select
  $flex_timescale(timestamp) as hodec,
  devid,
  min(latency) as latency
from
  (
    select
      timestamp,
      devid,
      interface,
      sum(latency) / sum(count_linkup) as latency
    from
      ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface,
healthcheck as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_
latency, sum(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss,
sum(latency) as latency, max(latency) as latency_max, min(latency) as latency_min, sum
(jitter) as jitter, max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as
packetloss, max(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum
(inbandwidth) as inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as
bibandwidth, count(*) as count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_
linkup, min(sdwan_status) as sdwan_status from (select itime, csf, devname, devid, vd,
interface, healthcheck, link_status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS
latency, (CASE WHEN link_status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_
status=1 THEN packetloss ELSE NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND
metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss, (CASE WHEN sla_failed=1 AND
metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN sla_failed=1 AND
metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_failed=1 THEN 3 ELSE
sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth, bibandwidth from (select
itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN status='down' THEN 0 ELSE
1 END) AS link_status, latency::float as latency, jitter::float as jitter, trim(trailing '%'
from packetloss)::float as packetloss, (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA
failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1
ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidththused) as inbandwidth, convert_
unit_to_num(outbandwidththused) as outbandwidth, convert_unit_to_num(bibandwidththused) as
bibandwidth from $log where $filter and logid_to_int(logid) in (22925, 22933) and interface
is not null) t) t group by timestamp, csf, devname, devid, vd, interface, healthcheck
/*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where $filter-drilldown and latency is
not null group by timestamp, devid, interface having sum(count_linkup)>0) t1 group by hodec,
devid order by hodec
```

Dataset Name	Description	Log Category
sdwan-Device-Jitter-Line	SD-WAN Device Jitter Timeline	event

```

select
    $flex_timescale(timestamp) as hodex,
    devid,
    min(jitter) as jitter
from
    (
        select
            timestamp,
            devid,
            interface,
            sum(jitter)/ sum(count_linkup) as jitter
        from
            ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface,
            healthcheck as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_
            latency, sum(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss,
            sum(latency) as latency, max(latency) as latency_max, min(latency) as latency_min, sum
            (jitter) as jitter, max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as
            packetloss, max(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum
            (inbandwidth) as inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as
            bibandwidth, count(*) as count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_
            linkup, min(sdwan_status) as sdwan_status from (select itime, csf, devname, devid, vd,
            interface, healthcheck, link_status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS
            latency, (CASE WHEN link_status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_
            status=1 THEN packetloss ELSE NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND
            metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss, (CASE WHEN sla_failed=1 AND
            metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN sla_failed=1 AND
            metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_failed=1 THEN 3 ELSE
            sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth, bibandwidth from (select
            itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN status='down' THEN 0 ELSE
            1 END) AS link_status, latency::float as latency, jitter::float as jitter, trim(trailing '%'
            from packetloss)::float as packetloss, (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA
            failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1
            ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthused) as inbandwidth, convert_
            unit_to_num(outbandwidthused) as outbandwidth, convert_unit_to_num(bibandwidthused) as
            bibandwidth from $log where $filter and logid_to_int(logid) in (22925, 22933) and interface
            is not null) t) t group by timestamp, csf, devname, devid, vd, interface, healthcheck
/*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where $filter-drilldown and jitter is
not null group by timestamp, devid, interface having sum(count_linkup)>0) t1 group by hodex,
devid order by hodex

```

Dataset Name	Description	Log Category
sdwan-Device-Packetloss-Line	SD-WAN Device Packet Loss Timeline	event

```

select
    $flex_timescale(timestamp) as hodex,
    devid,
    min(packetloss) as packetloss
from
    (
        select
            timestamp,
            devid,
            interface,
            sum(packetloss)/ sum(count_linkup) as packetloss
        from

```

```

###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface,
healthcheck as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_
latency, sum(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss,
sum(latency) as latency, max(latency) as latency_max, min(latency) as latency_min, sum
(jitter) as jitter, max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as
packetloss, max(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum
(inbandwidth) as inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as
bibandwidth, count(*) as count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_
linkup, min(sdwan_status) as sdwan_status from (select itime, csf, devname, devid, vd,
interface, healthcheck, link_status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS
latency, (CASE WHEN link_status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_
status=1 THEN packetloss ELSE NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND
metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss, (CASE WHEN sla_failed=1 AND
metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN sla_failed=1 AND
metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_failed=1 THEN 3 ELSE
sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth, bibandwidth from (select
itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN status='down' THEN 0 ELSE
1 END) AS link_status, latency::float as latency, jitter::float as jitter, trim(trailing '%'
from packetloss)::float as packetloss, (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA
failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1
ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthused) as inbandwidth, convert_
unit_to_num(outbandwidthused) as outbandwidth, convert_unit_to_num(bibandwidthused) as
bibandwidth from $log where $filter and logid_to_int(logid) in (22925, 22933) and interface
is not null) t) t group by timestamp, csf, devname, devid, vd, interface, healthcheck
/*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where $filter-drilldown and packetloss
is not null group by timestamp, devid, interface having sum(count_linkup)>0) t1 group by
hodex, devid order by hodex

```

Dataset Name	Description	Log Category
sdwan-Device-Interface-Summary-by-Bibandwidth	SD-WAN Device Interface Summary by Bibandwidth	event

```

select
  devid,
  interface,
  sum(bibandwidth)/ sum(count_linkup) as bibandwidth,
  cast(
    min(latency_min) as decimal(18, 2)
  ) as latency_min,
  cast(
    sum(latency)/ sum(count_linkup) as decimal(18, 2)
  ) as latency_avg,
  cast(
    max(latency_max) as decimal(18, 2)
  ) as latency_max,
  cast(
    min(jitter_min) as decimal(18, 2)
  ) as jitter_min,
  cast(
    sum(jitter)/ sum(count_linkup) as decimal(18, 2)
  ) as jitter_avg,
  cast(
    max(jitter_max) as decimal(18, 2)
  ) as jitter_max,
  cast(

```

```

        min(packetloss_min) as decimal(18, 2)
    ) as packetloss_min,
    cast(
        sum(packetloss)/ sum(count_linkup) as decimal(18, 2)
    ) as packetloss_avg,
    cast(
        max(packetloss_max) as decimal(18, 2)
    ) as packetloss_max
from
    ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck
as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
(CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
convert_unit_to_num(inbandwidthused) as inbandwidth, convert_unit_to_num(outbandwidthused)
as outbandwidth, convert_unit_to_num(bibandwidthused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t where $filter-drilldown and interface is not null group by devid,
interface having sum(count_linkup)>0 order by devid, interface

```

Dataset Name	Description	Log Category
sdwan-Top-App-By-Bandwidth	Top SD-WAN application by bandwidth	traffic

```

select
    appid,
    app_group,
    sum(bandwidth) as bandwidth,
    sum(sessions) as sessions
from
    ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###

```

t where \$filter-drilldown and rulename is not null group by appid, app_group order by bandwidth desc

Dataset Name	Description	Log Category
sdwan-Top-App-By-Bandwidth-Sankey	Top SD-WAN application by bandwidth usage	traffic

```
select
  'SD-WAN Utilization' as summary,
  app_group,
  devid,
  dstintf as interface,
  sum(bandwidth) as bandwidth
from
  ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
  srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
  (vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
  (`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
  (`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
  0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
  (coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
  and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
  srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
  t where $filter-drilldown and rulename is not null group by app_group, devid, interface
  order by bandwidth desc
```

Dataset Name	Description	Log Category
sdwan-Device-Interface-bandwidth-Drilldown	SD-WAN Device Statistic by Bibandwidth	event

```
select
  devid,
  sum(bibandwidth)/ sum(count_linkup) as bibandwidth
from
  ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck
  as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
  (failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
  as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
  max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
  (packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
  inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
  count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
  sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
  status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
  status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
  NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
  AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
  failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
  latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
  outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
  healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
  latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
  (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
  failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
  convert_unit_to_num(inbandwidththused) as inbandwidth, convert_unit_to_num(outbandwidththused)
```

```
as outbandwidth, convert_unit_to_num(bibandwidthused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t where $filter-drilldown and bibandwidth is not null group by devid
having sum(count_linkup)>0 order by bibandwidth desc
```

Dataset Name	Description	Log Category
sdwan-Device-Rules-Donut-Bandwidth	Top SD-WAN Links bandwidth	traffic

```
select
  rulename,
  sum(bandwidth) as bandwidth
from
  ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t where $filter-drilldown and rulename is not null group by rulename order by bandwidth desc
limit 10
```

Dataset Name	Description	Log Category
sdwan-device-interface-bandwidth	Top SD-WAN Links bandwidth	traffic

```
select
  interface,
  sum(bandwidth) as bandwidth
from
  (
    (
      select
        srcintf as interface,
        sum(bandwidth) as bandwidth
      from
        ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf,
srcintf, srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t where srcintfrole='wan' and $filter-drilldown and rulename is not null group by interface)
union all (select dstintf as interface, sum(bandwidth) as bandwidth from ###(select $flex_
timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf, srcintfrole,
dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce(vwlname,vwlservice)
as rulename, service, coalesce(nullifna(`srcname`),ipstr(`srcip`),nullifna(`srcmac`)) as
dev_src, sum(crscore%65536) as crscore, coalesce(nullifna(`user`), nullifna(`unauthuser`),
ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth,
```

```
sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count
(*) as sessions from $log-traffic where $filter and (logflag&1>0) group by timestamp,
srccountry, dstintf, csf, devid, vd, srcintf, srcintfrole, dstintfrole, appid, appcat, app_
group, rulename, service, user_src, dev_src)### t where $filter-drilldown and rulename is
not null group by interface)) t group by interface order by bandwidth desc limit 10
```

Dataset Name	Description	Log Category
sdwan-Top-Application-Session-Bandwidth	Top SD-WAN application by bandwidth	traffic

```
select
  appid,
  app_group,
  sum(bandwidth) as bandwidth,
  sum(sessions) as sessions
from
  ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t where $filter-drilldown and rulename is not null group by appid, app_group order by
bandwidth desc
```

Dataset Name	Description	Log Category
sdwan-Top-Users-By-Bandwidth-Bar	SD-WAN Top users by bandwidth usage	traffic

```
select
  user_src,
  sum(bandwidth) as bandwidth
from
  ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t where $filter-drilldown and rulename is not null group by user_src order by bandwidth desc
```

Dataset Name	Description	Log Category
sdwan-top-user-app-Drilldown	SD-WAN Top users and Application by bandwidth	traffic

```
select
  user_src,
  app_group,
  sum(bandwidth) as bandwidth
```

```

from
    ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&l>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t where $filter-drilldown and rulename is not null group by user_src, app_group order by
bandwidth desc

```

Dataset Name	Description	Log Category
sdwan-Device-Intfe-traffic-out-bandwidth-Line	SD-WAN Device-Interface traffic sent bandwidth Timeline	traffic

```

select
    $flex_timescale(timestamp) as hodex,
    t1.dstintf as interface,
    sum(traffic_out) as bandwidth
from
    ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&l>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t1 inner join (select dstintf, count(*) as num_intf from ###(select $flex_timestamp as
timestamp, csf, devid, vd, srccountry, dstintf, srcintf, srcintfrole, dstintfrole, appid,
appcat, app_group_name(app) as app_group, coalesce(vwlname,vwlservice) as rulename, service,
coalesce(nullifna(`srcname`),ipstr(`srcip`),nullifna(`srcmac`)) as dev_src, sum
(crscore%65536) as crscore, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr
(`srcip`)) as user_src, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum
(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*)
as sessions from $log-traffic where $filter and (logflag&l>0) group by timestamp,
srccountry, dstintf, csf, devid, vd, srcintf, srcintfrole, dstintfrole, appid, appcat, app_
group, rulename, service, user_src, dev_src)### t where $filter-drilldown and rulename is
not null group by dstintf order by num_intf desc limit 10)t2 on t1.dstintf=t2.dstintf where
rulename is not null group by hodex, t1.dstintf order by hodex

```

Dataset Name	Description	Log Category
sdwan-Device-Intfe-traffic-in-bandwidth-Line	SD-WAN Device-Interface traffic received bandwidth Timeline	traffic

```

select
    $flex_timescale(timestamp) as hodex,
    t1.srcintf as interface,
    sum(traffic_in) as bandwidth
from
    ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,

```



```
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t1 inner join (select srcintf, count(*) as num_intf from ###(select $flex_timestamp as
timestamp, csf, devid, vd, srccountry, dstintf, srcintf, srcintfrole, dstintfrole, appid,
appcat, app_group_name(app) as app_group, coalesce(vwlname,vwlservice) as rulename, service,
coalesce(nullifna(`srcname`),ipstr(`srcip`),nullifna(`srcmac`)) as dev_src, sum
(crscore%65536) as crscore, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr
(`srcip`)) as user_src, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum
(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*)
as sessions from $log-traffic where $filter and (logflag&1>0) group by timestamp,
srccountry, dstintf, csf, devid, vd, srcintf, srcintfrole, dstintfrole, appid, appcat, app_
group, rulename, service, user_src, dev_src)### t where $filter-drilldown and srcintf is not
null and srcintfrole = 'wan' and rulename is not null group by srcintf order by num_intf desc
limit 10)t2 on t1.srcintf=t2.srcintf where rulename is not null group by hodex, t1.srcintf
order by hodex
```

Dataset Name	Description	Log Category
sdwan-Device-Intfe-traffic-bandwidth-Line	SD-WAN Device-Interface traffic sent bandwidth Timeline	traffic

```
select
  $flex_timescale(timestamp) as hodex,
  t1.dstintf as interface,
  sum(traffic_out) as bandwidth
from
  ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t1 inner join (select dstintf, count(*) as num_intf from ###(select $flex_timestamp as
timestamp, csf, devid, vd, srccountry, dstintf, srcintf, srcintfrole, dstintfrole, appid,
appcat, app_group_name(app) as app_group, coalesce(vwlname,vwlservice) as rulename, service,
coalesce(nullifna(`srcname`),ipstr(`srcip`),nullifna(`srcmac`)) as dev_src, sum
(crscore%65536) as crscore, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr
(`srcip`)) as user_src, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum
(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*)
as sessions from $log-traffic where $filter and (logflag&1>0) group by timestamp,
srccountry, dstintf, csf, devid, vd, srcintf, srcintfrole, dstintfrole, appid, appcat, app_
group, rulename, service, user_src, dev_src)### t where $filter-drilldown and rulename is
not null group by dstintf order by num_intf desc limit 10)t2 on t1.dstintf=t2.dstintf where
rulename is not null group by hodex, t1.dstintf order by hodex
```

Dataset Name	Description	Log Category
sdwan-Device-SLA-Interface-bandwidth-Drilldown	SD-WAN Device Statistic by Bibandwidth	event

```
select
    devid,
    sum(bibandwidth)/ sum(count_linkup) as bibandwidth
from
    ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck
as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
(CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
convert_unit_to_num(inbandwidthused) as inbandwidth, convert_unit_to_num(outbandwidthused)
as outbandwidth, convert_unit_to_num(bibandwidthused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t where $filter-drilldown and bibandwidth is not null group by devid
having sum(count_linkup)>0 order by bibandwidth desc
```

Dataset Name	Description	Log Category
sdwan-Device-SLA-Rule-Latency-Line	SD-WAN Device-SLA-Rule Latency Line	event

```
select
    $flex_timescale(timestamp) as hodex,
    t1.sla_rule,
    min(latency) as latency
from
    (
        select
            timestamp,
            devid,
            sla_rule,
            sum(latency)/ sum(count_linkup) as latency
        from
            ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface,
healthcheck as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_
latency, sum(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss,
sum(latency) as latency, max(latency) as latency_max, min(latency) as latency_min, sum
```

```
(jitter) as jitter, max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as
packetloss, max(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum
(inbandwidth) as inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as
bibandwidth, count(*) as count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_
linkup, min(sdwan_status) as sdwan_status from (select itime, csf, devname, devid, vd,
interface, healthcheck, link_status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS
latency, (CASE WHEN link_status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_
status=1 THEN packetloss ELSE NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND
metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss, (CASE WHEN sla_failed=1 AND
metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN sla_failed=1 AND
metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_failed=1 THEN 3 ELSE
sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth, bibandwidth from (select
itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN status='down' THEN 0 ELSE
1 END) AS link_status, latency::float as latency, jitter::float as jitter, trim(trailing '%'
from packetloss)::float as packetloss, (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA
failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1
ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthused) as inbandwidth, convert_
unit_to_num(outbandwidthused) as outbandwidth, convert_unit_to_num(bibandwidthused) as
bibandwidth from $log where $filter and logid_to_int(logid) in (22925, 22933) and interface
is not null) t) t group by timestamp, csf, devname, devid, vd, interface, healthcheck
/*SkipSTART*/order by timestamp desc/*SkipEND*/)### t group by timestamp, devid, sla_rule
having sum(count_linkup)>0) t1 inner join (select sla_rule, count(*) as num_intf from ###
(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck as
sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
(CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
convert_unit_to_num(inbandwidthused) as inbandwidth, convert_unit_to_num(outbandwidthused)
as outbandwidth, convert_unit_to_num(bibandwidthused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t where $filter-drilldown and sla_rule is not null group by sla_rule
order by num_intf desc limit 10)t2 on t1.sla_rule=t2.sla_rule group by hindex, t1.sla_rule
order by hindex
```

Dataset Name	Description	Log Category
sdwan-Device-SLA-Rule-Jitter-Line	SD-WAN Device-SLA-Rule Jitter Line	event

```
select
  $flex_timescale(timestamp) as hindex,
```

```

    t1.sla_rule,
    min(jitter) as jitter
from
(
    select
        timestamp,
        devid,
        sla_rule,
        sum(jitter)/ sum(count_linkup) as jitter
    from
        ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface,
healthcheck as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_
latency, sum(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss,
sum(latency) as latency, max(latency) as latency_max, min(latency) as latency_min, sum
(jitter) as jitter, max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as
packetloss, max(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum
(inbandwidth) as inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as
bibandwidth, count(*) as count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_
linkup, min(sdwan_status) as sdwan_status from (select itime, csf, devname, devid, vd,
interface, healthcheck, link_status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS
latency, (CASE WHEN link_status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_
status=1 THEN packetloss ELSE NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND
metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss, (CASE WHEN sla_failed=1 AND
metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN sla_failed=1 AND
metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_failed=1 THEN 3 ELSE
sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth, bibandwidth from (select
itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN status='down' THEN 0 ELSE
1 END) AS link_status, latency::float as latency, jitter::float as jitter, trim(trailing '%'
from packetloss)::float as packetloss, (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA
failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1
ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthused) as inbandwidth, convert_
unit_to_num(outbandwidthused) as outbandwidth, convert_unit_to_num(bibandwidthused) as
bibandwidth from $log where $filter and logid_to_int(logid) in (22925, 22933) and interface
is not null) t) t group by timestamp, csf, devname, devid, vd, interface, healthcheck
/*SkipSTART*/order by timestamp desc/*SkipEND*/)### t group by timestamp, devid, sla_rule
having sum(count_linkup)>0) t1 inner join (select sla_rule, count(*) as num_intf from ###
(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck as
sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
(CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,

```

```

convert_unit_to_num(inbandwidthhused) as inbandwidth, convert_unit_to_num(outbandwidthhused)
as outbandwidth, convert_unit_to_num(bibandwidthhused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t where $filter-drilldown and sla_rule is not null group by sla_rule
order by num_intf desc limit 10)t2 on t1.sla_rule=t2.sla_rule group by hindex, t1.sla_rule
order by hindex

```

Dataset Name	Description	Log Category
sdwan-Device-SLA-Rule-Packetloss-Line	SD-WAN Device-SLA-Rule Packetloss Line	event

```

select
  $flex_timescale(timestamp) as hindex,
  t1.sla_rule,
  min(packetloss) as packetloss
from
  (
    select
      timestamp,
      devid,
      sla_rule,
      sum(packetloss)/ sum(count_linkup) as packetloss
    from
      ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface,
healthcheck as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_
latency, sum(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss,
sum(latency) as latency, max(latency) as latency_max, min(latency) as latency_min, sum
(jitter) as jitter, max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as
packetloss, max(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum
(inbandwidth) as inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as
bibandwidth, count(*) as count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_
linkup, min(sdwan_status) as sdwan_status from (select itime, csf, devname, devid, vd,
interface, healthcheck, link_status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS
latency, (CASE WHEN link_status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_
status=1 THEN packetloss ELSE NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND
metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss, (CASE WHEN sla_failed=1 AND
metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN sla_failed=1 AND
metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_failed=1 THEN 3 ELSE
sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth, bibandwidth from (select
itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN status='down' THEN 0 ELSE
1 END) AS link_status, latency::float as latency, jitter::float as jitter, trim(trailing '%'
from packetloss)::float as packetloss, (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA
failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1
ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthhused) as inbandwidth, convert_
unit_to_num(outbandwidthhused) as outbandwidth, convert_unit_to_num(bibandwidthhused) as
bibandwidth from $log where $filter and logid_to_int(logid) in (22925, 22933) and interface
is not null) t) t group by timestamp, csf, devname, devid, vd, interface, healthcheck
/*SkipSTART*/order by timestamp desc/*SkipEND*/)### t group by timestamp, devid, sla_rule
having sum(count_linkup)>0) t1 inner join (select sla_rule, count(*) as num_intf from ###
(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck as
sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max

```

```
(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
(CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
convert_unit_to_num(inbandwidthhused) as inbandwidth, convert_unit_to_num(outbandwidthhused)
as outbandwidth, convert_unit_to_num(bibandwidthhused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t where $filter-drilldown and sla_rule is not null group by sla_rule
order by num_intf desc limit 10)t2 on t1.sla_rule=t2.sla_rule group by hodesk, t1.sla_rule
order by hodesk
```

Dataset Name	Description	Log Category
sdwan-device-sla-intf-latency-pass-percent	SD-WAN Device Latency Pass Percentage by SLA rules and Interface	event

```
select
  sla_rule,
  interface,
  cast(
    100 *(
      1 - sum(failed_latency) / sum(count_linkup)
    ) as decimal(18, 2)
  ) as latency
from
  ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck
as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
(CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
```

```
failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
convert_unit_to_num(inbandwidththused) as inbandwidth, convert_unit_to_num(outbandwidththused)
as outbandwidth, convert_unit_to_num(bibandwidththused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t where $filter-drilldown group by sla_rule, interface having sum(count_
linkup)>0 order by latency desc
```

Dataset Name	Description	Log Category
sdwan-device-sla-intf-jitter-pass-percent	SD-WAN Device Jitter Pass Percentage by SLA rules and Interface	event

```
select
    sla_rule,
    interface,
    cast(
        100 *(
            1 - sum(failed_jitter)/ sum(count_linkup)
        ) as decimal(18, 2)
    ) as jitter
from
    ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck
as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
(CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
convert_unit_to_num(inbandwidththused) as inbandwidth, convert_unit_to_num(outbandwidththused)
as outbandwidth, convert_unit_to_num(bibandwidththused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t where $filter-drilldown group by sla_rule, interface having sum(count_
linkup)>0 order by jitter desc
```

Dataset Name	Description	Log Category
sdwan-device-sla-intf-packetloss-pass-percent	SD-WAN Device Packet Loss Pass Percentage by SLA rules and Interface	event

```
select
    sla_rule,
```



```

interface,
cast(
  100 * (
    1 - sum(failed_packetloss)/ sum(count_linkup)
  ) as decimal(18, 2)
) as packetloss
from
  ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck
as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
(CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
convert_unit_to_num(inbandwidthused) as inbandwidth, convert_unit_to_num(outbandwidthused)
as outbandwidth, convert_unit_to_num(bibandwidthused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t where $filter-drilldown group by sla_rule, interface having sum(count_
linkup)>0 order by packetloss desc

```

Dataset Name	Description	Log Category
sdwan-Device-Intf-List-by-Availability	SD-WAN Device Interface List by Availability	event

```

select
  devname || ':' || interface as dev_intf,
  sum(count_linkup)/ sum(count) as available
from
  ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck
as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_

```



```
latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
(CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
convert_unit_to_num(inbandwidththused) as inbandwidth, convert_unit_to_num(outbandwidththused)
as outbandwidth, convert_unit_to_num(bibandwidththused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t where $filter-drilldown group by dev_intf having sum(count)>0 order by
dev_intf
```

Dataset Name	Description	Log Category
sdwan-Device-Intf-Updown-Timeline	SD-WAN Device Interface Updown Time Line	event

```
select
  $fv_line_timescale(timestamp) as hindex,
  devname || ':' || interface as dev_intf,
  cast(
    100 * sum(count_linkup) / sum(count) as decimal(10, 2)
  ) as sdwan_status
from
  ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck
as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
(CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
convert_unit_to_num(inbandwidththused) as inbandwidth, convert_unit_to_num(outbandwidththused)
as outbandwidth, convert_unit_to_num(bibandwidththused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t group by hindex, dev_intf order by hindex
```

Dataset Name	Description	Log Category
sdwan-Device-Availability-status	SD-WAN Device Statistic by Bibandwidth	event

```
select
  devid,
```

```

sum(bibandwidth)/ sum(count_linkup) as bibandwidth
from
###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck
as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
(CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
convert_unit_to_num(inbandwidthused) as inbandwidth, convert_unit_to_num(outbandwidthused)
as outbandwidth, convert_unit_to_num(bibandwidthused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t where $filter-drilldown and bibandwidth is not null group by devid
having sum(count_linkup)>0 order by bibandwidth desc

```

Dataset Name	Description	Log Category
sdwan-device-intf-availability-percentage-bar	SD-WAN Device Interface Availability Percentage	event

```

(
select
  'SD-WAN' as interface,
  cast(
    sum(availcnt)* 100.0 / sum(count) as decimal(18, 2)
  ) as available
from
  (
    select
      timestamp,
      devid,
      first_value(count) OVER (
        PARTITION BY timestamp,
        devid
        ORDER BY
          link_status / count desc,
          count desc
      ) as count,
      first_value(link_status) OVER (
        PARTITION BY timestamp,
        devid
        ORDER BY

```

```

        link_status / count desc,
        count desc
    ) as availcnt
from
    (
        select
            timestamp,
            devid,
            interface,
            sum(link_status) as link_status,
            sum(count) as count
        from
            ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface,
healthcheck as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_
latency, sum(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss,
sum(latency) as latency, max(latency) as latency_max, min(latency) as latency_min, sum
(jitter) as jitter, max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as
packetloss, max(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum
(inbandwidth) as inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as
bibandwidth, count(*) as count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_
linkup, min(sdwan_status) as sdwan_status from (select itime, csf, devname, devid, vd,
interface, healthcheck, link_status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS
latency, (CASE WHEN link_status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_
status=1 THEN packetloss ELSE NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND
metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss, (CASE WHEN sla_failed=1 AND
metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN sla_failed=1 AND
metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_failed=1 THEN 3 ELSE
sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth, bibandwidth from (select
itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN status='down' THEN 0 ELSE
1 END) AS link_status, latency::float as latency, jitter::float as jitter, trim(trailing '%'
from packetloss)::float as packetloss, (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA
failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1
ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthused) as inbandwidth, convert_
unit_to_num(outbandwidthused) as outbandwidth, convert_unit_to_num(bibandwidthused) as
bibandwidth from $log where $filter and logid_to_int(logid) in (22925, 22933) and interface
is not null) t) t group by timestamp, csf, devname, devid, vd, interface, healthcheck
/*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where $filter-drilldown and count>0
group by timestamp, devid, interface)t) t group by interface) union all (select interface,
cast(sum(link_status)*100.0/sum(count) as decimal(18,2)) as available from ###(select $flex_
timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck as sla_rule, sum
(link_status) as link_status, sum(failed_latency) as failed_latency, sum(failed_jitter) as
failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency) as latency, max
(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter, max(jitter) as
jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max(packetloss) as
packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as inbandwidth, sum
(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as count, sum(CASE
WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as sdwan_status
from (select itime, csf, devname, devid, vd, interface, healthcheck, link_status, (CASE WHEN
link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_status=1 THEN jitter
ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE NULL END) AS
packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END) AS failed_
packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter,
(CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE
WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth,
bibandwidth from (select itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN
status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as latency, jitter::float as

```

```

jitter, trim(trailing '%' from packetloss)::float as packetloss, (CASE WHEN status='down'
THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg
LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthhused)
as inbandwidth, convert_unit_to_num(outbandwidthhused) as outbandwidth, convert_unit_to_num
(bibandwidthhused) as bibandwidth from $log where $filter and logid_to_int(logid) in (22925,
22933) and interface is not null) t) t group by timestamp, csf, devname, devid, vd,
interface, healthcheck /*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where $filter-
drilldown group by interface order by interface)

```

Dataset Name	Description	Log Category
sdwan-device-intf-availability-percentage-donut	SD-WAN Device Interface Availability Percentage Donut	event

```

select
  interface,
  unnest(avail) as avail,
  unnest(val) as val
from
  (
    select
      interface,
      array[ 'Available',
        'Unavailable' ] as avail,
      array[available,
        100 - available] as val
    from
      (
        (
          select
            'SD-WAN' as interface,
            cast(
              sum(availcnt)* 100.0 / sum(count) as decimal(18, 2)
            ) as available
          from
            (
              select
                timestamp,
                devid,
                first_value(count) OVER (
                  PARTITION BY timestamp,
                  devid
                  ORDER BY
                    link_status / count desc,
                    count desc
                ) as count,
                first_value(link_status) OVER (
                  PARTITION BY timestamp,
                  devid
                  ORDER BY
                    link_status / count desc,
                    count desc
                ) as availcnt
              from
                (
                  select

```

```

        timestamp,
        devid,
        interface,
        sum(link_status) as link_status,
        sum(count) as count
    from
        ###(select $flex_timestamp as timestamp, csf, devname, devid, vd,
        interface, healthcheck as sla_rule, sum(link_status) as link_status, sum(failed_latency) as
        failed_latency, sum(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_
        packetloss, sum(latency) as latency, max(latency) as latency_max, min(latency) as latency_
        min, sum(jitter) as jitter, max(jitter) as jitter_max, min(jitter) as jitter_min, sum
        (packetloss) as packetloss, max(packetloss) as packetloss_max, min(packetloss) as
        packetloss_min, sum(inbandwidth) as inbandwidth, sum(outbandwidth) as outbandwidth, sum
        (bibandwidth) as bibandwidth, count(*) as count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0
        END) AS count_linkup, min(sdwan_status) as sdwan_status from (select itime, csf, devname,
        devid, vd, interface, healthcheck, link_status, (CASE WHEN link_status=1 THEN latency ELSE
        NULL END) AS latency, (CASE WHEN link_status=1 THEN jitter ELSE NULL END) AS jitter, (CASE
        WHEN link_status=1 THEN packetloss ELSE NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND
        metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss, (CASE WHEN sla_failed=1 AND
        metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN sla_failed=1 AND
        metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_failed=1 THEN 3 ELSE
        sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth, bibandwidth from (select
        itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN status='down' THEN 0 ELSE
        1 END) AS link_status, latency::float as latency, jitter::float as jitter, trim(trailing '%'
        from packetloss)::float as packetloss, (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA
        failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1
        ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthused) as inbandwidth, convert_
        unit_to_num(outbandwidthused) as outbandwidth, convert_unit_to_num(bibandwidthused) as
        bibandwidth from $log where $filter and logid_to_int(logid) in (22925, 22933) and interface
        is not null) t) t group by timestamp, csf, devname, devid, vd, interface, healthcheck
/*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where $filter-drilldown and count>0
group by timestamp, devid, interface)t) t group by interface) union all (select interface,
cast(sum(link_status)*100.0/sum(count) as decimal(18,2)) as available from ###(select $flex_
timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck as sla_rule, sum
(link_status) as link_status, sum(failed_latency) as failed_latency, sum(failed_jitter) as
failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency) as latency, max
(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter, max(jitter) as
jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max(packetloss) as
packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as inbandwidth, sum
(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as count, sum(CASE
WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as sdwan_status
from (select itime, csf, devname, devid, vd, interface, healthcheck, link_status, (CASE WHEN
link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_status=1 THEN jitter
ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE NULL END) AS
packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END) AS failed_
packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter,
(CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE
WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth,
bibandwidth from (select itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN
status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as latency, jitter::float as
jitter, trim(trailing '%' from packetloss)::float as packetloss, (CASE WHEN status='down'
THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg
LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthused)
as inbandwidth, convert_unit_to_num(outbandwidthused) as outbandwidth, convert_unit_to_num
(bibandwidthused) as bibandwidth from $log where $filter and logid_to_int(logid) in (22925,
22933) and interface is not null) t) t group by timestamp, csf, devname, devid, vd,

```

```
interface, healthcheck /*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where $filter-  
drilldown group by interface order by interface)) t) t
```

Dataset Name	Description	Log Category
sdwan-Device-Application-sdwan-Rules-and-Ports-drilldown	SD-WAN Device Statistic by Bibandwidth	event

```
select
  devid,
  sum(bibandwidth)/ sum(count_linkup) as bibandwidth
from
  ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck
as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
(CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
convert_unit_to_num(inbandwidthused) as inbandwidth, convert_unit_to_num(outbandwidthused)
as outbandwidth, convert_unit_to_num(bibandwidthused) as bibandwidth from $log where $filter
and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
desc/*SkipEND*/)### t where $filter-drilldown and bibandwidth is not null group by devid
having sum(count_linkup)>0 order by bibandwidth desc
```

Dataset Name	Description	Log Category
sdwan-Device-Interface-Application-Traffic-Sankey	Top SD-WAN application by bandwidth sankey	traffic

```
select
  'SD-WAN Rules' as summary,
  'Rule:' || rulename as rule_name,
  app_group,
  devid,
  dstintf as interface,
  sum(bandwidth) as bandwidth
from
  ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
```

```
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf, srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)### t where $filter-drilldown and rulename is not null group by rulename, app_group, devid, interface order by bandwidth desc
```

Dataset Name	Description	Log Category
sdwan-fw-Device-Interface-test2	SD-WAN Device-Interface Statistic	event

```
select
  devid,
  sum(bibandwidth)/ sum(count_linkup) as bibandwidth
from
  ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface, healthcheck
  as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_latency, sum
  (failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss, sum(latency)
  as latency, max(latency) as latency_max, min(latency) as latency_min, sum(jitter) as jitter,
  max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as packetloss, max
  (packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum(inbandwidth) as
  inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as
  count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as
  sdwan_status from (select itime, csf, devname, devid, vd, interface, healthcheck, link_
  status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_
  status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE
  NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END)
  AS failed_packetloss, (CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS
  failed_jitter, (CASE WHEN sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_
  latency, (CASE WHEN sla_failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth,
  outbandwidth, bibandwidth from (select itime, csf, devname, devid, vd, interface,
  healthcheck, (CASE WHEN status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as
  latency, jitter::float as jitter, trim(trailing '%' from packetloss)::float as packetloss,
  (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_
  failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status,
  convert_unit_to_num(inbandwidthused) as inbandwidth, convert_unit_to_num(outbandwidthused)
  as outbandwidth, convert_unit_to_num(bibandwidthused) as bibandwidth from $log where $filter
  and logid_to_int(logid) in (22925, 22933) and interface is not null) t) t group by
  timestamp, csf, devname, devid, vd, interface, healthcheck /*SkipSTART*/order by timestamp
  desc/*SkipEND*/)### t where $filter-drilldown and bibandwidth is not null group by devid
  having sum(count_linkup)>0 order by bibandwidth desc
```

Dataset Name	Description	Log Category
sdwan-Device-Intf-Avail-Percentage-Timeline	SD-WAN Device Interface Availability Percentage Timeline	event

```
select
  hodex,
  interface,
  available
from
  (
    (
      select
```

```

$flex_datetime(timestamp) as hodesk,
'SD-WAN' as interface,
cast(
  sum(availlcnt)* 100.0 / sum(count) as decimal(18, 2)
) as available
from
(
  select
    timestamp,
    devid,
    first_value(count) OVER (
      PARTITION BY timestamp,
      devid
      ORDER BY
        link_status / count desc,
        count desc
    ) as count,
    first_value(link_status) OVER (
      PARTITION BY timestamp,
      devid
      ORDER BY
        link_status / count desc,
        count desc
    ) as availcnt
  from
    (
      select
        timestamp,
        devid,
        interface,
        sum(link_status) as link_status,
        sum(count) as count
      from
        ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface,
healthcheck as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_
latency, sum(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss,
sum(latency) as latency, max(latency) as latency_max, min(latency) as latency_min, sum
(jitter) as jitter, max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as
packetloss, max(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum
(inbandwidth) as inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as
bibandwidth, count(*) as count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_
linkup, min(sdwan_status) as sdwan_status from (select itime, csf, devname, devid, vd,
interface, healthcheck, link_status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS
latency, (CASE WHEN link_status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_
status=1 THEN packetloss ELSE NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND
metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss, (CASE WHEN sla_failed=1 AND
metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN sla_failed=1 AND
metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_failed=1 THEN 3 ELSE
sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth, bibandwidth from (select
itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN status='down' THEN 0 ELSE
1 END) AS link_status, latency::float as latency, jitter::float as jitter, trim(trailing '%'
from packetloss)::float as packetloss, (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA
failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1
ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthused) as inbandwidth, convert_
unit_to_num(outbandwidthused) as outbandwidth, convert_unit_to_num(bibandwidthused) as
bibandwidth from $log where $filter and logid_to_int(logid) in (22925, 22933) and interface

```



```

is not null) t) t group by timestamp, csf, devname, devid, vd, interface, healthcheck
/*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where $filter-drilldown and count>0
group by timestamp, devid, interface)t) t group by hodex order by hodex) union all (select
$flex_datetime(timestamp) as hodex, interface, cast(sum(link_status)*100.0/sum(count) as
decimal(18,2)) as available from ###(select $flex_timestamp as timestamp, csf, devname,
devid, vd, interface, healthcheck as sla_rule, sum(link_status) as link_status, sum(failed_
latency) as failed_latency, sum(failed_jitter) as failed_jitter, sum(failed_packetloss) as
failed_packetloss, sum(latency) as latency, max(latency) as latency_max, min(latency) as
latency_min, sum(jitter) as jitter, max(jitter) as jitter_max, min(jitter) as jitter_min,
sum(packetloss) as packetloss, max(packetloss) as packetloss_max, min(packetloss) as
packetloss_min, sum(inbandwidth) as inbandwidth, sum(outbandwidth) as outbandwidth, sum
(bibandwidth) as bibandwidth, count(*) as count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0
END) AS count_linkup, min(sdwan_status) as sdwan_status from (select itime, csf, devname,
devid, vd, interface, healthcheck, link_status, (CASE WHEN link_status=1 THEN latency ELSE
NULL END) AS latency, (CASE WHEN link_status=1 THEN jitter ELSE NULL END) AS jitter, (CASE
WHEN link_status=1 THEN packetloss ELSE NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND
metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss, (CASE WHEN sla_failed=1 AND
metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN sla_failed=1 AND
metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_failed=1 THEN 3 ELSE
sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth, bibandwidth from (select
itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN status='down' THEN 0 ELSE
1 END) AS link_status, latency::float as latency, jitter::float as jitter, trim(trailing '%'
from packetloss)::float as packetloss, (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA
failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1
ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthused) as inbandwidth, convert_
unit_to_num(outbandwidthused) as outbandwidth, convert_unit_to_num(bibandwidthused) as
bibandwidth from $log where $filter and logid_to_int(logid) in (22925, 22933) and interface
is not null) t) t group by timestamp, csf, devname, devid, vd, interface, healthcheck
/*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where $filter-drilldown group by
hodex, interface order by hodex)) t order by hodex

```

Dataset Name	Description	Log Category
sdwan-Device-Intf-Inbandwidth-Timeline	SD-WAN Device-Interface Inbandwidth Timeline	event

```

select
  $flex_timescale(timestamp) as time,
  t1.interface,
  cast(
    sum(inbandwidth)/ sum(count_linkup) as decimal(18, 2)
  ) as inbandwidth
from
  (
    select
      timestamp,
      devid,
      interface,
      sum(count_linkup) as count_linkup,
      sum(inbandwidth) as inbandwidth
    from
      ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface,
healthcheck as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_
latency, sum(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss,
sum(latency) as latency, max(latency) as latency_max, min(latency) as latency_min, sum
(jitter) as jitter, max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as

```

```

packetloss, max(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum
(inbandwidth) as inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as
bibandwidth, count(*) as count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_
linkup, min(sdwan_status) as sdwan_status from (select itime, csf, devname, devid, vd,
interface, healthcheck, link_status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS
latency, (CASE WHEN link_status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_
status=1 THEN packetloss ELSE NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND
metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss, (CASE WHEN sla_failed=1 AND
metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN sla_failed=1 AND
metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_failed=1 THEN 3 ELSE
sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth, bibandwidth from (select
itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN status='down' THEN 0 ELSE
1 END) AS link_status, latency::float as latency, jitter::float as jitter, trim(trailing '%'
from packetloss)::float as packetloss, (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA
failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1
ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthused) as inbandwidth, convert_
unit_to_num(outbandwidthused) as outbandwidth, convert_unit_to_num(bibandwidthused) as
bibandwidth from $log where $filter and logid_to_int(logid) in (22925, 22933) and interface
is not null) t) t group by timestamp, csf, devname, devid, vd, interface, healthcheck
/*SkipSTART*/order by timestamp desc/*SkipEND*/)### t group by timestamp, devid, interface)
t1 inner join (select devid, interface, count(*) as num_intf from ###(select $flex_timestamp
as timestamp, csf, devname, devid, vd, interface, healthcheck as sla_rule, sum(link_status)
as link_status, sum(failed_latency) as failed_latency, sum(failed_jitter) as failed_jitter,
sum(failed_packetloss) as failed_packetloss, sum(latency) as latency, max(latency) as
latency_max, min(latency) as latency_min, sum(jitter) as jitter, max(jitter) as jitter_max,
min(jitter) as jitter_min, sum(packetloss) as packetloss, max(packetloss) as packetloss_max,
min(packetloss) as packetloss_min, sum(inbandwidth) as inbandwidth, sum(outbandwidth) as
outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as count, sum(CASE WHEN link_
status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as sdwan_status from (select
itime, csf, devname, devid, vd, interface, healthcheck, link_status, (CASE WHEN link_
status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_status=1 THEN jitter ELSE
NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE NULL END) AS packetloss,
(CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss,
(CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN
sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_
failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth,
bibandwidth from (select itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN
status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as latency, jitter::float as
jitter, trim(trailing '%' from packetloss)::float as packetloss, (CASE WHEN status='down'
THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg
LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthused)
as inbandwidth, convert_unit_to_num(outbandwidthused) as outbandwidth, convert_unit_to_num
(bibandwidthused) as bibandwidth from $log where $filter and logid_to_int(logid) in (22925,
22933) and interface is not null) t) t group by timestamp, csf, devname, devid, vd,
interface, healthcheck /*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where $filter-
drilldown group by devid, interface order by num_intf desc limit 10)t2 on
t1.interface=t2.interface and t1.devid=t2.devid group by time, t1.interface having sum
(count_linkup)>0 order by time

```

Dataset Name	Description	Log Category
sdwan-Device-Intf-Outbandwidth-Timeline	SD-WAN Device-Interface Outbandwidth Timeline	event

```

select
  $flex_timescale(timestamp) as time,

```

```

t1.interface,
cast(
    sum(outbandwidth)/ sum(count_linkup) as decimal(18, 2)
) as outbandwidth
from
(
    select
        timestamp,
        devid,
        interface,
        sum(count_linkup) as count_linkup,
        sum(outbandwidth) as outbandwidth
    from
        ###(select $flex_timestamp as timestamp, csf, devname, devid, vd, interface,
        healthcheck as sla_rule, sum(link_status) as link_status, sum(failed_latency) as failed_
        latency, sum(failed_jitter) as failed_jitter, sum(failed_packetloss) as failed_packetloss,
        sum(latency) as latency, max(latency) as latency_max, min(latency) as latency_min, sum
        (jitter) as jitter, max(jitter) as jitter_max, min(jitter) as jitter_min, sum(packetloss) as
        packetloss, max(packetloss) as packetloss_max, min(packetloss) as packetloss_min, sum
        (inbandwidth) as inbandwidth, sum(outbandwidth) as outbandwidth, sum(bibandwidth) as
        bibandwidth, count(*) as count, sum(CASE WHEN link_status=1 THEN 1 ELSE 0 END) AS count_
        linkup, min(sdwan_status) as sdwan_status from (select itime, csf, devname, devid, vd,
        interface, healthcheck, link_status, (CASE WHEN link_status=1 THEN latency ELSE NULL END) AS
        latency, (CASE WHEN link_status=1 THEN jitter ELSE NULL END) AS jitter, (CASE WHEN link_
        status=1 THEN packetloss ELSE NULL END) AS packetloss, (CASE WHEN sla_failed=1 AND
        metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss, (CASE WHEN sla_failed=1 AND
        metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN sla_failed=1 AND
        metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_failed=1 THEN 3 ELSE
        sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth, bibandwidth from (select
        itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN status='down' THEN 0 ELSE
        1 END) AS link_status, latency::float as latency, jitter::float as jitter, trim(trailing '%'
        from packetloss)::float as packetloss, (CASE WHEN status='down' THEN 1 WHEN msg LIKE '%SLA
        failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg LIKE '%SLA status%' THEN 1
        ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthused) as inbandwidth, convert_
        unit_to_num(outbandwidthused) as outbandwidth, convert_unit_to_num(bibandwidthused) as
        bibandwidth from $log where $filter and logid_to_int(logid) in (22925, 22933) and interface
        is not null) t) t group by timestamp, csf, devname, devid, vd, interface, healthcheck
/*SkipSTART*/order by timestamp desc/*SkipEND*/)### t group by timestamp, devid, interface)
t1 inner join (select devid, interface, count(*) as num_intf from ###(select $flex_timestamp
as timestamp, csf, devname, devid, vd, interface, healthcheck as sla_rule, sum(link_status)
as link_status, sum(failed_latency) as failed_latency, sum(failed_jitter) as failed_jitter,
sum(failed_packetloss) as failed_packetloss, sum(latency) as latency, max(latency) as
latency_max, min(latency) as latency_min, sum(jitter) as jitter, max(jitter) as jitter_max,
min(jitter) as jitter_min, sum(packetloss) as packetloss, max(packetloss) as packetloss_max,
min(packetloss) as packetloss_min, sum(inbandwidth) as inbandwidth, sum(outbandwidth) as
outbandwidth, sum(bibandwidth) as bibandwidth, count(*) as count, sum(CASE WHEN link_
status=1 THEN 1 ELSE 0 END) AS count_linkup, min(sdwan_status) as sdwan_status from (select
itime, csf, devname, devid, vd, interface, healthcheck, link_status, (CASE WHEN link_
status=1 THEN latency ELSE NULL END) AS latency, (CASE WHEN link_status=1 THEN jitter ELSE
NULL END) AS jitter, (CASE WHEN link_status=1 THEN packetloss ELSE NULL END) AS packetloss,
(CASE WHEN sla_failed=1 AND metric='packetloss' THEN 1 ELSE 0 END) AS failed_packetloss,
(CASE WHEN sla_failed=1 AND metric='jitter' THEN 1 ELSE 0 END) AS failed_jitter, (CASE WHEN
sla_failed=1 AND metric='latency' THEN 1 ELSE 0 END) AS failed_latency, (CASE WHEN sla_
failed=1 THEN 3 ELSE sdwan_status END) AS sdwan_status, inbandwidth, outbandwidth,
bibandwidth from (select itime, csf, devname, devid, vd, interface, healthcheck, (CASE WHEN
status='down' THEN 0 ELSE 1 END) AS link_status, latency::float as latency, jitter::float as

```

```

jitter, trim(trailing '%' from packetloss)::float as packetloss, (CASE WHEN status='down'
THEN 1 WHEN msg LIKE '%SLA failed%' THEN 1 ELSE 0 END) AS sla_failed, metric, (CASE WHEN msg
LIKE '%SLA status%' THEN 1 ELSE 0 END) AS sdwan_status, convert_unit_to_num(inbandwidthhused)
as inbandwidth, convert_unit_to_num(outbandwidthhused) as outbandwidth, convert_unit_to_num
(bibandwidthhused) as bibandwidth from $log where $filter and logid_to_int(logid) in (22925,
22933) and interface is not null) t) t group by timestamp, csf, devname, devid, vd,
interface, healthcheck /*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where $filter-
drilldown group by devid, interface order by num_intf desc limit 10)t2 on
t1.interface=t2.interface and t1.devid=t2.devid group by time, t1.interface having sum
(count_linkup)>0 order by time

```

Dataset Name	Description	Log Category
Top-Web-Sites-by-Bandwidth	Top web sites by bandwidth usage	webfilter

```

select
  domain,
  sum(bandwidth) as bandwidth
from
  ###(select coalesce(nullifna(hostname), ipstr(`dstip`)) as domain, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth from $log-traffic where $filter and (logflag&1>0) and
(countweb>0 or ((logver is null or logver<502000000) and (hostname is not null or utmevent
in ('webfilter', 'banned-word', 'web-content', 'command-block', 'script-filter')))) group by
domain having sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0))>0 order by bandwidth desc)###
t group by domain order by bandwidth desc

```

Dataset Name	Description	Log Category
Top-App-Category-by-Session	Application risk application usage by category	traffic

```

select
  appcat,
  sum(sessions) as total_num
from
  ###(select appid, app, appcat, apprisk, sum(bandwidth) as bandwidth, sum(sessions) as
sessions from ###base(/*tag:rpt_base_t_top_app*/select dvid, srcip, dstip, epid, euid,
coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, appid, app,
appcat, apprisk, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, count(*) as
sessions from $log-traffic where $filter and (logflag&1>0) and nullifna(app) is not null
group by dvid, srcip, dstip, epid, euid, user_src, appid, app, appcat, apprisk order by
sessions desc)base### t group by appid, app, appcat, apprisk /*SkipSTART*/order by sessions
desc, bandwidth desc/*SkipEND*/)### t where $filter-drilldown group by appcat order by
total_num desc

```

Dataset Name	Description	Log Category
Top-Region-Name-by-Traffic	Traffic top destination countries by browsing time	traffic

```

select
  dstcountry,
  sum(bandwidth) as bandwidth
from
  ###(select dstcountry, ebtr_agg_flat(browsetime) as browsetime, sum(bandwidth) as
bandwidth, sum(traffic_in) as traffic_in, sum(traffic_out) as traffic_out from (select
dstcountry, ebtr_agg_flat($browse_time) as browsetime, sum(coalesce(sentbyte, 0)+coalesce
(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce

```

```
(sentbyte, 0)) as traffic_out from $log where $filter and (logflag&1>0) and $browse_time is
not null group by dstcountry) t group by dstcountry /*SkipSTART*/order by ebtr_value(ebtr_
agg_flat(browsetime), null, null) desc/*SkipEND*/)### t where $filter-drilldown group by
dstcountry order by bandwidth desc
```

Dataset Name	Description	Log Category
Top-App-By-Bandwidth-Chart	Top applications by bandwidth usage	traffic

```
select
    app_group,
    sum(bandwidth) as bandwidth,
    sum(traffic_in) as traffic_in,
    sum(traffic_out) as traffic_out,
    sum(sessions) as sessions
from
    ###(select app_group_name(app) as app_group, appcat, service, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log where $filter and
(logflag&1>0) and nullifna(app) is not null group by app_group, appcat, service order by
bandwidth desc)### t group by app_group having sum(bandwidth)>0 order by bandwidth desc
```

Dataset Name	Description	Log Category
Top-Protocols-By-Traffic	Top applications by bandwidth usage	traffic

```
select
    service,
    sum(bandwidth) as bandwidth
from
    ###(select service, sum(bandwidth) as bandwidth from ###base(/*tag:rpt_base_t_bndwdth_
sess*/select $flex_timestamp as timestamp, dvid, srcip, dstip, epid, euid, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, service, count(*) as
sessions, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce
(sentbyte, 0)) as traffic_out, sum(coalesce(rcvdbyte, 0)) as traffic_in from $log-traffic
where $filter and (logflag&1>0) group by timestamp, dvid, srcip, dstip, epid, euid, user_
src, service /*SkipSTART*/order by timestamp desc/*SkipEND*/)base### base_query group by
service order by bandwidth desc)### t where $filter-drilldown group by service order by
bandwidth desc
```

Dataset Name	Description	Log Category
Top-Web-Sites-by-Sessions	Top web sites by session count	webfilter

```
select
    domain,
    sum(sessions) as sessions
from
    ###(select coalesce(nullifna(hostname), ipstr(`dstip`)) as domain, count(*) as sessions
from $log where $filter and (eventtype is null or logver>=502000000) group by domain order
by sessions desc)### t group by domain order by sessions desc
```

Dataset Name	Description	Log Category
Top-Attacks-by-Count	Threat attacks by severity	attack

```
select
  attack,
  sum(attack_count) as totalnum
from
  ###(select coalesce(nullifna(`user`), ipstr(`srcip`)) as user_src, attack, (case when
severity in ('critical', 'high') then 1 else 0 end) as high_severity, count(*) as attack_
count from $log where $filter and nullifna(attack) is not null group by user_src, attack,
high_severity order by attack_count desc)### t where $filter-drilldown and attack is not
null group by attack order by totalnum desc
```

Dataset Name	Description	Log Category
Top-Spams-by-Count	User drilldown top spam sources	emailfilter

```
select
  user_src,
  sum(totalnum) as totalnum
from
  ###(select $flex_timestamp as timestamp, coalesce(nullifna(`user`), ipstr(`srcip`)) as
user_src, `from` as mf_sender, `to` as mf_receiver, action, eventtype, count(*) as totalnum
from $log where $filter group by timestamp, user_src, mf_sender, mf_receiver, action,
eventtype /*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where $filter-drilldown and
mf_sender is not null group by user_src order by totalnum desc
```

Dataset Name	Description	Log Category
utm-Top-Virus-Count	UTM top virus	virus

```
select
  virus,
  max(virusid_s) as virusid,
  (
    case when virus like 'Riskware%' then 'Spyware' when virus like 'Adware%' then 'Adware'
else 'Virus' end
  ) as malware_type,
  sum(totalnum) as totalnum
from
  ###(select virus, virusid_to_str(virusid, eventtype) as virusid_s, count(*) as totalnum
from $log where $filter and (eventtype is null or logver>=502000000) and nullifna(virus) is
not null group by virus, virusid_s /*SkipSTART*/order by totalnum desc/*SkipEND*/)### t
group by virus, malware_type order by totalnum desc
```

Dataset Name	Description	Log Category
security-Antivirus-Inspections	Antivirus Inspections	virus

```
select
  action,
  sum(totalnum) as totalnum
from
  ###(select $flex_timestamp as timestamp, coalesce(nullifna(`user`), ipstr(`srcip`)) as
user_src, `from` as mf_sender, `to` as mf_receiver, action, eventtype, count(*) as totalnum
from $log where $filter group by timestamp, user_src, mf_sender, mf_receiver, action,
eventtype /*SkipSTART*/order by timestamp desc/*SkipEND*/)### t where $filter-drilldown and
action is not null group by action order by totalnum desc
```

Dataset Name	Description	Log Category
Top-DLP-by-Count	Email DLP Activity Summary	dlp

```
select
  profile,
  count(*) as total_num
from
  ###(select itime, hostname, `from` as sender, `to` as receiver, profile, action, service,
  subtype, srcip, dstip, severity, filename, direction, filesize, (case when
  severity='critical' then 'Critical Data Exfiltration' else (case when coalesce(nullifna
  (`user`), ipstr(`srcip`)) is not null then 'User Associated Data Loss' else NULL end) end)
  as data_loss from $log where $filter /*SkipSTART*/order by itime desc/*SkipEND*/)### t where
  $filter-drilldown and profile is not null group by profile order by total_num desc
```

Dataset Name	Description	Log Category
wifi-Top-AP-By-Client	Top access point by client	traffic

```
select
  ap_srcintf as srcintf,
  count(distinct srcmac) as totalnum
from
  ###(select coalesce(ap, srcintf) as ap_srcintf, srcssid, osname, srcswversion, get_devtype
  (srcswversion, osname, devtype) as devtype_new, srcmac, count(*) as subtotal from $log where
  $filter and (logflag&1>0) and (srcssid is not null or dstssid is not null) and srcmac is not
  null group by ap_srcintf, srcssid, osname, srcswversion, devtype_new, srcmac order by
  subtotal desc)### t group by srcintf order by totalnum desc
```

Dataset Name	Description	Log Category
wifi-Top-AP-By-Bandwidth	Top access point by bandwidth usage	traffic

```
select
  coalesce(ap, srcintf) as ap_srcintf,
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) as bandwidth
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
  and (
    srcssid is not null
    or dstssid is not null
  )
group by
  ap_srcintf
having
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  )& gt; 0
```

```
order by
    bandwidth desc
```

Dataset Name	Description	Log Category
wifi-Top-SSID-By-Bandwidth	Top SSIDs by bandwidth usage	traffic

```
select
    srcssid,
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    ) as bandwidth
from
    $log
where
    $filter
    and (
        logflag&1>0
    )
    and srcssid is not null
group by
    srcssid
having
    sum(
        coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
    ) > 0
order by
    bandwidth desc
```

Dataset Name	Description	Log Category
sdwan-CTAP-Total-Bandwidth-Internal-And-External	CTAP SD-WAN Internal and External Bandwidth	traffic

```
select
    interface,
    bandwidth
from
    (
        (
            select
                'Internal' as interface,
                coalesce(
                    sum(bandwidth),
                    0
                ) as bandwidth
            from
                ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf,
                srcintf, srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
                (vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
                (`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
                (`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
                0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
                (coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
                and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
                srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
        )
    )
```



```
t where $filter-drilldown) union all (select 'External' as interface, coalesce(sum
(bandwidth), 0) as bandwidth from ###(select $flex_timestamp as timestamp, csf, devid, vd,
srccountry, dstintf, srcintf, srcintfrole, dstintfrole, appid, appcat, app_group_name(app)
as app_group, coalesce(vwlname,vwlservice) as rulename, service, coalesce(nullifna
(`srcname`),ipstr(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore,
coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce
(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in,
sum(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where
$filter and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t where $filter-drilldown)) t where bandwidth>0
```

Dataset Name	Description	Log Category
sdwan-CTAP-Total-Bandwidth-External-Business-nonBusiness-Network	CTAP SD-WAN Bandwidth of External Business and nonBusiness	traffic

```
select
(
case when appcat not in (
'Network.Service', 'Mobile', 'Social.Media',
'Proxy', 'Video\Audio', 'Game',
'P2P', 'unknown'
) then 'Business' when appcat in (
'Mobile', 'Social.Media', 'Proxy',
'Video\Audio', 'Game', 'P2P', 'unknown'
) then 'nonBusiness' when appcat in ('Network.Service') then 'Network Service' end
) as app_cat,
coalesce(
sum(bandwidth),
0
) as bandwidth
from
###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t where $filter-drilldown group by app_cat order by bandwidth desc
```

Dataset Name	Description	Log Category
sdwan-CTAP-Top-Appcat-Appgroup-By-Bandwidth-Sankey	CTAP SD-WAN Top SD-WAN application by bandwidth usage	traffic

```
select
'External' as summary,
appcat,
app_group,
sum(bandwidth) as bandwidth
from
```

```

###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t where $filter-drilldown and bandwidth>0 group by appcat, app_group order by bandwidth desc

```

Dataset Name	Description	Log Category
sdwan-CTAP-Business-Apps-Bandwidth	CTAP SD-WAN Business Application with Bandwidth	traffic

```

select
  app_group,
  sum(bandwidth) as bandwidth
from
  ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t1 inner join app_mdata t2 on lower(t1.app_group)=lower(t2.name) where $filter-drilldown and
appcat not in ('Network.Service',
'Mobile','Social.Media','Proxy','Video\Audio','Game','P2P','unknown') group by app_group
order by bandwidth desc, app_group

```

Dataset Name	Description	Log Category
sdwan-CTAP-Cloud-IT-Apps-Bandwidth	CTAP SD-WAN Cloud IT Application Bandwidth	traffic

```

select
  app_group,
  sum(bandwidth) as bandwidth
from
  ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t where $filter-drilldown and appcat='Cloud.IT' and bandwidth>0 group by app_group order by
bandwidth desc

```

Dataset Name	Description	Log Category
sdwan-CTAP-Storage-Backup-Apps-Bandwidth	CTAP SD-WAN Storage Backup Application Bandwidth	traffic

```
select
  app_group,
  sum(bandwidth) as bandwidth
from
  ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t where $filter-drilldown and appcat='Storage.Backup' and bandwidth>0 group by app_group
order by bandwidth desc
```

Dataset Name	Description	Log Category
sdwan-CTAP-Collaboration-Apps-Bandwidth	CTAP SD-WAN Collaboration Application Bandwidth	traffic

```
select
  app_group,
  sum(bandwidth) as bandwidth
from
  ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t where $filter-drilldown and appcat='Collaboration' and bandwidth>0 group by app_group
order by bandwidth desc
```

Dataset Name	Description	Log Category
sdwan-CTAP-Top-Streaming-App-By-Bandwidth	CTAP SD-WAN Top Streaming Application by Bandwidth	traffic

```
select
  app_group,
  sum(bandwidth) as bandwidth
from
  ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
```

```
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf, srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)### t where $filter-drilldown and appcat='Video\Audio' and bandwidth>0 group by app_group order by bandwidth desc
```

Dataset Name	Description	Log Category
sdwan-CTAP-Top-SocialMedia-App-By-Bandwidth	CTAP SD-WAN Top SocialMedia Application by Bandwidth	traffic

```
select
  app_group,
  sum(bandwidth) as bandwidth
from
  ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf, srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte, 0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf, srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)### t where $filter-drilldown and appcat='Social.Media' and bandwidth>0 group by app_group order by bandwidth desc
```

Dataset Name	Description	Log Category
sdwan-CTAP-App-Risk-Reputation-Top-Devices-By-Scores	Reputation Top Devices By-Scores	traffic

```
select
  coalesce(
    nullifna(`srcname`),
    ipstr(`srcip`),
    nullifna(`srcmac`)
  ) as dev_src,
  sum(crscore % 65536) as scores
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
  and crscore is not null
group by
  dev_src
having
  sum(crscore % 65536) > 0
order by
  scores desc
```

Dataset Name	Description	Log Category
sdwan-CTAP-SB-Top-Sandbox-Files	CTAP SD-WAN Sandbox Top Sandbox Files	virus

```
select
  filename,
  analyticscksum,
  service,
  sum(totalnum) as total_num,
  (
    case fsaverdict when 'malicious' then 'Malicious' when 'high risk' then 'High' when
'medium risk' then 'Medium' when 'low risk' then 'Low' else 'Other' end
  ) as risk,
  (
    case fsaverdict when 'malicious' then 5 when 'high risk' then 4 when 'medium risk' then
3 when 'low risk' then 2 else 1 end
  ) as risk_level
from
  ###(select filename, analyticscksum, service, fsaverdict, dtype, coalesce(nullifna
(`user`), ipstr(`srcip`)) as user_src, virus, virusid_to_str(virusid, eventtype) as virusid_
s, count(*) as totalnum from $log where $filter group by filename, analyticscksum, service,
fsaverdict, dtype, user_src, virus, virusid_s /*SkipSTART*/order by totalnum
desc/*SkipEND*/)### t where $filter-drilldown and filename is not null and
dtype='fortisandbox' and fsaverdict not in ('clean', 'submission failed') group by filename,
analyticscksum, risk_level, risk, service order by risk_level desc, total_num desc,
service, filename
```

Dataset Name	Description	Log Category
sdwan-CTAP-SB-Total-Number-of-Malicious-Suspicious-Files	CTAP SD-WAN Sandbox Malicious Suspicious Files Number	virus

```
select
  (
    case fsaverdict when 'malicious' then 'Malicious' when 'high risk' then 'High' when
'medium risk' then 'Medium' when 'low risk' then 'Low' else 'Other' end
  ) as risk,
  sum(totalnum) as total_num
from
  ###(select filename, analyticscksum, service, fsaverdict, dtype, coalesce(nullifna
(`user`), ipstr(`srcip`)) as user_src, virus, virusid_to_str(virusid, eventtype) as virusid_
s, count(*) as totalnum from $log where $filter group by filename, analyticscksum, service,
fsaverdict, dtype, user_src, virus, virusid_s /*SkipSTART*/order by totalnum
desc/*SkipEND*/)### t where $filter-drilldown and dtype='fortisandbox' and fsaverdict not in
('clean', 'submission failed') group by risk order by total_num desc
```

Dataset Name	Description	Log Category
sdwan-CTAP-Top-Source-Countries	CTAP SD-WAN Top Source Countries	traffic

```
select
  srccountry,
  sum(bandwidth) as bandwidth
from
  ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
```

```
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t where $filter-drilldown and nullifna(srccountry) is not null and srccountry <> 'Reserved'
and bandwidth>0 group by srccountry order by bandwidth desc, srccountry
```

Dataset Name	Description	Log Category
sdwan-CTAP-Average-Bandwidth-Day-Hour	CTAP SD-WAN Average Bandwidth by Day of Week and Hour	traffic

```
select
  hourstamp,
  daystamp,
  round(
    sum(bandwidth) / count(*)
  ) as bandwidth
from
  (
    select
      $hour_of_day(timestamp) as hourstamp,
      $HOUR_OF_DAY(timestamp) as hour_stamp,
      $day_of_week(timestamp) as daystamp,
      sum(bandwidth) as bandwidth
    from
      ###(select $flex_timestamp as timestamp, csf, devid, vd, srccountry, dstintf, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group_name(app) as app_group, coalesce
(vwlname,vwlservice) as rulename, service, coalesce(nullifna(`srcname`),ipstr
(`srcip`),nullifna(`srcmac`)) as dev_src, sum(crscore%65536) as crscore, coalesce(nullifna
(`user`), nullifna(`unauthuser`), ipstr(`srcip`)) as user_src, sum(coalesce(sentbyte,
0)+coalesce(rcvdbyte, 0)) as bandwidth, sum(coalesce(rcvdbyte, 0)) as traffic_in, sum
(coalesce(sentbyte, 0)) as traffic_out, count(*) as sessions from $log-traffic where $filter
and (logflag&1>0) group by timestamp, srccountry, dstintf, csf, devid, vd, srcintf,
srcintfrole, dstintfrole, appid, appcat, app_group, rulename, service, user_src, dev_src)###
t where $filter-drilldown group by hourstamp, hour_stamp, daystamp) t group by hourstamp,
daystamp order by hourstamp
```

Dataset Name	Description	Log Category
sdwan-CTAP-Average-Log-Rate-By-Hour	CTAP SD-WAN Average Log Rate by Hour	event

```
select
  $hour_of_day(timestamp) as hourstamp,
  cast(
    (
      sum(
        total_trate + total_erate + total_orate
      )
    ) / sum(count) / 100.0 as decimal(10, 2)
  ) as log_rate
from
```

```

###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t where $filter-drilldown group by hourstamp order by
hourstamp

```

Dataset Name	Description	Log Category
sdwan-CTAP-CPU-Usage-Per-Hour	Event usage CPU	event

```

select
  $hour_of_day(timestamp) as hourstamp,
  cast(
    sum(total_cpu)/ sum(count) as decimal(6, 2)
  ) as cpu_avg_usage
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by hourstamp order by hourstamp

```

Dataset Name	Description	Log Category
sdwan-CTAP-Memory-Usage-Per-Hour	Event usage memory	event

```

select
  $hour_of_day(timestamp) as hourstamp,
  cast(
    sum(total_mem)/ sum(count) as decimal(6, 2)
  ) as mem_avg_usage
from
  ###(select $flex_timestamp as timestamp, devid, slot, sum(coalesce(trate, 0)) as total_
trate, sum(coalesce(erate, 0)) as total_erate, sum(coalesce(orate, 0)) as total_orate, min
(itime) as first_seen, max(itime) as last_seen, sum(coalesce(mem, 0)) as total_mem, max
(coalesce(mem, 0)) as mem_peak, sum(coalesce(disk, 0)) as total_disk, max(coalesce(disk, 0))
as disk_peak, sum(coalesce(cpu, 0)) as total_cpu, max(coalesce(cpu, 0)) as cpu_peak, max
(coalesce(trate, 0)+coalesce(erate, 0)+coalesce(orate, 0)) as lograte_peak, sum(coalesce

```

```
(totalsession, 0)) as totalsession, max(coalesce(totalsession, 0)) as session_peak, sum(cast(
(coalesce(split_part(bandwidth, '/', 1), '0') as integer)) as sent, sum(cast(coalesce(split_
part(bandwidth, '/', 2), '0') as integer)) as recv, max(cast(coalesce(split_part(bandwidth,
 '/', 1), '0') as integer)+cast(coalesce(split_part(bandwidth, '/', 2), '0') as integer)) as
transmit_peak, sum(coalesce(setuprate, 0)) as cps, max(coalesce(setuprate, 0)) as cps_peak,
count(*) as count from $log where $filter and subtype='system' and action='perf-stats' group
by timestamp, devid, slot)### t group by hourstamp order by hourstamp
```

Dataset Name	Description	Log Category
Top-Destination-Addresses-By-Bandwidth-Bar	Top destinations by bandwidth usage	traffic

```
select
  coalesce(
    nullifna(
      root_domain(hostname)
    ),
    ipstr(dstip)
  ) as domain,
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  ) as bandwidth,
  sum(
    coalesce(rcvdbyte, 0)
  ) as traffic_in,
  sum(
    coalesce(sentbyte, 0)
  ) as traffic_out
from
  $log
where
  $filter
  and (
    logflag&1>0
  )
  and coalesce(
    nullifna(
      root_domain(hostname)
    ),
    ipstr(`dstip`)
  ) is not null
group by
  domain
having
  sum(
    coalesce(sentbyte, 0)+ coalesce(rcvdbyte, 0)
  )& gt; 0
order by
  bandwidth desc
```

Dataset Name	Description	Log Category
intf-Timeline-Sampling	Interface Utilization Timeline by Data Sampling	event


```
with base_gry as (
  select
    tm,
    rcvdbps,
    ntile(100) over (
      order by
        rcvdbps
    ) as percentile
  from
    (
      select
        (timestamp / 300 * 300) as tm,
        sum(rcvdbps) as rcvdbps,
        300 as interval
      from
        intfstats_billing tbl
      join (
        select
          ti.dvid,
          intfname
        from
          intfinfo ti
        left join devtable td on ti.dvid = td.dvid
        where
          $dev_filter
      ) tb2 on tbl.dvid = tb2.dvid
      and tbl.intfname = tb2.intfname
      where
        $cust_time_filter(timestamp)
      group by
        tm
    ) tmp
),
ref_gry as (
  select
    cast(
      max(rcvdbps) / 1000000 as decimal(18, 2)
    ) as ref_val
  from
    base_gry
  where
    percentile = 95
)
select
  from_itime(timestamp) as tmstamp,
  cast(
    rcvdbps / 1000000 as decimal(18, 2)
  ) as rcvdbps,
  ref_val
from
  ref_gry,
  (
    select
      tm as timestamp,
      rcvdbps,
      rank() over(
```

```

        partition by (tm / 3600)
        order by
            tm
    ) as r
from
    base_qry
) t
where
    r = 1
order by
    tmstamp

```

Dataset Name	Description	Log Category
intf-Util-Histogram	Interface Utilization Value Distribution	event

```

select
    cast(
        (
            (
                max(max_value) over ()
            ) * seq / 100
        ) as decimal(16, 0)
    ) as value,
    cnt
from
    (
        select
            generate_series(0, 100, 2) as seq
    ) t1
left join (
    select
        perc,
        max_value,
        count(*) as cnt
    from
        (
            select
                WIDTH_BUCKET(
                    rcvdbps,
                    0,
                    (
                        max(rcvdbps) over ()
                    ) + 1,
                    50
                ) * 2 as perc,
                max(rcvdbps) over () as max_value
            from
                (
                    select
                        (timestamp / 300 * 300) as tm,
                        sum(rcvdbps) as rcvdbps,
                        300 as interval
                    from
                        intfstats_billing tbl
                    join (

```

```

        select
            ti.dvid,
            intfname
        from
            intfinfo ti
        left join devtable td on ti.dvid = td.dvid
        where
            $dev_filter
        ) tb2 on tb1.dvid = tb2.dvid
        and tb1.intfname = tb2.intfname
    where
        $cust_time_filter(timestamp)
    group by
        tm
    ) tmp
    ) t_bucket
group by
    perc,
    max_value
) t2 on t1.seq = t2.perc
order by
    seq

```

Dataset Name	Description	Log Category
intf-Sorted-Line	Interface Utilization Line Sorted by bps	event

```

with base_qry as (
    select
        rcvdbps,
        ntile(100) over (
            order by
                rcvdbps
        ) as percentile
    from
        (
            select
                (timestamp / 300 * 300) as tm,
                sum(rcvdbps) as rcvdbps,
                300 as interval
            from
                intfstats_billing tbl
            join (
                select
                    ti.dvid,
                    intfname
                from
                    intfinfo ti
                left join devtable td on ti.dvid = td.dvid
                where
                    $dev_filter
            ) tb2 on tb1.dvid = tb2.dvid
            and tb1.intfname = tb2.intfname
        where
            $cust_time_filter(timestamp)
        group by

```

```

        tm
    ) tmp
),
ref_qry as (
    select
        cast(
            max(rcvdbps)/ 1000000 as decimal(18, 2)
        ) as ref_val
    from
        base_qry
    where
        percentile = 95
)
select
    n_perc,
    cast(
        rcvdbps / 1000000 as decimal(18, 2)
    ) as rcvdbps,
    ref_val
from
    (
        select
            seq as n_perc,
            rcvdbps
        from
            (
                select
                    generate_series(0, 100, 1) as seq
            ) t1
        left join (
            select
                max(rcvdbps) as rcvdbps,
                percentile
            from
                base_qry
            group by
                percentile
        ) t2 on t1.seq = t2.percentile
    ) t,
    ref_qry
order by
    n_perc

```

Dataset Name	Description	Log Category
intf-Data-Analysis-Table	Interface Utilization Data Analysis	event

```

with base_qry as (
    select
        rcvdbps,
        interval,
        ntile(100) over (
            order by
                rcvdbps
        ) as percentile
    from

```

```
(
  select
    (timestamp / 300 * 300) as tm,
    sum(rcvdbps) as rcvdbps,
    300 as interval
  from
    intfstats_billing tbl
  join (
    select
      ti.dvid,
      intfname
    from
      intfinfo ti
      left join devtable td on ti.dvid = td.dvid
    where
      $dev_filter
  ) tb2 on tbl.dvid = tb2.dvid
  and tbl.intfname = tb2.intfname
  where
    $cust_time_filter(timestamp)
  group by
    tm
) tmp
)
select
  min_mbps,
  low_ref_mbps,
  mean_mbps,
  ref_mbps,
  peak_mbps,
  actual_gb,
  total
from
  (
    select
      cast(
        min(rcvdbps) / 1000000 as decimal(18, 2)
      ) as min_mbps,
      cast(
        avg(rcvdbps) / 1000000 as decimal(18, 2)
      ) as mean_mbps,
      cast(
        max(rcvdbps) / 1000000 as decimal(18, 2)
      ) as peak_mbps,
      cast(
        (
          select
            max(rcvdbps)
          from
            base_gry
          where
            percentile = 5
          ) / 1000000 as decimal(18, 2)
        ) as low_ref_mbps,
      cast(
        (

```

```

select
    max(rcvdbps)
from
    base_gry
where
    percentile = 95
) / 1000000 as decimal(18, 2)
) as ref_mbps,
cast(
    sum(interval * rcvdbps) / 8 / (1024 * 1024 * 1024) as decimal(18, 2)
) as actual_gb,
count(*) as total
from
    base_gry
) t

```

Dataset Name	Description	Log Category
intf-Device-Summary	Interface Utilization Device Summary	event

```

select
    devname,
    t1.intfname,
    rcvd_gb
from
    (
        select
            devname,
            ti.dvid,
            intfname
        from
            devtable td
            join intfinfo ti on ti.dvid = td.dvid
        where
            $dev_filter
    ) t1
join (
    select
        dvid,
        intfname,
        cast(
            sum(interval * rcvdbps) / 8 / (1024 * 1024 * 1024) as decimal(18, 2)
        ) as rcvd_gb
    from
        intfstats_billing
    where
        $cust_time_filter(timestamp)
    group by
        dvid,
        intfname
) t2 on t1.dvid = t2.dvid
and t1.intfname = t2.intfname
order by
    devname,
    rcvd_gb desc,
    t1.intfname

```

Dataset Name	Description	Log Category
daily-Summary-Traffic-Bandwidth-Line	Daily Summary - Traffic Bandwidth Line	traffic

```
select
    $fv_line_timescale(timescale) as time,
    sum(traffic_in) as traffic_in,
    sum(traffic_out) as traffic_out
from
    (
        union all
    ) t
group by
    time
order by
    time
```

Dataset Name	Description	Log Category
daily-Summary-Top-User	Daily Summary - Top User by Bandwidth	traffic

```
select
    coalesce(
        nullifna(f_user),
        ipstr(srcip),
        'Unknown'
    ) as f_user,
    srcip,
    sum(bandwidth) as bandwidth
FROM
    t
group by
    f_user,
    srcip
order by
    bandwidth desc
```

Dataset Name	Description	Log Category
daily-Summary-Top-Domain	Daily Summary - Top Domain by Bandwidth	traffic

```
select
    domain,
    sum(bandwidth) as bandwidth
from
    t
where
    domain is not null
group by
    domain
order by
    bandwidth desc
```

Dataset Name	Description	Log Category
daily-Summary-Top-Appcat-Bandwidth	Daily Summary - Top Application Category by Bandwidth	traffic

```

select
  appcat,
  sum(bandwidth) as bandwidth
from
  (
    select
      t1.*,
      t2.app_cat as appcat
    from
      t1
      left join app_mdata t2 on t1.app_group = t2.name
  ) t
where
  $filter - drilldown
  and appcat is not null
group by
  appcat
order by
  bandwidth desc

```

Dataset Name	Description	Log Category
daily-Summary-Top-App	Daily Summary - Top Application	traffic

```

select
  app_group,
  max(appcat) as appcat,
  (
    case max(d_risk) when 1 then 'Low' when 2 then 'Elevated' when 3 then 'Medium' when 4
then 'High' when 5 then 'Critical' else NULL end
  ) as risk,
  sum(bandwidth) as bandwidth,
  sum(traffic_in) as traffic_in,
  sum(traffic_out) as traffic_out,
  sum(session_block) as session_block,
  (
    sum(sessions)- sum(session_block)
  ) as session_pass,
  sum(sessions) as sessions
from
  (
    select
      t1.*,
      (
        case when (
          d_flags&1
        ) = 1 then 'Not.Scanned' when t2.app_cat is null then 'Unknown' else t2.app_cat end
      ) as appcat,
      (
        case when t2.risk is null then 0 else t2.risk : :int end
      ) as d_risk
    from
      t1
      left join app_mdata t2 on t1.app_group = t2.name
  ) t
where

```



```

$filter - drilldown
group by
  app_group
order by
  max(d_risk) desc,
  sessions desc,
  bandwidth desc

```

Dataset Name	Description	Log Category
daily-Summary-Top-Threats	Daily Summary - Top Threats	traffic

```

select
  threat_s as threat,
  threatype_s as threatype,
  sum(threatweight) as threatweight,
  sum(threat_block) as threat_block,
  (
    sum(threatweight)- sum(threat_block)
  ) as threat_pass,
  sum(incidents) as incidents,
  sum(incident_block) as incident_block,
  (
    sum(incidents)- sum(incident_block)
  ) as incident_pass
from
  (
    union all
  ) t
group by
  threat,
  threatype
order by
  threatweight desc

```

Dataset Name	Description	Log Category
daily-Summary-Top-Compromised-Hosts	Daily Summary - Top Compromised Hosts	traffic

```

select
  epid,
  devid,
  vd,
  srcip,
  devtype,
  fctuid,
  euid,
  bmp_logtype as logtype,
  unauthuser,
  srcmac,
  osname,
  osversion,
  f_user,
  (
    case when epid<1024 then ipstr(srcip) else epname end
  )

```

```
    ) as epname,
    threat_num,
    bl_count,
    cs_score,
    cs_count,
    verdict,
    ip_reversed,
    rescan,
    (
        case verdict when 1 then 'Low Suspicion' when 2 then 'Medium Suspicion' when 3 then
'High Suspicion' when 4 then 'Infected' else 'N/A' end
    ) as verdict_s,
    ack_time,
    ack_note,
    last_bl as last_detected_time
from
    (
        SELECT
            epid,
            itime,
            bl_count,
            cs_score,
            cs_count,
            threat_num,
            bmp_logtype,
            last_bl,
            verdict,
            ip_reversed,
            rescan,
            srcip,
            epname,
            srcmac,
            osname,
            osversion,
            devtype,
            fctuid,
            euid,
            unauthuser,
            f_user,
            ack_note,
            ack_time,
            devid,
            vd,
            csf,
            devname
        FROM
            (
                SELECT
                    tvdt.epid,
                    itime,
                    tvdt.bl_count,
                    tvdt.cs_score,
                    tvdt.cs_count,
                    tvdt.threat_num,
                    tvdt.bmp_logtype,
                    tvdt.last_bl,
```

```

    tvdt.verdict,
    tvdt.ip_reversed,
    tvdt.rescan,
    (
        CASE WHEN tvdt.epid>1024 THEN tep.epip ELSE tvdt.srcip END
    ) as srcip,
    tep.epname,
    tep.mac as srcmac,
    tep.osname,
    tep.osversion,
    tep.epdevtype as devtype,
    teu.fctuid,
    teu.euid,
    teu.unauthuser,
    (
        case when teu.euid & lt;= 1024 then ipstr(tvdt.srcip) else teu.euname end
    ) as f_user,
    tack.ack_note,
    (
        case when (
            tvdt.ack_time_max = 0
            or tvdt.ack_time_min = 0
        ) then NULL else tvdt.ack_time_max end
    ) as ack_time,
    tdev.devid,
    tdev.vd,
    tdev.csf,
    tdev.devname
FROM
    (
        SELECT
            epid,
            srcip,
            min(day_st) as itime,
            array_length(
                intarr_agg(threatid),
                1
            ) as threat_num,
            intarr_agg(dvid) as dvid,
            sum(bl_count) as bl_count,
            max(cs_score) as cs_score,
            sum(cs_count) as cs_count,
            max(last_bl) as last_bl,
            max(ack_time) as ack_time_max,
            min(ack_time) as ack_time_min,
            bit_or bmp_logtype) as bmp_logtype,
            max(verdict) as verdict,
            max(ip_reversed) as ip_reversed,
            max(rescan) as rescan
        FROM
            (
                (
                    SELECT
                        epid,
                        srcip,
                        day_st,

```

```
        ack_time,
        threatid,
        dvid,
        bl_count,
        cs_score,
        cs_count,
        last_bl,
        bmp_logtype,
        verdict,
        (
            case when ioc_flags&2>0 then 1 else 0 end
        ) as ip_reversed,
        (
            case when ioc_flags&1>0 then 1 else 0 end
        ) as rescan
FROM
    $ADOMTBL_PLHD_IOC_VERDICT
    /*verdict table*/
WHERE
    day_st & gt;= $start_time
    and day_st & lt;= $end_time
    /*time filter*/
    )
UNION ALL
(
    SELECT
        epid,
        srcip,
        day_st,
        ack_time,
        threatid,
        dvid,
        bl_count,
        cs_score,
        cs_count,
        last_bl,
        bmp_logtype,
        verdict,
        (
            case when ioc_flags&2>0 then 1 else 0 end
        ) as ip_reversed,
        (
            case when ioc_flags&1>0 then 1 else 0 end
        ) as rescan
    FROM
        $ADOMTBL_PLHD_INTERIM_IOC_VERDICT
        /*verdict intrim table*/
    WHERE
        day_st & gt;= $start_time
        and day_st & lt;= $end_time
        /*time filter*/
        and verdict>0
    )
) tvdt_int
GROUP BY
    epid,
```

```
        srcip
    ) tvdt
    INNER JOIN
    /*end points*/
    $ADOM_ENDPOINT as tep ON tvdt.epid = tep.epid
    LEFT JOIN
    /*end user*/
    (
        select
            epid,
            euname,
            fctuid,
            euid,
            unauthuser
        from
            (
                select
                    epid,
                    eu.euid,
                    euname,
                    fctuid,
                    euname as unauthuser,
                    row_number() over (
                        partition by epid
                        order by
                            (
                                (
                                    case when fctuid is null then 0 else 1 end
                                ),
                                lastactive
                            ) desc
                        ) nth
                from
                    $ADOM_ENDUSER eu
                /*end user*/
                ,
                $ADOM_EPEU_DEVMAP as map
                /*epeu dev_map*/
            ) eum
            where
                eu.euid = map.euid
                and eu.euid>1024
        ) eum
        where
            nth = 1
    ) teu on tvdt.epid = teu.epid
    LEFT JOIN
    /*ack table*/
    (
        SELECT
            epid,
            srcip,
            ack_time,
            ack_note
        FROM
            (
                SELECT
```

```

        epid,
        srcip,
        ack_time,
        ack_note,
        row_number() over (
            PARTITION BY epid,
            srcip
            order by
                ack_time desc
        ) as ackrank
    FROM
        ioc_ack
    WHERE
        adomoid = $adom_oid
    ) rankqry
WHERE
    ackrank = 1
) tack ON tvdt.epid = tack.epid
and (
    (
        tvdt.srcip is null
        and tack.srcip is null
    )
    or tvdt.srcip = tack.srcip
)
LEFT JOIN
/*devtable */
devtable tdev ON tdev.dvid = tvdt.dvid[1]
WHERE
    tvdt.dvid & amp;& amp; (
        SELECT
            array_agg(dvid)
        from

            /*devtable */
            devtable
        WHERE
            $filter - drilldown
    )
) tioc
) t
order by
    threat_num desc

```

Dataset Name	Description	Log Category
daily-Summary-Incidents-by-Severity	Incidents by Severity	

```

select
    severity,
    count(*) as incnum
from
    $incident
where
    $filter - drilldown
    and $cust_time_filter(createtime)

```

```
group by
  severity
order by
  incnum desc
```

Dataset Name	Description	Log Category
360-degree-security-Application-Visibility-and-Control-Summary	Application Visibility and Control Summary	app-ctrl

```
select
  appcat,
  count(distinct app) as total_num
from
  ###(select appcat, app from $log where $filter and app is not null and appcat is not null
  group by appcat, app)### t group by appcat order by total_num desc
```

Dataset Name	Description	Log Category
360-degree-security-Threats-Detection-and-Prevention-Summary	Threat Prevention	app-ctrl

```
select
  threat_name,
  count(distinct threats) as total_num
from
  (
    ###(select cast('Malware & Botnet C&C' as char(32)) as threat_name, app as threats from
    $log-app-ctrl where $filter and lower(appcat)='botnet' group by app)### union all ###(select
    cast('Malware & Botnet C&C' as char(32)) as threat_name, virus as threats from $log-virus
    where $filter and nullifna(virus) is not null group by virus)### union all ###(select cast
    ('Malicious & Phishing Sites' as char(32)) as threat_name, hostname as threats from $log-
    webfilter where $filter and cat in (26, 61) group by hostname)### union all ###(select cast
    ('Critical & High Intrusion Attacks' as char(32)) as threat_name, attack as threats from
    $log-attack where $filter and severity in ('critical', 'high') group by attack)###) t group
    by threat_name order by total_num desc
```

Dataset Name	Description	Log Category
360-degree-security-Data-Exfiltration-Detection-and-Prevention-Summary	Data Exfiltration Summary	dlp

```
select
  data_loss,
  count(*) as total_num
from
  ###(select itime, hostname, `from` as sender, `to` as receiver, profile, action, service,
  subtype, srcip, dstip, severity, filename, direction, filesize, (case when
  severity='critical' then 'Critical Data Exfiltration' else (case when coalesce(nullifna
  (`user`), ipstr(`srcip`)) is not null then 'User Associated Data Loss' else NULL end) end)
  as data_loss from $log where $filter /*SkipSTART*/order by itime desc/*SkipEND*/)### t where
  $filter-drilldown and data_loss is not null group by data_loss order by total_num desc
```

Dataset Name	Description	Log Category
360-degree-security-Endpoint-Protection-Summary	Endpoint Protection	fct-traffic

```

select
    blocked_event,
    count(*) as total_num
from
    (
        select
            (
                case utmevent when 'antivirus' then 'Malware Deteced and Blocked' when 'appfirewall'
then 'Risk Application Blocked' when 'webfilter' then (
                    case when coalesce(
                        nullifna(`user`),
                        ipstr(`srcip`)
                    ) is not null then 'Web Sites Violation Blocked' else 'Non User Initiated Web
Visits' end
                ) else NULL end
            ) as blocked_event
        from
            $log
        where
            $filter
            and utmaction in ('blocked', 'quarantined')
        ) t
    where
        blocked_event is not null
    group by
        blocked_event
    order by
        total_num desc

```


Macro Reference List

The following table lists the available predefined macros that can be used in a report layout to display the log data as text (XML format) dynamically.

Macro Name	Description	Dataset Used	Log Category
Application Category with Highest Session Count	Application category with the highest session count	App-Sessions-By-Category	Traffic
Application with Highest Bandwidth	Application with the highest bandwidth usage	Top-App-By-Bandwidth	Traffic
Application with Highest Session Count	Applications with the highest session count	Top-App-By-Sessions	Traffic
Attack with Highest Session Count	Attack with highest session count	Utm-Top-Attack-Source	Attack
Botnet with Highest Session Count	Botnet with the highest session count	Detected-Botnet	Traffic
Destination with Highest Bandwidth	Destination with the highest bandwidth usage	Top-Destinations-By-Bandwidth	Traffic
Destination with Highest Session Count	Destination with the highest session count	Top-Destinations-By-Sessions	Traffic
Highest Bandwidth Consumed (Application) Category	Highest bandwidth consumed by application category	App-Risk-App-Usage-By-Category	Traffic
Highest Bandwidth Consumed (Application)	Highest bandwidth consumed by application	Top-App-By-Bandwidth	Traffic
Highest Bandwidth Consumed (Destination)	Highest bandwidth consumed by destination	Top-Destinations-By-Bandwidth	Traffic
Highest Bandwidth Consumed (P2P Application)	Highest bandwidth consumed by P2P application	Top-P2P-App-By-Bandwidth	Traffic
Highest Bandwidth Consumed (Source)	Highest bandwidth consumed by source	Top-Users-By-Bandwidth	Traffic
Highest Bandwidth Consumed (Web Category)	Highest bandwidth consumed by website category	Top-Web-Category-by-Bandwidth	Web Filter
Highest Bandwidth Consumed (Website)	Highest bandwidth consumed by website	Top-Web-Sites-by-Bandwidth	Web Filter
Highest Risk Application with Highest Bandwidth	Highest risk application with the highest bandwidth usage	High-Risk-Application-By-Bandwidth	Traffic
Highest Risk Application with Highest Session Count	Highest risk application with the highest session count	High-Risk-Application-By-Sessions	Traffic

Macro Name	Description	Dataset Used	Log Category
Highest Session Count by Application Category	Highest session count by application category	App-Sessions-By-Category	Traffic
Highest Session Count by Application	Highest session count by application	Top-App-By-Sessions	Traffic
Highest Session Count by Attack	Highest session count by attack	Utm-Top-Attack-Source	Attack
Highest Session Count by Botnet	Highest session count by botnet	Detected-Botnet	Traffic
Highest Session Count by Destination	Highest session count by destination	Top-Destinations-By-Sessions	Traffic
Highest Session Count by Highest Severity Attack	Highest session count by highest severity attack	Threat-Attacks-By-Severity	Attack
Highest Session Count by P2P Application	Highest session count by P2P application	Top-P2P-App-By-Sessions	Traffic
Highest Session Count by Source	Highest session count by source	Top-User-Source-By-Sessions	Traffic
Highest Session Count by Virus	Highest session count by virus	Utm-Top-Virus	Traffic
Highest Session Count by Web Category	Highest session count by website category	Top-Web-Category-by-Sessions	Web Filter
Highest Session Count by Website	Highest session count by website	Top-Web-Sites-by-Sessions	Web Filter
Highest Severity Attack with Highest Session Count	Highest severity attack with the highest session count	Threat-Attacks-By-Severity	Attack
P2P Application with Highest Bandwidth	P2P applications with the highest bandwidth usage	Top-P2P-App-By-Bandwidth	Traffic
P2P Application with Highest Session Count	P2P applications with the highest session count	Top-P2P-App-By-Sessions	Traffic
Source with Highest Bandwidth	Source with the highest bandwidth usage	Top-Users-By-Bandwidth	Traffic
Source with Highest Session Count	Source with the highest session count	Top-User-Source-By-Sessions	Traffic
Total Number of Attacks	Total number of attacks detected	Total-Attack-Source	Attack
Total Number of Botnet Events	Total number of botnet events	Total-Number-of-Botnet-Events	Traffic
Total Number of Viruses	Total number of viruses detected	Total-Number-of-Viruses	Traffic
User Details	User details of traffic	Traffic-User-Detail	Traffic
Virus with Highest Session Count	Virus with the highest session count	Utm-Top-Virus	Traffic

Macro Name	Description	Dataset Used	Log Category
Web Category with Highest Bandwidth	Web filtering category with the highest bandwidth usage	Top-Web-Category-by-Bandwidth	Web Filter
Web Category with Highest Session Count	Web filtering category with the highest session count	Top-Web-Category-by-Sessions	Web Filter
Website with Highest Bandwidth	Website with the highest bandwidth usage	Top-Web-Sites-by-Bandwidth	Web Filter
Website with Highest Session Count	Website with the highest session count	Top-Web-Sites-by-Sessions	Web Filter

Change Log

Date	Change Description
2021-10-20	Initial release.



www.fortinet.com

Copyright© 2021 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.