

# Configuring FortiMail Webmail Single Sign On


This recipe guides you through the process of configuring FortiMail Webmail Single Sign On to work with Active Directory Federation Server (ADFS).

The FortiMail unit needs to be in Server Mode in order for the following procedures to work.

## Configuring an LDAP Profile and Domain

First we'll need to configure an [LDAP](#) Profile if not already created and then create a domain.

1. Go to **Profile > LDAP > LDAP**.
2. Select **New**.




3. Enter the required information and then select **Create**.
4. Go to **Domain & User > Domain > Domain**.
5. Select **New**.

6. Enter the necessary information and select the previously created LDAP profile from the User profile dropdown menu.
7. Select **Create**.

## Configuring Webmail

Next we'll need to configure the Webmail and save important FortiMail metadata. You must be in Advanced Mode to continue with the following steps.

1. Go to **System > Customization > Appearance**.
2. Expand the Web Portal section.



3. Select “3rd Party/Single Sign on” from the Login page dropdown menu.
4. Select **Edit**.
5. Copy the FortiMail Service Provider Metadata [URL](#) and download the FortiMail metadata using the URL. You'll need this file for the next section.
6. Select **OK** and then **Apply**.

## Configuring FortiAuthenticator

Now we'll need to configure FortiAuthenticator.

1. Go to **Authentication > SAML IdP > General**.
2. Enable SAML IDP.
3. Select **OK**.
4. Go to **Authentication > SAML IdP > Service Provider**
5. Select **Create New**.

6. Copy the IDP entity id
7. Select **Import SP metadata** and select the metadata you downloaded in the previous section.
8. Select **Create New** in the SAML Attribute section and enter “urn:oid:0.9.2342.19200300.100.1.3” and set the User Attribute to “Email”.