


Release Notes

FortiExtender 7.0.2



FORTINET DOCUMENT LIBRARY

<https://docs.fortinet.com>

FORTINET VIDEO GUIDE

<https://video.fortinet.com>

FORTINET BLOG

<https://blog.fortinet.com>

CUSTOMER SERVICE & SUPPORT

<https://support.fortinet.com>

FORTINET TRAINING & CERTIFICATION PROGRAM

<https://www.fortinet.com/training-certification>

NSE INSTITUTE

<https://training.fortinet.com>

FORTIGUARD CENTER

<https://www.fortiguard.com>

END USER LICENSE AGREEMENT

<https://www.fortinet.com/doc/legal/EULA.pdf>

FEEDBACK

Email: techdoc@fortinet.com



October 21, 2021

FortiExtender 7.0.2 Release Notes

TABLE OF CONTENTS

Introduction	4
What's new in FortiExtender 7.0.2	5
Supported hardware models	6
Special notes	7
Upgrade instructions	8
Firmware upgrade procedures	8
Product integration and support	9
Modes of operation	9
Supported Web browsers	9
Resolved issues	10
Known issues	11
Change log	12

Introduction

This Release Notes highlights the important information about the FortiExtender 7.0.2 (Build 045) release. It covers the following topics:

- [What's new in FortiExtender 7.0.2](#)
- [Supported hardware models](#)
- [Special notes](#)
- [Upgrade instructions](#)
- [Product integration and support](#)
- [Known issues](#)
- [Resolved issues](#)



For more information, see the [FortiExtender 7.0.2 Admin Guide](#).

What's new in FortiExtender 7.0.2

FortiExtender 7.0.2 offers the following new features:

- FortiExtender as FortiGate LAN interface extension
- Support for bandwidth metering
- Support for multiple static AC address or FQDN
- Support for IPv6
- Trusted host functionality in FortiExtender OS
- CONFIG/CLI to support removing default admin account
- Connmgr state machine support waiting for modem attaching to the network



For a detailed description of the features, refer to the FortiExtender 7.0.2 [Admin Guide](#).

Supported hardware models

FortiExtender 7.0.2 supports the following hardware models:

- FortiExtender 201E
- FortiExtender 211E
- FortiExtender 200F
- FortiExtender 511F



All built-in modems can be upgraded with compatible, wireless service provider-specific modem firmware.

Special notes

- FortiExtender running in local IP-passthrough mode is accessible at 192.168.1.2 over SSH or HTTPS on Port 4.
- Not all receivers can receive SMS notifications. Be sure to adjust the receiver sequence to ensure that the first receiver always gets SMS notifications.
- When upgrading to FortiExtender 7.0.2, you must also upgrade the modem firmware. You can either upgrade the entire firmware package version 19.0.0 (or later) or only the firmware/pri inside the package.
- Upon reboot, FortiExtender will try to discover the FortiGate or FortiExtender Cloud that manages it, depending on your existing configuration. Because of this, there might be a one or two minute delay before the device can reconnect to the FortiGate or FortiExtender Cloud.
- FortiExtender 201E, 211E, and 511F devices come with a Bluetooth button, which is off by default. However, when it is turned on, anyone can access the devices via Bluetooth. To safeguard your network, we strongly recommend setting passwords for all your devices before deploying them in your environment.
- In order for FortiExtender to forward syslog messages to a remote syslog server, the syslog server and FortiExtender's LAN port must be part of the same subnet.
- FortiExtender and FortiGate share the same LTE IP in WAN-extension mode. In pre-4.2.2 releases, FortiExtender does not allow access to ssh/https/http/telnet service via the LTE interface, so all the traffic to those default service goes to FortiGate. FortiExtender 4.1.7/4.2.2 adds local ssh/https/telnet/http service support via the LTE interface. To distinguish local services from FortiGate services, you must configure FortiExtender to use different ports. Otherwise, all traffic to these default services will be sent to FortiExtender locally instead of the FortiGate. Below are the configuration changes you must make after upgrading from pre-4.2.2 releases:

```
config system management
  config local-access
    set https 22443
    set ssh 2222
  end
end
```

Upgrade instructions



- You can upgrade your FortiExtender to the FortiExtender 7.0.2 OS image from FortiExtender 4.0 or later.
 - Your FEX-201E, FEX-211E, and/or FEX-511F devices may not be loaded with the latest modem firmware when shipped. To ensure their optimal performance, you **MUST** upgrade their modem firmware with the firmware package (preferably version 19.0.0 or later for FEX-201E and FEX-211E, or RM502Q-21.2.2 for FEX-511F) specific to your wireless service provider before putting them to use.
-

Firmware upgrade procedures



You can upgrade the modem firmware package in its entirety using the FOS CLI, or the FortiExtender OS GUI or CLI.

Upgrade via the FortiExtender (device) GUI:

1. Log into your FortiExtender.
 2. On the navigation bar on the left, click **Settings**.
 3. From the top of the page, select **Firmware**.
 4. Select **Extender Upgrade > Local**.
-



When connected to the Internet, FortiExtender is able to pull the OS images and modem firmware directly from FortiExtender Cloud, irrespective of its deployment status.

Product integration and support

Modes of operation

FortiExtender 7.0.2 can be managed from FortiGate, FortiExtender Cloud, or locally independent of FortiGate or FortiExtender Cloud. When deployed in the Cloud, FortiExtender can be centrally managed from FortiExtender Cloud; when managed by FortiGate, the device searches for a nearby FortiGate to transition to Connected UTM mode; when managed locally, it functions as a router providing services to other devices. For more information, see FortiExtender Cloud Admin Guide and FortiExtender 7.0.2 Admin Guide.

The table below describes FortiExtender's modes of operations in these scenarios.

Management scenario	Mode of operation	
	NAT	IP Pass-through
FortiGate	No	Yes
FortiExtender Cloud	Yes	Yes
Local	Yes	Yes

Supported Web browsers

FortiExtender 7.0.2 supports the latest version of the following web browsers:

- Google Chrome
- Mozilla Firefox



Other web browsers may function as well, but have not been fully tested.

Resolved issues

The following are the issues fixed in FortiExtender 7.0.2. For inquiries about a particular issue or to report an issue, please contact Fortinet Customer Service & Support.

Bug ID	Description
0726335	Some hardware units don't proceed past CONNMGR_START_SESSION.
0738261	Users with write role are unable to configure or edit new network services.
0738184	Changes in IP addresses are not reflected on the GUI until the page is refreshed.
0738186	The GUI settings are not updated with the current image information after the version has been upgraded from FortiGate.
0729121	After reboot, FortiExtender may not respond to management requests.
0749991	FortiExtender 511F would not switch to FortiGate Discovery.
0749224	FortiGate in VLAN mode doesn't connect to FortiGate after FortiExtender interface has changed.

Known issues

The following are the known issues discovered in FortiExtender 7.0.2. For inquiries about a particular issue or to report an issue, please contact Fortinet Customer Service & Support.


Bug ID	Description
0752555	DHCP-related settings and entities of the LAN interface should be cleared after the FortiExtender is set up as a LAN-extension with FortiGate.
0745882	The output of the <code>get extender status</code> command should be modified for LAN extension.
0720017	SMS notification would not work properly for FortiExtender 511F.

Change log

Publishing Date	Change Description
October 21, 2021	FortiExtender 7.0.2 release.



FORTINET[®]



Copyright© 2021 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. In no event does Fortinet make any commitment related to future deliverables, features or development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.