



User Guide

FortiRecon 23.3.a



FORTINET DOCUMENT LIBRARY

<https://docs.fortinet.com>

FORTINET VIDEO GUIDE

<https://video.fortinet.com>

FORTINET BLOG

<https://blog.fortinet.com>

CUSTOMER SERVICE & SUPPORT

<https://support.fortinet.com>

FORTINET TRAINING & CERTIFICATION PROGRAM

<https://www.fortinet.com/training-certification>

NSE INSTITUTE

<https://training.fortinet.com>

FORTIGUARD CENTER

<https://www.fortiguard.com>

END USER LICENSE AGREEMENT

<https://www.fortinet.com/doc/legal/EULA.pdf>

FEEDBACK

Email: techdoc@fortinet.com

September 27, 2023

FortiRecon 23.3.a User Guide

75-233-956395-20230927

TABLE OF CONTENTS

Change Log	7
Introduction	8
Requirements	8
Acceptable FortiRecon use cases	9
Licensing	9
Trial Period	10
Default alerts	10
Monitoring Service Status	11
Getting started	13
Registering the FortiRecon license	13
Subscribing to FortiRecon	14
Accessing FortiRecon portal	17
Organizations	18
Setup the Organization	18
Enabling Organization Portal	19
Creating an Organization	19
Adding and deleting OUs	21
Invitations	22
Manage Users	23
Provisioning FortiRecon Organization	25
EASM	28
Dashboard	28
Viewing discovered assets summary	29
Viewing security issues summary	29
Viewing a map of assets	30
Downloading the EASM dashboard details	31
Asset Discovery	31
Viewing asset details	32
Marking assets as false positives	34
Adding assets manually	35
Removing assets manually	35
Assigning tags	36
Performing a FortiDAST scan	37
DNS Health Report	38
Security Issues	39
Viewing security issues	39
Filtering security issues	41
Changing the status of security issues	43
Adding a comment to a security issue	43
Asset Management	44
Creating a tag	44
Adding assets to a tag	45
Managing tags	46

Creating a group	47
Adding assets to a group	47
Managing groups	48
Filtering by group	49
Limiting access to assets and issues	50
Leaked Credentials	51
Viewing leaked credentials by year	51
Viewing breached datasets	52
Viewing leaked credential details	53
Exporting leaked accounts	53
Integrations	53
Adding integrations	54
Editing integrations	57
Brand Protection	59
Dashboard	60
Viewing the domain threat summary	60
Viewing the brand abuse summary	60
Viewing the information exposure summary	61
Viewing the alert summary	61
Viewing the takedown credit summary	62
Domain Threats	62
Reviewing domain threats	63
Managing domain threats	63
Filtering domains	63
Digital watermark	64
Social Media Threats	66
Reviewing social media threats	66
Managing social media threats	67
Filtering social media threats	67
Adding official profiles	68
Alerts	69
Rogue Mobile Apps	74
Reviewing rogue applications	74
Filtering rogue applications	75
Adding official applications	75
Assigning application status	77
Taking down rogue apps	77
Exporting rogue applications	78
VIP Monitoring	78
Reviewing VIP profile threats	79
Filtering VIP profile threats	80
Adding VIP profiles	80
Code Repo Exposure	82
Reviewing attributes	82
Managing attributes	82
Filtering attributes	83
Open Bucket Exposure	84
Reviewing files	84

Managing files	84
Filtering files	85
Take Down	85
Filtering takedown requests	86
Adversary Centric Intelligence	87
Dashboard	87
Changing the dashboard date range	88
Viewing risk exposure summary	88
Viewing global threat report summary	90
Reports	91
Viewing reports	91
Filtering reports	93
Downloading reports and observables	94
Sharing reports	95
Exporting observables	96
Card Fraud	97
Viewing leaked card information	97
Filtering leaked card information	98
Exporting a list of leaked cards	98
Stealer Infections	99
Viewing leaked compromised systems	99
Viewing on sale compromised systems	101
Filtering stealer infection information	102
Exporting stealer infections data	104
OSINT Cyber Threats	104
Reviewing threats	105
Pinning events	106
Subscribing to event notifications	106
Adding subscriptions	108
Vulnerability Intelligence	109
Vulnerability exposure	109
Global notable vulnerabilities	110
Viewing and filtering CVE reports	111
Exporting CVEs	112
Manually adding CVEs	113
Ransomware Intelligence	113
Viewing ransomware intelligence	113
Filtering ransomware intelligence	115
Exporting ransomware information	116
Managing My Watchlist	117
Vendor Risk Assessment	118
Adding a new vendor to the watchlist	119
Viewing the vendor risk assessment	119
Intelligence Collection Lookup	122
Search Query	123
Search Results	127
Investigation	130
Reviewing IP address reputation	130

Reviewing domain reputation	130
Reviewing a file hash	131
Reviewing a CVE	131
Profile settings	132
Accessing profile settings	132
Profile	133
Editing user information	133
Opting in to daily digest reports	134
Opting out of daily digest reports	134
Subscription Details	135
Sharing the API key	136
Receiving custom email alerts	137
Users	137
Viewing user accounts	137
Adding users	138
Editing users	138
Deleting users	139
Access templates	140
Viewing access templates	140
Adding a template	140
Editing a template	141
Change password	141
Downloads	142
Viewing downloads	142
Retrieving downloads	142
Deleting downloads	143
Integrations	143
Viewing integration details	143
Adding integrations	144
Editing integrations	145
Disabling integrations	145
Deleting and disabling integrations	145
Seeds	146
Viewing your assets	146

Change Log

Date	Change Description
2023-09-27	Initial release.
2023-09-29	Updated Adding Integrations topic.

Introduction

FortiRecon is a Digital Risk Protection (DRP) service that operates alongside existing security solutions to provide you with the visibility that an adversary can have of your infrastructure. This early warning of any malicious activity targeted at your organization enables swift detection and mitigation. Operating purely from outside the organizational boundary, the service maps an organization's digital footprint and monitors it for abnormal activity. The service gives organizations the intelligence to mitigate credible security threats in a controlled manner as part of ongoing security efforts.

FortiRecon scans the organization's attack surface and identifies risks to assets while FortiGuard Threat Intelligence delivers early warning of risks to the organization through targeted, curated intelligence to provide an early warning of any malicious activity targeted to the organization.

The FortiRecon portal includes the following modules:

EASM	The External Attack Surface Management (EASM) module provides an adversary's view of the organization digital attack surface and prioritizes risks and exposures, enabling administrators to mitigate threats in a controlled manner before the threats become a problem. See EASM on page 28 .
Brand Protection	The Brand Protection (BP) module continually monitors the organization's public-facing visibility for unauthorized changes, including web-based phishing attacks, typo-squatting, rogue applications, credential leaks, and brand impersonation in social media, which may impact brand value, integrity, and trust. See Brand Protection on page 59 .
ACI	The Adversary Centric Intelligence (ACI) module leverages FortiGuard Threat Analysts to provide comprehensive coverage of dark web, open source, and technical threat intelligence, including threat actor insights. This information enables administrators to proactively assess risks, respond faster to incidents, better understand their attackers, and protect assets. See Adversary Centric Intelligence on page 87 .
Profile Settings	The Profile Settings module allows you to personalize your FortiRecon account and provide information on your organization. See Profile settings on page 132 .



FortiRecon APIs are available on the [Fortinet Developer Network \(FNDN\)](#). You must first register an account on FNDN to gain access.

Requirements

A FortiCloud account is required to access the FortiRecon portal. The FortiRecon Admin for your organization also needs to create an account within FortiRecon. If either of these accounts is not created, you will not be able to log in to the FortiRecon portal. See the FortiCloud [New Account Onboarding](#) document and [Getting started on page 13](#) for more information on registering your accounts.



If you need to create a support ticket, the FortiCloud account must be linked to your entitled license. There are two methods to link the FortiCloud account to your license:

- The account owner must create sub user accounts for all of the users in your organization. See [User permissions](#) in the FortiCloud Asset Management Administration Guide.
 - Contact FortiCare support to request that your account be linked to the license in your organization. See [Creating support tickets](#) in the FortiCloud Asset Management Administration Guide.
-

Acceptable FortiRecon use cases

When using FortiRecon, there are certain acceptable use case requirements that must be followed to properly leverage FortiRecon's capabilities. FortiRecon use case requirements include the following:

- The FortiRecon solution must only be used for the licensed entity and its brands. See [Requirements on page 8](#) and [Licensing on page 9](#).
- Domains that are added for scanning and monitoring must be owned by the licensed entity.
- The licensed entity may not add the domains and apps of its customers, partners, or vendors to *Profile Settings > Seeds* or the *EASM* module for monitoring. However, up to 25 of these assets may be added for vendor monitoring in the *Adversary Centric Intelligence* module. See [Vendor Risk Assessment on page 118](#).
- Bank identification numbers (BINs) should only be added for the licensed entity and brand. See [Card Fraud on page 97](#).

Customer monitoring

Organizations, such as MSSPs, that want to set up monitoring for their customers can reach out to our account and sales team for suitable options.

Licensing

FortiRecon requires a license. You can choose to purchase a license for one, two, or all three of the following FortiRecon modules:

- External Attack Surface Management (EASM)
- Brand Protection (BP)
- Adversary Centric Intelligence (ACI)

In addition to the desired modules, the license also indicates the maximum number of assets to be monitored by FortiRecon.

For details about the different modules and solution bundles, see the FortiRecon data sheet.

Trial Period

FortiRecon offers a 30-day trial period, allowing you to fully explore all the platform's features.

Upgrading Options

During the trial period, you have two options for upgrading:

- Purchasing a License:** You can purchase a license and add it to FortiRecon before the trial period expires. To add the purchased license, edit the serial and contract number fields in the *Profile Settings* page. See [Subscription Details](#).
- Expired Trial Period:** If the trial period has already expired, attempting to log in will display an expiration page. In this case, you can purchase a license, select the *Do you want to apply license?* checkbox and enter the following information.
 - Serial Number.
 - Contract Number.
 - Email address used to purchase the license.

Subscription Expired

Sorry, Your subscription has been expired. Please reach out to FortiRecon Support Team for further support.

Do you want to apply license? Please click on the checkbox.

Serial Number*

Contract Number*

Email*

Logout Save

Default alerts

FortiRecon automatically sends out default alerts if certain triggers are identified. Default alerts for each module include:

Module	Alert
External Attack Surface Management (EASM)	<ul style="list-style-type: none"> New scan refresh Leaked credentials present as part of a third party breach
Brand Protection (BP)	<ul style="list-style-type: none"> Fraudulent domains identified, such as phishing and brand impersonation New rogue mobile application identified Social media impersonation identified

Module	Alert
	<ul style="list-style-type: none"> Exposed sensitive information on code repository Files found in open cloud storage bucket
Adversary Centric Intelligence (ACI)	<ul style="list-style-type: none"> Any published flash alert or report Any high relevance report Stealer infection identified Organization or vendor listed on a ransomware naming and shaming site Daily digest

Monitoring Service Status

The FortiRecon Status page provides an overview of the current and historical availability of the FortiRecon service. You can receive and track notifications for incidents and downtime affecting the FortiRecon GUI and Rest APIs.

To access the FortiRecon Status page, navigate to <https://status.fortirecon.forticloud.com/>.

The status page displays the real-time and historical incidents affecting the FortiRecon service. The real-time events affecting the infrastructure and usage of the service are displayed on the top of the page. Click *Subscribe To Updates* to receive notifications.


SUBSCRIBE TO UPDATES

Subscribe
Login to FortiRecon portal failed

Investigating - We are currently investigating this issue.
Sep 26, 2023 - 11:09 UTC

The FortiRecon service uptime is displayed graphically for a period of 90 days. The downtime/outage events experienced by the service are indicated in colored bars; hover over each bar to view the details. Click *View historical uptime* to view the uptime/downtime experienced by the service in the past.

Uptime over the past 90 days. [View historical uptime.](#)



The historical incidents are listed in *Past Incidents* section.

Past Incidents

Sep 26, 2023

Login to FortiRecon portal failed

Resolved - This incident has been resolved.

Sep 26, 11:41 UTC

Monitoring - A fix has been implemented and we are monitoring the results.

Sep 26, 11:40 UTC

Identified - The issue has been identified and a fix is being implemented.

Sep 26, 11:39 UTC

Investigating - We are currently investigating this issue.

Sep 26, 11:09 UTC

Getting started

This section explains how to get started with FortiRecon.

When you first start with FortiRecon, you can:

- Register your FortiRecon license. See [Registering the FortiRecon license on page 13](#).
- Subscribe to FortiRecon and start the service. See [Subscribing to FortiRecon on page 14](#).

Registering the FortiRecon license

You must purchase and register a FortiRecon license before you can subscribe to FortiRecon. After you purchase the license, register the license using FortiCloud Account Services. For more information about registering products on FortiCloud, see the [FortiCloud Account Services > Registering products](#) documentation.

Subscribing to FortiRecon


This section describes how to subscribe to FortiRecon and start the service. Before you can subscribe to FortiRecon, you must register the license. See [Registering the FortiRecon license on page 13](#).

To subscribe to FortiRecon:

1. After the license is registered on FortiCloud, go to FortiRecon at <https://fortirecon.forticloud.com>.



2. Click *Login*. The FortiCloud login page is displayed.



3. Enter your FortiCloud credentials.
After you log in to FortiRecon for the first time, the *FortiRecon Provisioning Form* is displayed.

4. Enter your contact information in the *Technical Implementation Lead* fields.



Fields marked with a red asterisks are required information. Other fields are considered optional although it is suggested that you complete all of the fields provided to receive the most accurate service.

5. Enter the email addresses of members of your organization in the *Other Authorized Contacts* and *Service Notification Contacts* fields.
6. Enter the contact information of the billing contact in the *Billing Contact* fields.
7. Select the *Company Information* and *External Attack Surface Management* dropdowns. New information fields are displayed.

8. Enter your organization's information in the *Company Information* fields.
9. Enter your organization's assets IP address and domain information in the *External Attack Surface Management* fields.
10. Click **Save**. Your information will be sent to the FortiRecon team for review and provisioning. A confirmation page is displayed.

License is being provisioned

Admin is currently reviewing your form.
Confirmation mail will be sent to your registered email id within 7 working days.

Logout



11. Wait for the FortiRecon team to analyze your assets and populate the FortiRecon portal for you.

-
12. When you receive an email from the FortiRecon team, you can access the FortiRecon portal and review the analysis. See [Accessing FortiRecon portal on page 17](#).

Accessing FortiRecon portal


After you have subscribed to FortiRecon and received an email from the FortiRecon team, you are ready to access the FortiRecon portal.

To access FortiRecon:


1. Go to FortiRecon at <https://fortirecon.forticloud.com>.



2. Click *Login*. The FortiCloud login page is displayed.



3. Enter your FortiCloud credentials.
4. Click *Login*. The FortiRecon *Select Organization* page is displayed.



5. Select the organization you want.
The *EASM > Dashboard* page is displayed. See [EASM on page 28](#).

Organizations


FortiRecon supports *FortiCloud Organization*, enabling centralized account management, visibility, provisioning and hierarchical grouping of multiple FortiCare accounts with FortiRecon license through Organizational Units (OUs).



The Organization feature is primarily designed for Managed Security Service Providers (MSSPs).

Following is an overview of the process for creating and provisioning FortiRecon organization.

1. Create organization structure by setting up Organization and OUs. See [Setup the Organization](#).
2. Invite accounts to join the Organization. See [Invitations](#).
3. Create and manage IAM users. See [Manage Users](#).
4. Login and provision FortiRecon OUs. See [Provisioning FortiRecon Organization](#).



For more information about Organizations, view [Organization Portal guide](#).

Setup the Organization

The first step for creating an Organization requires the root account user to create the Organization and define the Organization hierarchy with OUs.

When you create an Organization your account becomes the Root Account for the organization. Users with the proper permissions can add Organizational Units (OU) and invite members to join the organization.

- [Enabling Organization Portal](#)
- [Creating an Organization](#)
- [Adding and deleting OUs](#)




To create an organization in FortiCare, the FortiCare account must have a *FortiCloud Premium* subscription.


Enabling Organization Portal

To access Organization Portal in FortiCare, perform the following steps:

1. Log in to <https://support.fortinet.com/> using your FortiCare account with a premium subscription.
2. From the profile menu, select *My Account*.
3. In the My Account page, click *My Account (IAM Version)*.



4. Navigate to *Account Preferences*.
5. Click *Enable Organization Feature*.



Creating an Organization

To create an organization, perform the following steps:

1. Ensure that you have enabled Organization Portal in FortiCare. See [Enabling Organization Portal](#).
2. In the [Organization Portal](#), click *Create Organization*. The Master Account page opens.

3. Click *Next*. The Set up Organization page opens.

Provide the required information:

Input Organization Info	Select this option to create your organization with the GUI.
Upload Organization Structure	Select this option to create the organization and Organizational Units with an Excel sheet. See To create an organization with the Bulk Import template .
Organization Name	Enter a name for the organization.
Description	Enter a brief description of the organization.

4.

5. Click *Create Organization*. The Complete page opens.

6. Click *Close & Go To General*. The General page opens.

To create an organization with the Bulk Import template:


1. On the Set up Organization page, click *Upload Organization Structure*.
2. Download the Bulk Import template.
3. Use the template instructions to enter the OU information and create the organization hierarchy.
4. After you have completed the template, click *Organization Structure File Upload*, and upload the file.
5. Click *Confirm*.

Adding and deleting OUs

Organizational Units (OU) are folders for organizing your accounts. FortiRecon supports only one level of Organization Unit (OU) structure. After the OU is created, you can edit the organization details, or delete it.

To create an Organizational Unit:

1. In the navigation menu, hover over the Organization name and click the gear icon.
2. Click *Add a SubOU*. The *Add a SubOU to <org_name>* dialog opens.



3. Enter the *OU Name* and *OU Description*, then click *Confirm*. The unit is added to the organization.

To delete an Organizational Unit:

1. Hover over the OU name and click the gear icon.
2. Click *Delete OU*. The *Confirm to delete this organizational unit* dialog opens.
3. Accept the terms of the deletion and click *Confirm*.

To edit an Organization's details:


1. Hover over the Organization name and click the gear icon.
2. Click *Edit Organization* or *Edit OU*. The *Edit <OU_name>* dialog opens.
3. Update the *OU Name* and *OU Description*, and click *Confirm*.

Invitations

Once the Organization and OUs have been created, you can invite member accounts to join the Organization OUs using invitation tokens.

The process for inviting accounts is as follows:

1. The root account user generates the invitation token for each OU from the Invitation Token page. See [Creating invitation tokens](#).
2. The root account user invites accounts to join the Organization OUs by sharing the assigned invitation token and Organization portal link (<https://support.fortinet.com/organizations/>) with member account users.
3. Member account users go to <https://support.fortinet.com/organizations/>.
4. Member account users select Join Organization and use the provided invitation token to request access.
5. The root account user approves member account requests from the Invitation Token page. See [Invitation Approval](#).



Creating invitation tokens

Create Invitation Tokens to invite Member Accounts via email.

To create an invitation token:

1. Go to the Invitation Token page and click *Generate Token*. The Generate Token dialog opens.
2. Configure the token settings:

Choose An Organization

Select the Organization or OU from the dropdown.

Token Expiry Date	Click the calendar icon to select the token expiry date.
Comment (Optional)	Enter a description of the token.
Generate a separate token for each SubOU	Enable this option to create unique token for each OU in the organization.

3. Click *Generate Token*.

Invitation Approval

After the invitation token has been sent, the recipient can then use it to join the organization. When they request to join the organization, the request will appear on the Invitation Approval page, which displays the generated tokens and the accounts that received an invitation. Use the Invitation Approval page to approve the invitation response.

The Invitation Approval page displays the following information.

Token	The Invitation Token number.
OU ID	The Organizational Unit ID.
OU Path	The Organizational Unit name and the sub-OU.
Comment	Comments entered when the token was created.
# of Accounts Requested	Number of accounts submitted a joined organization request.
# of Accounts Pending Approval	The number of accounts that have not been approved.
Expiration Date	The token expiry date.

To approve an invitation:

1. Go to *Invitation Approval* and expand a token in the list.
2. Select an invitation and click *Approve*.
3. The *Confirm* to approve dialog opens.
4. Select the acknowledgment.
5. Click *Confirm*.

Manage Users

Once member accounts are added to the OUs, you can create an Organization administrative IAM user that can create and manage IAM users for the Organization OUs.

The process for creating an Organization administrative IAM user is as follows:

1. Go to the Services > IAM portal.
2. Create a new permission profile for the Organization administrative IAM user:
 - a. Go to *Permission Profiles* and create a new profile.
 - b. Set the type to *Organization*.

- c. Add the Asset Management, FortiCare and FortiRecon portals. Select either *Admin* or *ReadOnly* access for FortiRecon and FortiCare portals as per your requirement.
- d. Click *Submit*.



MSSP root admin/OU admins should have Admin access for Recon portal.

See [Permission profiles within Organizations](#) in the Identity & Access Management guide for more information.

3. Create the Organization administrative IAM user:
 - a. Click Add New > IAM User. The User Details pane opens.
 - b. Enter the user's details and click *Next*.

Username	Type the username with no spaces. The username specified here will be used to login.
Full Name	Type the user's first and last name.
Email	Type the user's email address.
Phone	Select the country code from the dropdown, and type the user's phone number.
Description (Optional)	Type a description of the user.

- c. Set the type to Organization.
- d. Set the Permission Scope to the Organization.
- e. Select the permission profile created in the previous step.
- f. Verify the details and click *Confirm*.
- g. Generate an IAM user login password.
 - i. Go to IAM Users, and click the full name of the user. The User Profile tab is displayed.
 - ii. Go to the Security Credentials tab, and click Generate Password. Password reset link will be generated.

See [Creating users, user groups, and roles within Organizations](#) in the Identity & Access Management guide for more information.

Based on the access type and permission scope provided, the following roles are supported for FortiRecon:

Role	Description
pAdmin	The IAM user with <i>admin</i> access and <i>root organization</i> as permission scope will be the pAdmin. pAdmins have the ability to create and edit organizations within FortiRecon.
pUser	The IAM user with <i>read only</i> access and <i>root organization</i> as permission scope will be the pUsers. pUsers have a complete view of the organization/OU structure and read only access to FortiRecon portal. They cannot create or edit organizations.
OU Admin	The IAM user with <i>admin</i> access and any <i>OU</i> except root organization as permission scope will be the OU Admin. OU Admins will be admins for the respective organization provisioned under their OU.

Role	Description
OU User	The IAM user with <i>read only</i> access and any <i>OU</i> except root organization as permission scope will be the OU User. OU Users have read only access and can view the organization/OU structure but they will not be redirected to the FortiRecon portal unless their access is provisioned by pAdmin or OU admin.
Root account user	Only root account users will able to enable or disable other IAM users by updating user profiles in FortiCare.

The root account user must share the following details with IAM user:

- **Account ID** - the Account ID of the root account user where IAM is added
- **Username** - the IAM username provided during user creation
- **Password reset link**

If the IAM user is logging in for the first time, email verification is required.

Provisioning FortiRecon Organization

Once the organization structure is created and IAM user are added, you will be able to provision FortiRecon organizations.

Prerequisites

The following requirements must be met before provisioning a FortiRecon organization:


- A **pAdmin** IAM user account.
- An **OU Admin/ OU User** IAM user account. The member email account with FortiRecon license must be added as OU Admin/OU User.

See [Manage Users](#).

To provision a FortiRecon OU:

1. Login to FortiRecon portal using pAdmin credentials.
 - a. If logging in for the first time email verification must be completed.
 - b. After verifying the email successfully, reload the FortiRecon portal. The FortiRecon Organization/OU structure

is displayed.



2. Click *Provision Organization* for the OU that you desire to provision.
3. Provide the necessary information in the FortiRecon Provisioning Form.
 - a. In Contact Information section, enter the IAM username that belongs to the IAM user added to this OU, and upon entering the IAM username, other fields such as email and name will be automatically filled.
 - b. In Asset Distribution section, the license and contract details will be retrieved from the email account associated with this OU. The subscription date and entitlements will be automatically filled based on the selected license and contract.
 - c. Enter *Company Information* and *Initial Seed Information* details.

The screenshot shows the 'FortiRecon Provisioning Form'. At the top, it states: 'The information requested in this form is required to provision your FortiRecon Service.' The form is divided into several sections:

- Contact Information:** Includes fields for 'Technical Implementation Lead' with sub-fields for 'IAM username', 'Email', 'Name', 'Job Title', and 'Phone'.
- Company Information:** A section with a right-pointing arrow.
- Asset Distribution:** Includes dropdown menus for 'Licence' and 'Contract', and a 'Subscription Date' field showing 'Apr 24, 2023 - Jun 23, 2023'. Below these are checkboxes for 'Entitlements' with options 'EASM', 'BP', and 'ACI'.
- Initial Seed Information:** A section with a right-pointing arrow.

A blue 'Save' button is located at the bottom right of the form.

4. Click *Save*.

Once the Organization is provisioned , the following information is displayed:

- License number
- Contract number
- Entitlements included (EASM/ Brand Protection/ Adversary Centric Intelligence)
- Assets count


Organizations

- Takedown credits
- VIP profile count
- Vendors count



To edit license details:

1. Click edit icon next to License field.
2. In *Update License Details* window, select the required license from the *License* drop down menu, if available.
3. *Subscription Date* and *Entitlements* are auto populated based on the selected license.



To view the organization details, click view icon.

To log in to the FortiRecon portal for the provisioned organization, click *Login*.



When *OU User* logs in to the FortiRecon portal for the first time, *Your account is yet to be provisioned* message will be displayed. The *pAdmin* or *OU Admin* will receive a warning for the *OU User* under *Profile Settings > Users*, where they can provide access to the user by clicking on the edit button and assigning an access template to them. Once access is granted, the *OU User* will be notified and can subsequently access the FortiRecon portal.

EASM

The External Attack Surface Management (EASM) module provides information about your digital assets, potential security issues, and leaked credentials. You can use the EASM module to identify exposed known and unknown assets, learn about associated vulnerabilities, and prioritize the remediation of critical issues.

FortiRecon scans your digital assets and displays the results. There are two types of scans:

- **Scheduled Scan** - Full scan that consists of both *Passive* and *Active* scanners, performed weekly or monthly based on your subscription.
- **Continuous Scan** - Continuously scans all discovered assets to detect any updates such as new ports or services. The results are updated on refresh.

The *EASM* module displays scan results for your organization on the following pages :

Dashboard	Displays widgets that summarize your discovered assets and potential security issues related to your assets. You can click some widgets to display more details on the other tabs. See Dashboard on page 28 .
Asset Discovery	Displays a summary of all discovered assets and details about each asset. You can mark assets as false positives, manually add assets, and manually remove assets. See Asset Discovery on page 31 .
Security Issues	Displays a summary of all potential security issues and details about each issue. You can filter security issues and change the status of security issues to reflect action taken at your organization. See Security Issues on page 39 .
Asset Management	Displays tags and groups used to filter and link assets. See Asset Management on page 44 .
Leaked Credentials	Displays a summary of leaked credentials by year and details about each breached dataset or leaked credential incident. See Leaked Credentials on page 51 .
Integrations	Displays Azure and AWS integration that are tracked in <i>Asset Discovery</i> and <i>Security Issues</i> . See Integrations on page 53 .

Dashboard

The *EASM > Dashboard* page displays a number of widgets that summarize your discovered digital assets and potential security issues. From the *EASM > Dashboard* page, you can:

- View a summary of your discovered digital assets. See [Viewing discovered assets summary on page 29](#).
- View a summary of potential security issues related to your organization. See [Viewing security issues summary on page 29](#).
- View a global map of your assets and the number of potential security issues affecting your organization. See [Viewing a map of assets on page 30](#).
- Download the dashboard content to your hard drive. See [Downloading the EASM dashboard details on page 31](#).


- Issue Wise Status
- Credential Breaches



Use the *Severe Issues* tooltip to review information on the count of unique *High* and *Critical* issues.

To view discovered assets summary:

1. Go to the *EASM > Dashboard* page, and scroll to the *Issues* section. The list of potential security issues is displayed.



2. Use the following widgets to review your security issues:

Total Issues	Displays the total number of issues discovered by the latest scan compared to the results of the previous scan.
Severe Issues	Displays the number of severe issues, and then lists the name, affected assets, and severity rating of the issues.
Widely Exploited Vulnerabilities	Displays the number of widely exploited vulnerabilities discovered, and then lists the name, affected assets, and severity rating of the issues.
Credential Breaches	Displays the number of exposed credentials and the number of indexed credentials.

3. Click an issue or vulnerability to display more details on the *Security Issues* page. See [Security Issues on page 39](#).

Viewing a map of assets

The *EASM > Dashboard* page displays a global map of your digital assets in the *Asset Distribution* section. The color of the country aligns with the highest severity level of potential issues. If the country is blue, no issues are recorded.

To view a map of assets:

1. Go to the *EASM > Dashboard* page, and scroll to the *Asset Distribution* section. A global map of your discovered assets is displayed.



- Use the table to view the number of assets and potential security issues in each country.

Column	Description
Country	Lists countries where your digital assets were discovered.
Assets	Displays the number of assets discovered in each country.
Issues	<p>Displays the number of potential security issues and indicates the severity rating of the issues by color:</p> <ul style="list-style-type: none"> Red indicates critical. Orange indicates high. Yellow indicates medium. Green indicates low. <p>The colors on the map align with the severity level of the issues.</p>

- Click a country or issue in the table to display more details on the *Security Issues* page. See [Security Issues on page 39](#).

Downloading the EASM dashboard details

The EASM dashboard details can be downloaded to your hard drive. The process downloads a zip file named *EASM Dashboard.zip* that contains the following items:

- List of discovered assets in Microsoft Excel format
- List of issues in Microsoft Excel format
- An attack surface summary dashboard in PDF

To download the EASM dashboard:

- Go to *EASM > Dashboard*, and click *Download*.
- Retrieve the download from *Profile Settings*. See [Retrieving downloads on page 142](#).

Asset Discovery

The *EASM > Asset Discovery* page provides a summary of all discovered assets and details about each asset. From the *Asset Discovery* page, you can:

- View a summary about and details of your assets. See [Viewing asset details on page 32](#).
- Mark discovered assets as false positives to remove them from the next scheduled FortiRecon scan. See [Marking assets as false positives on page 34](#).
- Manually add assets to FortiRecon to include them in the next scheduled scan. See [Adding assets manually on page 35](#).
- Manually remove assets from the next scheduled FortiRecon scan. See [Removing assets manually on page 35](#).
- Assign tags to assets for focused filtering. See [Assigning tags on page 36](#).



Tags are created in *EASM > Asset Management*. Assets can also be assigned to tags in bulk in the *Asset Management* page. See [Asset Management on page 44](#).

- Perform a FortiDAST vulnerability scan on assets. See [Performing a FortiDAST scan on page 37](#).
- View DNS health report for your domains. See [DNS Health Report on page 38](#).


Viewing asset details

The *EASM > Asset Discovery* page displays the number of assets in an *Overview* section and in an *Assets Discovered* list.

You can display details about an asset by clicking a number in the *Overview* section or a category in the *Assets Discovered* list. When you are reviewing asset details, you can mark assets as *False Positive* as needed to remove them from future FortiRecon scans.

To view asset details:

1. Go to *EASM > Asset Discovery*. The number of discovered assets display in an *Overview* section across the top and in an *Assets Discovered* list on the left side of the page.



The following information is available:

Organizations	The number of organizations that have been detected as belonging to you.
ASN	The number of autonomous system numbers (ASNs) that are linked to the detected organizations.
IP blocks	The number of IP blocks associated with the ASNs.
IP address	The number of IP addresses that are linked to the IP blocks.
Domains	The number of domains linked to your organization.

Sub-domains

The number of sub-domains linked to your organization.

- In the *Overview* bar, click a number, or in the *Assets Discovered* list, click an asset category. Details about the selected item are displayed on the right side of the page.

For example, click *Domains*. On the right side of the page, the names of the discovered domains are displayed.

The screenshot shows the 'ASSETS DISCOVERED' section with a sidebar on the left and a main content area on the right. The sidebar lists various asset categories with their counts: ORGANIZATIONS (03), ASN (00), IP BLOCK (01), IP ADDRESS (157K), DOMAINS (31), SUB-DOMAINS (374), Archived Results (All Time) (1), and False Positive (toggle). The main content area displays a list of discovered domains, each with a 'Multiselect' button, a 'DNS Health Check' button, and an 'Assets Linked' count. The domains shown are stg-acmedemosofy.com (70 assets linked), acmedemomtaas.com (53 assets linked), and myacmedemo.com.

- Filter the assets from the dropdown menu:

The screenshot shows a dropdown menu for filtering assets. The menu is open, showing the following options: All Assets (selected), Appeared Assets, Disappeared Assets, Cloud Assets, and New Assets.

- Select *Appeared Assets* to show assets that appeared in the latest scan.
- Select *Disappeared Assets* to show assets that disappeared in the latest scan.
- Select *Cloud Assets* to show cloud-based assets.




Cloud assets can only be filtered if the AWS cloud environment has been integrated. See [Integrations on page 53](#).

- Select *New Assets* to show new assets or assets that have updates.
- Select *Filter* to define ports, technology, country, tag, and group filters.

The screenshot shows the filter configuration interface. It includes a search bar at the top, a 'Filter' button, and several filter categories: Ports, Technology, Country, and Tags. The 'Tags' section is expanded, showing a list of tags: Umatag, testnocolor, AllTags, and test_color. There is also a 'Clear All' button for the tags.

- Click the *Expand* icon. Details about the domain are displayed.



- If an asset should be removed from the next scheduled FortiRecon scan, mark the asset as *False Positive*. See also [Marking assets as false positives on page 34](#).


Marking assets as false positives

You can manually mark any of the following discovered assets as false positives to remove them from the next scheduled FortiRecon scan:

- ASN
- IP blocks
- IP addresses
- Domains
- Sub-domains

To mark false positives:

- Go to *EASM > Asset Discovery*. The discovered assets are displayed.
- Click one of the following assets to display its details:
 - ASN
 - IP Blocks
 - IP Address
 - Domains
 - Sub-domains
- Select an asset, and toggle on *Mark as False Positive*.



You can also select the *Multiselect* checkbox to select all or some assets, and then mark them as false positives.

A confirmation dialog is displayed.

- Click *Yes*.


Adding assets manually

FortiRecon discovers assets for you. You can also manually add assets to FortiRecon scans.

When you manually add assets to FortiRecon, results for the assets are visible after the next scheduled FortiRecon scan.

To add assets:

1. Go to *EASM > Asset Discovery*. The discovered assets are displayed.
2. Click *Bulk Add / Remove Assets*. The *Bulk Add / Remove Assets* dialog is displayed.



3. Enter the assets, and click *Add Assets*.



The scan results for the newly added assets will be available within 24 hours in FortiRecon portal.


Removing assets manually

FortiRecon discovers assets for you. You can also manually remove assets from FortiRecon scans.

When you manually remove assets from FortiRecon, any associated assets are also removed. The changes are visible within minutes or hours, depending on the change.

To remove assets:

1. Go to *EASM > Asset Discovery*. The discovered assets are displayed.
2. Click *Bulk Add / Remove Assets*. The *Bulk Add / Remove Assets* dialog is displayed.




3. Enter the assets, and click *Remove Assets*.

Assigning tags

Tags can be assigned to assets for focused filtering in the *EASM > Asset Discovery* page. For more information on tags, see [Asset Management on page 44](#).


To assign a tag to an asset:

1. Go to *EASM > Asset Discovery*.
2. Find the asset you want to tag and click the + icon. The *Add Tags* dialog is displayed.



To create a new tag, click *Create* in the *Add Tags* dialog or go to *EASM > Asset Management* page. See [Creating a tag on page 44](#).

3. Select the tags you would like to assign.
4. Click *Add*.



Performing a FortiDAST scan


You can use FortiDAST to perform a vulnerability scan on your assets. By leveraging a FortiDAST integration with FortiRecon, you can identify vulnerabilities and security gaps within your assets. See the [FortiDAST User Guide](#) for more information on how the integration and scanning works.

To scan an asset with FortiDAST:


1. Add a FortiDAST integration to FortiRecon. See [Adding integrations on page 54](#).
2. Go to *EASM > Asset Discovery*.
3. Navigate to the asset you want to scan.
4. Select *Actions > DAST Scan*.




The *DAST Scan* dialog opens with number of *Remaining Scans* displayed.



5. Click *Add* beside the asset you want to add to DAST. A confirmation message is displayed.



6. Click *Yes*. The *Scan*, *Config Scan*, and *View Result* buttons become available for the asset.




7. Click *Config Scan*. You will be redirected to FortiDAST.




Only master or sub users will be redirected to FortiDAST to complete the configuration. Other users will be prompted with a dialog on how to proceed.

8. Configure the scanner. See the [FortiDAST User Guide](#) for more information.
9. Click *Scan*. A confirmation message is displayed.



10. Click **Yes**.
11. Once the scan has started, click *View Result* to view the status of the scan.



You can scan the same asset again by selecting *ReScan*.

DNS Health Report

FortiRecon's DNS Health Report feature is a powerful tool that provides a comprehensive analysis of your domain's DNS health. This feature offers detailed information on passed, info, warning, and error counts, allowing you to quickly identify and address any potential issues. The report includes sections dedicated to the *Parent Nameserver(s)*, *Authoritative Nameserver(s)*, and *SOA Records*, offering valuable insights into the overall health and adherence to DNS standards of your domain.

To view DNS health report:

1. Go to *EASM > Asset Discovery > Domain*.
2. Navigate to the domain you want to view the report for.
3. Select *DNS Health Report*.

DNS Health Check Report : fortiguard.net

19 Passed

Authoritat. 11
Parent Nam. 2
SOA Record 6

03 Info

Authoritat. 1
Parent Nam. 1
SOA Record 1

00 Warning

01 Error

Authoritat. 1

Parent Nameserver(s)

Status	Test Name	Findings	Test Description
✓	Valid Domain	'fortiguard.net' is a valid domain.	Provided domain is a valid domain.
✓	Parent Nameserver(s)	Found 13 records (showing max 3) records: m.gtld-servers.net: 192.55.83.30 d.gtld-servers.net: 192.31.80.30 f.gtld-servers.net: 192.35.51.30	A Parent Nameserver refers to a DNS server responsible for providing information about the higher-level domain or the top-level domain in the DNS hierarchy. It helps the recursive resolver in the process of resolving a domain name by directing it to the authoritative nameservers for the respective domain.

Authoritative Nameserver(s)

Status	Test Name	Findings	Test Description
✓	Authoritative Nameserver(s)	Found 3 records (showing max 3) records: nsl.fortinet.com: 85.39.139.161 ns2.fortinet.com: 96.45.36.48 ns3.fortinet.com: 208.91.113.63	An authoritative name server is a name server that gives answers in response to questions asked about names in a zone. An authoritative-only name server returns answers only to queries about domain names that have been specifically configured by the administrator.

SOA Record

Status	Test Name	Findings	Test Description
✓	SOA Record	Found following SOA record: mname: nsl.fortinet.com. name: mis.fortinet.com. serial: 2019121300 expire: 172800 refresh: 10800 retry: 900 minimum_ttl: 3600	The DNS 'Start of Authority' (SOA) record stores important information about a domain or zone such as the email address of the administrator, when the domain was last updated, and how long the server should wait between refreshes.

Security Issues

The *EASM > Security Issues* page provides a summary of all potential security issues and details about each issue. From the *Security Issues* page, you can:

- View a summary about and details of all potential security issues related to your assets. See [Viewing security issues on page 39](#).
- Apply filters to the list of security issues to hone in on specific issues. See [Filtering security issues on page 41](#).
- Change the status of security issues to reflect changes made at your organization to address the issues. See [Changing the status of security issues on page 43](#).
- Add a comment to explain status changes made to security issues. See [Adding a comment to a security issue on page 43](#).

Viewing security issues

The *EASM > Security Issues* page displays the number of active security issues and how many of the active security issues are rated critical, high, medium, and low. Color indicates the severity of a security issue:

Critical	Security issues rated <i>Critical</i> are red.
High	Security issues rated <i>High</i> are orange.
Medium	Security issues rated <i>Medium</i> are yellow.
Low	Security issues rated <i>Low</i> are green.


You can use search and filters to change the list of reports that are displayed, and then click each report to display its details.

To view security issues:

1. Go to *EASM > Security Issues*. The security issues are displayed.

The *Issues* bar across the top displays the number of active security issues and the number of active security issues that are rated critical, high, medium, and low security risk.

For each report, the number of affected assets is also displayed.



2. In the *Issues* section, click the number under *Critical*, *High*, *Medium*, or *Low*. The corresponding filter is selected and only those reports are displayed.
3. For each report, click the *i* icon to display a description of the issue and suggested remediation steps.

Description

PostgreSQL is a database service which is highly targeted by attackers. Organization(s) should not expose this service to the public internet unless there is a business requirement. However, if there is a business requirement then one of the following listed alternatives could be considered:

- Organization(s) should find ways to restrict the IP Address which are allowed to access this service.
- Organization(s) should allow this service from trusted IPsec or SSL VPN to the appropriate users/groups who need to get access within the organization.

4. Click the title of a report to display details about affected assets.

5. If available, view the path used to discover the issue:
 - a. Click the *Discovery Path* icon. The discovery path is displayed.



- b. Click the X in the top-right corner to close the window.
6. When available, click the following icons:

Additional Information	Displays additional information about the security issue.
Raw Data	Displays raw data about the security issue.
Edit	Click to change the status of a security issue to reflect action taken by your organization to address the issue. See Changing the status of security issues on page 43 .

7. Click the *Back* button.

Filtering security issues


By default, the *EASM > Asset Discovery* page displays all potential security issues, starting with critical security issues. You can use filters to display specific types of issues.



You can search for specific security issues using the *Search by Asset* field. Enter IP address information, such as 192.168.10.10 or 192.168.12.0/24.

To filter security issues:

1. Go to *EASM > Security Issues*. The list of security issues is displayed.
2. Select the *Issues On New Assets* checkbox to filter security issues on newly discovered assets.



3. Add advanced search features:
 - a. Click the filter icon. The advanced search fields are displayed.
 - b. Select the *Search Type*.
 - c. Click *Search*.
4. Select one or more filters, and click *Search*:

Filter	Options
Status	Select one of the following statuses: <ul style="list-style-type: none"> • Active • Resolved • Risk accepted • False positive
Severity	Select one or more of the following severity statuses: <ul style="list-style-type: none"> • Critical • High • Medium • Low
Category	Select one or more of the categories. The list of categories changes based on the displayed security issues.
Country	Select one or more countries.

The list of filtered security issues is displayed.

5. (Optional) In the *Filters* list, toggle on *False Positive*. The list displays only issues marked with a status of *False Positive*.
6. Click an issue title to display its details.

In the following example, the details for the *Exposed Mongo DB Service* issue are displayed:

The screenshot displays the FortiRecon interface. At the top, there are five tabs for issue counts: ACTIVE ISSUES (2.28K), CRITICAL (50), HIGH (1.32K), MEDIUM (38), and LOW (863). Below the dashboard, the 'ISSUES' section is active, showing a list of issues. The selected issue is 'Exposed Mongo DB Service', which is marked as 'Mokrano Test' and has a status of 'Active'. The issue details show it was created on May 18, 2022, and is located on Port: 27017. The 'Filters' sidebar on the left shows the following settings: 'By Asset' (Issues On New Assets), 'Status' (Active selected), and 'Severity' (Critical, High, Medium, and Low all selected).

7. Click *Edit* in the top-right corner to change the status by selecting one of the following options:
 - Mark as Resolved
 - Risk Accepted
 - False Positive
8. Click *Back* to display the list of issues again.
9. In the *Filters* list, click *Clear* to remove all filters.

Changing the status of security issues

As you review and address security issues reported by FortiRecon, you can change the status of each issue to reflect your understanding and actions:

Mark as Active	Available only after you change the status of a security issue from active to another status. Select to move an issue back to the active status.
Mark as Resolved	Select to indicate actions taken at your organization have resolved the security issue.
Risk Accepted	Select to indicate actions taken at your organization have not fully resolved the security issue, but the current level of risk is acceptable.
False Positive	Select to indicate that the security issue is not an issue for your organization. The issue is considered a <i>False Positive</i> issue.

To change the status of security issues:

1. Go to *EASM > Security Issues*. The discovered assets are displayed.
2. If necessary, select one or more filters, and click *Search*.
The list of filtered security issues is displayed.
3. Click an issue title to display its details.

In the following example, the *Exposed Mongo DB Service* security issue is displayed:

The screenshot displays the FortiRecon Security Issues dashboard. At the top, there are five summary cards for issue counts: ACTIVE ISSUES (2.28K), CRITICAL (50), HIGH (1.32K), MEDIUM (38), and LOW (863). Below this is a list of issues, with the selected issue 'Exposed Mongo DB Service' (Severity: CRITICAL, Assets Found: 01) expanded to show details. The details view includes a 'Filters' sidebar on the left with sections for 'By Asset' (Issues On New Assets), 'Status' (Active, Resolved, Risk Accepted, False Positive), and 'Severity' (Critical, High, Medium, Low). The main details area shows the issue title, a 'Back' button, a 'Mokrane Test' comment, 'Created On: May 18, 2022', 'Port: 27017', and a 'Status: Active' dropdown menu with an 'Action' button.

4. Click *Edit* in the top-right corner to change the status by selecting one of the following options:
 - Mark as Resolved
 - Risk Accepted
 - False Positive
5. Click *Back* to display the list of issues again.

Adding a comment to a security issue

When editing a security issue on *EASM > Security Issues*, the client can leave a comment to describe the changes and why they were made.



Selecting the comment button will open all comments for that issue. This allows you to review all changes and discussions related to the issue.

To add a comment to a security issue:

1. Go to *EASM > Security Issues*.
2. Select a type of security issue.
3. Locate the issue you would like to make a change to.
4. Click the comment button. A list of previous comments and a text box is displayed.
5. Enter a comment related to the status change.
6. Click *Add*.

Asset Management

You can create and manage asset tags and groups in the *EASM > Asset Management* page. From the *Asset Management* page, you can:

- Create a new asset tag. See [Creating a tag on page 44](#).
- Assign individual and bulk assets to an asset tag. See [Adding assets to a tag on page 45](#).
- Manage, edit, and delete asset tags. See [Managing tags on page 46](#).
- Create a new asset group. See [Creating a group on page 47](#).
- Assign individual and bulk assets to an asset group. See [Adding assets to a group on page 47](#).
- Manage, edit, and delete asset groups. See [Managing groups on page 48](#).
- Filter *EASM* pages by group. See [Filtering by group on page 49](#).
- Limit access to specific assets and security issues using groups and tags. See [Limiting access to assets and issues on page 50](#).



Tags and groups are integrated throughout the *EASM* pages. You can filter by tags in the *Asset Discovery* and *Security Issues* pages; see [Viewing asset details on page 32](#). Groups can be filtered in all *EASM* pages.

Creating a tag

Asset tags can be used to mark specific assets for focused filtering in the *Security Issues* and *Asset Discovery* pages. When creating a tag, a tag color is selected so that assets can be differentiated by tag. Tags must be configured in the *Tag Management* tab before assets can be assigned.



Some tags are automatically generated and cannot be edited or deleted.

To create a tag:

1. Go to *EASM > Asset Management*.
2. Select the *Tag Management* tab.
3. Click *Create*. The *Create Tag* dialog is displayed.
4. Enter a *Tag Name*.
5. Enter a *Tag Description*.
6. Select the *Theme Color* icon to assign the tag color.
7. Click *Submit*. The new group is added to the *Tag Management* tab.

Adding assets to a tag

You can add individual or bulk assets to a tag from the *Tag Management* tab.




Assets must be included in *EASM > Asset Discovery* before they can be tagged. See [Adding assets manually on page 35](#).

Tags can also be assigned to assets in *EASM > Asset Discovery*. See [Assigning tags on page 36](#).

To add assets to a tag:


1. Go to *EASM > Asset Management*.
2. Select the *Tag Management* tab.
3. Locate the tag you want to add assets to and click *Manage Assets*. A dropdown menu is displayed.



4. Select *Add Assets*.
5. Select the assets to add from the *Validated Assets list*.
6. Click the right arrow. The selected assets will be moved into the tag field.
7. Select *Propagate the tag to asset* to apply tags to the asset associations. Select the *i* icon for more information.
8. Click *Save*.

To add bulk assets to a tag:

1. Go to *EASM > Asset Management*.
2. Select the *Tag Management* tab.
3. Locate the tag you want to add assets to and click *Manage Assets*. A dropdown menu is displayed.




4. Select *Add Bulk Assets*.
5. Enter the asset information in the left field.
6. Select *Propagate the tag to asset* to apply tags to the asset associations. Select the *i* icon for more information.
7. Click *Validate*. Once validated, assets are displayed in the right field. Any assets that failed validation are listed.
8. Click *Save*.

Managing tags

Asset tags can be managed from the *Tag Management* tab. You can remove assets from a tag, edit a tag, or delete a tag.

To remove an asset from a tag:

1. Go to *EASM > Asset Management*.
2. Select the *Tag Management* tab.
3. Locate the tag you want to remove assets from and click *Manage Assets*. A dropdown menu is displayed.




4. Select *Remove Assets*.
5. Select the assets you want to remove or click *Select All*.
6. Click *Remove Selected*.

To edit a tag:

1. Go to *EASM > Asset Management*.
2. Select the *Tag Management* tab.
3. Locate the tag you want to edit and click the *Edit* icon.
4. Edit the fields.
5. Click *Submit*.

To delete a tag:

1. Go to *EASM > Asset Management*.
2. Select the *Tag Management* tab.
3. Locate the tag you want to delete and click the *Delete* icon. A confirmation message is displayed.



4. Click Yes.

Creating a group

Asset groups can be used to consolidate related assets. Groups can be viewed in the *Dashboard*, *Asset Discovery*, and *Security Issues* pages. An asset group must be created in the *Group Management* tab before assets can be assigned.



Assets can also be grouped based on subsidiary hierarchy. This allows for separate reporting and delegation of remediation responsibilities.

To create a group:

1. Go to *EASM > Asset Management*.
2. Select the *Group Management* tab.
3. Click *Create*. The *Create Group* dialog is displayed.
4. Enter a *Group Name*.
5. Enter a *Group Description*.
6. Click *Submit*. The new group is added to the *Group Management* tab.



Once a group has been created, you can assign assets to the group. See [Adding assets to a group on page 47](#).

Adding assets to a group

You can add individual or bulk assets to a group from the *Group Management* tab.




Assets must be included in *Asset Discovery* before they can be tagged. See [Adding assets manually on page 35](#).

To add assets to a group:

1. Go to *EASM > Asset Management*.
2. Select the *Group Management* tab.


3. Locate the group you want to add assets to and click *Manage Assets*. A dropdown menu is displayed.



4. Select *Add Assets*.
5. Select the assets to add from the *Validated Assets list*.
6. Click the right arrow. The selected assets will be moved into the tag field.
7. Select *Propagate the tag to asset* to apply tags to the asset associations. Select the *i* icon for more information.
8. Click *Save*.

To add bulk assets to a group:

1. Go to *EASM > Asset Management*.
2. Select the *Group Management* tab.
3. Locate the group you want to add assets to and click *Manage Assets*. A dropdown menu is displayed.




4. Select *Add Bulk Assets*.
5. Enter the asset information in the left field.
6. Select *Propagate the tag to asset* to apply tags to the asset associations. Select the *i* icon for more information.
7. Click *Validate*. Once validated, assets are displayed in the right field. Any assets that failed validation are listed.
8. Click *Save*.

Managing groups

Asset tags can be managed from the *Group Management* tab. You can remove assets from a group, edit a group, or delete a group.

To remove an asset from a group:

1. Go to *EASM > Asset Management*.
2. Select the *Group Management* tab.
3. Locate the group you want to remove assets from and click *Manage Assets*. A dropdown menu is displayed.



4. Select *Remove Assets*.


5. Select the assets you want to remove or click *Select All*.
6. Click *Remove Selected*.

To edit a group:

1. Go to *EASM > Asset Management*.
2. Select the *Group Management* tab.
3. Locate the group you want to edit and click the *Edit* icon.
4. Edit the fields.
5. Select *Assign Group To All Users* to make the assets visible to all users. See [Limiting access to assets and issues on page 50](#).
6. Click *Submit*.

To delete a group:

1. Go to *EASM > Asset Management*.
2. Select the *Group Management* tab.
3. Locate the group you want to delete and click the *Delete* icon. A confirmation message is displayed.



4. Click *Yes*.

Filtering by group

Once a group has been created, you can filter by group in the *EASM > Security Issues* and *EASM > Asset Discovery* pages using the *Groups* dropdown menu. The *Groups* filter will be set to all assets of the organization by default.


The following example demonstrates filtering by group in the *EASM > Security Issues* page.

To filter by group:

1. Go to *EASM > Security Issues*.
2. Click the *Groups* dropdown menu.



- Select the group you want to filter by. The page will displayed information related to the selected group.



Limiting access to assets and issues

User access to specific assets and security issues can be limited through the use of groups and tags. User asset and security issue visibility is limited to the groups they are assigned to and any tags associated with these group assets.

The following table presents examples of visible and hidden assets based on the groups that a user is assigned to:

User assigned to	Visible assets	Hidden assets
A single group with no tags assigned	<ul style="list-style-type: none"> All assets that have been added to the group 	<ul style="list-style-type: none"> Assets that have not been added to the group
A single group with tags assigned to the assets	<ul style="list-style-type: none"> Assets that have been added to the group that also have the tags assigned 	<ul style="list-style-type: none"> Assets that have not been added to the group Any assets included in the assigned group that do not have the tags assigned
Multiple groups with no tags assigned	<ul style="list-style-type: none"> All assets that have been added to any of the assigned groups 	<ul style="list-style-type: none"> Assets that have not been added to any of the groups
Multiple groups with tags assigned to the assets	<ul style="list-style-type: none"> Assets that have been added to any of the assigned groups that also have the tags assigned 	<ul style="list-style-type: none"> Assets that have not been added to any of the groups Any assets included in the assigned groups that do not have the tags assigned


To assign users to a group:

- Go to *EASM > Asset Management*.
- Select the *Group Management* tab.

The screenshot shows the 'Group Management' table with the following data:

Name	Description	Linked Assets	Created By	Status	Date	Actions
group_regression_edited	Editing Group for Regression Testing	102	Fortinet Auto Qa	All	Mar 02, 2023	Manage Assets
testrole	-	0	testrole	All	Feb 07, 2023	Manage Assets
test-gc	test role	0	test-gc	All	Dec 27, 2022	Manage Assets
test-del	testing delete	0	test-del	All	Dec 27, 2022	Manage Assets
test-a	testing group	0	test-a	All	Dec 16, 2022	Manage Assets

3. Select *Assign User*. The *Assigned User List* dialog is displayed.



4. Select the users you want to assign:
 - Select specific users to assign to the group.
 - Select *Select All* to make the group assets and security issues visible to all users.
5. Click *Submit*.

Leaked Credentials

The FortiRecon team continually monitors for credential leaks and provides alerts to you through the FortiRecon portal. If any leaked or breached credentials that involve email addresses of the organizations or the users of their systems are detected, the FortiRecon portal automatically displays the information.

As part of consolidated collection, the leaked credentials are gathered from multiple sources:

- Publicly leaked or breached databases
- Privately shared databases
- Paste sites
- Malware infections

Leaked credentials are the primary source of *Password Re-Use Attacks*. It is important for any organization to quickly neutralize leaked credentials.

On the *EASM > Leaked Credentials* page, you can:

- View leaked credentials by year. See [Viewing leaked credentials by year on page 51](#).
- View breached datasets. See [Viewing breached datasets on page 52](#).
- View leaked credential details. See [Viewing leaked credential details on page 53](#).
- Export a list of leaked accounts. See [Exporting leaked accounts on page 53](#).

Viewing leaked credentials by year

The *EASM > Leaked Credentials* page provides a calendar year of all breaches. You can change the year to view previous year data.

To view leaked credentials by year:

1. Go to *EASM > Leaked Credentials*. The *Credential Exposure* year is displayed. Colored blocks indicate a breach. Light colored blocks indicate few affected credentials, and dark colored blocks indicate many affected credentials.



2. Hover over the block to display details about the breach.
3. From the *Year* menu, select a different year. The calendar changes to the selected year.
4. Click a color block to display details on the *Leaked Credentials* page. See [Viewing leaked credential details on page 53](#).

Viewing breached datasets

On the *EASM > Leaked Credentials* page, you can click the *Breach Dataset* tab to view results displayed on the following tabs:

- The *Relevant* tab displays breach information that contains email addresses related to your organization's domains.
- The *Other* tab displays all breach information indexed in FortiRecon's database, including breach information related to third-parties that does not contain email addresses related to your organization's domains.

You can filter the list of breached datasets by date, and you can search for keywords.

To view breached datasets:

1. Go to *EASM > Leaked Credentials*. The *Breach Dataset* tab is displayed with the *Relevant* tab selected. The following columns of information are available:

Breach Name	Displays the name of the breach. A red <i>Includes passwords</i> is displayed when the breach includes passwords.
Breach Date	Displays the date that the breach occurred.
Added On	Displays the date that the information was made available to other malicious actors.
Compromised Accounts	Displays the number of known compromised accounts.

2. Click a breach to display more information about it.
3. On the *Breached Dataset* tab, filter reports by a date range:
 - a. Click *Filter Report by Date Range*. Two calendars are displayed.
 - b. In the left calendar, select a month, year, and day to specify the start date of the range.
 - c. In the right calendar, select a month, year, and day to specify the end date of the range. Only reports from the date range are displayed.
 - d. Click the *Filter Report by Date Range* box, and click *X* to remove the date range filter.
4. In the *Search* box, type a term, and press *Enter*. In the *Search* box, clear the term to remove it.
5. Click the *Other* tab. The most recent breaches added by FortiRecon are displayed. On the *Other* tab, you can filter the data by date and use the *Search* box.

Viewing leaked credential details

On the *EASM > Leaked Credentials* page, click the *Leaked Credentials* tab to view the results.

You can filter the list of leaked credentials by date and domain, and you can search for keywords.

To view leaked credential details:

1. Go to *EASM > Leaked Credentials*, and click *Leaked Credentials*.
2. Filter reports by a date range:
 - a. Click *Filter Report by Date Range*. Two calendars are displayed.
 - b. In the left calendar, select a month, year, and day to specify the start date of the range.
 - c. In the right calendar, select a month, year, and day to specify the end date of the range. Only reports from the date range are displayed.
 - d. Click the *Filter Report by Date Range* box, and click *X* to remove the date range filter.
3. In the *Domain* list, select one or more domains. In the *Domain* box, delete the selected domain names to remove the filter.
4. Click a domain name to display more details.
5. Click the *Other* tab.
6. In the *Search* box, type a term, and press *Enter*. In the *Search* box, delete the term to remove it.

Exporting leaked accounts


You can export a list of leaked accounts to Microsoft Excel format.

To export leaked accounts:

1. Go to *EASM > Leaked Credentials*, and click *Leaked Credentials*.
2. Click the *Export Leaked Accounts*. A file named *Leaked Accounts.xlsx* is exported to your computer.

Integrations

You can enable read only access to your environments and discover their cloud assets. Once assets are discovered, they are added to the *EASM > Asset Discovery* and *Security Issues* pages. Click the *i* on the *Integrations* page for more information.



On the *EASM > Integrations* page, you can:

- Add new integrations for AWS, Azure, Google Cloud Platform, FortiDAST, and FortiGate. See [Adding integrations on page 54](#).
- Edit and delete existing integrations. See [Editing integrations on page 57](#).


Adding integrations

The *EASM > Integrations* page displays all existing integrations. You can manually add new integrations as needed.

- [AWS](#)
- [Azure](#)
- [Google Cloud Platform](#)
- [FortiDAST](#)
- [FortiGate](#)

To add a new AWS integration:

1. Go to *EASM > Integrations*.
2. Click the + icon.
3. Select **AWS**. The *Add AWS* page is displayed.



For more information on creating an AWS IAM policy and role, click *Need Help?*.

4. Enter the account ID number in the *Account ID* field.
5. Enter a descriptive name in the *Integration Name* field.
6. Click **Save**.

To add a new Azure integration:

1. Go to *EASM > Integrations*.
2. Click the + icon.
3. Select **Azure**. The *Add Azure* page is displayed.

4. Enter the relevant values in the *Subscription ID*, *Client ID*, *Tenant ID*, and *Client Secret* fields.



These four values are necessary to create read-only access for your Azure cloud account. For information on generating these values, click *Need Help?*

5. Enter a descriptive name in the *Integration Name* field.
6. Click *Save*.

To add a new Google Cloud Platform integration:

1. Go to *EASM > Integrations*.
2. Click the + icon.
3. Select *GCP*. The *Add GCP* page is displayed.

4. Enter a descriptive name in the *Integration Name* field.
5. Enter the *JSON* information from the GCP configuration file.




For information on generating the GCP key file and downloading JSON, click *Need Help?*

6. Click *Validate*.

To add a new FortiDAST integration:

1. Go to *EASM > Integrations*.
2. Click the + icon.
3. Select *FortiDAST*. The *Add FortiDAST* page is displayed.



4. Enter the master email address in the *Email* field.
5. Enter the *API Key* from FortiDAST.
6. Click *Save* to verify the key.



Once the FortiDAST integration is verified, you can scan assets in the *EASM > Asset Discovery* page. See [Performing a FortiDAST scan](#).

FortiGate Integration

Integrating FortiGate with FortiRecon enhances the asset discovery capabilities of FortiRecon EASM. It does this by adding FortiGate Interface IPs and all IPs behind NAT to the *EASM > Asset Discovery* page. Once the integration is verified, all assets discovered via FortiGate will have additional metadata, including:

- Name of Virtual IP on FortiGate
- Mapped Internal IP
- MAC address of Internal IP
- Mapped External Port
- Mapped Internal Port
- Operating System

You can use this metadata to take action faster on security vulnerabilities and threats.

To add a new FortiGate integration:

1. Go to *EASM > Integrations*.
2. Click the + icon.
3. Select *FortiGate*. The *Add FortiGate* page is displayed.

← Back Integrations > Add FortiGate

Need Help?

Integration Name

Host

Port

Token

Use HTTPS

Cancel Save

4. Enter a name for the integration.
5. Enter FortiGate IP address in the *Host* field.
6. Enter the *Port* number.
7. Enter the FortiGate access *Token*.



For information on creating token, click *Need Help?*

8. Select *Use HTTPS* checkbox if required.
9. Click *Save*.

Editing integrations

You can edit and delete existing integrations from the *EASM > Integrations* page.

To edit an integration:

1. Go to *EASM > Integrations*.
2. Click *Edit*. The integration details are displayed.
3. Edit the fields you want to change.




You cannot edit the *External ID* field for an AWS integration. You cannot edit the *Account ID*, *Subscription ID*, or *Tenant ID* for an Azure integration.

4. Click *Save*.

To delete an integration:

1. Go to *EASM > Integrations*.
2. Click *Delete*. The *Confirmation* message is displayed.



3. Select Yes.

Brand Protection

The Brand Protection (BP) module uses proprietary algorithms to detect common techniques used by cyber threat actors, such as web-based phishing attacks, typo-squatting, defacements, rogue apps, credential leaks, and brand impersonation in social media. You can use the Brand Protection module to detect activity early and take action, such as web site or application takedown, to protect your brand value, trust, integrity, and reputation.

The *Brand Protection* module contains the following pages:

Dashboard	Displays a summary of typo-squatting domains, flash alerts and reports, rogue apps, phishing campaigns, and takedown requests. See Dashboard on page 60 .
Domain Threats	Displays a list of typo-squatted domains and phishing URLs. You can initiate domain takedown or the suspension of monitoring. See Domain Threats on page 62 .
Social Media Threats	Displays all discovered profiles that may be impersonating your organization's social media pages. You can filter profiles, initiate profile takedown, and export a Microsoft Excel file containing profile details. See Social Media Threats on page 66 .
Rogue Mobile Apps	Displays all discovered apps that may be impersonating your organization's assets. You can filter apps, assign status, initiate app takedown, and export a Microsoft Excel file with app details. See Rogue Mobile Apps on page 74 .
VIP Monitoring	Displays threats targeted at high-profile individuals of your organization. You can filter threats and add VIP profiles for monitoring. See VIP Monitoring .
Code Repo Exposure	Displays a list of attributes exposed in code repositories. See Code Repo Exposure on page 82 .
Open Bucket Exposure	Displays a list of files exposed in open buckets. See Open Bucket Exposure on page 84 .
Take Down	Displays a list of takedown request tickets and their current status. See Take Down on page 85 .

Brand Protection also includes *Logo Monitoring* feature which provides an additional method for identifying your brand on known phishing or malicious pages. This feature enhances the accuracy of identifying cases involving brand impersonation.



FortiRecon logo monitoring feature performs the following tasks:

- Analyzes all active typo-squatted domains to determine whether they host pages containing your organization's logo or logos that are resembling. When such domains are identified, a *Logo Detection* tag is assigned to the domain.
- Examines all domains and pages that are processed, which are obtained through phishing feeds to identify any instances where your organization might be impacted.
- Inspects all pages that are identified through the detection of the FortiRecon watermark.

Dashboard

The *Brand Protection > Dashboard* page provides information on threats to your organization's public facing assets, such as brand abuse, domain threats, and information exposure. From the *Brand Protection > Dashboard* page, you can:

- View a summary of domain threats to your organization. See [Viewing the domain threat summary on page 60](#).
- View a summary of brand abuse, such as rogue apps or social media threats. See [Viewing the brand abuse summary on page 60](#).
- View a summary of information exposure, including code and file exposure. See [Viewing the information exposure summary on page 61](#).
- View trends and important alerts of threats to your brand. See [Viewing the alert summary on page 61](#).
- View total credits used and available for domain takedown. See [Viewing the takedown credit summary on page 62](#).

Viewing the domain threat summary

The *Dashboard* displays a summary of domain threats in the *Summary* widget.

To view the domain threat summary:

1. Go to *Brand Protection > Dashboard*.
2. Scroll to the *Summary* widget. *Total Threats* and the distribution of threat type is displayed.



3. Hover over the threat type distribution bar to see the number of threats for each type.

Viewing the brand abuse summary

The *Dashboard* displays information on domain phishing, rogue apps, and social media threats in the *Brand Abuse* widget.

To view the brand abuse summary:

1. Go to *Brand Protection > Dashboard*.
2. Scroll to the *Brand Abuse* widget. High level information on *Total Threats*, *Domain Threats*, *Rogue Apps*, and *Social*

Media Threats are displayed.



Viewing the information exposure summary

The *Dashboard* displays information on discovered, exposed information, such as code and file exposure in the *Information Exposure* widget.

To view the information exposure summary:

1. Go to *Brand Protection > Dashboard*.
2. Scroll to the *Information Exposure* widget. High level information about code and file exposure is displayed.




Viewing the alert summary

The *Dashboard* displays high level information on alerts in the *Alert Trends* widget.

To view the alert summary:

1. Go to *Brand Protection > Dashboard*.
2. Scroll to the *Alert Trends* widget. Trends are displayed in a graph and important alert highlights are organized by category.




3. Hover over the graph for more information on daily alerts.

Viewing the takedown credit summary

The *Dashboard* displays information on available and used takedown credits and the most recent domain takedowns in the *Takedown Credits* widget.

To view the takedown credit summary:

1. Go to *Brand Protection > Dashboard*.
2. Scroll to the *Takedown Credits* widget. The number of used, total, and available credits is displayed.



Domain Threats

The *Domain Threats* page displays a list of domains impersonating your organization's domain, such as typo-squatted domains and phishing URLs.

From the *Brand Protection > Domain Threats* page, you can:

- Review discovered domain threats and high level threat information. See [Reviewing domain threats on page 63](#).
- Take action against impersonating domains, such as requesting domain takedown. See [Managing domain threats on page 63](#).
- Filter the list of domains. See [Filtering domains on page 63](#).
- Create a digital watermark. See [Digital watermark on page 64](#).

Reviewing domain threats

You can review information about domain threats in the *Brand Protection > Domain Threats* page. Information displayed about domain threats includes:

- Domain name and URL
- Registration date
- Threat type tags
- Threat status
- Original domain

To review exposed attributes:

1. Go to *Brand Protection > Domain Threats*.
2. Review the high level threat information:
 - Review the distribution of threat types and the total number of discovered threats in the *Summary*.
 - Review the distribution of threat statuses in *Domain Status*.
 - Review the number of takedown credits available in *Takedown Credits*.
3. Select a threat to review detailed threat information.

Managing domain threats

You can interact with discovered domain threats, such as marking the files as resolved or request domain takedown.

To manage a threat:

1. Go to *Brand Protection > Domain Threats*
2. Find the threat you want to manage.
3. Change the status:
 - Select *Action > Mark as Resolved* to indicate that the domain threat has been resolved.
 - Select *Action > Take Down* to initiate the domain takedown process.
4. Click *Comment* to add a comment to the threat history.

Filtering domains

You can filter threats by date, status, threat type tags, or original domain.

To filter domain threats:

1. Go to *Brand Protection > Domain Threats*
2. Filter threats by a date range:
 - a. Click *Filter By Date Range*. Two calendars are displayed.
 - b. In the left calendar, select a month, year, and day to specify the start date of the range.
 - c. Select a month, year, and day to specify the end date of the range.
Only threats from the date range are displayed.
 - d. Click the *Filter By Date Range* box, and click *X* to remove the date range filter.
3. Search for keywords:
 - a. In the *Type and hit Enter to Search* box, type a keyword, and press *Enter*.
The threats are filtered to display only threats with the keyword.
 - b. Click the *X* beside the keyword to remove the filter.
4. Filter by status in the *By Status* section:
 - Select *Online*, *Offline*, or *Non Functional* to filter threats by their assigned status.
5. Select the threat type in the *By Tags* section.
6. Click *Search*. The files with the matching filters are displayed.

Digital watermark

FortiRecon uses digital watermarks on official login and sensitive pages to track cloning and re-hosting of the web pages as phishing sites on another IP address. A small script that helps the FortiRecon research team track the cloning or re-hosting of the site is provided for you to embed into your website. This process also helps you identify whether any of your customers have been victims of phishing on any cloned pages, and then take remedial actions.


Adding watermarks

You can create a digital watermark to be embedded into your website on the *Domain Threats* page. You can download the digital watermark in two formats:

- **CDN Link:** The JavaScript code is hosted on Fortinet's server, and you must embed the link into the index or login page of your web application using the `<script>` tag.
- **JavaScript file:** The code is hosted on your own server, and you must embed the file using the `<script>` tag, or paste the code into the index or login page of your web application.

To create a digital watermark:

1. Go to *Brand Protection > Phishing* and select *Digital Watermark*. A list of current watermarks are displayed.
2. Click *Add Watermark*. The *Code Preview* pane is displayed.



3. Enter a name for the watermark in the *Digital Watermark Name* text box.
4. Under *Select Domains*, select the domains you want to include. The *Generate* button is displayed.



5. Review the code in *Code Preview* and click *Generate*. The list of watermarks is displayed after the new watermark is generated.
6. Download the watermark:
 - a. Click *Copy CDN Link* to copy the CDN Link to your computer's clipboard.
 - b. Click *Download Digital Watermark* to download the JavaScript file to your computer.
 The digital watermark can be added to your website.



A maximum of 10 domains can be added to a digital watermark when choosing domains in *Select Domains*.

Editing watermarks


You can edit digital watermarks through the *Brand Protection > Phishing* page.

To edit a digital watermark:

1. Go to *Brand Protection > Domain Threats* and select *Digital Watermark*. A list of current watermarks is displayed.
2. Find the watermark you want to edit and select *View & Regenerate*. The *Code Preview* is displayed.



3. Make changes to *Digital Watermark Name* and *Select Domains* as needed. Review the changed code in *Code Preview* and select *Regenerate*. A confirmation message is displayed.




4. Click Yes.

Deleting watermarks

You can delete digital watermarks through the *Brand Protection > Phishing* page.

To delete a digital watermark:

1. Go to *Brand Protection > Domain Threats* and select *Digital Watermark*. A list of current watermarks is displayed.
2. Find the watermark you want to remove and click *Delete*. A confirmation message is displayed.



3. Click Yes.

Social Media Threats

The *Social Media Threats* page displays a list of profiles impersonating your organization's social media profiles. This feature is supported for **Twitter**, **LinkedIn**, **Facebook** and **Instagram** social media platforms.

From the *Brand Protection > Social Media Threats* page, you can:

- View the list of profiles that are social media threats. See [Reviewing social media threats on page 66](#).
- Take action against impersonating profiles, such as requesting profile takedown. See [Managing social media threats on page 67](#).
- Filter the list of profiles. See [Filtering social media threats on page 67](#).
- Add official social media profiles. See [Adding official profiles on page 68](#).
- Export information on discovered profiles. See [Exporting impersonating profiles](#).
- View archived alerts. See [Alerts on page 69](#).

Reviewing social media threats


You can review information about social media threats in the *Brand Protection > Social Media Threats* page. Information displayed about social media threats includes:

- Profile name
- Handle name
- Location
- Friends count

- Followers count
- Posts count

To review social media threats:

1. Go to *Brand Protection > Social Media Threats*.
2. Review the high level threat information:
 - Review the distribution of profile types and the total number of discovered profiles in the *Alert Summary*.
 - Review the distribution of threat profiles based on the social media platforms in *Threats by Social Media*.
 - Review the number of takedown credits available in *Takedown Credits*.
3. Click  icon next to a discovered threat profile to open the profile in a new tab. A warning message is displayed.



4. Click Yes.

Managing social media threats

You can interact with discovered social media threats, such as marking the profile as false positive or request profile takedown.

To manage a threat:

1. Go to *Brand Protection > Social Media Threats*
2. Find the threat you want to manage.
3. Change the status:
 - Select *Action > Mark as False Positive* to indicate that the social media threat has been falsely identified.
 - Select *Action > Take Down* to initiate the profile takedown process.
4. Click *Comment* to add a comment to the threat history.

Filtering social media threats

You can filter threats by date, status, threat type tags, or original domain.

To filter domain threats:


1. Go to *Brand Protection > Social Media Threats*
2. Filter threats by a date range:
 - a. Click *Filter By Date Range*. Two calendars are displayed.
 - b. In the left calendar, select a month, year, and day to specify the start date of the range.
 - c. Select a month, year, and day to specify the end date of the range.
Only threats from the date range are displayed.
 - d. Click the *Filter By Date Range* box, and click *X* to remove the date range filter.
3. Search for keywords:
 - a. In the *Type and hit Enter to Search* box, type a keyword, and press *Enter*.
The threats are filtered to display only threats with the keyword.
 - b. Click the *X* beside the keyword to remove the filter.
4. Filter by status in the *By Alert Status* section:
 - Select *Active*, *False Positive*, or *Active Takedown* to filter threats by their assigned status.
5. Select the social media platform in the *By Social Media* section.
6. Click *Search*. The profiles with the matching filters are displayed.

Adding official profiles

You can add official social media profile of your organization from *Brand Protection > Social Media Threats* page to differentiate between legitimate and impersonating profiles.

To add official profiles:

1. Go to *Brand Protection > Social Media Threats*
2. Click *Official Profiles* on the top right corner.
3. Click add icon.
4. Provide the required information:
 - a. Enter the profile URL.
 - b. Select the social media platform.




The screenshot shows a dark-themed modal window titled "Social Media". It contains two input fields: "Profile Link" with a placeholder "Type here and press save button to add" and "Type" with a placeholder "Select type of social media profile" and a dropdown arrow. At the bottom right, there are two buttons: "Cancel" and "Save".

5. You can also add official social media profiles in bulk by uploading excel (XLS) file containing profile information including profile URL and type.
 - a. Click Upload XLS icon.
 - b. Browse and select the file. Click *Open*.

Note: Ensure that the format in which the profiles data is stored matches with the required format. To view the required format click Download Sample XLS icon.

To delete an official profile:

1. Go to *Brand Protection > Social Media Threats*
2. Click *Official Profiles* on the top right corner.
3. Select the required profile.
4. Click Delete icon.
5. A confirmation message is displayed. Click Yes.



Alerts

FortiRecon lists flash reports prior to version 23.2.0 on the *Brand Protection > Social Media Threats > Show Archived* page.

From the *Archived Alerts* page, you can:

- View flash reports. See [Viewing flash reports on page 69](#).
- Filter through all flash reports available. See [Filtering reports on page 70](#).
- Download flash reports as threat intelligence reports in PDF or as an observable Microsoft Excel file. See [Downloading reports on page 70](#).
- Email and share links to flash reports with others. See [Sharing reports on page 72](#)
- Rate flash reports for relevance. See [Rating reports on page 73](#).
- Review reports and send queries to FortiRecon. See [Reviewing reports on page 73](#).

Viewing flash reports

The *Brand Protection > Social Media Threats > Show Archived* page displays all the flash reports archived to you. By default all reports are displayed, starting with the latest report. Reports include in depth information, such as:


- Threat summary
- Threat detail
- Assessment



A *Takedown* button is included in the report details of reports related to brand abuse. Select the button to begin the takedown process.

To view flash reports:

1. Go to *Brand Protection > Social Media Threats > Show Archived*. The *All Reports* tab displays all flash reports.
2. Click a report title to open the report details.



Filtering reports

You can adjust the reports that display on the *Alerts* page.

To filter reports:

1. Go to *Brand Protection > Alerts*.
2. Filter reports by a date range:
 - a. Click *Filter Report by Date Range*. Two calendars are displayed.
 - b. In the left calendar, select a month, year, and day to specify the start date of the range.
 - c. In the right calendar, select a month, year, and day to specify the end date of the range. Only reports from the date range are displayed.
 - d. Click the *Filter Report by Date Range* box, and click *X* to remove the date range filter.
3. Search for keywords:
 - a. In the *Type and hit Enter to Search* box, type a keyword, and press *Enter*. The reports are filtered to display only reports with the keyword.
 - b. Click the *X* beside the keyword to remove the filter.

The reports that match the set filters display.

Downloading reports


You can download reports from the *Alerts* tab as brand protection alerts in PDF or as an observable Microsoft Excel file. Brand protection alerts provide information from a flash report whereas observables outline any Indicators of Compromise (IOCs) highlighted in the flash report.

Downloaded reports can be set to include:

- All reports available
- Several, specific reports
- Single reports


To download all reports available:

1. Go to *Brand Protection > Social Media Threats > Show Archived*, and select *Downloads*. A confirmation dialog is displayed.



2. Enter a name for the downloaded file in the *File Name* text box.
3. Select the format of the downloaded file:
 - Select *Generate PDF* to download a brand protection alert in PDF.
 - Select *Generate Observable* to download details in Microsoft Excel format.


The following message is displayed:



4. Click *OK*.
5. Retrieve the report. See [Retrieving downloads on page 142](#).


To download specific reports:

1. Go to *Brand Protection > Social Media Threats > Show Archived*.
2. Click the filter icon and set the desired report filters. See [Filtering reports on page 70](#)
3. Select *Download Specific Reports*, and select the reports to include in the report.
4. Select *Downloads*. A list of the selected reports is displayed with download options.



5. Enter a name for the downloaded file in the *File Name* text box.
6. Select the format of the downloaded file:
 - Select *Generate PDF* to download a brand protection alert in PDF.
 - Select *Generate Observable* to download details in Microsoft Excel format.


The following message is displayed:



7. Click *OK*.
8. Retrieve the report. See [Retrieving downloads on page 142](#).

To download a single report:

1. Go to *Brand Protection > Social Media Threats > Show Archived* and click the desired report. The report details open in a new tab.



2. Click *Download Report*.
The report downloads to your computer in PDF.

Sharing reports

You can share a link so that other users can access details of the report without needing to download a file. You can email the link or copy the link to share in a format of your choice.




Only recipients who have a FortiRecon account can access reports through a shared link.

The Traffic Light Protocol (TLP) level dictates who you can share a report with:

- *TLP Red*: The report cannot be shared outside of your organization and should be restricted only to personnel who need to know.
- *TLP Amber*: The report can only be shared with members of your organization and clients who need to know the information to protect themselves.
- *TLP Green*: The report can be shared with peers and partner organizations but cannot be shared on publicly accessible channels.
- *TLP White*: The report can be shared without restriction.

To share a link to a report:

1. Go to *Brand Protection > Social Media Threats > Show Archived* and select the report you want to share. The report details are displayed in a new tab.



2. Hover your mouse over *Share Link*. *Copy Link* and *Email* display.



3. Select how you would like to share the link:

- a. Click *Copy Link* to share the link in a format of your choice.

The link is copied to your computer clipboard, and you can paste it into a message as needed.

- b. Click *Email* to email the link.

Your personal email opens with a draft that includes the report link.



You cannot share Executive Summaries.

Rating reports

You can rate reports in a five star scale. The collection of ratings helps the FortiRecon team provide more relevant reports.



The rating scale is based on five stars. The rating can range from one to five by moving left to right along the stars, with the leftmost star representing one.

To rate a report:

1. Go to *Brand Protection > Social Media Threats > Show Archived* and select the report you want to rate.

The report details are displayed in a new tab.

2. Hover your mouse over the stars in *Ratings & Reviews*.

The stars turn yellow as you move the mouse across them.



3. Click the star that corresponds to your rating out of five.

Your rating is saved, and you can change it at any time by selecting a different star.

Reviewing reports

You can send reviews and queries to the FortiRecon team. Any questions or reviews on reports can be sent using the *write to us* feature.

To review a report:

1. Go to *Brand Protection > Social Media Threats > Show Archived* and select the report you want to review.

The report details are displayed in a new tab.

2. In *Ratings & Reviews*, select *write to us*.



Your personal email opens with a draft that is ready to be sent to the FortiRecon team.

Rogue Mobile Apps

On the *Brand Protection > Rogue Mobile Apps* page, the FortiRecon research team continuously monitors a number of application stores to identify newly created applications that appear similar to your organization's official application.

From the *Brand Protection > Rogue Mobile Apps* page, you can:


- View information on monitored applications. See [Reviewing rogue applications on page 74](#).
- Filter for specific mobile applications. See [Filtering rogue applications on page 75](#).
- Add official applications. See [Adding official applications on page 75](#).
- Assign an app status. See [Assigning application status on page 77](#).
- Initiate takedown of a rogue application. See [Taking down rogue apps on page 77](#).
- Export information on applications. See [Exporting rogue applications on page 78](#).

Reviewing rogue applications

You can view more information on monitored applications on the *Rogue Mobile Apps* page.

To review rogue applications:

1. Go to *Brand Protection > Rogue Mobile Apps*.
2. Review the high level threat information:
 - Review the distribution of application types and the total number of discovered rogue applications in the *Rogue App Summary*.
 - Review the distribution of applications based on the app stores in *By App Stores*.
 - Review the number of takedown credits available in *Takedown Credits*.
3. Filter for the application you want to review. See [Filtering rogue applications on page 75](#).
4. Select the application you want to review. The app information is displayed in a new tab.



Filtering rogue applications

You can filter the apps that appear on the *Rogue Mobile Apps* page by *App Status*, *App Stores* and *Start & End Date*.

To filter apps:

1. Go to *Brand Protection > Rogue Mobile Apps*.
2. Filter reports by a date range:
 - a. Click *Filter By Date Range*. Two calendars are displayed.
 - b. In the left calendar, select a month, year, and day to specify the start date of the range.
 - c. In the right calendar, select a month, year, and day to specify the end date of the range.
Only apps from the date range are displayed.
 - d. Click the *Filter By Date Range* box, and click *X* to remove the date range filter.
3. Search for keywords:
 - a. In the *Type and hit Enter to Search* box, type a keyword, and press *Enter*.
The apps are filtered to display only apps with the keyword.
 - b. Click the *X* beside the keyword to remove the filter.
4. Select the *App Status*, either *Unofficial* or *Rogue*.
5. Select the *App Stores*.
6. Click *Search*. The applications with the matching filters are displayed.

Adding official applications

You can add official applications of your organization from *Brand Protection > Rogue Mobile Apps* page to differentiate between legitimate and rogue applications.

To add official applications:

1. Go to *Brand Protection > Rogue Mobile Apps*
2. Click *Official Apps* on the top right corner.
3. Click add icon.
4. Enter the following information in the confirmation pop-up:
 - a. Application name.
 - b. Developer
 - c. Hosted on
 - d. URL

The screenshot shows a dark-themed modal window titled "Owned Mobile Applications". It contains four input fields, each with a label on the left and a placeholder text on the right: "Name" with "Mobile application name", "Developer" with "Mobile application developer", "Hosted On" with "Hosted on", and "URL" with "Mobile application URL". At the bottom right of the modal are two blue buttons: "Cancel" and "Save".

5. You can also add official applications in bulk by uploading excel (XLS) file containing application information including application name, mobile app developer, hosted on and app URL.
 - a. Click Upload XLS icon.
 - b. Browse and select the file. Click *Open*.

Note: Ensure that the format in which the profiles data is stored matches with the required format. To view the required format click Download Sample XLS icon.

To delete an official application:

1. Go to *Brand Protection > Rogue Mobile Apps*
2. Click *Official Profiles* on the top right corner.
3. Select the required application.
4. Click Delete icon.
5. A confirmation message is displayed. Click Yes.

The screenshot shows a dark-themed modal window titled "Confirmation". The text inside reads: "Are you sure you want to perform this operation? The 1 user's record will be permanently deleted." At the bottom are two blue buttons: "No" and "Yes".


Assigning application status

You can use the following status designations to define app status on the *Rogue Mobile Apps* page:

- *Unofficial*: The app is not published by officially recognized users.
- *Rogue*: The app is unofficial and potentially malicious. If an application is marked as *Rogue*, the *Takedown* function becomes available.

To assign a new application status:

1. Go to *Brand Protection > Rogue Mobile Apps* and find the app.
2. Click *Actions* and select the new application status. A confirmation message is displayed.




3. Click *Yes*.

Taking down rogue apps

If an app is determined to be malicious and rogue, you can initiate the takedown process in the *Rogue Mobile Apps* page.

To initiate takedown of a malicious application:

1. Go to *Brand Protection > Rogue Mobile Apps* and find the app.
2. If the application is assigned to *Unofficial*, change the application status to *Rogue*. See [Assigning application status on page 77](#).
3. Click *Takedown*. A confirmation message is displayed.



4. Click *Yes*. A tracking *Ticket* appears.
5. Go to *Brand Protection > Take Down* to review the status of the application takedown.


Exporting rogue applications

You can export details on potentially rogue mobile applications in the *Rogue Mobile Apps* page. Information included in exported file includes:


- App name and size
- Description
- Developer name and URL
- Download count and URL
- Date the app was discovered
- Listing URL
- Package name
- Source name
- Status

To export rogue application details:

1. Go to *Brand Protection > Rogue Mobile Apps*.
2. Set the desired filters. See [Filtering rogue applications on page 75](#)
3. Click *Download* icon next to the Filters title. A confirmation dialog is displayed.



4. Enter a name for the export file in the *File Name* text box.
5. Select *Generate Excel*. A confirmation message is displayed.



6. Click the menu in the top-right corner and select *Profile Settings*.
7. Go to the *Downloads* tab. The list of available downloads are displayed.
8. Click the download. A file with the name you set is downloaded to your computer in Microsoft Excel format.

VIP Monitoring


The *Brand Protection > VIP Monitoring* page provides enhanced visibility and proactive threat detection, enabling you to monitor high-profile individuals for any malicious activity, providing real-time alerts and actionable insights to mitigate potential security risks.

From the *Brand Protection > VIP Monitoring* page, you can:

- View the timeline of threats for the official VIP profiles added. See [Reviewing VIP profile threats on page 79](#).
- Filter the list of VIP profile threats. See [Filtering VIP profile threats on page 80](#).
- Add official VIP profiles. See [Adding VIP profiles on page 80](#).



A maximum of 10 VIP profiles can be added for monitoring.



Reviewing VIP profile threats

You can review information about VIP profile threats in the *Brand Protection > VIP Monitoring* page. Information includes comprehensive overview of identified threats categorized into various types, including leaked credentials, Telegram mentions, Dox site mentions, Darknet mentions, social media threats, stealer infections, and leaked documents.


Threat Category	Description
Leaked credentials	Instances where the VIP's credentials have been exposed or compromised.
Telegram Mentions	References or discussions related to the VIP on the Telegram messaging platform.
Dox Site Mentions	Mentions or references of the VIP on websites known for sharing personal or private information.
Darknet Mentions	References or discussions related to the VIP on the darknet.
Social Media Threats	Threats posed to the VIP's security or reputation on social media platforms (<i>LinkedIn, Facebook, Instagram and Twitter</i>).
Stealer Infections	Indications of malware or malicious software infecting the VIP's devices with the intent of stealing sensitive information.
Leaked documents	Instances where documents or files associated with the VIP have been leaked or made publicly accessible without authorization

To review VIP profile threats:

1. Go to *Brand Protection > VIP Monitoring*.
2. Select the desired report.
3. Review the identified threats.

Filtering VIP profile threats

You can filter threats by date, threat category, or VIP profile.



To filter domain threats:

1. Go to *Brand Protection > VIP Monitoring*
2. Filter threats by a date range:
 - a. Click *Date* . Two calendars are displayed.
 - b. In the left calendar, select a month, year, and day to specify the start date of the range.
 - c. Select a month, year, and day to specify the end date of the range.
Only threats from the date range are displayed.
 - d. Click the *Date* box, and click *X* to remove the date range filter.
3. Filter by threat category:
 - Click *All Categories* and select the desired category from the dropdown, to filter threats by their categories.
4. Filter by VIP profiles:
 - Click *All VIPs* and select the desired profile from the dropdown, to filter threats by profile.

Adding VIP profiles

You can add official VIP profiles of your organization from *Brand Protection > VIP Monitoring* page.

To add official profiles:

1. Go to *Brand Protection > VIP Monitoring*.
2. Click *VIP Profiles* on the top right corner.
3. Click *+Add Profiles*.
4. Provide the required information, including:
 - a. *VIP Name* - Enter the name of the high-profile individual.
 - b. *Primary Email ID* - Enter the main email address associated with the VIP.
 - c. *Alternative Email ID* - Enter an additional email address.
 - d. *Phone Number* - Enter the contact number.
 - e. *System Name* - Enter the system and user name.
 - f. *VIP Social Links* - Enter the social media profile links. Select the social media platform by clicking the social media icon and selecting desired platform. Click *+* icon to add more than one social media profile link.
 - g. *Role* - Enter the role of the VIP.
 - h. *Avatar* - Choose the avatar from the available options.

5. Click *Submit*.

Create VIP Monitoring

VIP Name*

Primary Email ID*

Alternative Email ID +

Phone Number +

System Name

+

VIP Social Links  +

Role

Avatar


Male  Female 

To edit a VIP profile:

1. Go to *Brand Protection > VIP Monitoring*.
2. Click *VIP Profiles* on the top right corner.
3. Click Edit icon on the desired VIP profile.
4. Make the necessary changes and click *Submit*.

To delete a VIP profile:

1. Go to *Brand Protection > VIP Monitoring*.
2. Click *VIP Profiles* on the top right corner.
3. Click Delete icon on the desired VIP profile.
4. A confirmation message is displayed. Click *Yes*.



Code Repo Exposure

The *Code Repo Exposure* page displays a list of attributes that have been exposed in code repositories.

From the *Brand Protection > Code Repo Exposure* page, you can:

- Review attribute information. See [Reviewing attributes on page 82](#).
- Take action against the discovered attributes. See [Managing attributes on page 82](#).
- Filter attributes. See [Filtering attributes on page 83](#).

Reviewing attributes

You can review information about exposed code attributes in the *Brand Protection > Code Repo Exposure* page. Information displayed about discovered exposed code includes:

- Attributes and values
- Matched domains identified with the exposure
- Raw information about the exposure
- Discovery date
- Risk status

To review exposed attributes:

1. Go to *Brand Protection > Code Repo Exposure*.
2. Review the high level attribute information:
 - Review the risk level and total number of the alerts in the *Alert Summary*.
 - Review the attribute types in *Top 5 Attributes*.
3. Select an alert to view the attribute type, domain, and raw information.

Managing attributes

You can interact with discovered exposed code, such as marking the attribute as resolved or ignored, or adding a comment to the attribute history. Archived attributes can be viewed by selecting *Show Archived*.

To manage an attribute:

1. Go to *Brand Protection > Code Repo Exposure*.
2. Find the attribute you want to adjust.
3. Change the status:
 - Select *Action > Mark as Resolved* to indicate that the exposed code risk has been resolved.
 - Select *Action > Mark as False Positive* if the discovered code is not a risk.
4. Click *Comment* to add a comment to the attribute history.

To manage multiple attributes at once:

1. Go to *Brand Protection > Code Repo Exposure*.
2. Select the attributes you want to adjust. The *Action* dropdown menu is displayed.
3. Adjust the status or comment history of all of the attributes:
 - Select *Action > Mark as Resolved* to indicate that the exposed code risk has been resolved for all of the selected attributes.
 - Select *Action > Mark as False Positive* if the discovered code is not a risk.
 - Click *Action > Comment* to add a global comment to the attribute history of the selected attributes.

Filtering attributes

You can filter attributes by date, status, risk level, or attribute.

To filter attributes:

1. Go to *Brand Protection > Code Repo Exposure*
2. Filter attributes by a date range:
 - a. Click *Filter By Date Range*. Two calendars are displayed.
 - b. In the left calendar, select a month, year, and day to specify the start date of the range.
 - c. Select a month, year, and day to specify the end date of the range.
Only attributes from the date range are displayed.
 - d. Click the *Filter By Date Range* box, and click *X* to remove the date range filter.
3. Search for keywords:
 - a. In the *Type and hit Enter to Search* box, type a keyword, and press *Enter*.
The attributes are filtered to display only attributes with the keyword.
 - b. Click the *X* beside the keyword to remove the filter.
4. Filter by status in the *By Alert Status* section:
 - Select *Active*, *Resolved*, or *Ignored* to filter attributes by their assigned status.
5. Filter by risk level in the *By Risk Level* section:
 - Select *High*, *Medium*, or *Low* to filter by risk level.
6. Select the domain from the *By Matched Domain* section.
7. Select the attribute type in the *By Attributes* section to filter by type.
8. Click *Search*. The attributes with the matching filters are displayed.

Open Bucket Exposure

The *Open Bucket Exposure* page displays a list of files exposed in open buckets.

From the *Brand Protection > Open Bucket Exposure* page, you can:

- Review files exposed on open buckets. See [Reviewing files on page 84](#).
- Take action against discovered files. See [Managing files on page 84](#).
- Filter files. See [Filtering files on page 85](#).

Reviewing files

You can review information about exposed files in the *Brand Protection > Open Bucket Exposure* page. Information displayed about discovered exposed files includes:

- File name
- File type
- Bucket source
- Bucket name
- Discovery date
- File accessibility

To review exposed attributes:

1. Go to *Brand Protection > Open Bucket Exposure*.
2. Review the high level file information:
 - Review the distribution of bucket sources and the total number of discovered files in the *Alert Summary*.
 - Review the distribution of file types in *Top 5 File Types*.
3. Select a file to review detailed file information.

Managing files

You can interact with discovered exposed files, such as marking the files as resolved or ignored, or adding a comment to the attribute history. Archived files can be viewed by selecting *Show Archived*.

To manage a file:

1. Go to *Brand Protection > Open Bucket Exposure*
2. Find the file you want to adjust.
3. Change the status:
 - Select *Action > Mark as Resolved* to indicate that the exposed risk has been resolved.
 - Select *Action > Mark as Ignored* to indicate that the identified exposure can be ignored.
4. Click *Comment* to add a comment to the file history.

To manage multiple files at once:

1. Go to *Brand Protection > Open Bucket Exposure*
2. Select the files you want to adjust. The *Action* dropdown menu is displayed.
3. Adjust the status or comment history of all of the file:
 - Select *Action > Mark as Resolved* to indicate that the exposure risk has been resolved for all of the selected files.
 - Select *Action > Mark as Ignored* to indicate that the identified exposures can be ignored.
 - Click *Action > Comment* to add a global comment to the file history of the selected files.

Filtering files

You can filter files by date, status, risk level, or attribute.

To filter files:

1. Go to *Brand Protection > Open Bucket Exposure*
2. Filter files by a date range:
 - a. Click *Filter By Date Range*. Two calendars are displayed.
 - b. In the left calendar, select a month, year, and day to specify the start date of the range.
 - c. Select a month, year, and day to specify the end date of the range.
Only files from the date range are displayed.
 - d. Click the *Filter By Date Range* box, and click *X* to remove the date range filter.
3. Search for keywords:
 - a. In the *Type and hit Enter to Search* box, type a keyword, and press *Enter*.
The files are filtered to display only files with the keyword.
 - b. Click the *X* beside the keyword to remove the filter.
4. Filter by status in the *By Alert Status* section:
 - Select *Active*, *Resolved*, or *Ignored* to filter files by their assigned status.
5. Filter by accessibility in the *By File Status* section.
6. Select the open bucket source from the *By Bucket* section.
7. Select the file type in the *By Type* section.
8. Click *Search*. The files with the matching filters are displayed.

Take Down

The FortiRecon team uses a proprietary Digital Millennium Copyright Act (DMCA) process to execute the takedown. During the takedown process, notices are sent to the offending parties, hosting providers, and registrars with provisions of local and international laws to demand that the account be taken down on account of impersonation, phishing, and so on.

You can review the current status of takedown requests in the *Brand Protection > Take Down* page.

From the *Brand Protection > Take Down* page, you can:

- Filter for specific takedown requests by date, category, status, and ticket number. See [Filtering takedown requests on page 86](#).

Filtering takedown requests

You can filter the takedown requests or search for specific *Ticket* numbers on the *Take Down* page.

To filter requests by category and status:

1. Go to *Brand Protection* > *Take Down*.
2. Filter requests by a date range:
 - a. Click *Filter By Date Range*. Two calendars are displayed.
 - b. In the left calendar, select a month, year, and day to specify the start date of the range.
 - c. In the right calendar, select a month, year, and day to specify the end date of the range. Only requests from the date range are displayed.
 - d. Click the *Filter By Date Range* box, and click *X* to remove the date range filter.
3. Search for keywords:
 - a. In the *Type and hit Enter to Search* box, type a *Ticket* number, and press *Enter*. The requests are filtered to display only requests with the keyword.
 - b. Click the *X* beside the keyword to remove the filter.
4. Select the request category in the *Category* dropdown.
5. Select the current status of the request from the *Status* dropdown:
 - a. *Requested*: You have requested that the fraudulent product be taken down.
 - b. *Acknowledged*: The FortiRecon team has acknowledged that they have received the request for takedown.
 - c. *Work In Progress*: The FortiRecon team is currently working on taking down the fraudulent product.
 - d. *Closed*: The fraudulent product has been taken down and the ticket has been closed.

The tickets that match the set filters are displayed.

Adversary Centric Intelligence

The Adversary Centric Intelligence (ACI) module leverages FortiGuard Threat Analysts to provide comprehensive coverage of dark web, open source, and technical threat intelligence, including threat actor insights. This information enables administrators to proactively assess risks, respond faster to incidents, better understand their attackers, and protect assets

The *Adversary Centric Intelligence* module contains the following pages:

Dashboard	Displays a summary of your organization's risk exposure to overall global threats. See Dashboard on page 87 .
Reports	Displays all the intelligence reports available to you. See Reports on page 91 .
Card Fraud	Displays information about credit or debit cards that are for sale on darknet marketplaces. See Card Fraud on page 97 .
Stealer Infections	Displays information about possible infected systems that are affiliated with your employees or end-users and are for sale on darknet market places. See Stealer Infections on page 99 .
OSINT - Cyber Threats	Displays OSINT-based intelligence reports about threat events. See OSINT Cyber Threats on page 104 .
Vulnerability Intelligence	Displays information on monitored CVEs. See Vulnerability Intelligence on page 109 .
Ransomware Intelligence	Displays information on total and potential ransomware incidents. See Ransomware Intelligence on page 113 .
Vendor Risk Assessment	Displays information on a vendor watchlist and the vendor's security hygiene. See Vendor Risk Assessment on page 118 .
Intelligence Collection Lookup	Displays threat intelligence from various sources to let you search for a specific posts or messages using a simple search query. See Intelligence Collection Lookup .
Investigation	Displays tabs to let you search for and investigate the reputation of an IPv4 address, domain, file hash, or CVE. See Investigation on page 130 .

Dashboard

The *Adversary Centric Intelligence > Dashboard* page provides a summary of your organization's risk exposure to global threats. From the *Adversary Centric Intelligence > Dashboard* page, you can:

- Change the date range for the dashboard content. See [Changing the dashboard date range on page 88](#).
- View your organization's risk exposure. See [Viewing risk exposure summary on page 88](#).
- View global threat reports. See [Viewing global threat report summary on page 90](#).

Changing the dashboard date range

By default, the *Adversary Centric Intelligence > Dashboard* page displays information for the last 90 days. You can change the date range.

To change the dashboard date range:

1. Go to the *Adversary Centric Intelligence > Dashboard* page.
The banner identifies the date range for the displayed information. In the following example, the date range is *From Feb 11, 2022 to May 12, 2022*.



2. From the calendar dropdown list, select a different date range.

Viewing risk exposure summary

The *Adversary Centric Intelligence > Dashboard* page displays the following widgets in the *Risk Exposure* section that summarize the risk exposure of your organization to global threats:

- Credential Exposure
- Stealer Infection
- Associated Threats
- Global Event Exposure
- Card Fraud

To view risk exposure summary:

1. Go to the *Adversary Centric Intelligence > Dashboard* page, and scroll to the *Risk Exposure* section. A summary of your organization's risk exposure is displayed.



2. Use the following widgets to review your exposure to risk:

Credential Exposure	<p>Displays the number of email addresses related to your organization's domains that are part of third-party credential breaches.</p> <p>The number of exposed credentials and the number of indexed credentials are displayed.</p>
Stealer Infection	<p>Displays data from potentially infected systems that are affiliated with your employees or end-users and are leaked or for sale on credential stealer marketplaces on the darknet.</p> <p>The total number of compromised systems along with number of leaked and on sale compromised systems are displayed.</p> <p>Hover your mouse over on the <i>Employees/Users</i> chart to view the number of affected employees and users on a specific date.</p> <p>Hover your mouse over on the <i>Compromised Systems/Stealers</i> chart to view the number of compromised systems and stealers on a specific date.</p>
Associated Threats	<p>Displays information about threats reported against your industry and geographical area.</p> <p>The number of reported threats that are specific to your industry and the number of reported threats in your geographic area are displayed.</p> <p>Click the widget to display more details on the <i>Adversary Centric Intelligence > Reports</i> page.</p>
High Relevance Reports	<p>Displays the reports that are flagged as highly relevant to your organization. Reports must meet certain criteria to be considered relevant. The newest reports are displayed at the top.</p> <p>Click a report to display more details on the <i>Adversary Centric Intelligence > Reports</i> page.</p>
Global Event Exposure	<p>Displays the latest, published intelligence reports related to notable cyber events from around the globe.</p> <p>Automatically scrolls through the reports, or click the blue bars at the bottom of the widget to view specific reports.</p>
Card Fraud	<p>Displays statistics related to credit or debit cards that are listed for sale on darknet marketplaces.</p> <p>This widget is only displayed for banking organizations that issue credit or debit cards.</p>

The number of cards for sale is displayed as well as how many of the cards are credit cards and how many are debit cards. Click the *Cards for Sale* number to display more details on the *Adversary Centric Intelligence > Card Fraud* page. Hover your mouse over the bars in the chart to view the number of card frauds on a specific date. The top card bin numbers are also displayed.

Viewing global threat report summary

The *Adversary Centric Intelligence > Dashboard* page displays the following widgets in the *Global Threats* section that summarize latest intelligence reports related to ongoing, notable, global cyber events:

- Relevance
- Categories
- Motivational Tags
- Latest Intelligence
- Actively Exploited CVEs
- Top Actors
- Notable Category Reporting

To view global threat report summary:

1. Go to the *Adversary Centric Intelligence > Dashboard* page, and scroll to the *Global Threats* section. The number of global threat reports is displayed as well as several widgets.



2. Use the following widgets to review the global threat intelligence reports:

<p>Relevance</p>	<p>Displays the number of reports that are relevant to your organization and are rated high, medium, or low risk. Reports must meet certain criteria to be considered high, medium, or low risk.</p> <p>Click the widget to display more details on the <i>Adversary Centric Intelligence > Reports</i> page.</p>
<p>Categories</p>	<p>Displays the number of reports for each category, such as Darknet, TechINT, OSINT, and HUMINT.</p>

	Click a category to display more details on the <i>Adversary Centric Intelligence > Reports</i> page.
Motivational Tags	Displays the available motivational tag filters for reports. Click a tag to display the <i>Adversary Centric Intelligence > Reports</i> page filtered on the tag.
Latest Intelligence	Displays the latest, published intelligence reports organized into the following categories: <ul style="list-style-type: none"> • Flash Alert • Flash Report • Threat Alert • Threat Report Automatically scrolls through the reports, or you can click the blue bars at the bottom of the widget to view specific reports.
Actively Exploited CVEs	Displays the number of currently and previously exploited CVEs and identifies a list of newly exploited CVEs. Click the widget to display more details on the <i>Adversary Centric Intelligence > Investigation</i> page.
Top Actors	Displays the number of actors being tracked as well as the number of reports on the actors. Displays a summary of top actors. Click the name of a top actor to display more details on the <i>Adversary Centric Intelligence > Reports</i> page.
Notable Category Reporting	Click a report to display more details on the <i>Adversary Centric Intelligence > Reports</i> page.

Reports

The *Adversary Centric Intelligence > Reports* page displays all the intelligence reports available to you. By default all reports are displayed, starting with the latest report. From the *Adversary Centric Intelligence > Reports* page, you can:

- View the details of each report. See [Viewing reports on page 91](#).
- Apply filters to the list of reports to hone in on specific reports. See [Filtering reports on page 93](#).
- Download a PDF of reports. See [Downloading reports and observables on page 94](#).
- Share reports. See [Sharing reports on page 95](#).
- Export observables to Microsoft Excel format. See [Exporting observables on page 96](#).

Viewing reports

The *Adversary Centric Intelligence > Reports* page displays all the reports available to you on the *All Reports* tab. By default all reports are displayed, starting with the latest report.

You can filter the list of reports, and search the list of reports using a keyword. See [Filtering reports on page 93](#).


When you open a report, its details are displayed on a separate tab, and you can download a PDF of the report, share the report with another person, and access related reports. When the report contains associated observables, you can download them in Microsoft Excel format.

From an open report, you can also click associated tags to filter the list of reports on the *All Reports* tab, and then access additional related reports.

See also [Rating reports on page 73](#).

To view reports:

1. Go to *Adversary Centric Intelligence > Reports*. All reports are displayed in the *All Reports* tab.



2. On the *All Reports* tab, toggle between *Grid View* and *Table View*. In the following example, *Table View* is selected, and you can click the *Grid View* button to change to *Grid View*.

Date	Title	Category	Type	Relevance
May 10, 2022	2022050913346 Actor 'dumper0x' advertises the databases claiming to be of several Brazilian organisations, which includes government entities and banks	Darknet	Threat Alert	Medium
May 10, 2022	2022050905014 Actor 'leningrad' advertises databases claiming to be of multiple Spanish entities providing financial services and a Telecom company, containing users personal details	Darknet	Threat Alert	Medium
May 10, 2022	2022051028316 [Early Warning] Actor 'NetSec' shared URL to the Github repository containing the proof of concept exploit code for CVE-2022-1388, a critical remote code execution bug affecting FB BIG-IP	Darknet	Threat Alert	Medium

3. Click a report title to display the report details in a new tab.



From the report details page, you can:

- Hover over various icons and words to view tooltips of information.
- Click some words to display more information. For example, click *TLP* (traffic light protocol) to display definitions of the different TLPs and rules around sharing the information.
- Click the *Share Link* button to share a link to the report with another person who has a FortiRecon account.
- Click the *Download Report* link to download a PDF of the report to your computer.
- View and search associated observables as well as click *Export Observables* to download the list of observables in Microsoft Excel format.

From *Associations* area on the right, you can:

- View what is associated with the report, such as the reliability rating, adversary, motivation, tags, and so on.
- Click the *i* icon to view information about reliability ratings.
- Click a tag to return to the *All Reports* tab to view the list of reports filtered on the selected tag.

From *Related Reports* area on the right, you can:


- View a list of reports related to the open report.
- Click a related report to open it in a new tab.
- Click a tag to return to the *All Reports* tab to view the list of reports filtered on the selected tag.

Filtering reports

Reports can be filtered by date range, keywords, categories of filters, and relevance to your organization.

To filter reports:


1. Go to *Adversary Centric Intelligence > Reports*.
2. Filter reports by a date range:
 - a. Click *Filter Report by Date Range*. Two calendars are displayed.



- b. In the left calendar, select a month, year, and day to specify the start date of the range.
 - c. In the right calendar, select a month, year, and day to specify the end date of the range. Only reports from the date range are displayed.
 - d. Click the *Filter Report by Date Range* box, and click *X* to remove the date range filter.
3. Search for keywords:
 - a. In the *Type and hit Enter to Search* box, type a keyword, and press *Enter*. The reports are filtered to display only reports with the keyword.
 - b. Click the *X* beside the keyword to remove the filter.


4. Filter reports by categories:

- a. On the right side, click the *Filters* button. The following filter categories are displayed:



- *Target Industry*
- *Motivation & Tags*
- *Actors*
- *Target Geography*
- *Category*
- *Report Type*

- b. Under the *Target Industry*, *Motivation & Tags*, *Actors*, and *Target Geography* categories, click *Filter <category name>*, and select one or more filters.



- c. Under *Category* and *Report Types*, select checkboxes to enable the filters, and clear checkboxes to disable filters.
- d. Under *Report Type > Relevance*, click *High*, *Medium*, and/or *Low* to enable the filters, and clear the filters to disable them.

Downloading reports and observables

You can download a PDF of the reports displayed on the *Adversary Centric Intelligence > Reports* page to your hard drive. A maximum of 300 reports can be downloaded at one time.


When the report includes Indicators of Compromise (IOCs), you can click the *Generate Observable* button to download the IOCs in Microsoft Excel format.

When you open a report, you can download a PDF of the open report.


To download reports:

1. Go to *Adversary Centric Intelligence > Reports*.
2. Filter the reports. See [Filtering reports on page 93](#).
The filtered list of reports is displayed.
3. (Optional) Select which of the filtered reports to download:
 - a. Click the *Download Specific Reports* button. Checkboxes are displayed beside each report title.
 - b. Select the checkbox beside each report you want to download.

4. Click the *Downloads* button. A confirmation dialog is displayed.



5. In the *File Name* box, type a name.
6. (Optional) If the report contains IOC information, you can click *Generate Observable* to download IOC information in Microsoft Excel format.
7. Click *Generate PDF*.
A dialog is displayed.



8. Click *OK*.
9. Retrieve the download. See [Retrieving downloads on page 142](#).

To download a PDF from an open report:

1. Go to *Adversary Centric Intelligence > Reports*.
2. Click a report to display its details.




3. Click the *Download Report* button.
A PDF of the report is downloaded to your computer.

Sharing reports

You can share reports by using a link or an email.

To share a report:

1. Go to *Adversary Centric Intelligence > Reports*.
2. Click a report to display its details.



3. Click the *Share Link* button.
The *Email* and *Copy Link* buttons are displayed.



Exporting observables

When a report has associated observables, they are displayed at the bottom of the report in the *Associated Observables* section.

You can download the list of observables in Microsoft Excel format. The downloaded file is password protected. FortiRecon provides the password you need to open the file in Microsoft Excel.

To export observables:

1. View a report. See [Viewing reports on page 91](#).
2. Scroll down to the *Associated Observables* section.
In the following example, the report has 741 associated observables:

Observable	Type of Observable	Number of Matching Reports
2cc4534b0dd0e1c8d5b89644274a0c1	hash	3
735ee2c15c0b772f65d39f0fd33b9186ee69653	hash	3
905ea119ad9d3e54cd228c458alb5681abc1f35df782977a23812ec4efa0288a	hash	3
130.0.233.178	ip	2
0dfe4d5f66310de87c2e422d7804e66279fe3e3cd6a27723225aecf214e9b00	hash	2
1528fc970c0b0e5e69f0ca2284d12312c8f7c9d0e77aa284aa426041a4f03e7	hash	2
13e823cdfb75d99ea7e04c6157ca8ae6	hash	2
31a57376158d926ae4cfa0574143d7ee	hash	2
2f725b0c99ca297588235caad7d025054f70a278283998d9688c282612ebdbee0	hash	2
389f200aa22e839d4afb28d9cf522b0b71e303e0ee89e5fc2cd5b53ae256848	hash	2

3. On the right, click the *Download Observables* button.
The password for the download is displayed. In the following example, the password is *intel@ioc!*.



The excel file is downloaded to your computer.

4. Open the Excel file.
You are prompted for the password.
5. Type the password from FortiRecon, and click OK. The Excel file opens.

Card Fraud



The *Adversary Centric Intelligence > Card Fraud* page widget is only displayed for banking organizations that issue credit or debit cards.

The *Adversary Centric Intelligence > Card Fraud* page displays information about credit or debit cards that are for sale on darknet marketplaces. From the *Card Fraud* page, you can:

- View a summary of the total number of leaked cards as well as information about each leaked card. See [Viewing leaked card information on page 97](#).
- Filter the information. See [Filtering leaked card information on page 98](#).
- Download the list of leaked cards to Microsoft Excel format. See [Exporting a list of leaked cards on page 98](#).


Viewing leaked card information

The *Adversary Centric Intelligence > Card Fraud* page displays information about the number of leaked cards as well as details about the leaked cards for a specific date range.

To view leaked card information:

1. Go to *Adversary Centric Intelligence > Card Fraud*. The *Card Fraud* page is displayed.

The *Total Leaked Card*, *Credit Cards*, and *Debit Cards* numbers are for the default date range. Details about the leaked cards are displayed below.




2. You can filter the displayed information. See [Filtering leaked card information on page 98](#).

Filtering leaked card information


You can filter information about leaked cards by year, date range, and bank identification number (BIN).

To filter leaked card information:

1. Go to *Adversary Centric Intelligence > Card Fraud*.
2. Filter reports by a date range:
 - a. Click *Filter Report by Date Range*. Two calendars are displayed.



- b. In the left calendar, select a month, year, and day to specify the start date of the range.
 - c. In the right calendar, select a month, year, and day to specify the end date of the range. Only reports from the date range are displayed.
 - d. Click the *Filter Report by Date Range* box, and click *X* to remove the date range filter.
3. Filter by year:
 - a. In the *Leaked Cards* widget, select a year from the dropdown list.



4. Filter by card BIN:
 - a. In the *Search Card Bin* box, type a BIN, and press *Enter*.




Exporting a list of leaked cards

You can download the list of leaked cards to a Microsoft Excel file.

To export leaked cards:

1. Go to *Adversary Centric Intelligence > Card Fraud*.
2. Beside the *Search Card Bin* box, click the *Export Leaked Cards* button.



The *Leaked Card.xlsx* file is downloaded.

3. Open the file in Microsoft Excel.

Stealer Infections

The *Adversary Centric Intelligence > Stealer Infection* page includes information about possible infected systems that are affiliated with your employees or end-users that are listed for sale on credential stealer darknet marketplaces. The compromised system information is organized into two tabs:

1. **Leaked** - The *Compromised Systems(Leaked)* tab displays the stolen data that has been shared over Darknet forums, Telegram channels, Tor sites or any other medium where the threat actor operates. See [Viewing leaked compromised systems](#).
2. **On Sale** - The *Compromised Systems(On Sale)* tab displays the stolen data that is currently being offered for sale on various Darknet marketplaces. See [Viewing on sale compromised systems](#).

On the *Stealer Infection* page, you can:


- Filter stealer infection information. See [Filtering stealer infection information on page 102](#).
- Export market place data. See [Exporting stealer infections data on page 104](#).

Viewing leaked compromised systems

The *Adversary Centric Intelligence > Stealer Infections > Compromised Systems(Leaked)* page displays information about possible infected systems that are affiliated with your employees or end-users that has been shared over Darknet forums, Telegram channels, Tor sites or any other medium where the threat actor operates.

To view leaked compromised systems information:

1. Go to *Adversary Centric Intelligence > Stealer Infections > Compromised Systems(Leaked)*.



2. Use the following widgets to review information about leaked compromised systems:

Total Compromised Systems (Leaked) affiliated with <organization name>

Displays the total number of compromised systems leaked affiliated with your organization.
 The calendar displays a summary of the leaked stealer events in the selected calendar year.
 Colored blocked indicate a stealer event. Light colors blocks indicate few affected credentials, and dark colored blocks indicate many affected credentials.
 Hover your mouse over each block to view the discovery date and the number of affected credentials.

Compromised Systems

Displays the total number of compromised systems including affected employees and end-users count.

No of Stealers Found

Displays the number of stealers found and the names of the stealers.

Latest Record

Displays the latest number of stealer events and the date that the event was discovered.

Employee

Displays a list of affected employees information.

Users

Displays a list of affected end-users information.




The values in all widgets are updated based on the filters applied, except for *Total Compromised Systems(Leaked) affiliated with <organization name>* value.

Viewing on sale compromised systems

The *Adversary Centric Intelligence > Stealer Infections > Compromised Systems(On Sale)* page displays information about possible infected systems that are affiliated with your employees or end-users and are for sale on darknet market places.

To view on sale compromised systems information:

1. Go to *Adversary Centric Intelligence > Stealer Infections > Compromised Systems(On Sale)*.



2. Use the following widgets to review information about on sale compromised systems:

Total Compromised Systems (On Sale) affiliated with <organization name>	Displays the total number of compromised systems on sale affiliated with your organization. The calendar displays a summary of the on sale stealer events in the selected calendar year. Colored blocked indicate a stealer event. Light colors blocks indicate few affected credentials, and dark colored blocks indicate many affected credentials. Hover your mouse over each block to view the discovery date and the number of affected credentials.
Compromised Systems	Displays the total number of compromised systems.
No of Stealers Found	Displays the number of stealers found and the names of the stealers.
Latest Record	Displays the latest number of stealer events and the date that the event was discovered.
Systems Infected	Displays a list of infected systems.




The values in all widgets are updated based on the filters applied, except for *Total Compromised Systems(On Sale) affiliated with <organization name>* value.

Filtering stealer infection information

You can use several methods to filter information in the *Stealer Infections* .


To filter stealer infection information:

1. Go to *Adversary Centric Intelligence > Stealer Infections*.
2. Select the desired tab *Compromised Systems(Leaked)* or *Compromised Systems(On Sale)*.
3. In the *Filters* pane on the left hand side select the filters.




4. Search for keywords:
 - a. In the *Type and hit Enter to Search* box, type a keyword, and press *Enter*. The information is filtered.

- b. Clear the keyword and press *Enter* to remove the filter.
5. Filter information by a date range:
 - a. Click *Filter Report by Date Range*. Two calendars are displayed.




- b. In the left calendar, select a month, year, and day to specify the start date of the range.
- c. In the right calendar, select a month, year, and day to specify the end date of the range. Only information from the date range is displayed.
- d. Click the X in the *Start & End Date* box to remove the date range filter.
6. Click *Active* or *Resolved* to filter by status.
7. Filter by domains.



- a. Click desired domains to filter.
- b. Click icon next to desired domain to unsubscribe and stop email notifications.
- c. Click icon next to desired domain to hide the domain.
- d. Click *Show Hidden Domains* to view hidden domains. Click icon next to the desired hidden domain to unhide.
8. Click stealers to filter the data based on a specific stealers.

- The following additional filters are available for *Compromised Systems(On Sale)* page. Click desired values to filter.
 - Country
 - State
 - Marketplace
 - ISP
- Filter the events by year using *Calendar* widget:




Exporting stealer infections data

You can download the stealer infections information to an *All Market Place.xlsx* file in Microsoft Excel format.

To export stealer infections information:

- Go to *Adversary Centric Intelligence > Stealer Infections*.
- Select the desired tab *Compromised Systems(Leaked)* or *Compromised Systems(On Sale)*.
- (Optional) Filter the data. See [Filtering stealer infection information on page 102](#).
- In the Filters pane on the left hand side, click the *Download* icon.



- An *All Market Place.xlsx* file is downloaded.

OSINT Cyber Threats

Open Source Intelligence (OSINT) is method of gathering threat intelligence from publicly available sources. Over time, OSINT coverage has changed to a great extent. Previously, it only covered sources such as Blogs, news, business websites, social networks, and so on.

The *Adversary Centric Intelligence > OSINT - Cyber Threats* page provides you the ability to stay up to date with information published in open source platforms, such as social media, GitHub repositories, and so on. Information for review is based on specific criteria, including:

- Exploited vulnerabilities
- Zero day vulnerabilities
- Global events

On the *OSINT - Cyber Threats* page, you can:


- Review threat events. See [Reviewing threats on page 105](#).
- Pin threat events to the top of the list. See [Pinning events on page 106](#).
- Subscribe to threat event notifications. See [Subscribing to event notifications on page 106](#).
- Subscribe other FortiRecon users to event notifications. See [Adding subscriptions on page 108](#).

Reviewing threats


You can view more information about each threat.

To review threats:


1. Go to *Adversary Centric Intelligence > OSINT - Cyber Threats*. The list of events is displayed.



2. Click an event title, such as *Cyber-Crime*. The list of events is displayed on the right side. In the following example, *Cyber-Crime* is selected:



3. On the right, click the event to display more information about it outside the FortiRecon portal. A confirmation dialog is displayed.




4. Click Yes to open the link in a new tab in your browser.

Pinning events


You can pin events to the top of the list. Pinned events have an orange *Pin* icon. Unpinned events have a white *Pin* icon.

To pin events:

1. Go to *Adversary Centric Intelligence > OSINT - Cyber Threats*. The list of events is displayed.



2. Click the *Pin* icon beside an event to turn the pin orange and pin the event to the top of the list. In the following example, *Cyber-Crime* is pinned to the top of the list.




Click the *Pin* icon again to turn the pin white and unpin the event from the top of the list.

Subscribing to event notifications


You can enable subscriptions to receive notifications for one or more threat events. You can also change subscriptions and unsubscribe.

To subscribe to event notifications:

1. Go to *Adversary Centric Intelligence > OSINT - Cyber Threats*. The list of events is displayed.



2. For an event, click the *Subscribe* icon. The subscription options are displayed for the event. In the following example, subscription options are displayed for the *Advisory* event:



3. Select one of the following options to specify when to receive the notification:


Real time	Select to receive a notification when a new threat event is published.
Daily	Select to specify the time each day to receive a notification about new threat events.

4. Click *Subscribe*.
The *Subscribe* icon turns blue.



To change event notifications:

1. Go to *Adversary Centric Intelligence > OSINT - Cyber Threats*. The list of events is displayed.
2. Click a blue *Subscribe* icon. The subscription options are displayed.



3. Change when you get notified, and click *Update*.

To unsubscribe from event notifications:


1. Go to *Adversary Centric Intelligence > OSINT - Cyber Threats*. The list of events is displayed.
2. Click a blue *Subscribe* icon. The subscription options are displayed.
3. Click *Unsubscribe*.
The *Subscribe* icon turns white, and notifications are turned off.

Adding subscriptions


FortiRecon users with Admin privilege can set up subscriptions for other FortiRecon users to receive notifications about events.

To add subscriptions:


1. Go to *Adversary Centric Intelligence > OSINT - Cyber Threats*, and click the *Add Subscription* button. The *Cyber Threats Get Notified* dialog is displayed.




2. Click the *Widget* box, and select the threat events. In the following example, *Cyber-Crime* is selected.



The *Select User* box is displayed.



- In the *Select User* box, select a user.



The *Daily* check box is displayed. By default users receive notifications in real-time as events occur.

- Select *Daily* specify what time each day the user should receive the notification. Clear the *Daily* check box to receive notifications in real time.
- Click *Subscribe*.

Vulnerability Intelligence

The *Adversary Centric Intelligence > Vulnerability Intelligence* page displays information on vulnerability exposure to help prioritize vulnerability patching. From the *Vulnerability Intelligence* page, you can:

- Review known CVEs. See [Vulnerability exposure on page 109](#).
- Review the notable global CVEs. See [Global notable vulnerabilities on page 110](#).
- View specific CVE reports. See [Viewing and filtering CVE reports on page 111](#).
- Export a list of CVEs. See [Exporting CVEs on page 112](#).
- Bulk add CVEs to monitor. See [Manually adding CVEs on page 113](#).

Vulnerability exposure

Monitored CVEs can be reviewed at a high level from the *Adversary Centric Intelligence > Vulnerability Intelligence* page in the *Vulnerability exposure* section:

- Total CVEs Monitored:** This tile displays the total count of monitored CVEs.



When the severity status of a CVE is changed, a flash tile will appear to show the updates.



- Distribution of CVEs by severity:** This tile displays a graph of CVEs to show the total count of CVEs per rating, from *Low* to *Critical*.



- **Top 10 vendors by CVEs:** Displays a list of the vendors with the most CVEs monitored and the severity range from *Low* to *Critical*. Select a *Vendor Name* or *Severity* to view more information.

Vendor Name	No of CVEs associated	Severity
Apache	38	0 Critical, 2 High, 3 Medium, 25 Low
Canonical	28	0 Critical, 1 High, 3 Medium, 22 Low
Debian	28	0 Critical, 2 High, 5 Medium, 19 Low
Netapp	18	0 Critical, 0 High, 3 Medium, 15 Low
Freebsd	17	0 Critical, 1 High, 4 Medium, 12 Low
Oracle	15	0 Critical, 1 High, 2 Medium, 12 Low
Openbsd	12	0 Critical, 0 High, 1 Medium, 11 Low
Openbsd	10	0 Critical, 0 High, 1 Medium, 9 Low
Redhatproject	7	0 Critical, 1 High, 1 Medium, 5 Low
Apple	5	0 Critical, 0 High, 2 Medium, 3 Low

- **CVEs from EASM Module:** Displays a list of automatically monitored CVEs. Select the *CVE ID* or *Show More* button to view more information.

CVE ID	Vendor	NVD Severity	FortiRecon Severity	Addition Date
CVE-2022-37916	Openbsd	High	Medium	Oct 01,2022
CVE-2022-37917	Netbsd,openbsd,freebsd	Medium	Low	Oct 01,2022
CVE-2022-37918	Openbsd	Medium	Low	Oct 01,2022
CVE-2022-37919	Openbsd	Low	Low	Oct 01,2022
CVE-2022-37920	Openbsd	Low	Low	Oct 01,2022
CVE-2022-37921	Openbsd	Low	Low	Oct 01,2022
CVE-2022-37922	Apache	Medium	Low	Oct 01,2022
CVE-2022-37923	Apache,oracle,canonical	Medium	Low	Oct 01,2022
CVE-2022-37924	Apache,oracle,canonical	Medium	Low	Oct 01,2022
CVE-2022-37925	Apple,apache	Medium	Medium	Oct 01,2022

- **CVEs added Manually:** Displays a list of CVEs added by the user.

Global notable vulnerabilities

Monitored CVEs can be reviewed at a high level from the *Adversary Centric Intelligence > Vulnerability Intelligence* page in the *Global notable vulnerabilities* section:

- **Total Notable CVEs:** This tile displays the total count of notable CVEs.



- **Top 5 vendors by CVEs:** Displays a list of the vendors with the most notable CVEs monitored and the severity range from *Low* to *Critical*. Select a *Vendor Name* to view more information.

TOP 5 VENDOR by CVEs

Vendor Name	No of CVEs associated	Severity
Microsoft	148	7 Critical, 57 High, 25 Medium, 57 Low
Debian	35	1 Critical, 24 High, 2 Medium, 8 Low
Google	25	2 Critical, 14 High, 3 Medium, 6 Low
Fedoraproject	22	1 Critical, 15 High, 2 Medium, 4 Low
Oracle	20	2 Critical, 11 High, 5 Medium, 2 Low

- **Top 10 Notable CVEs:** Displays a list of the notable CVE monitored and the severity range from *Low* to *Critical*. Select the *CVE ID* or *Show More* button to view more information.

TOP 10 Notable CVEs

CVE ID	Vendor	NVD Severity	FortiRecon Severity	Addition Date
CVE-2022-44789	Asus, mobile	High	High	Oct 02, 2022
CVE-2022-44789	Dreambox	Critical	High	Oct 02, 2022
CVE-2022-44789	D-link	Critical	Medium	Oct 02, 2022
CVE-2022-44789	Providoinstruments,suray,techdigital	Critical	High	Oct 02, 2022
CVE-2022-44789	Cisco	Critical	High	Oct 02, 2022
CVE-2022-44789	-	-	Low	Oct 01, 2022
CVE-2022-44789	Oracle	High	Low	Oct 01, 2022
CVE-2022-44789	Cisco	High	Medium	Oct 01, 2022
CVE-2022-44789	Cisco	High	Medium	Oct 01, 2022
CVE-2022-44789	Cisco	Medium	Low	Oct 01, 2022

Show More

Viewing and filtering CVE reports

You can review detailed CVE reports in the *Adversary Centric Intelligence > Vulnerability Intelligence* page by:


- Selecting the CVE ID from the *Vulnerability exposure > CVEs from EASM Module* and *CVEs added Manually* tabs.
- Selecting the CVE ID from the *Global notable vulnerabilities > Top 10 Notable CVEs*.
- Filtering the vendor reports from *Vulnerability exposure > Top 10 vendor by CVEs* or *Global notable vulnerabilities > Top 5 vendor by CVEs*.
- Filtering all reports with the *Show More* button.

To filter reports:

1. Go to *Adversary Centric Intelligence > Vulnerability Intelligence*.
2. Select a *Vendor Name* or the *Show More* button. The CVE cards page is displayed.

The screenshot shows the 'CVE cards' page in the FortiRecon interface. On the left, there is a 'Filters' sidebar with sections for 'Data Range', 'By Category' (with 'Vulnerability exposure' selected), 'By Addition' (with 'Easm' selected), 'By Severity', 'By CVE Year', 'By Vendor', and 'By Products'. The main area displays three CVE cards. The top card shows a FortiRecon Score of 611, with FortiRecon Severity 'Medium' and NVD Severity 'High'. The middle card shows a score of 202, with FortiRecon Severity 'Low' and NVD Severity 'Medium'. Each card includes a brief description of the vulnerability and its addition date (Oct 01, 2022).

3. Filter information by a date range:
 - a. Click *Date Range*. Two calendars are displayed.



- b. In the left calendar, select a month, year, and day to specify the start date of the range.
 - c. In the right calendar, select a month, year, and day to specify the end date of the range.
 - d. Click the X to remove the date range filter.
4. Search for keywords:
 - a. In the *Search* box, type a keyword.
5. Enable *Elevated* to search for CVEs that have had the severity increased.
6. Filter reports by information:
 - a. Select the information dropdown menus:
 - *By Category*
 - *By Addition*
 - *By Severity*
 - *By CVE Year*
 - *By Vendor*
 - *By Products*
 - b. Select one or more filters.
7. Click *Search*. The CVE reports that match the filters are displayed.
8. Select the CVE ID to view the full, detailed report.

Exporting CVEs

You can export a list of all or specific CVEs from the CVE cards page to an Excel file. Information in the file includes:

- CVE ID
- Truview Score
- Truview Severity
- NVD Severity
- Description
- Published date

To export CVEs:


1. Go to *Adversary Centric Intelligence > Vulnerability Intelligence*.
2. Select a *Vendor Name* or the *Show More* button. The CVE cards page is displayed.
3. Filter for the reports you want included in the Excel file. See [Viewing and filtering CVE reports on page 111](#).
4. Click *Export CVE List*. An Excel file is downloaded to your device.

Manually adding CVEs

You can bulk add CVEs to monitor in the *Vulnerability Exposure > CVEs added Manually* tab on the *Adversary Centric Intelligence > Vulnerability Intelligence* page.

To manually add CVEs:

1. Go to *Adversary Centric Intelligence > Vulnerability Intelligence*.
2. Click *Manage CVEs Watchlist*. The *Manage CVEs* dialog is displayed.



3. Enter the CVE IDs in the text field.
4. Click *Submit*.

Ransomware Intelligence

The *Adversary Centric Intelligence > Ransomware Intelligence* page helps with supply chain monitoring and displays information on past and potential ransomware incidents. The information in this module is captured from blogs and sites operated by ransomware operators. The names of victims or potential victims mentioned in this section are purely based on information provided on these sites and blogs. The authenticity of these claims must be validated by your organization.

From the *Ransomware Intelligence* page, you can:

- View past and potential ransomware incidents. See [Viewing ransomware intelligence on page 113](#).
- Filter ransomware incident information. See [Filtering ransomware intelligence on page 115](#).
- Export information on ransomware incidents to an Excel file. See [Exporting ransomware information on page 116](#).
- Create, edit, and monitor a ransomware watchlist. See [Managing My Watchlist on page 117](#).


Viewing ransomware intelligence

The *Ransomware Intelligence* page contains multiple sections that display high level information on the ransomware threat landscape. Sections include:


- **Summary:** A summary to total incidents, groups currently being tracked, and the top sector, country, and active ransomware. Select a card to view more information in the *Ransomware Trends*.



- **Ransomware Trends:** Graphical representations of ransomware trends, including top targeted sectors and victimized countries. The trends will adjust to reflect a particular trend if a card is selected in the *Summary*.



- **Watchlist:** A list of monitored organization and vendors. If an asset matches a monitor, an alert will be triggered. Add or edit your watchlist by selecting *Manage*.



The color of the watchlist match depicts the following:

- **Blue:** The name of this entity has been identified as a target on ransomware blogs/sites.
- **Orange:** This entity has been targeted by a threat actor operating in the darknet, and there is a possibility that their network/system access is being offered for sale. Therefore, this entity is a potential candidate for a ransomware attack. You can find the associated report about this entity in the [ACI > Reports](#) section.
- **Active Ransomware:** A list of known, active ransomware and the current victim count for each.



- **Latest Ransomware Victims:** A list of the most recent victims of ransomware victims, including information on the victim revenue, sector, and country. Select an entry for more information on a specific victim. Click *Show More* to view more victims.

LATEST RANSOMWARE VICTIMS						
Date	Ransomware Family	Victim Name	Domain	Revenue	Sector	Country
Nov 13, 2022	Quantum	-	-	\$0	-	-
Nov 13, 2022	Quantum	Midland Cogeneration Venture	midcogen.com	\$92M	Energy, Utilities & Waste, Electricity, Oil & Gas	United States
Nov 13, 2022	Quantum	-	-	\$0	-	-
Nov 13, 2022	Snatch	SAURER	saurer.com, fibrevision.saurer.com, saurer.com	\$1B	Manufacturing, Industrial Machinery & Equipment	Switzerland
Nov 13, 2022	Snatch	YASH Technologies	yash.com	\$2B	Business Services, Custom Software & IT Services	United States
Nov 13, 2022	Lorenz	Salud Family Health Center	saludclinic.org, dentalclinicdirectory.com	\$28M	Hospitals & Physicians Clinics	United States
Nov 13, 2022	Blackbasta	Dr Steenken	kessing.de	\$3M	Healthcare Services	Germany
Nov 13, 2022	Lockbit3.0	Fisco Saúde	fiscosaudape.com.br	\$8M	Hospitals & Physicians Clinics	Brazil
Nov 13, 2022	Alphv_blackcat	Central Bank of The Gambia	cbg.gm	\$7M	Finance, Banking	Gambia
Nov 12, 2022	Lockbit3.0	Tekni-Plex Europe	tknplex.be	\$14M	Manufacturing	Belgium

- **Potential Ransomware Victims:** A list of targets identified as potential victims of ransomware, including information on revenue, sector, and country. Select an entry for more information on a specific target. Click *Show More* to view more potential targets.

POTENTIAL RANSOMWARE VICTIMS							
Date	Actor	Source	Target Name	Target Domain	Revenue	Sector	Country
Nov 09, 2022	Markitto35	Darknet	Rock Interview	www.rockinterview.in	\$8m	Business Services, HR & Staffing	India
Nov 08, 2022	Kelvinsecurity, Darknet Teamkelvinsec	Darknet	Vizocom	www.vizocom.com	\$18m	Business Services	United States
Nov 07, 2022	Hackthegod, Shinyhunters	Darknet	Zerodha	www.zerodha.com	\$72m	Finance	India
Nov 02, 2022	Hackthegod, Shinyhunters	Darknet	Upstox	www.upstox.com	\$21m	Software, Financial Software	India
Nov 01, 2022	Intel_data	Humint	MaNaDr	www.manadr.com	\$7m	Hospitals & Physicians Clinics	Singapore
Nov 01, 2022	Sp00fn3tag0nt Darknet	Darknet	RecordTV	www.recordtv.r7.com	\$784m	Media & Internet, Broadcasting	Brazil
Nov 01, 2022	Plewwithnothing Darknet	Darknet	Evermart	www.evermart.com.br	\$0	-	-
Nov 01, 2022	Wwssgrep	Humint	Fondation Ellen Poldi	www.fondationpoldatz.com	\$2m	Media & Internet, Broadcasting	France
	Spectrel23	Darknet	Bangladesh Navy	www.navy.milbd	\$149m	Government, Federal	Bangladesh
	Medusasvt	Darknet	Institut Marques	www.institutmarques.com	\$13m	Hospitals & Physicians Clinics	Spain

Filtering ransomware intelligence

You can filter the information displayed on the *Ransomware Intelligence*, *Ransomware Intelligence > Latest Ransomware Victims*, *Ransomware Intelligence > Potential Ransomware Victims*, and *My Watchlist* pages.

To filter the high level ransomware information:

1. Go to *Adversary Centric Intelligence > Ransomware Intelligence*.
2. Specify your filters:

- Select a card from the *Summary* section.
- Select the filter icon and select the filter fields you want to include.

The *Ransomware Trends* section will update.

To filter information on the latest ransomware victims:

1. Go to *Adversary Centric Intelligence > Ransomware Intelligence*.
2. In the *Latest Ransomware Victims* section, click *Show More*. The *Latest Ransomware Victims* page is displayed.
3. Specify your filters:
 - Enter a keyword in the *Search* field.
 - Select a start and end range from the *Date Range* field.
 - Select specific filters from the list of categories.
4. Click *Search*. The list of victims that match your filters are displayed.

To filter information on potential ransomware victims:

1. Go to *Adversary Centric Intelligence > Ransomware Intelligence*.
2. In the *Potential Ransomware Victims* section, click *Show More*. The *Potential Ransomware Victims* page is displayed.
3. Specify your filters:
 - Enter a keyword in the *Search* field.
 - Select a start and end range from the *Date Range* field.
 - Select specific filters from the list of categories.
4. Click *Search*. The list of victims that match your filters are displayed.

To filter your watchlist:

1. Go to *Adversary Centric Intelligence > Ransomware Intelligence*.
2. In the *Watchlist* section, click *Manage*. The *My Watchlist* page is displayed.
3. Select a watchlist to filter:
 - *Organization Watchlist*
 - *Vendor Watchlist*
4. Click the filter icon and select how you would like to filter the results:
 - *EASM*: Show only assets that were automatically added to the watchlist by EASM.
 - *Manual*: Show only assets that were manually added to the watchlist.

The watchlist will display any assets that match the set filters.

Exporting ransomware information

You can export a list of recent ransomware victims into an Excel file. The spreadsheet will include information on:

- Victim Name
- Affected Domains
- Revenue
- Sector
- Country

- Date
- Description

To export all of the ransomware victims:

1. Go to *Adversary Centric Intelligence > Ransomware Intelligence*.
2. Scroll to the victim list you want to export:
 - *Latest Ransomware Victims*
 - *Potential Ransomware Victims*
3. Click *Show More*. The list of victims is displayed.
4. Click the *Export List* icon. The file is downloaded to your computer.

To export specific ransomware victims:

1. Go to *Adversary Centric Intelligence > Ransomware Intelligence*.
2. Scroll to the victim list you want to export:
 - *Latest Ransomware Victims*
 - *Potential Ransomware Victims*
3. Click *Show More*. The list of victims is displayed.
4. Specify your filters. See [Filtering ransomware intelligence on page 115](#).
5. Click the *Export List* icon. The file is downloaded to your computer.


Managing My Watchlist

Users can monitor certain vendor and organization names in the *My Watchlist* page in the *Vendor Watchlist* and *Organization Watchlist*, respectively. If a match for a monitored asset appears, it triggers an alert. Vendors and organizations can be added to the watchlist manually by users or automatically by EASM.

To filter the monitored assets, see [Filtering ransomware intelligence on page 115](#).

To create a new asset to manage:

1. Go to *Adversary Centric Intelligence > Ransomware Intelligence*.
2. In the *Watchlist* section, click *Manage*. The *My Watchlist* page is displayed.
3. Click *Create*. The *Create Watchlist* dialog is displayed.



The image shows a dark-themed dialog box titled "Create Watchlist". It contains a "Select Watchlist" dropdown menu with "Organization Watchlist" selected. Below the dropdown are two text input fields: "Organization Name" and "Domain Name". At the bottom of the dialog are two buttons: "Cancel" and "Submit".

4. Select the watchlist to add to from the *Select Watchlist* dropdown.
5. Enter a name for the monitored asset.
6. Enter the domain name of the monitored asset.
7. Click *Submit*. The asset is displayed on the assigned watchlist.

To edit a monitored asset:


1. Go to *Adversary Centric Intelligence > Ransomware Intelligence*.
2. In the *Watchlist* section, click *Manage*. The *My Watchlist* page is displayed.
3. Find the asset you want to edit and click *Edit*. The Edit Watchlist dialog is displayed.

The screenshot shows a dark-themed dialog box titled "Edit Watchlist". It contains a "Select Watchlist" dropdown menu with "Organization Watchlist" selected. Below this are three text input fields: "Organization Name" with "TestOrg", "Domain Name" with "testorg", and a "Submit" button at the bottom right next to a "Cancel" button.

4. Edit the asset details and click *Submit*.

To delete a monitored asset:

1. Go to *Adversary Centric Intelligence > Ransomware Intelligence*.
2. In the *Watchlist* section, click *Manage*. The *My Watchlist* page is displayed.
3. Click *Delete*. A confirmation dialog is displayed.

The screenshot shows a dark-themed dialog box titled "Delete Watchlist". It contains a question: "Are you sure you want to delete WatchList?". At the bottom, there are two buttons: "Delete" and "Cancel".

4. Select *Delete*.

Vendor Risk Assessment

The *Adversary Centric Intelligence > Vendor Risk Assessment* page is designed to create a watchlist of vendors that allows you to assess the security hygiene level of each vendor. From the *Vendor Risk Assessment* page, you can:

- Add new vendors to the watchlist. See [Adding a new vendor to the watchlist on page 119](#).
- View the security hygiene assessment of a vendor. See [Viewing the vendor risk assessment on page 119](#).

Adding a new vendor to the watchlist

You can add new vendors to the watchlist to generate a risk assessment report and identify the overall estimate risk exposure rating. Vendors can be added to the watchlist using the primary domain. Once the domain name has been submitted, collecting data and generating the risk assessment can take up to 24 hours.



If the overall estimated risk exposure rating of a vendor changes to *High*, an alert notification will be sent.

To add a new vendor to the watchlist:

1. Go to *Adversary Centric Intelligence > Vendor Risk Assessment*.
2. Click *Add Vendor*. The *Add new Vendor* dialog is displayed.

3. Enter the vendor domain in the *Primary Domain Name* field.
4. Click the search icon. Vendor information will be displayed.
5. Click *Save*. The vendor risk assessment will begin to generate.

Removing a vendor from the watchlist

You can have a maximum of 25 individual vendors in the watchlist. To remove a vendor from the watchlist, click *Remove* on its watchlist card.




Viewing the vendor risk assessment

The vendor risk assessment organizes the generated vendors data into:


- *Attack Surface Exposure*: Provides an overview of the vendor company's assets and current security hygiene to assess the estimated risk exposure.



- **Darknet Exposure:** Provides an overview of potential activity in hacker communities and darkweb marketplaces toward the vendor company. The estimated risk can be used to assess the likelihood of threat actors' interest in targeting the vendor company.



- **Security Incidents:** Provides an overview of ransomware incidences and intelligence reporting so that action can be taken if the vendor company suffers a ransomware attack or is targeted by a threat actor.



Each of these sections is further divided into widgets that allow you to review detailed risk data in order to make informed decisions.

To view a vendor risk assessment:

1. Go to *Adversary Centric Intelligence > Vendor Risk Assessment*.



2. Select the vendor that you want to review. The *Vendor Risk Assessment* opens.



You cannot review vendor information while the *Status* is *Pending*.

3. Review the banner for high-level information on the vendor and the *Overall Estimated Risk Exposure*.



4. Review the *Attack Surface Exposure*:

Issue by Severity	The distribution of security issues by severity on the vendor's attack surface.
Security Issues	The type of security issues identified and the assets affected, distributed by severity. Select a dropdown arrow in the <i>Issue Category</i> for further breakdown of the assets.
Commonly Targeted Services	The services on the vendor's attack surface that are commonly targeted and the number of assets exposing the service.
Asset Distribution	A geographical distribution of the vendor's assets.

5. Review the *Darknet Exposure*:

Darknet Mentions	The number of mentions of the vendor's name or domain on platforms where threat actors perform active discussions.
Dataleak Mentions	The number of mentions of the vendors name or domain on datasets leaked by threat actors.
Credential Breaches	An overview of credentials affiliated with the vendor's domain that have been identified in third party data breaches.
Botnet Infections	<p>An overview of botnet campaigns used to steal credentials from end users:</p> <ul style="list-style-type: none"> • <i>Compromised Employee Systems</i>: The number of usernames from the shared infected system logs containing the email address domain affiliated with the vendor. • <i>Compromised Users Systems</i>: The number of credentials shared from the infected system logs containing the URL or application visited on the infected system matching the vendor's domain. These systems can be end users or employees. • <i>Stealer Marketplace</i>: The number of credentials stolen by threat actors containing the URL or application visited on the infected system matching the vendor's domain. These logs are being listed for sale on prominent stealer marketplaces.

6. Review the *Security Incidents*:


Ransomware Incident	The vendor name or domain appeared on the victim list by a ransomware group.
FortiRecon Intelligence Reporting	FortiRecon ACI reporting contains mention of the vendor's name or domain.

Intelligence Collection Lookup

The *Adversary Centric Intelligence > Intelligence Collection Lookup* page allows you to search the comprehensive intelligence collection, including cyber-crime forums, ransomware posts, Telegram messages, leaked documents, and more using a simple query syntax. From the *Intelligence Collection Lookup* page, you can:

Create and save search queries. See [Search Query](#).

Review the search results. See [Search Results](#).



Search Query

You will be able to search from the available intelligence sources using search query including keywords and operators.

Creating and running a search query

To create and run a search query:

1. Navigate to *Adversary Centric Intelligence > Investigation* page.
2. Enter the search query using keywords and operators you want to search in the search box. For supported query syntax, see [Search Query Syntax](#).
3. Select the required sources, from the list. Supported sources include the following:
 - *All(default)*
 - *Cyber-Crime Forums Posts*
 - *Ransomware Posts*
 - *Telegram Messages*
 - *Leaked Documents*
 - *Cyber-Crime Forums Posts Old*
 - *Paste Site Posts*
 - *Defacement Websites*
 - *OSINT- Cyber Stores*
4. Click search icon.



Saving a search query

You will be able to save your custom search queries for future use and to get notified. There are two types of saved queries:

- **System queries** - These queries are automatically generated for each organization based on their organization name, brand names, and primary domain. System queries cannot be edited.
- **User queries** - You can save custom search queries that are specific to your requirements.


To save a user search query:

1. Navigate to *Adversary Centric Intelligence > Investigation* page.
2. Enter and run the search query.
3. Click *Save* icon.
4. In the Query Details window, provide the *Query Name*.
5. Select *Notify* checkbox, if you want to enable notifications for the query.
6. Click *Save*.

A screenshot of the "Query Details" window. The window has a dark background. At the top, it says "Query Details". Below that, there is a "Query Name" field with a red asterisk, containing the text "Malware Scan". Below the "Query Name" field is a "Query String" field containing "malware OR NodeJS". Underneath the "Query String" field, there are several filter buttons: "Cyber-Crime Forum Posts", "Ransomware Posts", "Telegram Messages", "Leaked Documents", "Cyber-Crime Forum Posts Old", "Paste Site Posts", "Defaced Websites", and "OSINT - Cyber Stories". At the bottom left, there is a "Notify me" checkbox which is currently unchecked. At the bottom right, there are two buttons: "Cancel" and "Save".

To run a saved search query:

1. Navigate to *Adversary Centric Intelligence > Investigation* page.
2. Click Saved Queries icon.
3. Select the required saved search query.



To delete a saved search query:

1. Navigate to *Adversary Centric Intelligence > Investigation* page.
2. Click Saved Queries icon.
3. Click X icon.

To update a saved search query:

1. Select the saved search query.
2. Update the search query in the search box if required.
3. Click *Save* icon.
4. Update the *Query Name* if required.

- Click *Update* to update the existing search query or click *Save As New* to save as a new search query.

Query Details

Query Name *

Query String

Cyber-Crime Forum Posts
Ransomware Posts
Telegram Messages
Leaked Documents
Cyber-Crime Forum Posts Old

Paste Site Posts
Defaced Websites
OSINT - Cyber Stories

Notify me

Cancel
Save As New
Update

Search Query Syntax

Lucene query language is used to search for specific posts/messages. Following are the examples for using the query language.

Use Case	Query
To filter messages for exact domain match.	"knowbe4.com"
To filter messages for wildcard match containing the domain name.	*google.com
To filter messages for specific keyword with exact match.	"Cyber"
To filter messages for keyword with wildcard match.	*Cyber*
To find matches for multiple keywords.	("bank" OR "banco" OR "ATM malware")
To find matches for multiple keywords with AND condition	("stealer" OR "worm" OR "malware") AND ("bank")
To find matches for multiple keywords while excluding some keywords.	(healthcare OR medical*) NOT ("healthy" OR "Medical Cannabis")

Following operators and modifiers are supported.


Operators and Modifier	Description
AND	Use this option to find both terms that exist in the text.
OR	Use this option to find at least one term that exists in the text.
NOT	Use this option to exclude that exists in the text.
*	Use this option to perform wildcard search.

Search Results

Once you run either a system or a custom search query, the filtered results are displayed. The default display period for the results is 1 year. There are two sections available for viewing search results.

- [Overview](#)
- [Detailed Results](#)

To modify the result period, click date drop-down menu and choose the desired time period.




Overview



The overview section provides the cumulative count of the following fields discovered in the search.

- *Cyber-Crime Forums Posts*
- *Ransomware Posts*

- *Telegram Messages*
- *Leaked Documents*
- *Cyber-Crime Forums Posts Old*
- *Paste Site Posts*
- *Defacement Websites*
- *OSINT- Cyber Stores*



The overview section also includes the following chart widgets:

- *Top Cyber-Crime Forums:* Displays the top 5 forums from Darknet posts.
- *Top Threat Actors:* Displays the top 5 threat actors contributing to Darknet posts.
- *Top Ransomware Groups:* Displays the top 5 groups from Ransomware posts.
- *Telegram Users:* Displays the top 10 users with Telegram posts.
- *Telegram Channels:* Displays the top 10 channels with Telegram posts.

Detailed Results

DETAILED RESULTS

Navigation: Cyber-Crime Forum Posts (184.66K) | Ransomware Posts (3.85K) | Telegram Messages (2589.59K) | Leaked Documents (12.44K) | Cyber-Crime Forum Posts Old (0)

Date	Forum Name	Actor Name	Posts Title	Posts Content
Jun 29, 2023	Crdclub	Vendor Of: Cc Seller	Saint Partick Cc Shop / More 50 Countries / The Best Choice!	NEW UPDATE: CZ "GOLD" VALID 90% [28 Jun] Total: 100CC Refund: + Country: CZ Source: sniffer Pr... View Full Text
Jun 29, 2023	Crdclub	Member	\$\$\$ Crazy Shop \$\$\$ >> Online Store Cc+cvv2 >> The Best Credit Cards At A Low Price	Originally Posted by takemoneybro REDUCE PRICE ES SUPER BIG BASE SNIFF MEGA CHEAP NoREF 15\$ The re... View Full Text
Jun 29, 2023	Crdclub	Vendor Of: Cc Seller	[CS] Hq Cc+fullz & Daily Updates / Eurodollars Autoshop [CS]	UK SHOP UPDATE [CS] UK BINLIST AVAILABLE: 453979 516940 557349 535666 465901 492181 485859 537317 4... View Full Text

The detailed results section displays the detailed information of the discovered search results. The following data is displayed for each source.

Intelligence Source	Fields Displayed
Cyber-Crime Forum Posts	<ul style="list-style-type: none"> • Date • Forum • Name • Actor Name • Posts Title • Posts Content <p>Click <i>View Full Text</i> to view the full content.</p>
Ransomware Posts	<ul style="list-style-type: none"> • Date • Ransomware • Name • Title • Victim Company • Victim Country • Victim Sector • Posts Content <p>Click <i>View Full Text</i> to view the full content.</p>
Telegram Messages	<ul style="list-style-type: none"> • Date • Username • Channel • Message
Leaked Documents	<ul style="list-style-type: none"> • Date • Leak Name • File Name • File Data <p>Click <i>View Full Text</i> to view the full content.</p>
Cyber-Crime Forum Posts Old	<ul style="list-style-type: none"> • Date • Forum • Name • Actor Name • Posts Title • Posts Content <p>Click <i>View Full Text</i> to view the full content.</p>
Paste Site Posts	<ul style="list-style-type: none"> • Date • Author Name • Title • Content <p>Click link icon to view the site posts in detail.</p>
Defaced Websites	<ul style="list-style-type: none"> • Date

Intelligence Source	Fields Displayed
	<ul style="list-style-type: none"> • Source • Notifier • Domain Click link icon to view the website.
OSINT - Cyber Stories	<ul style="list-style-type: none"> • Date • Title • Content Click link icon to read the full article.

Investigation

The *Adversary Centric Intelligence > Investigation* page displays information about investigations into security events. From the *Investigation* page, you can:

- Review the reputation of IPv4 addresses. See [Reviewing IP address reputation on page 130](#).
- Review the reputation of a domain. See [Reviewing domain reputation on page 130](#).
- Review a file hash. See [Reviewing a file hash on page 131](#).
- Review a CVE. See [Reviewing a CVE on page 131](#).

Reviewing IP address reputation

You can use the *IP Reputation* search bar to search for IPv4 addresses.

To review IP address reputation:

1. Go to *Adversary Centric Intelligence > Investigation > IP Reputation*. The *IP Reputation* tab is displayed.



2. Type the IPv4 address, and press *Enter*.

Reviewing domain reputation

You can use the *Domain Reputation* search bar to search for domains.

To review domain reputation:

1. Go to *Adversary Centric Intelligence > Investigation > Domain Reputation*. The *Domain Reputation* tab is displayed.



2. Type the domain name, and press *Enter*.

Reviewing a file hash

You can use the *File Hash* search bar to search for a file hash.

To review a file hash:

1. Go to *Adversary Centric Intelligence > Investigation > Hash Lookup*. The *Hash Lookup* tab is displayed.



2. Type the file hash, and press *Enter*. The results are displayed.

Reviewing a CVE

You can use the *CVE* search bar to search for a CVE.

To review a CVE:

1. Go to *Adversary Centric Intelligence > Investigation > CVE*. The *CVE* tab is displayed.



2. Type the CVE, and press *Enter*. Information about the CVE is displayed.

Profile settings

The *Profile Settings* page allows you to personalize your FortiRecon account and provide information on your organization.

You can access *Profile Settings* from the menu in the top-right corner of FortiRecon. See [Accessing profile settings on page 132](#). The menu appears as three vertical dots:



From the menu, you can also change the color theme of the FortiRecon pages. See [Changing the GUI theme](#).

The *Profile Settings* module contains the following pages:

Profile	Displays information about your personal FortiRecon account. You can edit details of your account, configure daily digest reports, and enable custom email alerts. See Profile on page 133 .
Users	Displays account information for members of your organization. Administrators can add, edit, and delete user accounts. See Users on page 137
Access Templates	Allows the creation and editing of access templates. Access templates control the modules and sub modules available to users on FortiRecon. See Access templates on page 140 .
Change Password	Allows you to change your personal account password. See Change password on page 141 .
Downloads	Displays a list of all the files downloaded from FortiRecon in that last 30 days. You can download the files to your computer or delete unnecessary files. See Downloads on page 142 .
Integrations	Displays the webhook integrations with Microsoft Teams and Slack. You can create, edit, disable, and delete integrations. See Integrations on page 143 .
Seeds	Displays the domains, card BINs, and mobile applications of your organization that are being monitored by FortiRecon. See Seeds on page 146 .

Accessing profile settings


You can access the *Profile Settings* from any page by selecting the menu in the top-right corner.

To access profile settings:

1. Hover over the profile menu in the top-right corner, and select *Profile Settings*.



The *Profile* page is displayed.



Profile

The *Profile* page provides information on your personal account information and allows you to customize settings. From the *Profile Settings > Profile* tab, you can:


- Edit personal account information. See [Editing user information on page 133](#).
- Configure daily reports on recent FortiRecon activity. See [Opting in to daily digest reports on page 134](#).
- Opt-out of daily reports on recent FortiRecon activity. See [Opting out of daily digest reports on page 134](#).
- View information about your subscription, such as registered domains, target industries and geography, keywords, and your API key. See [Subscription Details on page 135](#).
- Copy your API key for sharing. See [Sharing the API key on page 136](#).
- Configure personalized email notifications when specific keywords occur in FortiRecon reports. See [Receiving custom email alerts on page 137](#).

Editing user information

You can edit your personal user information on the *Profile* page. To edit other FortiRecon account users, see [Editing users on page 138](#).

To edit personal user information:

1. Go to *Profile Settings > Profile*.
2. Click the edit icon in *User Info*. The *Cancel* and *Update* buttons display.



The screenshot shows a 'User Info' form with three input fields: 'Name' (containing 'John Doe'), 'Email' (containing 'john.doe@fortinet.com'), and 'Mobile' (empty). Below the fields are two buttons: 'Cancel' and 'Update'.

3. Enter new information into *Name*, *Email*, and *Mobile* as needed.
4. Click *Update*. Your personal user information is updated.

Opting in to daily digest reports

You can receive emailed daily digest reports that include important information and highlights on reports and alerts that occurred in the past 24 hours.

To opt-in to daily digest reports:

1. Go to *Profile Settings > Profile*.
2. Click *Opt-in* in *Daily Digest Settings*. The *Category* and *Report Type* fields become active.



The screenshot shows the 'Daily Digest Settings' form. It has a title bar with 'OPT-OUT' and a close icon. Below the title is the text 'Receive daily digest reports for'. There are two columns of checkboxes: 'Category' and 'Report Type'. The 'Category' column includes: DARKNET, HUMINT, OSINT, Fraudulent Domains, Media Trends, and TECH-INT. The 'Report Type' column includes: Threat Report, Flash Report, Threat Alert, and Flash Alert. At the bottom left, there is a 'Daily At' field with '09 AM' and up/down arrows. A 'Save' button is at the bottom right.

3. Select the options to include, and clear the options to exclude from the daily digest report.
4. Use the up and down *Daily At* arrows, or manually enter the hour you want to receive the daily digest report.
5. Toggle *AM* and *PM* to decide the hour in the 12-hour time convention.
6. Click *Save*. The daily digest report is sent to your email each day at the time specified.



The *Daily At* feature uses the 12-hour time convention by default. If you enter a time in 24-hour format, the time is automatically adjusted to the 12-hour format. For example, if you enter 15 AM, the time is adjusted to 3 PM.

Opting out of daily digest reports


Daily digest reports are enabled by default, but you can stop the emails by opting-out in the *Profile* page.

To opt-out of daily digest reports:


1. Go to *Profile Settings > Profile*.
2. Click *Opt-out* in *Daily Digest Settings*. You will no longer receive daily digest reports.

To add a new license:

1. Go to *Profile Settings > Profile*.
2. Scroll to *Subscription Details*
3. Click edit icon next to *Contract Number*.
4. Enter license serial number and email address used to purchase the license.

A dark-themed form titled "License Details". It contains two input fields: "Serial Number" and "Email", both with red asterisks indicating required fields. At the bottom left is a blue "Cancel" button, and at the bottom right is a blue "Save & Next" button.

5. Click *Save & Next*.
6. Enter seed information. Based on the license purchased you will be able to add an additional domain or modify existing domain details. Select the *Add/Remove Assets* checkbox to add or remove assets.

A dark-themed form titled "Seeds Information". It features five input fields: "AS Number", "IP Prefix", "IP Address", "Domains", and "Sub Domains". At the bottom left, there is a checkbox with the text "Click on checkbox to Add/Remove Assets".

Sharing the API key

You can copy your API key to your clipboard to share with others or use in other software.

To copy your API key:

1. Go to *Profile Settings > Profile*.
2. Click *Copy* in *Subscription Details*. The API key is copied to your clipboard.

Receiving custom email alerts

You can configure custom email alerts so that you receive email notifications whenever there is a report that relates to the categories you set.

To configure custom email alerts:

1. Go to *Profile Settings > Profile*.
2. In *Custom Email Alerts*, select alert inputs by clicking and choosing from:
 - *Target Industry*
 - *Motivation & Tags*
 - *Actors*
 - *Target Geography*
3. Click *Save*. Email alerts are configured and are sent when a set input occurs in a report.

Users

Multiple FortiRecon accounts can be created for an organization in the *Users* pages. The following roles are available for FortiRecon accounts:

- **User:** Has access limited to what is included in the assigned access template.
- **Admin:** Has administrative access over other accounts.



Only administrators can add and make changes to other accounts.

From the *Profile Settings > Users* page, you can:

- View all user accounts for your organization. See [Viewing user accounts on page 137](#).
- Add new users. See [Adding users on page 138](#).
- Edit existing users. See [Editing users on page 138](#).
- Delete users. See [Deleting users on page 139](#).

Viewing user accounts

You can view all of the current users for your organization on the *Users* page. User information listed for all users includes:

- Name
- Role
- Email
- Phone Number

To view user accounts:


1. Go to *Profile Settings > Users*.
2. Search for keywords:
 - a. In the *Type and hit Enter to Search* box, type a name or email, and press *Enter*.
The user accounts are filtered to display only accounts with the keyword.
 - b. Click the X beside the keyword to remove the filter.

Adding users

Administrators can add new user accounts. Before you add new users, define access templates to select in the user accounts. See [Access templates on page 140](#).

To add a user account:

1. Access *Profile Settings*, and click the *Users* page. The users are displayed.
2. Click the *Add User* button. The *Client Info* page is displayed.



3. On the *Client Info* page, complete the following options, and click *Next*.

Name	Type a name for the user.
Mobile	Type the mobile phone number for the user.
API Key	Displays the automatically generated API key for the user.
Email	Type the email address, and select the domain for the user.
Role	Select one of the following roles: <ul style="list-style-type: none"> • User: gives the user access to the modules defined to their account. • Admin: gives the user access to the modules defined to their account and administrative access over other accounts.

The *Permissions* page is displayed

4. Select a *User Template* from the dropdown. The *Main Modules*, *Sub Modules*, and *Access* are adjusted to the template's settings.
5. Click *Save*. The user is created.

Editing users


All organization members with FortiRecon accounts are listed on the *Users* page. Administrators can edit the information of other members.



You cannot edit an email address.

To edit a user account:

1. Go to *Profile Settings > Users* and find the account you want to edit.
2. Click *Edit*. The *Client Info* page is displayed.



3. On the *Client Info* page, complete any of the following options as needed, and click *Next*.

Name	Type a new name for the user.
Mobile	Type a new mobile phone number for the user.
API Key	Select <i>Re-generate API</i> to create a new <i>API Key</i> . This can be done when it is suspected that the <i>API Key</i> has been compromised or leaked.
Role	Select a new role from the <i>Role</i> dropdown.

The *Permissions* page is displayed.


4. Select a new *User Template* from the dropdown, if needed. The *Main Modules*, *Sub Modules*, and *Access* are adjusted to the template's settings.
5. Click *Save*. The user information and access permissions are updated.

Deleting users

Administrators can delete the account of another member on the *Users* page.

To delete a user account:

1. Go to *Profile Settings > Users* and find the account you want to delete.
2. Click *Delete*. A confirmation message is displayed.



3. Click *Yes*. The account is deleted.

Access templates

Access templates are used for controlling user accounts. When you create an access template, you can define what modules and sub modules a user can access, and then you can assign the access template to user accounts. See [Adding users on page 138](#)

From the *Profile Settings > Access Template* page, you can:

- View available access templates. See [Viewing access templates on page 140](#).
- Add a new access template. See [Adding a template on page 140](#).
- Edit an existing access template. See [Editing a template on page 141](#).

Viewing access templates

You can view the settings assigned to an access template in the *Access Templates* page. Assigned *Main Modules*, *Sub Modules*, and *Access* settings appear in the following formats:

- Grey: The Sub Module is a default setting that is always included if the Main Module is selected.
- Blue: The feature has been intentionally selected from the optional features.

To view an access template:

1. Go to *Profile Settings > Access Templates*.
2. Click the *Select Template* dropdown. A list of existing access templates is displayed.



3. Select the template you want to view. The template is displayed.

Adding a template


You can create new templates in the *Access Templates* page, and they can include any of the *Main Modules*, specific *Sub Modules*, and *Access* settings.

While all *Access* settings are optional, the following *Sub Modules* are mandatory when the associated *Main Module* has been selected:

Main Module	Mandatory Sub Modules
EASM	Dashboard
Brand Protection	Dashboard and Alerts
Adversary Centric Intelligence	Dashboard and Reports

To create an access template:

1. Go to *Profile Settings > Access Templates*.
2. Click *Add Template*. The *Add Template* page is displayed.



3. Enter a name in the *Template Name* text box.
4. Select the *Main Modules*, *Sub Modules*, and *Access* fields to enable user access to them.
5. Clear the *Main Modules*, *Sub Modules*, and *Access* fields to disable user access to them.
6. Click *Add*. The template is created.

Editing a template

You can edit a template that has previously been created to add or remove *Modules*, *Sub Modules*, and *Access* settings.

To edit an access template:

1. Go to *Profile Settings > Access Templates*.
2. From the *Select Template* dropdown, select the template you want to edit . The template is displayed.
3. Enter a new name in the *Template Name* text box, if needed.
4. Select the new *Main Modules*, *Sub Modules*, and *Access* fields to enable access to them.
5. Clear the *Main Modules*, *Sub Modules*, and *Access* fields to disable access to them.
6. Click *Save*. The template is updated.

Change password

You can change your personal account password. The new password must:

- Contain at least one lower case letter
- Contain at least one upper case letter
- Contain at least one special character
- Be at least 10 characters long

To change your password:

1. Go to *Profile Settings > Change Password*.
2. Enter your existing password in the *Current password* box.
3. Enter the new password in the *New password* box.
4. Enter the new password again in the *Confirm password* box. The *Set Password* button becomes available.
5. Click *Set Password*. Your password is updated.



Passwords entered into *New password* and *Confirm password* boxes must match. The fields are case sensitive. If the passwords do not match, the *Set Password* button remains unavailable.

Downloads

Files downloaded from *EASM*, *Brand Protection*, and *Adversary Centric Intelligence* are saved in the *Downloads* page. Files are saved in a list with the most recently downloaded files at the top.

From the *Profile Settings > Downloads* page, you can:


- View all downloads from the past 30 days. See [Viewing downloads on page 142](#).
- Retrieve downloads from the past 30 days. See [Retrieving downloads on page 142](#).
- Delete downloads. See [Deleting downloads on page 143](#).

Viewing downloads

You can view all of your downloads from the past 30 days.

To view downloads:

1. Go to *Profile Settings > Downloads*. The most recent downloads are displayed.
2. From the *Records per page* dropdown list, select the number of downloads to display on the page.



3. Navigate between pages by selecting *Previous* and *Next*.



Retrieving downloads

You can retrieve downloaded files in the *Downloads* page.

To retrieve a downloaded file:

1. Go to *Profile Settings > Downloads* and find the file you want.
2. Click the file in the *Download* column. The file is downloaded to your computer.




If a file is not finished downloading, an update message is displayed when you hover your mouse over the file. You cannot click the file until it is finished downloading.

Deleting downloads

Downloaded files are automatically deleted after 30 days. However, you can manually delete files if needed.

To delete downloaded files:

1. Go to *Profile Settings > Downloads* and find the file.
2. Click the delete icon in the *Actions* column. A confirmation message is displayed.



3. Click Yes. The file is deleted.

Integrations

You can use webhook integration to receive automated alert and report notifications over Microsoft Teams and Slack. For example, if you have flash reports configured for a Slack integration, when a flash report appears on FortiRecon, you receive an automated notification on your Slack account.

From the *Profile Settings > Integrations* page, you can:

- View the details of existing integrations. See [Viewing integration details on page 143](#).
- Create new integrations. See [Adding integrations on page 144](#).
- Edit existing integrations. See [Editing integrations on page 145](#).
- Disable integrations. See [Disabling integrations on page 145](#).
- Delete integrations. See [Deleting and disabling integrations on page 145](#).

Viewing integration details

You can view the details of an integration in the *Integrations* page.

To view the details of an integration:


1. Go to *Profile Settings > Integrations*.
2. Find the integration you want to view:
 - a. Search for keywords:
 - i. In the *Type and hit Enter to Search* box, type a keyword, and press *Enter*. The integrations are filtered to display only integrations with the keyword.
 - ii. Click the X beside the keyword to remove the filter.
 - b. Search by platform:

- i. Select the *Platform* dropdown. A list of available integration platforms is displayed.



- ii. Select the platform you want to view.
The integrations are filtered to display only integrations for that platform.

3. Click the name or icon of the integration. The *Update Integration* page displays the integration details.



Adding integrations


You can add multiple webhook integrations to your account in FortiRecon.




You must retrieve the webhook URL from Microsoft Teams and Slack before adding an integration to FortiRecon. See [Microsoft Teams Webhooks and Connectors](#) and [Slack API Sending messages using Incoming Webhooks](#) for more information.

To add an integration:

1. Go to *Profile Settings > Integrations*.
2. Click *Add Integrations*. The *Choose Your Integration* page is displayed.



3. Select the software you want to integrate with. The *Add Integration* page is displayed.



4. Enter the name of the integration in the *Title* text box.
5. Paste the webhook URL from the software into the *WebHook URL* text box.
6. Select the *Category* and *Report Type* fields that you want to include in the integration.


7. Clear any fields that you want to exclude from the integration.
8. Click **Save**. The integration is added.

Editing integrations

You can change the features and details of a webhook integration from the *Integrations* page.

To edit an integration:

1. Go to *Profile Settings > Integrations* and locate the integration.
2. Click the name or icon of the integration. The *Update Integration* page is displayed.



3. Edit the *Title* and *WebHook URL* text boxes, as needed.
4. Select the *Category* and *Report Type* fields that you want to include in the integration.
5. Clear any fields that you want to exclude from the integration.
6. Click *Update*. The webhook integration is updated.

Disabling integrations

You can temporarily disable unused integrations, and then enable them again in the future. The integration toggle allows you to enable and disable an integration as needed.

To disable an integration:

1. Go to *Profile Settings > Integrations* and find the integration.



2. Select the toggle to disable the integration. The notifications are no longer sent to the software.




3. Select the toggle again to enable the integration.

Deleting and disabling integrations

You can delete unneeded webhook integrations.

To delete an integration:

1. Go to *Profile Settings > Integrations* and find the integration.
2. Click *Delete*. A confirmation message is displayed.



3. Click *Yes*. The integration is deleted.

Seeds

You can view your organization information in *Profile Settings > Seeds* page. *Seeds* page displays the information captured by FortiRecon during the following scenarios:

- Information you provide during onboarding.
- Any assets you add from *EASM > Asset Discovery > Bulk Add/Remove Assets*.

The *Seeds* section is read-only. If you want to remove an asset (ASN /IP address /IP range/ domain/ sub domain) from *Seeds*, you must remove it from *EASM > Asset Discovery > Bulk Add/Remove Assets*.



Because *Seeds* is your initial input, the *EASM* module uses it to discover additional assets and populate them in *EASM > Asset Discovery*. The assets in *EASM > Asset Discovery* are then used to populate the data in *Brand Protection* and *ACI* modules.

From the *Profile Settings > Seeds* page, you can:

- View your organization's registered assets. See [Viewing your assets on page 146](#).

Viewing your assets

On the *Seeds* page, you can view the domain names, ASN, IP prefix, sub domains, card BINs, mobile apps, and social media profiles of your organization that are being monitored by FortiRecon. You can toggle between the following pages to view your organization's assets:

- Domains
- ASN
- IP Prefix
- IP Address
- Sub Domain
- Card BIN
- Owned Mobile Applications
- Social Media

To view your organization's assets:

1. Go to *Profile Settings* > *Seeds*.
2. Navigate between asset types by selecting desired tab.
3. Search for assets:
 - Navigate to one of the tabs, and search for a keyword in the *Search* box to look for entries specific to that asset type.

