

Release Notes

FortiClient (macOS) 7.2.8



FORTINET DOCUMENT LIBRARY

<https://docs.fortinet.com>

FORTINET VIDEO LIBRARY

<https://video.fortinet.com>

FORTINET BLOG

<https://blog.fortinet.com>

CUSTOMER SERVICE & SUPPORT

<https://support.fortinet.com>

FORTINET TRAINING & CERTIFICATION PROGRAM

<https://www.fortinet.com/training-certification>

FORTINET TRAINING INSTITUTE

<https://training.fortinet.com>

FORTIGUARD LABS

<https://www.fortiguard.com>

END USER LICENSE AGREEMENT

<https://www.fortinet.com/doc/legal/EULA.pdf>

FEEDBACK

Email: techdoc@fortinet.com



April 01, 2025

FortiClient (macOS) 7.2.8 Release Notes

04-728-1113760-20250401

TABLE OF CONTENTS

| | |
|--|-----------|
| Change log | 5 |
| Introduction | 6 |
| Licensing | 6 |
| Special notices | 7 |
| Enabling full disk access | 7 |
| Activating system extensions | 8 |
| Enabling notifications | 9 |
| DHCP over IPsec VPN not supported | 9 |
| Running multiple FortiClient instances | 9 |
| FortiGuard Web Filtering Category v10 Update | 9 |
| IPsec VPN support limitation | 9 |
| SSL VPN support limitation | 10 |
| Installation information | 11 |
| Firmware images and tools | 11 |
| Upgrading from previous FortiClient versions | 11 |
| Downgrading to previous versions | 11 |
| Uninstalling FortiClient | 12 |
| Firmware image checksums | 12 |
| Product integration and support | 13 |
| Language support | 14 |
| Conflict with third-party endpoint protection software | 14 |
| Resolved issues | 16 |
| Remote Access - IPsec VPN | 16 |
| Remote Access - SSL VPN | 16 |
| Known issues | 17 |
| New known issues | 17 |
| Existing known issues | 17 |
| Application Firewall | 17 |
| Avatar and social login information | 17 |
| Deployment and installers | 18 |
| Endpoint control | 18 |
| Endpoint management | 18 |
| Endpoint policy and profile | 18 |
| FSSOMA | 18 |
| GUI | 19 |
| Installation and upgrade | 19 |
| License | 19 |
| Logs | 19 |
| Malware Protection and Sandbox | 20 |
| Quarantine management | 20 |
| Remote Access | 20 |
| Remote Access - IPsec VPN | 20 |

| | |
|------------------------------------|-----------|
| Remote Access - SSL VPN | 21 |
| Software Inventory | 21 |
| Third-party compatibility | 21 |
| Vulnerability Scan | 22 |
| Web Filter and plugin | 22 |
| Real-time protection | 22 |
| Zero Trust tags | 23 |
| ZTNA connection rules | 23 |
| Numbering conventions | 24 |

Change log

| Date | Change description |
|------------|---|
| 2025-01-15 | Initial release. |
| 2025-04-01 | Updated Special notices on page 7 . |
| | |
| | |

Introduction

This document provides a summary of enhancements, support information, and installation instructions for FortiClient (macOS) 7.2.8 build 0999.

This document includes the following sections:

- [Special notices on page 7](#)
- [Installation information on page 11](#)
- [Product integration and support on page 13](#)
- [Resolved issues on page 16](#)
- [New known issues on page 17](#)

Review all sections prior to installing FortiClient. For more information, see the [FortiClient Administration Guide](#).


Licensing

See [Windows, macOS, and Linux endpoint licenses](#).

Special notices

Enabling full disk access

FortiClient (macOS) works properly only when you grant permissions to access the full disk in the *Security & Privacy* pane for the `fctservctl2` service. You can find this service in `/Library/Application\ Support/Fortinet/FortiClient/bin/`.




Activating system extensions

After you initially install FortiClient (macOS), the device prompts you to allow some settings and disk access for FortiClient (macOS) processes. You must have administrator credentials for the macOS machine to configure this change.

VPN works properly only when you allow FortiTray to load in *Network Extensions* settings. You must enable the FortiClientProxy and FortiClientPacketFilter extensions for Web Filter and Application Firewall, respectively, to work properly. The FortiClient (macOS) team ID is AH4XFXJ7DK.

To activate system extensions:

1. Go to *System Settings > General > Login Items & Extensions > Network Extensions*.
2. Toggle on the following to enable the extensions:
 - *FortiTray*
 - *FortiClientProxy*
 - *FortiClientPacketFilter*



3. Click *Done*.

Enabling notifications

After initial installation, macOS prompts the user to enable FortiClient (macOS) notifications.

To enable notifications:

1. Go to *System Settings > Notifications > FortiGuardAgent*.
2. Toggle *Allow Notifications* on.

DHCP over IPsec VPN not supported

FortiClient (macOS) does not support DHCP over IPsec VPN.

Running multiple FortiClient instances

FortiClient (macOS) does not support running multiple FortiClient instances for different users simultaneously.

FortiGuard Web Filtering Category v10 Update

Fortinet has updated its web filtering categories to v10, which includes two new URL categories for AI chat and cryptocurrency websites. To use the new categories, customers must upgrade their Fortinet products to one of the following versions:

- FortiManager - Fixed in 6.0.12, 6.2.9, 6.4.7, 7.0.2, 7.2.0, 7.4.0.
- FortiOS - Fixed in 7.2.8 and 7.4.1.
- FortiClient - Fixed in Windows 7.2.3, macOS 7.2.3, Linux 7.2.3.
- FortiClient EMS - Fixed in 7.2.1.
- FortiMail - Fixed in 7.0.7, 7.2.5, 7.4.1.
- FortiProxy - Fixed in 7.4.1.

Please read the following CSB for more information to caveats on the usage in FortiManager and FortiOS:

<https://support.fortinet.com/Information/Bulletin.aspx>

IPsec VPN support limitation

Due to a macOS limitation, FortiClient (macOS) does not support IPsec VPN tunnels on macOS Guest VMs using bridged network connections.

SSL VPN support limitation

SSL VPN with SAML FIDO2 authentication only supports external browser authentication.

Installation information

Firmware images and tools

The following files are available from the [Fortinet support site](#):

| File | Description |
|---|---|
| FortiClientTools_7.2.8.0999_macosx.tar.gz | Includes utility tools and files to help with installation. |
| FortiClientVPNSetup_7.2.8.0999_macosx.dmg | Free VPN-only installer. |

The following files are available from [Fortinet.com](#):

| File | Description |
|---|-------------------------------|
| FortiClient_OnlineInstaller.dmg | Standard installer for macOS. |
| FortiClientVPNSetup_7.2.8.0999_macosx.dmg | Free VPN-only installer. |

FortiClient EMS 7.2.8 includes the FortiClient (macOS) 7.2.8 standard installer.



Review the following sections prior to installing FortiClient version 7.2.8: [Introduction on page 6](#), [Special notices on page 7](#), and [Product integration and support on page 13](#).

Upgrading from previous FortiClient versions



You must upgrade EMS to 7.2 or newer before upgrading FortiClient.

FortiClient 7.2.8 supports upgrade from FortiClient 6.2, 6.4, and 7.0.

FortiClient (macOS) 7.2.8 features are only enabled when connected to EMS 7.2.

See [Recommended upgrade path](#) for information on upgrading FortiClient (macOS) 7.2.8.

Downgrading to previous versions

FortiClient 7.2.8 does not support downgrading to previous FortiClient versions.

Uninstalling FortiClient

The EMS administrator may deploy uninstall to managed FortiClient (macOS) endpoints.

Firmware image checksums

The MD5 checksums for all Fortinet software and firmware releases are available at the [Customer Service & Support portal](#). After logging in, click on *Download > Firmware Image Checksums*, enter the image file name including the extension, and select *Get Checksum Code*.

Product integration and support

The following table lists FortiClient (macOS) 7.2.8 product integration and support information:

| | |
|------------------------------------|---|
| Desktop operating systems | <ul style="list-style-type: none">• macOS Sequoia (version 15)• macOS Sonoma (version 14)• macOS Ventura (version 13)• macOS Monterey (version 12) |
| Minimum system requirements | <ul style="list-style-type: none">• Intel processor or M1 or M2 chip• 1 GB of RAM• 1 GB of free hard disk drive (HDD) space• TCP/IP communication protocol• Ethernet NIC for network connections• Wireless adapter for wireless network connections• Adobe Acrobat Reader for viewing FortiClient documentation |
| AV engine | <ul style="list-style-type: none">• 6.00287 |
| FortiAnalyzer | <ul style="list-style-type: none">• 7.4.0 and later• 7.2.0 and later• 7.0.0 and later |
| FortiAuthenticator | <ul style="list-style-type: none">• 6.5.0 and later• 6.4.0 and later• 6.3.0 and later• 6.2.0 and later• 6.1.0 and later• 6.0.0 and later |
| FortiClient EMS | <ul style="list-style-type: none">• 7.4.0 and later• 7.2.0 and later |
| FortiOS | <p>The following versions support zero trust network access:</p> <ul style="list-style-type: none">• 7.4.0 and later• 7.2.0 and later• 7.0.6 and later <p>The following versions support IPsec and SSL VPN:</p> <ul style="list-style-type: none">• 7.4.0 and later• 7.2.0 and later• 7.0.0 and later• 6.4.0 and later |
| FortiManager | <ul style="list-style-type: none">• 7.4.0 and later• 7.2.0 and later• 7.0.0 and later |
| FortiMonitor agent | 2024.2.10 |

FortiSandbox

- 4.4.0 and later
- 4.2.0 and later
- 4.0.0 and later
- 3.2.0 and later

Language support

The following table lists FortiClient language support information:

| Language | GUI | XML configuration | Documentation |
|-----------------------|-----|-------------------|---------------|
| English | Yes | Yes | Yes |
| Chinese (simplified) | Yes | | |
| Chinese (traditional) | Yes | | |
| French (France) | Yes | | |
| German | Yes | | |
| Japanese | Yes | | |
| Korean | Yes | | |
| Portuguese (Brazil) | Yes | | |
| Russian | Yes | | |
| Spanish (Spain) | Yes | | |

The FortiClient language setting defaults to the regional language setting configured on the client workstation unless configured in the XML configuration file.



If the client workstation is configured to a regional language setting that FortiClient does not support, it defaults to English.

Conflict with third-party endpoint protection software

As a Fortinet Fabric Agent that provides protection, compliance, and secure access, FortiClient may conflict with anti-malware products on the market that provide similar AV, web filtering, application firewall, and ransomware protection features as FortiClient. If you encounter a conflict, there are a few steps you can take to address it:

- Do not use other AV products when FortiClient's AV feature is enabled.
- If FortiClient's AV feature is disabled, configure the third party AV product to exclude the FortiClient installation folder from being scanned.

During a new FortiClient installation, the installer searches for other registered third party software and, if it finds any, warns users to uninstall them before proceeding with the installation. There is also an option to disable FortiClient real time protection.

Resolved issues

The following issues have been fixed in FortiClient (macOS) 7.2.8. For inquiries about a particular bug, contact [Customer Service & Support](#).

Remote Access - IPsec VPN

| Bug ID | Description |
|---------|---|
| 1098349 | IPsec VPN SAML tunnel does not terminate itself when certificate is invalid and <i>Do Not Accept Invalid Server Certificate</i> is enabled. |

Remote Access - SSL VPN

| Bug ID | Description |
|---------|---|
| 1110157 | Client hangs on connecting when SAML external browser is closed without authenticating. |

Known issues

Known issues are organized into the following categories:

- [New known issues on page 17](#)
- [Existing known issues on page 17](#)

To inquire about a particular bug or to report a bug, contact [Customer Service & Support](#).

New known issues

No new issues have been identified in version 7.2.8.

Existing known issues

The following issues have been identified in a previous version of FortiClient (macOS) and remain in FortiClient (macOS) 7.2.8.

Application Firewall

| Bug ID | Description |
|--------|---|
| 834839 | Web Filter does not block traffic when proxy mode and Application Firewall are disabled. |
| 943703 | Application firewall block/allow/monitor based on individual applications does not work as expected. |
| 948718 | Block count for Application Firewall is not accurate. |
| 957984 | Application Firewall reports violations for network service protocols when it is set to monitor in EMS. |

Avatar and social login information

| Bug ID | Description |
|--------|---|
| 777013 | Avatar, whether changed or existing, does not show on FortiAnalyzer. |
| 857857 | Avatar page goes blank if user logs in with LinkedIn account. |
| 954273 | After FortiClient upgrades through script, avatar page does not load properly and shows a blank page. |

Deployment and installers

| Bug ID | Description |
|--------|---|
| 882705 | EMS deployment fails if endpoint reboots during deployment package installation process. |
| 935387 | Installer downloaded from EMS is not deleted when EMS is changed. |
| 967007 | FortiClient (macOS) installed through mobile device management displays certificate trust prompt. |
| 975804 | <i>FortiClientUninstaller is damaged</i> error occurs during FortiClient (macOS) deployment. |

Endpoint control

| Bug ID | Description |
|---------|---|
| 958511 | FortiClient (macOS) does not support Microsoft Entra ID (formerly known as Azure Active Directory) verification when joining EMS. |
| 967008 | Revoking client certificate from EMS also revokes the EMS CA certificate, which causes unnecessary keychain prompt. |
| 1029889 | ffconfig leaves behind zombie processes. |

Endpoint management

| Bug ID | Description |
|---------|--|
| 891264 | EMS creates duplicate records for domain-joined Ubuntu endpoints. |
| 1106089 | FortiClient fails to open with syntax error prompt if compliance.json file is empty. |

Endpoint policy and profile

| Bug ID | Description |
|--------|---|
| 906951 | GUI does not reflect profile changes unless user manually restarts the FortiClient (macOS) console. |

FSSOMA

| Bug ID | Description |
|--------|--|
| 956538 | FortiClient (macOS) does not support multiple FortiAuthenticator server addresses. |

GUI

| Bug ID | Description |
|--------|---|
| 786779 | About page version information is cut off when displaying with copyright information. |
| 857148 | GUI shows duplicate FortiClient consoles. |
| 954876 | <i>Backup Comments</i> option does not work. |
| 967169 | GUI is stuck on blank screen. |
| 968068 | FortiClient responds slowly and shows blank page when opening GUI. |

Installation and upgrade

| Bug ID | Description |
|--------|---|
| 827939 | <i>FortiTray is not open anymore</i> prompt shows when deploying FortiClient using script through mobile device management. |
| 828781 | FortiClient (macOS) behaves inconsistently when uninstalling it through commands in terminal and the FortiClientUninstaller GUI tool. |
| 929219 | FortiClient is upgradable from full to free version. |
| 951945 | Uninstaller shows <i>Install Now</i> prompt instead of <i>Remove now</i> . |
| 955448 | Manual upgrade from 7.2.0 removes manually added VPN tunnels. |
| 976951 | FortiClient allows downgrade from full to free VPN-only client, which results in disordered GUI. |

License

| Bug ID | Description |
|--------|--|
| 889767 | License expiration shows unwanted +0000 at end of warning message. |

Logs

| Bug ID | Description |
|---------|--|
| 711763 | FortiClient does not point to usfgd1.fortigate.com for EMS web profile setting: Location-US Server-Fortiguard (Legacy). |
| 872875 | Disabling <i>Client-Based Logging When On-Fabric</i> in EMS does not work for macOS endpoints. |
| 951917 | The device MAC address field for FortiClient (macOS)-related events under FortiAnalyzer shows 00:00:00:00:00:00 instead of device MAC address. |
| 1002118 | ftlogupload causes CPU to spike to 100%. |

Malware Protection and Sandbox

| Bug ID | Description |
|--------|--|
| 551282 | Sandbox exception for trusted sources does not work and FortiClient (macOS) uploads files sourced from Apple Inc. |
| 719920 | FortiClient cannot submit files downloaded from Thunderbird to FortiClient Cloud Sandbox (PaaS). |
| 829415 | When next generation antivirus is enabled, FortiClient (macOS) shows real time protection (RTP) as disabled. |
| 855555 | Enabling real-time protection and setting <block_removable_media> to 1 causes FortiClient (macOS) to fail to block a USB device. |
| 921370 | User cannot stop manually triggered AV scan in FortiClient. |
| 949187 | Cloud Sandbox fails to work and treats EICAR file as clean. |

Quarantine management

| Bug ID | Description |
|--------|--|
| 868798 | Custom quarantine message does not work. |

Remote Access

| Bug ID | Description |
|--------|--|
| 800529 | GUI has issue with <i>Settings > VPN Options > Do not Warn Invalid Server Certificate</i> . |
| 818359 | FortiClient (macOS) does not instantly clear saved password when user deselects <i>Save Password</i> for VPN tunnel. |
| 866971 | <i>System Preferences</i> for FortiClient (macOS) network extension is under different name compared to 7.0.7. |
| 977725 | FortiClient split tunnel has limitation. |

Remote Access - IPsec VPN

| Bug ID | Description |
|--------|---|
| 720236 | FortiClient does not support DH groups 19-21. |
| 894027 | FortiClient on macOS Ventura system proxy with PAC does not work with IPsec VPN but works with SSL VPN. |
| 948566 | <i>Enable Local LAN</i> does not work as expected. |

| Bug ID | Description |
|--------|---|
| 952987 | FortiClient (macOS) does not clear IPsec VPN tunnel saved password if connection fails due to wrong credentials. |
| 954632 | IPsec VPN fails to update password in keychain store when trying to renew expired AD password with autoconnect enabled. |
| 975879 | IPsec VPN phase 2 setting NO PFS configures or shows the DH groups for phase 2. |
| 976852 | IPsec VPN redundancy based on ping speed or TCP RTT sorting method does not work. |
| 978270 | DNS fails to apply to the IPsec VPN tunnel interface after disabling <code><mode_config></code> in IPsec VPN IKEv1 and setting manual mode. |
| 987299 | Multifactor authentication prompt does not show for external RADIUS users with token authentication enabled. |

Remote Access - SSL VPN

| Bug ID | Description |
|---------|--|
| 772247 | SAML authentication times out with SSL VPN. |
| 866711 | SSL VPN with SAML and FIDO2 authentication does not work with built-in browser. |
| 870585 | When using Okta for SAML VPN authentication, saving password and autoconnect fail to work. |
| 898971 | SSL VPN with SAML drops with <i>Login error. Remote denied the request.</i> error. |
| 978147 | DHCP Option 12 - hostname needed if using SSL VPN with external DHCP servers. |
| 978792 | GUI is stuck in VPN connecting page when VPN connected successfully. |
| 985277 | When connected to a split tunnel VPN, FortiClient (macOS) does not connect to local LAN. |
| 1101442 | SSL VPN drops during file downloads through the tunnel. |

Software Inventory

| Bug ID | Description |
|--------|---|
| 860954 | Sending software inventory list or updates to EMS does not happen in real time. |

Third-party compatibility

| Bug ID | Description |
|--------|---|
| 961542 | Conflict occurs between FortiClient and Microsoft Defender due to the system processes used in overlapping real-time protection features. |

| Bug ID | Description |
|---------|---|
| | Workaround: enable passive mode on Microsoft Defender. |
| 1085782 | Cisco Umbrella does not work when ZTNA is enabled. |

Vulnerability Scan

| Bug ID | Description |
|--------|--|
| 771833 | FortiClient tags endpoint as vulnerable when EMS administrator has enabled <i>Exclude Application Vulnerabilities Requiring Manual Update from Vulnerability</i> . |

Web Filter and plugin

| Bug ID | Description |
|---------|--|
| 873803 | In-browser message does not show after switching device user without system reboot. |
| 878055 | Web access does not work. |
| 898303 | Web Filter does not work when administrator pushes extensions through Jamf in mobile device management platform. |
| 918616 | Video meetings have lag. |
| 950119 | FortiClient (macOS) does not have the ability to sign certificate for Web Filter. |
| 955529 | Teams and other applications that use video crash and fail to work. |
| 971067 | FortiClient with Web Filter enabled does not allow login to Netflix account. |
| 998541 | Web Filter on <i>Only when Endpoint is Off-Fabric</i> does not work properly. |
| 1019409 | Web Filter HTTP mode does not work properly. |
| 1022664 | When FortiClient (macOS) blocks all Web Filter categories, exclusions do not work properly. |
| 1026797 | Web Filter <i>Proceed</i> button does not work properly. |

Real-time protection

| Bug ID | Description |
|--------|---|
| 855570 | RTP scans files regardless of the maximum file size setting for scanning files. |
| 949258 | GUI shows no events under Realtime Protection events. |
| 951380 | RTP creates folder when Word and Excel files are saved on network shared drive (NAS). |

Zero Trust tags

| Bug ID | Description |
|--------|--|
| 794385 | FortiClient (macOS) detects third party antivirus tag. |

ZTNA connection rules

| Bug ID | Description |
|---------|---|
| 807827 | FortiClient is missing external browser support for SAML authentication for ZTNA. |
| 853281 | FortiClient (macOS) does not show the inline CASB database signatures on the <i>About</i> page. |
| 864821 | ZTNA does not have proper logging for SaaS portals. |
| 905880 | ZTNA certificate prompt displays when deploying FortiClient with Jamf Pro configuration profiles. Workaround: enable ZTNA in both on-fabric and off-fabric profile if using both. |
| 938962 | FortiClient keeps prompting <i>ztagent wants to sign using key Imported Private Key</i> when selecting <i>Always trust</i> . |
| 961800 | When ZTNA is enabled, pfctl rules affect DNS traffic. |
| 994025 | ZTNA fails to work when no port number is specified on the destination rule. |
| 1094278 | ZTNA fails to process when destination rule is configured with port range. |
| 1099562 | ZTNA wildcard FQDN fails to work. |

Numbering conventions

Fortinet uses the following version number format:

<First number>.<Second number>.<Third number>.<Fourth number>

Example: 7.2.8.15

- First number = major version
- Second number = minor version
- Third number = maintenance version
- Fourth number = build version

Release Notes pertain to a certain version of the product. Release Notes are revised as needed.



www.fortinet.com

Copyright© 2025 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's Chief Legal Officer, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.