



FortiDDoS-F - Release Notes

Version 6.2.2



FORTINET DOCUMENT LIBRARY

https://docs.fortinet.com

FORTINET VIDEO GUIDE https://video.fortinet.com

FORTINET BLOG https://blog.fortinet.com

CUSTOMER SERVICE & SUPPORT https://support.fortinet.com

FORTINET TRAINING & CERTIFICATION PROGRAM

https://www.fortinet.com/support-and-training/training.html

NSE INSTITUTE https://training.fortinet.com

FORTIGUARD CENTER https://www.fortiguard.com

END USER LICENSE AGREEMENT https://www.fortinet.com/doc/legal/EULA.pdf

FEEDBACK Email: techdoc@fortinet.com



December 8, 2021 FortiDDoS-F 6.2.2 Release Notes 00-620-730305-20211208

TABLE OF CONTENTS

Change Log
ntroduction 5
Vhat's new
lardware and VM support7
Resolved issues 8
۲۰۰۲ ۲۰۰۶ ۲۰۰۶ ۲۰۰۶ ۲۰۰۶ ۲۰۰۶ ۲۰۰۶ ۲۰۰۶
Jpgrade notes10
After upgrade

Change Log

Date Change Description

December 8, 2021 FortiDDoS-F 6.2.2 Release Notes initial release

Introduction

This Release Notes covers the new features, enhancements, resolved issues and known issues of FortiDDoS version 6.2.2 build 0227.

FortiDDoS F-series features a clean-sheet new architecture that draws on more than 10 years of FortiDDoS' DDoS mitigation experience while providing a flexible and forward-looking solution to detect and mitigate Layer 3 to Layer 7 DDoS attacks for enterprise data centers. FortiDDoS uses machine learning and behavior based methods, and monitors hundreds of thousands of networking parameters to build an adaptive baseline of normal activity. It then monitors traffic against that baseline and defends against every DDoS attack.

For those familiar with FortiDDoS B- and S-Series, FortiDDoS F-series 6.2.2 offers additional features, some changed functionality and some features that have been removed. A reference table is included for comparison.

After upgrading from 6.1.0, 6.1.4 or 6.2.x to FortiDDoS-F 6.2.2, please check the integrity of the system Service Protection Policies (SPPs) and repair if necessary. See After upgrade on page 10 for checks to be completed post upgrade.



In early FortiDDoS-F-Series releases, the Round-Robin Databases (RRDs) were created automatically for each SPP whenever the user created a new SPP via the GUI or CLI. However, if the user makes a configuration change to the SPP while the RRD creation was in progress, then the process could be interrupted in the background. This will result in incomplete RRDs with missing information for logging and graphing of traffic and drops.

In later FortiDDoS-F-Series releases, the SPPs and RRDs for all possible SPPs are created during the upgrade process. However, existing incomplete RRDs will not be repaired. Checks of RRDs and SPPs are required if you are upgrading from 6.1.0, 6.1.4 or 6.2.0.

What's new

FortiDDoS-F 6.2.2 is a patch release in which no new features and enhancements are covered in this release. See Known issues on page 9 and Resolved issues on page 8 for details.

Hardware and VM support

FortiDDoS 6.2.2 supports the following hardware models:

- FortiDDoS 200F
- FortiDDoS 1500F

FortiDDoS 6.2.2 is NOT compatible with any FortiDDoS A- / B- / E-Series hardware.

FortiDDoS Release 6.2.2 supports deployment of FortiDDoS-VM in the following virtual machine environments:

- VMware
- KVM

Resolved issues

The following issues have been resolved in the FortiDDoS-F 6.2.2 release. For inquiries about particular bugs, please contact Fortinet Customer Service & Support.

Bug ID	Description
0760955	Generated packet capture pcap file has duplicated Tx/Rx packets.
0756613	If user has more than 10 Service Protection Policies configured (1500F) SNMP MIB Queries become intermittent.

Known issues

This section lists the known issues in FortiDDoS-F 6.2.2 release. For inquiries about particular bugs, please contact Fortinet Customer Service & Support.

Bug ID	Description
0750762	FortiDDoS VMs support 1024 URL Hash Indexes while other models support 64,000. This is by design.
0714534	If setting Private Key and Certfiicate from CLI, the event log creates a blank message. Use GUI instead.
0695645	Under rare conditions, generating multiple Certificates after a configuration restore can stop the GUI.
0693789	When FDD-VM is operating on a virtual machine and underlying hardware supporting supporting SR-IOV, disabling ports leads to unexpected results.
0686846	Online SCEP Enrollment Method of Certificate generation fails.
0678445	Purging a large number of ACLs from an SPP can take more than 30 seconds with no progress indication.
0678434/0678433	Release 6.1.x and 6.2.x do not support LDAPS/STARTTLS.
0676634	GUI will allow multiple and overlapping Hash entries of various HTTP Thresholds like URL, Host, etc. Use care when manually entering indexes.
0672585	Very small, invalid DNS packets may be dropped even when no DNS Anomalies are enabled with no logging.
0671973	Global Service ACL explicitly for SCTP may have shown on earlier releases. This has not been implemented. Use Protocol # 132.
0668077	External Authentication (RADIUS, LDAP, TACACS+) does not support 2-factor authentication.
0637835/0638555	If multiple Questions are sent in the same TCP Query session where QD Count not equal to 1 is not enabled, the system will ignore the TCP Query Threshold. Workaround : Use the QD Count not equal to 1 anomaly. No DNS server will respond to two simultaneous Questions in one Query.
0630479	If multiple changes are made on a GUI page before saving, an event log is created for only one of the changes.
0626478	Trusted Hosts are not checked if LDAP/RADIUS/TACACS+ external authentication is used. Release 6.1.x and 6.2.0 do not support Trusted Hosts for LDAP / RADIUS / TACACS+.

Upgrade notes

On the VM platform, to avoid the VMware network broadcast storm for the new deployment, each WAN/LAN interface pair is disabled by default so that traffic will not pass through.

In the initial deployment, please remember to enable the WAN/LAN interface pair via CLI.

```
# config system 12-interface-pair
# edit 12-port1-port2
```

```
# set status enable
```

- # next
- # end

After upgrade

Check the integrity of the system Service Protection Policies (SPPs) using the following CLI commands.

```
diagnose debug rrd files check
Output:
Global expected:5, found:5 (this is the global SPP)
SPP:0 expected:1857, found:1857 (this SPP is used internally)
SPP:1 expected:1857, found:1857 (this is the default SPP)
SPP:2 expected:1857, found:1857
SPP:3 expected:1857, found:1857
SPP:4 expected:1857, found:1857 (Limit for VM-04)
SPP:5 expected:1857, found:1857
SPP:6 expected:1857, found:1857
SPP:7 expected:1857, found:1857
SPP:8 expected:1857, found:1857 (Limit for 200F/VM08)
SPP:9 expected:1857, found:1857
SPP:10 expected:1857, found:1857
SPP:11 expected:1857, found:1857
SPP:12 expected:1857, found:1857
SPP:13 expected:1857, found:1857
SPP:14 expected:1857, found:1857
SPP:15 expected:1857, found:1857
SPP:16 expected:1857, found:1857 (Limit for 1500F/VM16)
```

If the expected and found numbers above do not match (they may not be 1857 as above, but must match), you must follow the directions below to recreate/reset the RRDs.



Recreating/resetting the SPP RRDs removes all previous traffic and drop graphing information for that SPP. However, Logs are retained. If you are unsure on how to proceed, contact FortiCare for support.

Repair the SPP using the following CLI commands.

If one or a few SPPs from 1-4/8/16 are missing RRDs:

execute spp-rrd-reset spp <rule_name> (where rule_name is the textual name from the GUI)

If many SPPs are missing RRDs:


execute rrd-reset All

Note: All is case-sensitive.

If Global is missing RRDs:

execute global-rrd-reset

If any SPP is missing, contact FortiCare for support.





Copyright© 2021 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. In no event does Fortinet make any commitment related to future deliverables, features or development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.