

Release Notes

FortiClient (macOS) 7.2.13



FORTINET DOCUMENT LIBRARY

<https://docs.fortinet.com>

FORTINET VIDEO LIBRARY

<https://video.fortinet.com>

FORTINET BLOG

<https://blog.fortinet.com>

CUSTOMER SERVICE & SUPPORT

<https://support.fortinet.com>

FORTINET TRAINING & CERTIFICATION PROGRAM

<https://www.fortinet.com/training-certification>

FORTINET TRAINING INSTITUTE

<https://training.fortinet.com>

FORTIGUARD LABS

<https://www.fortiguard.com>

END USER LICENSE AGREEMENT

<https://www.fortinet.com/doc/legal/EULA.pdf>

FEEDBACK

Email: techdoc@fortinet.com



February 13, 2026

FortiClient (macOS) 7.2.13 Release Notes

04-7213-1221546-20260213

TABLE OF CONTENTS

Change log	5
Introduction	6
Licensing	6
Special notices	7
Enabling full disk access	7
Activating system extensions	8
Enabling notifications	9
DHCP over IPsec VPN not supported	9
Running multiple FortiClient instances	9
FortiGuard Web Filtering category v10 update	9
IPsec VPN support limitation	10
SSL VPN support limitation	10
No support for concurrent tunneling or proxy clients	10
Installation information	11
Firmware images and tools	11
Upgrading from previous FortiClient versions	11
Downgrading to previous versions	12
Uninstalling FortiClient	12
Firmware image checksums	12
Product integration and support	13
Language support	14
Conflict with third-party endpoint protection software	14
Resolved issues	16
Other	16
Known issues	17
New known issues	17
Existing known issues	17
Application Firewall	17
Avatar and social login information	17
Deployment and installers	18
Endpoint control	18
Endpoint management	18
Endpoint policy and profile	18
FSSOMA	18
GUI	19
Installation and upgrade	19
License	19
Logs	19
Malware Protection and Sandbox	20
Real-time protection	20
Remote Access	20
Remote Access - IPsec VPN	20

Remote Access - SSL VPN	21
Software Inventory	21
Third-party compatibility	21
Vulnerability Scan	22
Web Filter and plugin	22
Security tags	22
ZTNA connection rules	22
ZTNA TCP/UDP forwarding	23
Numbering conventions	24

Change log

Date	Change description
2026-01-19	Initial release.
2026-02-13	Updated Product integration and support on page 13.

Introduction

This document provides a summary of enhancements, support information, and installation instructions for FortiClient (macOS) 7.2.13 build 1121.

This document includes the following sections:

- [Special notices on page 7](#)
- [Installation information on page 11](#)
- [Product integration and support on page 13](#)
- [Resolved issues on page 16](#)
- [New known issues on page 17](#)

Review all sections prior to installing FortiClient. For more information, see the [FortiClient Administration Guide](#).


Licensing

See [Windows, macOS, and Linux endpoint licenses](#).

Special notices

Enabling full disk access

FortiClient works properly only when you grant permissions to access the full disk in the *Privacy & Security* pane for the fctservctl2 service. You can find this service in `/Library/Application Support/Fortinet/FortiClient/bin/`.




Activating system extensions

After you initially install FortiClient (macOS), the device prompts you to allow some settings and disk access for FortiClient (macOS) processes. You must have administrator credentials for the macOS machine to configure this change.

VPN works properly only when you allow FortiTray to load in *Network Extensions* settings. You must enable the FortiClientProxy and FortiClientPacketFilter extensions for Web Filter and Application Firewall, respectively, to work properly. The FortiClient (macOS) team ID is AH4XFXJ7DK.

To activate system extensions:

1. Go to *System Settings > General > Login Items & Extensions > Network Extensions*.
2. Toggle on the following to enable the extensions:
 - *FortiTray*
 - *FortiClientProxy*
 - *FortiClientPacketFilter*



3. Click *Done*.

Enabling notifications

After initial installation, macOS prompts the user to enable FortiClient (macOS) notifications.

To enable notifications:

1. Go to *System Settings > Notifications > FortiGuardAgent*.
2. Toggle *Allow Notifications* on.

DHCP over IPsec VPN not supported

FortiClient (macOS) does not support DHCP over IPsec VPN.

Running multiple FortiClient instances

FortiClient (macOS) does not support running multiple FortiClient instances for different users simultaneously.

FortiGuard Web Filtering category v10 update

Fortinet has updated its web filtering categories to v10, which includes two new URL categories for AI chat and cryptocurrency websites. To use the new categories, customers must upgrade their Fortinet products to one of the following versions:

- FortiManager - Fixed in 6.0.12, 6.2.9, 6.4.7, 7.0.2, 7.2.0, 7.4.0
- FortiOS - Fixed in 7.2.8 and 7.4.1
- FortiClient - Fixed in Windows 7.2.3, macOS 7.2.3, Linux 7.2.3
- FortiClient EMS - Fixed in 7.2.1
- FortiMail - Fixed in 7.0.7, 7.2.5, 7.4.1
- FortiProxy - Fixed in 7.4.1

Read the following CSB for more information to caveats on the usage in FortiManager and FortiOS:
<https://support.fortinet.com/Information/Bulletin.aspx>

IPsec VPN support limitation

Due to a macOS limitation, FortiClient (macOS) does not support IPsec VPN tunnels on macOS Guest VMs using bridged network connections.

SSL VPN support limitation

SSL VPN with SAML FIDO2 authentication only supports external browser authentication.

No support for concurrent tunneling or proxy clients

FortiClient does not support parallel independent VPN connections to different sites. Using third-party tunneling or proxy clients (including VPN, DNS, HTTP(s), SOCKS, ZTNA or PAC files) in parallel or nested combination with FortiClient's VPN, ZTNA or Web Filter is not recommended nor supported.

Installation information

Firmware images and tools

The following files are available from the [Fortinet support site](#):

File	Description
FortiClientTools_7.2.13.1121_macosx.tar.gz	Includes utility tools and files to help with installation.
FortiClientVPNSetup_7.2.13.1121_macosx.dmg	Free VPN-only installer.

The following files are available from [Fortinet.com](#):

File	Description
FortiClient_OnlineInstaller.dmg	Standard installer for macOS.
FortiClientVPNSetup_7.2.13.1121_macosx.dmg	Free VPN-only installer.

FortiClient EMS 7.2.13 includes the FortiClient (macOS) 7.2.13 standard installer.



Review the following sections prior to installing FortiClient version 7.2.13: [Introduction on page 6](#), [Special notices on page 7](#), and [Product integration and support on page 13](#).

Upgrading from previous FortiClient versions



You must upgrade EMS to 7.2 or newer before upgrading FortiClient.

FortiClient 7.2.13 supports upgrade from FortiClient 6.2, 6.4, and 7.0.

FortiClient (macOS) 7.2.13 features are only enabled when connected to EMS 7.2.

See [Recommended upgrade path](#) for information on upgrading FortiClient (macOS) 7.2.13.

Downgrading to previous versions

FortiClient 7.2.13 does not support downgrading to previous FortiClient versions.

Uninstalling FortiClient

The EMS administrator may deploy uninstall to managed FortiClient (macOS) endpoints.

Firmware image checksums

The MD5 checksums for all Fortinet software and firmware releases are available at the [Customer Service & Support portal](#). After logging in, click on *Download > Firmware Image Checksums*, enter the image file name including the extension, and select *Get Checksum Code*.

Product integration and support

The following table lists FortiClient (macOS) 7.2.13 product integration and support information:

Desktop operating systems	<ul style="list-style-type: none">• macOS Tahoe (version 26)• macOS Sequoia (version 15)• macOS Sonoma (version 14)• macOS Ventura (version 13)
Minimum system requirements	<ul style="list-style-type: none">• Intel processor or Apple silicon chip• 1 GB of RAM• 1 GB of free hard disk drive (HDD) space• TCP/IP communication protocol• Ethernet NIC for network connections• Wireless adapter for wireless network connections• Adobe Acrobat Reader for viewing FortiClient documentation
AV engine	<ul style="list-style-type: none">• 6.00301
FortiAnalyzer	<ul style="list-style-type: none">• 7.4.0 and later• 7.2.0 and later• 7.0.0 and later
FortiAuthenticator	<ul style="list-style-type: none">• 6.5.0 and later• 6.4.0 and later• 6.3.0 and later• 6.2.0 and later• 6.1.0 and later• 6.0.0 and later
FortiClient EMS	The following EMS versions are recommended: <ul style="list-style-type: none">• 7.4.0 and later• 7.2.13 and later
FortiOS	The following versions support zero trust network access: <ul style="list-style-type: none">• 7.4.0 and later• 7.2.0 and later• 7.0.6 and later The following versions support IPsec and SSL VPN: <ul style="list-style-type: none">• 7.4.0 and later• 7.2.0 and later• 7.0.0 and later• 6.4.0 and later
FortiManager	<ul style="list-style-type: none">• 7.4.0 and later• 7.2.0 and later• 7.0.0 and later

FortiMonitor agent	2024.2.10
FortiSandbox	<ul style="list-style-type: none"> • 4.4.0 and later • 4.2.0 and later • 4.0.0 and later • 3.2.0 and later

Language support

The following table lists FortiClient language support information:

Language	GUI	XML configuration	Documentation
English	Yes	Yes	Yes
Chinese (simplified)	Yes		
Chinese (traditional)	Yes		
French (France)	Yes		
German	Yes		
Japanese	Yes		
Korean	Yes		
Portuguese (Brazil)	Yes		
Russian	Yes		
Spanish (Spain)	Yes		

The FortiClient language setting defaults to the regional language setting configured on the client workstation unless configured in the XML configuration file.



If the client workstation is configured to a regional language setting that FortiClient does not support, it defaults to English.

Conflict with third-party endpoint protection software

As a Fortinet Fabric Agent that provides protection, compliance, and secure access, FortiClient may conflict with antimalware products on the market that provide similar AV, web filtering, application firewall, and

ransomware protection features as FortiClient. If you encounter a conflict, there are a few steps you can take to address it:

- Do not use other AV products when FortiClient's AV feature is enabled.
- If FortiClient's AV feature is disabled, configure the third party AV product to exclude the FortiClient installation folder from being scanned.

During a new FortiClient installation, the installer searches for other registered third party software and, if it finds any, warns users to uninstall them before proceeding with the installation. There is also an option to disable FortiClient real time protection.

Resolved issues

The following issue has been fixed in FortiClient (macOS) 7.2.13. For inquiries about a particular bug, contact [Customer Service & Support](#).

Other

Bug ID	Description
1205033	FortiClient icons have grey borders on macOS 26 Tahoe.

Known issues

Known issues are organized into the following categories:

- [New known issues on page 17](#)
- [Existing known issues on page 17](#)

To inquire about a particular bug or to report a bug, contact [Customer Service & Support](#).

New known issues

No new issues have been identified in version 7.2.13.

Existing known issues

The following issues have been identified in a previous version of FortiClient (macOS) and remain in FortiClient (macOS) 7.2.13.

Application Firewall

Bug ID	Description
834839	Web Filter does not block traffic when proxy mode and Application Firewall are disabled.
948718	Block count for Application Firewall is not accurate.

Avatar and social login information

Bug ID	Description
777013	Avatar, whether changed or existing, does not show on FortiAnalyzer.
857857	Avatar page goes blank if user logs in with LinkedIn account.
954273	After FortiClient upgrades through script, avatar page does not load properly and shows a blank page.

Deployment and installers

Bug ID	Description
882705	EMS deployment fails if endpoint reboots during deployment package installation process.
975804	<i>FortiClientUninstaller is damaged</i> error occurs during FortiClient (macOS) deployment.

Endpoint control

Bug ID	Description
949324	Re-authentication error for verified registered FortiClient endpoints with the SAML or Entra ID user verification type when <i>User Verification Period</i> is enabled in EMS.
958511	FortiClient (macOS) does not support Microsoft Entra ID verification when connecting to EMS.

Endpoint management

Bug ID	Description
891264	EMS creates duplicate records for domain-joined Ubuntu endpoints.
1106089	FortiClient fails to open with syntax error prompt if compliance.json file is empty.

Endpoint policy and profile

Bug ID	Description
906951	GUI does not reflect profile changes unless user manually restarts the FortiClient (macOS) console.

FSSOMA

Bug ID	Description
956538	FortiClient (macOS) does not support multiple FortiAuthenticator server addresses.

GUI

Bug ID	Description
786779	About page version information is cut off when displaying with copyright information.
857148	GUI shows duplicate FortiClient consoles.
954876	<i>Backup Comments</i> option does not work.
967169	GUI is stuck on blank screen.

Installation and upgrade

Bug ID	Description
828781	FortiClient (macOS) behaves inconsistently when uninstalling it through commands in terminal and the FortiClientUninstaller GUI tool.
929219	FortiClient is upgradable from full to free version.
951945	Uninstaller shows <i>Install Now</i> prompt instead of <i>Remove now</i> .
955448	Manual upgrade from 7.2.0 removes manually added VPN tunnels.

License

Bug ID	Description
889767	License expiration shows unwanted +0000 at end of warning message.

Logs

Bug ID	Description
711763	FortiClient does not point to usfgd1.fortigate.com for EMS web profile setting:Location-US Server-Fortiguard (Legacy).
951917	The device MAC address field for FortiClient (macOS)-related events under FortiAnalyzer shows 00:00:00:00:00:00 instead of device MAC address.
1002118	fclogupload causes CPU to spike to 100%.

Malware Protection and Sandbox

Bug ID	Description
551282	Sandbox exception for trusted sources does not work and FortiClient (macOS) uploads files sourced from Apple Inc.
719920	FortiClient cannot submit files downloaded from Thunderbird to FortiClient Cloud Sandbox (PaaS).
855555	Enabling real-time protection and setting <block_removable_media> to 1 causes FortiClient (macOS) to fail to block a USB device.
949187	Cloud Sandbox fails to work and treats EICAR file as clean.

Real-time protection

Bug ID	Description
855570	RTP scans files regardless of the maximum file size setting for scanning files.
949258	GUI shows no events under Realtime Protection events.
951380	RTP creates folder when Word and Excel files are saved on network shared drive (NAS).

Remote Access

Bug ID	Description
800529	GUI has issue with <i>Settings > VPN Options > Do not Warn Invalid Server Certificate</i> .
818359	FortiClient (macOS) does not instantly clear saved password when user deselects <i>Save Password</i> for VPN tunnel.
977725	FortiClient split tunnel has limitation.

Remote Access - IPsec VPN

Bug ID	Description
720236	FortiClient does not support DH groups 19-21.
894027	FortiClient on macOS Ventura system proxy with PAC does not work with IPsec VPN but works with SSL VPN.
948566	<i>Enable Local LAN</i> does not work as expected.

Bug ID	Description
952987	FortiClient (macOS) does not clear IPsec VPN tunnel saved password if connection fails due to wrong credentials.
954632	IPsec VPN fails to update password in keychain store when trying to renew expired AD password with autoconnect enabled.
976852	IPsec VPN redundancy based on ping speed or TCP RTT sorting method does not work.
978270	DNS fails to apply to the IPsec VPN tunnel interface after disabling <mode_config> in IPsec VPN IKEv1 and setting manual mode.

Remote Access - SSL VPN

Bug ID	Description
866711	SSL VPN with SAML and FIDO2 authentication does not work with built-in browser.
978147	DHCP Option 12 - hostname needed if using SSL VPN with external DHCP servers.
978792	GUI is stuck in VPN connecting page when VPN connected successfully.
985277	When connected to a split tunnel VPN, FortiClient (macOS) does not connect to local LAN.

Software Inventory

Bug ID	Description
860954	Sending software inventory list or updates to EMS does not happen in real time.

Third-party compatibility

Bug ID	Description
961542	Conflict occurs between FortiClient and Microsoft Defender due to the system processes used in overlapping real-time protection features. Workaround: enable passive mode on Microsoft Defender.
1085782	Cisco Umbrella does not work when ZTNA is enabled.

Vulnerability Scan

Bug ID	Description
771833	FortiClient tags endpoint as vulnerable when EMS administrator has enabled <i>Exclude Application Vulnerabilities Requiring Manual Update from Vulnerability</i> .

Web Filter and plugin

Bug ID	Description
873803	In-browser message does not show after switching device user without system reboot.
898303	Web Filter does not work when administrator pushes extensions through Jamf in mobile device management platform.
955529	Teams and other applications that use video crash and fail to work.
998541	Web Filter on <i>Only when Endpoint is Off-Fabric</i> does not work properly.
1022664	When FortiClient (macOS) blocks all Web Filter categories, exclusions do not work properly.

Security tags

Bug ID	Description
794385	FortiClient (macOS) detects third party antivirus tag.

ZTNA connection rules

Bug ID	Description
807827	FortiClient is missing external browser support for SAML authentication for ZTNA.
961800	When ZTNA is enabled, pfctl rules affect DNS traffic.
994025	ZTNA fails to work when no port number is specified on the destination rule.
1155036	ZTNA TCP forwarding SAML session starts redirect with TCP fwf path.

ZTNA TCP/UDP forwarding

Bug ID	Description
853281	FortiClient (macOS) does not show the inline CASB database signatures on the <i>About</i> page.
1094278	ZTNA fails to process when destination rule is configured with port range.

Numbering conventions

Fortinet uses the following version number format:

<First number>.<Second number>.<Third number>.<Fourth number>

Example: 7.2.13.15

- First number = major version
- Second number = minor version
- Third number = maintenance version
- Fourth number = build version

Release Notes pertain to a certain version of the product. Release Notes are revised as needed.



www.fortinet.com

Copyright© 2026 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's Chief Legal Officer, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.