

Release Notes

FortiAP 7.2.0



FORTINET DOCUMENT LIBRARY

<https://docs.fortinet.com>

FORTINET VIDEO GUIDE

<https://video.fortinet.com>

FORTINET BLOG

<https://blog.fortinet.com>

CUSTOMER SERVICE & SUPPORT

<https://support.fortinet.com>

FORTINET TRAINING & CERTIFICATION PROGRAM

<https://www.fortinet.com/training-certification>

NSE INSTITUTE

<https://training.fortinet.com>

FORTIGUARD CENTER

<https://www.fortiguard.com>

END USER LICENSE AGREEMENT

<https://www.fortinet.com/doc/legal/EULA.pdf>

FEEDBACK

Email: techdoc@fortinet.com



April 14, 2022

FortiAP 7.2.0 Release Notes

20-720-798622-20220414

TABLE OF CONTENTS

Change log	4
Introduction	5
Supported models	5
New features or enhancements	6
Region/country code update and DFS certification	6
Upgrade and downgrade information	7
Upgrading to FortiAP version 7.2.0	7
Downgrading to previous firmware versions	7
Firmware image checksums	7
Supported upgrade paths	7
Product integration support	8
Resolved issues	9
Known issues	10

Change log

Date	Change description
2022-04-14	Initial release.

Introduction

This document provides release information for FortiAP version 7.2.0, build 0280.

For more information about your FortiAP device, see the [FortiWiFi and FortiAP Configuration Guide](#).

Supported models

FortiAP version 7.2.0, build 0280 supports the following models:

Models
FAP-231F, FAP-234F, FAP-23JF, FAP-431F, FAP-432F, FAP-433F, FAP-831F

New features or enhancements

The following table includes FortiAP version 7.2.0 new features and enhancements:

Bug ID	Description
586021	NDPI-based Client Application Analyzer (for bridge-mode SSID).
746500	Optimize Broadcast & Multicast Suppression at the FortiAP side.
777465	MAC address filter under VAP supports firewall address group.
789339	Layer-3 roaming over tunnel-mode SSID across FortiAP networks.

Region/country code update and DFS certification

Bug ID	Description
730032	The region code of Qatar is changed from "I" to "E".
775246	Supports DFS channels on FAP-831F with region code "N" (Brazil).
789308	Supports DFS channels on FAP-234F with region code "K" (Korea).

Upgrade and downgrade information

Upgrading to FortiAP version 7.2.0

FortiAP 7.2.0 supports upgrading from FortiAP version 7.0.3 and later.

Downgrading to previous firmware versions

FortiAP 7.2.0 supports downgrading to FortiAP version 7.0.3 and later.

Firmware image checksums

To get the MD5 checksum code for a Fortinet firmware image, perform the following steps:

1. Go to the [Fortinet Support](#) website.
2. Log in to your account. If you do not have an account, create one and then log in.
3. From the top banner, select **Download > Firmware Image Checksums**.
4. Enter the image file name, including the extension. For example, FAP_221C-v6-build0030-FORTINET.out.
5. Click **Get Checksum Code**.

Supported upgrade paths

To view all previous FortiAP versions, build numbers, and their supported upgrade paths, see the [Fortinet Documentation](#) website.

Product integration support

The following table lists product integration and support information for FortiAP version 7.2.0:

FortiOS	FortiOS 7.2.0 and later
Web browsers	Microsoft Edge version 41 and later
	Mozilla Firefox version 59 and later
	Google Chrome version 65 and later
	Apple Safari version 9.1 and later (for Mac OS X)
	Other web browsers may work correctly, but Fortinet does not support them.



We recommend that the FortiAP firmware version be matched with the respective FortiOS version, when available. Other variations of FortiOS and FortiAP versions may technically work for the lowest common feature set. However, if problems arise, Fortinet Support will ask that the versions be matched, as recommended, before troubleshooting.

Resolved issues

The following issues have been resolved in FortiAP version 7.2.0. For inquiries about a particular bug, visit the [Fortinet Support](#) website.

Bug ID	Description
606388	Sometimes, FortiGate would report SSID's from authorized FortiAP devices as "fake-ap-on-air".
651452	Console port of FAP-231F, 234F and 23JF would occasionally lock-up.
711919	Probe Request and Response were not logged by 802.11ax-capable FortiAP models.
724927	FortiAP would take a long time to connect back to WiFi Controller after implementing <code>reboot</code> from FortiAP CLI.
767941	802.11ax clients got low throughput when connected to an SSID with PMF set to optional.
778554	REST-API support: Expose max interface speed of all Ethernet ports on FortiAP.
779712	FortiAP would stop responding SNMP queries sometimes.
786273	Add Station RSSI and SNR inside Probe logs
787499	Wireless clients were unable to complete captive-portal page.
790913	Add server IP/Name information to RADIUS, DNS and DHCP wireless event logs.
791692	When FAP-23JF is managed by FortiLAN Cloud, the LAN ports aren't actually down after configured to be offline.

Known issues

The following issues have been identified in FortiAP version 7.2.0. For inquiries about a particular bug or to report a bug, visit the Fortinet Support website.

Bug ID	Description
692160	Wireless packets captured by FortiAP radio in Sniffer mode are corrupted.
761298	FAP-234F Bluetooth Low Energy (BLE) function cannot work.
767916	When wireless clients are connected to different radios of the same tunnel-mode SSID with static or dynamic VLAN, they cannot ping each other.
795661	Wireless clients cannot communicate with wired clients behind a switch connected to mesh-Ethernet bridge.



www.fortinet.com

Copyright© 2022 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.