## F**E**RTINET.

# **KVM Administration Guide**

## FortiManager 7.2.0



#### FORTINET DOCUMENT LIBRARY

https://docs.fortinet.com

FORTINET VIDEO LIBRARY https://video.fortinet.com

FORTINET BLOG

https://blog.fortinet.com

CUSTOMER SERVICE & SUPPORT

https://support.fortinet.com

#### FORTINET TRAINING & CERTIFICATION PROGRAM

https://www.fortinet.com/training-certification

#### FORTINET TRAINING INSTITUTE

https://training.fortinet.com

FORTIGUARD LABS

https://www.fortiguard.com

#### END USER LICENSE AGREEMENT

https://www.fortinet.com/doc/legal/EULA.pdf

#### FEEDBACK

Email: techdoc@fortinet.com



October 4, 2023 FortiManager 7.2.0 KVM Administration Guide 02-720-0794610-20240314

## TABLE OF CONTENTS

Change log	. 4
About FortiManager on KVM	5
Licensing	
Trial license	5
Add-on license	6
Preparing for deployment	7
Minimum system requirements	7
Deployment package for Linux KVM	8
Downloading a deployment package	8
Deployment	9
Deploying FortiManager on KVM	
Creating the virtual machine	9
Configuring hardware settings	11
Starting the VM	12
Configuring initial settings	13
Enabling GUI access	
Connecting to the GUI and enabling a trial license	
Upgrading to an add-on license	
Configuring your FortiManager	14

## Change log

Date	Change description
2022-04-11	Initial release.
2022-09-07	Updated Minimum system requirements on page 7.
2022-11-18	Updated Minimum system requirements on page 7.
2023-08-09	Updated Minimum system requirements on page 7.
2024-01-09	Updated information about extending the LVM.
2024-01-26	Updated note about virtual hard disk sizing when configuring hardware settings.
2024-03-07	Updated Minimum system requirements on page 7.
2024-03-14	Updated Minimum system requirements on page 7.

## About FortiManager on KVM

This document provides information about deploying a FortiManager virtual appliance in Linux KVM server environments.

This includes how to configure the virtual appliance's virtual hardware settings. This guide presumes that the reader has a thorough understanding of virtualization servers.

This document does not cover configuring and operating the virtual appliance after successfully installing and starting it. For that information, see the *FortiManager Administration Guide*.

## Licensing

Fortinet offers the FortiManager-VM with a limited, free trial license. Stackable licenses can be purchased, letting you expand your VM solution as your environment expands. You can purchase perpetual or subscription-based licenses. Perpetual licenses never expire.

For information on purchasing a FortiManager-VM license, contact your Fortinet-authorized reseller, or visit How To Buy.

When configuring your FortiManager-VM, ensure that you configure hardware settings acording to the minimum system requirements and consider future expansion. Contact your Fortinet-authorized reseller for more information.

License	Devices/VDOMs	GB/day of logs with FortiAnalyzer enabled (not stackable)
Trial License	3	0 FortiAnalyzer features not supported
VM-10-UG	+10	2
VM-100-UG	+100	5
VM-1000-UG	+1000	10
VM-5000-UG	+5000	25
VM-10K-UG	+10000	50

See Minimum system requirements on page 7.

See also the FortiManager product datasheet.

#### **Trial license**

With a FortiCare account, FortiManager-VM includes a free limited non-expiring trial license.

The free trial license includes support to add 3 devices/VDOMS and use 3 ADOMs.

The free trial license does not include services or support.

You can activate the trial license when you connect to the GUI for the FortiManager-VM. Full-feature products and services are available for purchase with an add-on license. See Connecting to the GUI and enabling a trial license on page 14.

### Add-on license

You must activate a trial license before you can upgrade FortiManager-VM to a purchased add-on license.

See also the FortiManager VM Trial License Guide on the Document Library.

## Preparing for deployment

You can prepare for deployment by reviewing the following information:

- Minimum system requirements
- Deployment package for Linux KVM on page 8
- Downloading a deployment package

## **Minimum system requirements**



FortiManager-VM has a minimum requirement of 4 CPU, 8 GB of RAM, and 500 GB of disk storage. In v7.2.5 and later and 7.4.1 and later, the minimum requirement for RAM is increased to 16 GB and 4 CPU cores.

The following table lists the minimum system requirements for your VM hardware, based on the number of devices, VDOMs, or ADOMs that your VM manages.

Maximum devices/ VDOMs	VM hardware requirements	
	RAM (GB)	CPU cores
100	8	4
300	16	6
1200	32	6
4000	64	16
10000	128	24



This table does not take into account other hardware specifications, such as bus speed, CPU model, or storage type.



Enabling FortiAnalyzer features requires more resources.

## Deployment package for Linux KVM

FortiManager deployment packages are included with firmware images on the Customer Service & Support site. The following table list the available VM deployment package.

VM Platform	Deployment File
Linux KVM RedHat 7.1	FMG_VM64_KVM-vX-buildxxxx-FORTINET.out.kvm.zip

The .out.kvm.zip file contains:

• FMG.qcow2: TheFortiManager system hard disk in QCOW2 format. The log disk and virtual hardware settings have to be configured manually.

For more information FortiManager, see the FortiManager datasheet.

## Downloading a deployment package

Firmware image FTP directories are organized by firmware version, major release, and patch release. The firmware images in the directories follow a specific naming convention. Each firmware image is specific to the device model. For example, the FMG\_VM64\_HV-vX-buildxxxx-FORTINET.out.hyperv.zip image, found in the 5.6.0 directory, is specific to the 64-bit Microsoft Hyper-V Server virtualization environment.



You can download the *FortiManager Release Notes* and MIB file from this directory. The Fortinet Core MIB file is located in the *FortiManager > Download* tab.



 $\label{eq:constant} \text{Download the } . \texttt{out file to upgrade your existing FortiManager installation}.$ 

#### To download deployment packages:

- 1. Log in to the Fortinet Customer Service & Support portal then, from the toolbar select *Download* > *Firmware Images*. The *Firmware Images* page opens.
- 2. Select FortiManager from the Select Product dropdown list, then select Download.
- 3. Browse to the appropriate directory for the version that you would like to download.
- 4. Download the appropriate firmware image and release notes to your management computer.
- 5. Extract the contents of the package to a new folder on your management computer.

## Deployment

Prior to deploying the FortiManager, the VM platform must be installed and configured so that it is ready to create virtual machines. The installation instructions for FortiManager presume that you are familiar with the management software and terminology of your VM platform.

You might also need to refer to the documentation provided with your VM server. The deployment information in this guide is provided as an example because, for any particular VM server, there are multiple ways of creating a virtual machine - command line tools, APIs, alternative graphical user interface tools.

Before you start your FortiManager appliance for the first time, you might need to adjust virtual disk sizes and networking settings. The first time you start FortiManager, you will have access only through the console window of your VM server environment. After you configure one network interface with an IP address and administrative access, you can access the FortiManager GUI (see Enabling GUI access on page 13).


### **Deploying FortiManager on KVM**

After you download the FMG\_VM64\_KVM-vX-buildxxxx-FORTINET.out.kvm.zip file and extract the virtual hard drive image file, you can create the VM in your KVM environment.


#### Creating the virtual machine

#### To create the virtual machine:

1. Launch Virtual Machine Manager (virt-manager) on you KVM host server. The Virtual Machine Manager homepage opens.



2. On the toolbar, click Create a new virtual machine.



- 3. Configure the VM:
  - **a.** Enter the VM name, such as *FMG-KVM-DOC*.
  - b. Ensure that Connection is localhost, select Import existing disk image, then click Forward to continue.

un	New VM	×
	ate a new virtual machine 2 of 4	
Provide the	existing storage path:	
		B <u>r</u> owse
Choose an o	perating system type and version	
OS <u>t</u> ype:	Linux	0
Version:	Generic 2.6.x kernel	0
	<u>C</u> ancel <u>B</u> ack	Eorward

- c. From the OS type dropdown list, select Linux.
- d. From the Version dropdown list, select Generic 2.6.x kernel. You may have to first select Show all OS options.
- e. Click Browse to locate the storage volume.

L	Locate or create storage	e volume			
Storage Pools	Name	~	Size	Format	
default       filesystem Directory       faz-Sogb       Filesystem Directory       filesystem Directory	faz-Sogb faz-hdl FAZ-OpenXen.img faz-vd6.img FAZVM1.img FAZVM1.img FAZ-xen1.img fgt-b544-103.img fmgvm-test.img		0.00 MB 0.00 MB 8.00 GB 1000.00 MB 8.00 GB 1000.00 MB 8.00 GB 8.00 GB 8.00 GB	dir dir qcow2 qcow2 qcow2 qcow2	
Browse Local	New Volume	ſ	Cancel Cho	ose Volum	0

f. If you copied the *fmg.qcow2* file to /var/lib/libvirt/images it shows on the right. If you saved it elsewhere on the server, click *Browse Local* to find it.

g. Once the file has been located, click Choose Volume, then click Forward.



- **h.** Specify the amount of memory and the number of CPUs to allocate to this VM, then select *Forward*. To determine your required memory, see Minimum system requirements on page 7.
- i. Expand the *Advanced options* section. By default, a new VM includes one network adapter. Select a network adapter on the host computer.

Optionally, set a specific MAC address for the virtual network interface.

j. Set Virt Type to virtio and set Architecture to qcow2.


4. Click Finish to create the VM.

#### **Configuring hardware settings**

Before powering on your FortiManager-VM, you must configure virtual disks and at least four network interfaces.

#### To configure settings on the server:

- 1. In the Virtual Machine Manager, locate the VM name, then click Open on the toolbar.
- 2. In the Virtual Machine window, select Show virtual hardware details.
- 3. Click Add Hardware to open the Add Hardware window
- 4. Select Storage.



5. Select Create a disk image on the computer's harddrive, and set the size.



If you know your environment will expand in the future, or if you will be using ADOMs, add hard disks larger than 500 GB. This allows your environment to expand as required while not taking up more space than is needed.



The FortiManager-VM allows you to add twelve virtual log disks to a deployed instance. When adding additional hard disks, use the following CLI command to extend the LVM logical volume:

execute lvm extend

For more information, see the FortiManager CLI Reference.

The FortiManager-VM requires at least two virtual hard disks. Before powering on the FortiManager-VM, you must add at least one more virtual hard disk (ideally above 500 GB).



The VM should therefore be configured with the following disks:

- The default hard drive that contains the OS and should not be modified.
- One or more additional disks, for example *Disk1* and Disk2, used by LVM for logs, reports, swap, and other storage requirements.

The default virtual hard disk storage size should not be modified to increase capacity, only increasing *Disk1* or adding extra disks will extend LVM disk on the FortiManager-VM.

#### 6. Enter the following information:

Device Type	Virtio disk
Cache mode	writethrough
Storage format	raw

7. Select Network to add more network interfaces. The Device Model must be Virtio.

m		Add New Vir	tual Hardware		×
	Storage	Network			I
Ò	Input		v you'd like to connect your		
	Graphics	new virtual network	k device to the host network.		
	Sound	Host device:	Virtual network 'default' : NAT	0	
~	Serial				
~	Parallel	MAC address:			
~	Channel	Device model:	virtio		
83	USB Host Device	Device model:	Viruo		
33	PCI Host Device				
	Video				
	Watchdog				
	Filesystem				
	Smartcard				
			Cancel	<u> </u>	
					2


A new VM includes one network adapter by default. You can add more through the *Add Hardware* window. FortiManager-VM supports up to four network adapters. You can configure network adapters to connect to a virtual switch or to network adapters on the host computer.

8. Click Finish.

### Starting the VM

You can now proceed to power on your FortiManager-VM.

- 1. Do one of the following:
  - a. Right-click the FortiManager-VM and select Run.
  - b. Select the FortiManager-VM from the list of VMs, then click Power on the virtual machine from the toolbar.



After the VM starts, proceed with the initial configuration. See Configuring initial settings on page 13.

## **Configuring initial settings**

Before you can connect to the FortiManager-VM, you must configure basic network settings via the CLI console. Once configured, you can connect to the FortiManager GUI.

#### **Enabling GUI access**

To enable GUI access to the FortiManager, you must configure the IP address and network mask of the appropriate port on the FortiManager. The following instructions use port 1.



You can determine the appropriate by matching the network adapter's MAC address and the HWaddr that the CLI command diagnose fmnetwork interface list provides.

#### To configure the port1 IP address and netmask:

- 1. In your hypervisor manager, start the FortiManager and access the console window. You might need to press *Enter* to see the login prompt.
- 2. At the FortiManager login prompt, enter the username admin, then press Enter. By default, there is no password.
- 3. Using CLI commands, configure the port1 IP address and netmask.

```
config system interface
  edit port1
    set ip <IP address> <netmask>
end
```



The port management interface should match the first network adapter and virtual switch that you have configured in the hypervisor VM settings.

4. To configure the default gateway, enter the following commands:

```
config system route
  edit 1
    set device port1
    set gateway <gateway_ipv4_address>
end
```



The Customer Service & Support portal does not currently support IPv6 for FortiManager license validation. You must specify an IPv4 address in the support portal and the port management interface.

### Connecting to the GUI and enabling a trial license

Once you have configured a port's IP address and network mask, you can connect to the GUI by using a web browser.

#### To connect to the GUI and enable a trial license:

- 1. Launch a web browser, and enter the IP address you configured for the port management interface.
- 2. At the login page, select *Free Trial*, and click *Login with FortiCloud* to start the process of activating your free trial license.

If you do not have a FortiCloud account, click Register with FortiCloud to create one.

See also the FortiManager VM Trial License Guide on the Document Library.

### Upgrading to an add-on license

You must activate a trial license before you can upgrade FortiManager-VM to a purchased add-on license.

See also the FortiManager VM Trial License Guide on the Document Library.

## Configuring your FortiManager

Once the FortiManager license has been validated, you can configure your device.



If the amount of memory or number of CPUs is too small for the VM, or if the allocated hard drive space is less than the licensed VM storage volume, warning messages show in the GUI in the *System Resources* widget on the dashboard and in the *Notification* list.

For more information on configuring your FortiManager, see the FortiManager Administration Guide.



www.fortinet.com

Copyright© 2024 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.