

Release Notes

FortiNDR 7.6.1



FORTINET DOCUMENT LIBRARY

<https://docs.fortinet.com>

FORTINET VIDEO LIBRARY

<https://video.fortinet.com>

FORTINET BLOG

<https://blog.fortinet.com>

CUSTOMER SERVICE & SUPPORT

<https://support.fortinet.com>

FORTINET TRAINING & CERTIFICATION PROGRAM

<https://www.fortinet.com/training-certification>

FORTINET TRAINING INSTITUTE

<https://training.fortinet.com>

FORTIGUARD LABS

<https://www.fortiguard.com>

END USER LICENSE AGREEMENT

<https://www.fortinet.com/doc/legal/EULA.pdf>

FEEDBACK

Email: techdoc@fortinet.com



January 14, 2026

FortiNDR 7.6.1 Release Notes

55-761-1149964-20260114

TABLE OF CONTENTS

Change Log	4
Introduction	5
Licensing	6
Netflow and OT Security Services licenses	6
End of Support	6
Upgrade information	7
Firmware	7
FNR-1000F, FNR-3500F (gen3 and above) and FNR-3600G	7
VM Devices	7
Downloading the latest firmware version	8
Upgrading the firmware version	8
FortiNDR version 7.6.1	10
New features and enhancements	10
Admin profiles	10
Email alert settings	11
System integration and support	12
Supported models	13
*Notice about hardware generations	13
Resolved issues	15
Common Vulnerabilities and Exposures	15
Known issues	16

Change Log

Date	Change Description
2025-04-24	Initial release.
2025-05-15	Updated Resolved issues on page 15 .
2026-01-14	Updated Supported models on page 13 .

Introduction

FortiNDR (On-premise) is Fortinet's Network Detection and Response product, targeted for on-premises installation where no network metadata leaves the network, supporting OT and air-gapped infrastructure. FortiNDR form factor include appliances, VM/KVM and public cloud (BYOL), with distributed sensor and center support. FortiNDR can classify both network based and file based (malware) threats, provide network visibility including EastWest traffic in Datacenter/Cloud environment. Artificial Neural Networks (ANN) is equipped with the solution to classify malware into attack scenarios, surface outbreak alerts and trace source of malware infections. Network Based attacks such as intrusions, botnet, compromised IOCs, weak ciphers and vulnerable protocols can also be detected. Supervised and unsupervised machine learning (ML) continuously analyze metadata across networks to identify threats, remediation can be leveraged via Fortinet Security Fabric.

Licensing

Please refer to the FortiNDR ordering guide for licensing details:

<https://www.fortinet.com/content/dam/fortinet/assets/data-sheets/og-fortindr.pdf>.

Customers must have the correct SKU for FortiNDR functionalities to work.

Netflow and OT Security Services licenses

Netflow and OT Security Services licenses are ordered separately for sensors and standalone deployment.

End of Support

FortiNDR 1.5.x firmware and FortiNDR 7.1.x is no longer supported. Please refer to customer support bulletin for details:

<https://support.fortinet.com/Information/Bulletin.aspx>

Upgrade information

The latest FortiNDR firmware versions are available for download from [FortiCloud](#). You should always backup your system configuration before upgrading the firmware on your device. Be aware that some configuration settings are not saved to the backup configuration file and will need to be manually restored after upgrade.

Firmware

FortiNDR 7.6.1 supports the following upgrade path:

Upgrade from	Upgrade to	Notes
7.4.0 - 7.4.6	7.6.1	Direct upgrade is supported for sensor, standalone and center.



- Direct upgrade from v7.0.x, v7.1.x or v7.2.x to v7.6.0 is not supported in any platform.
- When upgrading from v7.2.0 - v7.2.3 or v7.4.0 - v7.4.6 to v7.6.0, you will be prompted to update the password upon successful login.



Downgrade from v7.6.0 to v7.4.6 or any version before v7.4.6 is not supported as it could cause severe issues such as device lockout and database errors.

FNR-1000F, FNR-3500F (gen3 and above) and FNR-3600G

- 7.6.0 firmware is designed to run on VM and hardware appliances such as FNR-1000F, FNR-3600G, FNR-3500F (center gen3 and above) and is not compatible with older FAI-3500F hardware (gen1/2). For more information, see [Supported models on page 13](#).

VM Devices




If your current version FortiNDR does not have a password, you will be prompted to create a password after upgrading, otherwise you cannot login.

Downloading the latest firmware version

To download the latest version of FortiNDR:

1. Log into [FortiCloud](#).
2. In the banner, click *Support > Firmware Download*.



3. From the *Select Product* dropdown, select *FortiNDR*.
4. Click the *Download* tab.
5. Use the folders in the directory to locate and download the latest firmware version.

Welcome to the Firmware Images download center for Fortinet's extensive line of security solutions.

Select Product

FortiNDR

Release Notes

Download

Image File Path

/ [FortiNDR/ v7.00/](#)

Image Folders/Files

[Up to higher level directory](#)

	Name	Size (KB)	Date Created	Date Modified
	7.0	Directory	2022-04-21 20:04:06	2022-10-10 10:10:19
	7.1	Directory	2022-10-21 17:10:34	2022-10-21 17:10:34

Upgrading the firmware version

Before you begin:

You should always backup your system configuration before upgrading the firmware on your device.

Be aware the following settings are not backed up to the configuration file:

- *Network Share*
- *Network Share Quarantine*
- *File size limit*
- *Email Alert Recipients*

Record these settings so you can manually restore them after upgrade.

The *File size limit* can be found by pressing the Tab key in the following CLI:

```
execute file-size-threshold {ICAP|OFTP|inline-blocking|manual-upload|network-share|sniffer}  
<size_limit_1-10240MB>
```

```
FortiNDR-VM # exec file-size-threshold ICAP  
<Size Limit>           A integer between 1~10240 for size in MB  
  
--- current value ---  
ICAP: 200 MB
```

Please make a note for each file input value.



These settings cannot be recovered after they are removed.

To upgrade the FortiNDR firmware version:

1. Back up the configuration file:
 - a. Click the Account menu at the top-right of the page.
 - b. Go to *Configuration > Backup*. The configuration file is saved to your computer.
2. Upgrade the firmware:
 - a. Go to *System > Firmware*.
 - b. Click *Upload* and navigate to the location of the file you downloaded from FortiCloud.
 - c. Click *OK*. After the firmware is upgraded the system reboots.
 - d. After the upgrade is complete, the new version of firmware should be ready. In the case where the firmware upgrade does not follow the upgrade path, or there is a VM hosting hardware failure, or a power outage during upgrade, please consider to use following CLI to restore the database.

```
execute db restore
```



This command will format the database and remove all the logs and the following settings: *Device input*, *Network Share*, *Network Share Quarantine*, *File size limit* and *Email Alert Recipients*.

3. Use the configuration settings you recorded earlier to manually restore the settings. For *Device Input*, you just need to re-authorize the device again.

FortiNDR version 7.6.1

This document provides information about FortiNDR version 7.6.1 build 0642.

These Release Notes include the following topics:


- [New features and enhancements on page 10](#)
- [System integration and support on page 12](#)
- [Supported models on page 13](#)

New features and enhancements

The following is a summary of new features and enhancements in version 7.6.1. For details, see the [FortiNDR 7.6.1 Administration Guide](#) in the [Document Library](#).


Admin profiles

Logs and Reports permissions have been added to the *Admin Profile* settings. You can use this setting to create a custom profile that grants access only to event logs ,or access to other logs and reports except for events. The password policy has also been updated.




Email alert settings

We have applied the *Trigger Sensitivity* settings to more of the alert triggers.



A disclaimer has been added to warn users about the risks of storing email credentials in the system when applying email alert settings.



System integration and support

The following integration is tested and supported in FortiNDR 7.6.1.

FOS/FortiGate	<ul style="list-style-type: none"> FortiNDR Fabric Device widgets including <i>Detection Statistics</i> and <i>System Information</i> supported in FOS 7.0.5 and 7.2.4 File submission: FOS 6.4.0 and higher (FOS 6.2 and 5.6 file submission with OFTP, via the FortiSandbox field, is tested and compatible) FortiGate inline blocking (with AV profile) is supported in FOS 7.0.1 and higher (via HTTP2). FortiGate quarantine via webhook 6.4.0 and higher.
FortiProxy	<ul style="list-style-type: none"> HTTP2 file submission from FortiProxy 7.0.0 and higher FortiProxy inline blocking (with AV profile) is supported in FPX 7.0.0 and higher.
FortiAnalyzer	<ul style="list-style-type: none"> FortiAnalyzer integration is supported in FortiAnalyzer 7.0.1 and higher.
FortiSIEM	<ul style="list-style-type: none"> Integration is supported in version 6.3.0 and higher.
FortiSandbox	<ul style="list-style-type: none"> FortiSandbox integration (API submission from FortiSandbox to FortiNDR) is supported from FortiSandbox version 4.0.1 and higher.
FortiMail	<ul style="list-style-type: none"> Version 7.2.0
FortiAuthenticator	<ul style="list-style-type: none"> FortiAuthenticator v6.4.5 and higher is supported for 2FA token login with the GUI. Push tokens are not supported at this time.
ICAP	<ul style="list-style-type: none"> FortiGate 6.4.0 and higher. FortiWeb 6.3.11 and higher. Squid and other compatible ICAP clients. FortiProxy 7.0.0. FortiNAC quarantine support (v9.2.2+) FortiAuthenticator v6.4.5 and higher is supported for 2FA token login with the GUI. Push tokens are not supported at this time. FortiSwitch quarantine via FortiLink (FortiSwitch v7.0.0+ and FortiGate v7.0.5+)
<hr/> <div style="display: flex; align-items: center; justify-content: center;">  <div> <p>FortiNDR 7.0.1 and later supports sending both malware and NDR logs to FortiAnalyzer and FortiSIEM or other syslog devices.</p> <p>FortiAnalyzer 7.2.0 supports receiving logs from FortiNDR (log view only).</p> <p>FortiAnalyzer 7.2.1 supports reporting based on logs.</p> </div> </div> <hr/>	

Supported models

FortiNDR version 7.6.1 supports the following models:

Model	Mode	Details
FortiNDR-3600G	Center	
FortiNDR-1000F	Standalone and Sensor	
FortiNDR-3500F gen3*	Standalone and Center	Supports FortiNDR central management. For hardware details please visit hardware quick start guide or the following notice .
FortiNDR VM 08	Sensor	Requires Center to manage. Supported for ESXi, KVM, AWS, GCP, Azure only.
FortiNDR VM 16 & 32	Standalone and Sensor	
FortiNDR Centralized Management VM	Center	Supported on ESXi and KVM only
FortiNDR on AWS (BYOL)	Standalone, Sensor and Center	
FortiNDR on Alibaba (BYOL)	Standalone	
FortiNDR on Azure (BYOL)	Standalone, Sensor and Center	
FortiNDR on GCP (BYOL)	Standalone, Sensor and Center	
FortiNDR KVM	Standalone and Sensor	
FortiNDR on Nutanix	Standalone, Sensor and Center	Nutanix version AOS 7.3.1

*Notice about hardware generations



The hardware model is printed on the label on the back of the unit.

- FortiNDR gen3 - P24935-03 supports v7.1.x, v7.2.x, 7.4.x and 7.6.x
- FortiAI gen1 - P24935-01 does not support 7.1.x 7.2.x 7.4.x
- FortiAI gen2 - P24935-02 does not support 7.1.x 7.2.x 7.4.x

To confirm the hardware generation with the CLI:

```
get system status
```

This allows you to check the BIOS version. Gen3 models use BIOS version *00010032* and above. Any version below *00010032*, such as *00010001*, indicates a Gen2 or Gen1 model.

Resolved issues

The following issues have been fixed in version 7.6.1. For inquiries about a particular bug, contact [Customer Service & Support](#).

Bug ID	Description
1153159	Fixed an issue where the email body appears empty when when an email alert is triggered.

Common Vulnerabilities and Exposures

Bug ID	Description
1147099	FortiNDR 7.6.1 is no longer vulnerable to the following CVE Reference: <ul style="list-style-type: none">• CVE-2025-32756

Known issues

The following issues have been identified in version 7.6.1. For inquiries about a particular bug or to report a bug, contact [Customer Service & Support](#).

Bug ID	Description
1091134	Exporting the <i>Detected Malware Files</i> report from the CLI is not functioning as expected.
1125796	The GUI is experiencing performance issues, including delayed page loading and high resource consumption.
1130139	FortiNDR is experiencing issues with missing traffic and samples.
1151818	FortiNDR may stop logging events when it detects a high volume of anomalies



www.fortinet.com

Copyright© 2026 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's Chief Legal Officer, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.