


Release Notes

FortiAP 7.2.2



FORTINET DOCUMENT LIBRARY

https://docs.fortinet.com

FORTINET VIDEO GUIDE

https://video.fortinet.com

FORTINET BLOG

https://blog.fortinet.com

CUSTOMER SERVICE & SUPPORT

https://support.fortinet.com

FORTINET TRAINING & CERTIFICATION PROGRAM

https://www.fortinet.com/training-certification

FORTINET TRAINING INSTITUTE

https://training.fortinet.com

FORTIGUARD CENTER

https://www.fortiguard.com

END USER LICENSE AGREEMENT

https://www.fortinet.com/doc/legal/EULA.pdf

FEEDBACK

Email: techdoc@fortinet.com



TABLE OF CONTENTS

Change log	4
Introduction	5
Supported models	5
New features or enhancements	6
Upgrade and downgrade information	7
Upgrading to FortiAP version 7.2.2	7
Downgrading to previous firmware versions	7
Firmware image checksums	7
Supported upgrade paths	7
Product integration support	8
Resolved issues	9
Common vulnerabilities and exposures	10
Known issues	11

Change log

Date	Change description
2023-02-14	Initial release.
2023-02-22	Updated Supported models on page 5, Product integration support on page 8, and Known issues on page 11.
2023-04-20	Added Common vulnerabilities and exposures on page 10.
2023-09-19	Added support information for new model FortiAP-432FR.

Introduction

This document provides release information for FortiAP version 7.2.2, build 0318.

For more information about your FortiAP device, see the FortiWiFi and FortiAP Configuration Guide.

Supported models

FortiAP version 7.2.2, build 0318 supports the following models:

Wi-Fi 6 Models

FAP-231F, FAP-234F, FAP-23JF, FAP-431F, FAP-432F, FAP-432FR (build 5446), FAP-433F, FAP-831F

Wi-Fi 6E Models

FAP-231G (build 5072), FAP-233G (build 5072), FAP-431G (build 5072), FAP-433G (build 5072)

New features or enhancements

The following table includes FortiAP version 7.2.2 new features and enhancements:

Bug ID	Description
819611	Support for new model FortiAP-432FR, released with special build 5446 based on FortiAP 7.2.2. Note: FortiAP-432FR can be managed by FortiGate running FortiOS 7.0.8, 7.2.1 and later.
831005	Report to FortiGate WiFi Controller the information of wired clients on the LAN port that is bridged to a tunnel-mode SSID. The LAN port is applicable in either case: • LAN port of FortiAP model(s) with LAN and WAN ports; • LAN2 port of FortiAP model(s) with LAN1 and LAN2 ports (when WAN-LAN mode is configured on both the FortiGate and the FortiAP). Details about wired clients are displayed in: • the FortiGate CLI using "diagnose wireless-controller wlac -c lan-sta" and • the FAP CLI using "cw_diag -c k-lan-host".

Upgrade and downgrade information

Upgrading to FortiAP version 7.2.2

FortiAP 7.2.2 supports upgrading from FortiAP version 7.0.3 and later.

Downgrading to previous firmware versions

FortiAP 7.2.2 supports downgrading to FortiAP version 7.0.3 and later.

Firmware image checksums

To get the MD5 checksum code for a Fortinet firmware image, perform the following steps:

- 1. Go to the Fortinet Support website.
- 2. Log in to your account. If you do not have an account, create one and then log in.
- 3. From the top banner, select **Download > Firmware Image Checksums**.
- 4. Enter the image file name, including the extension. For example, FAP_221C-v6-build0030-FORTINET.out.
- 5. Click Get Checksum Code.

Supported upgrade paths

To view all previous FortiAP versions, build numbers, and their supported upgrade paths, see the Fortinet Documentation website.

Product integration support

The following table lists product integration and support information for FortiAP version 7.2.2:

FortiOS	FortiOS 7.2.4 and later. Note: FortiOS 7.0.8, 7.2.1 and later for FAP-231G, FAP-233G, FAP-431G, FAP-433G, and FAP-432FR management.
Web browsers	Microsoft Edge version 41 and later.
	Mozilla Firefox version 59 and later.
	Google Chrome version 65 and later.
	Apple Safari version 9.1 and later (for Mac OS X).
	Other web browsers may work correctly, but Fortinet does not support them.



We recommend that the FortiAP firmware version be matched with the respective FortiOS version, when available. Other variations of FortiOS and FortiAP versions may technically work for the lowest common feature set. However, if problems arise, Fortinet Support will ask that the versions be matched, as recommended, before troubleshooting.

Resolved issues

The following issues have been resolved in FortiAP version 7.2.2. For inquiries about a particular bug, visit the Fortinet Support website.

Bug ID Description Fixed a kernel panic issue: Excep :0 Exception detected, Assertion failed 0:ol_ath_ahb_ssr. Fixed a kernel panic issue in function call dev_hard_start_xmit. Fixed a kernel panic issue in function call wlan_objmgr_peer_release_ref. Fixed a kernel panic issue PC is at ftnt_siw_sta_ip_enforce. FortiAP received too many false "antenna defect detected" logs. When wireless clients are connected to different radios of the same tunnel-mode SSID was static or dynamic VLAN, they cannot ping each other. Fixed a kernel panic issue Assertion failed in cce_metadata, PC is at dynamic vupdate_protocol_tag+0x134/0x180.	ith
0:ol_ath_ahb_ssr. Fixed a kernel panic issue in function call dev_hard_start_xmit. Fixed a kernel panic issue in function call wlan_objmgr_peer_release_ref. Fixed a kernel panic issue PC is at ftnt_siw_sta_ip_enforce. FortiAP received too many false "antenna defect detected" logs. When wireless clients are connected to different radios of the same tunnel-mode SSID w static or dynamic VLAN, they cannot ping each other. Fixed a kernel panic issue Assertion failed in cce_metadata, PC is at draw_rx_update_protocol_tag+0x134/0x180.	ith
712335 Fixed a kernel panic issue in function call wlan_objmgr_peer_release_ref. 740358 Fixed a kernel panic issue PC is at ftnt_siw_sta_ip_enforce. 741017 FortiAP received too many false "antenna defect detected" logs. 767916 When wireless clients are connected to different radios of the same tunnel-mode SSID was static or dynamic VLAN, they cannot ping each other. 777583 Fixed a kernel panic issue Assertion failed in cce_metadata, PC is at draw rx_update_protocol_tag+0x134/0x180.	
Fixed a kernel panic issue PC is at ftnt_siw_sta_ip_enforce. FortiAP received too many false "antenna defect detected" logs. When wireless clients are connected to different radios of the same tunnel-mode SSID we static or dynamic VLAN, they cannot ping each other. Fixed a kernel panic issue Assertion failed in cce_metadata, PC is at draw rx_update_protocol_tag+0x134/0x180.	
741017 FortiAP received too many false "antenna defect detected" logs. 767916 When wireless clients are connected to different radios of the same tunnel-mode SSID we static or dynamic VLAN, they cannot ping each other. 777583 Fixed a kernel panic issue Assertion failed in cce_metadata, PC is at draw_rx_update_protocol_tag+0x134/0x180.	
767916 When wireless clients are connected to different radios of the same tunnel-mode SSID was static or dynamic VLAN, they cannot ping each other. 777583 Fixed a kernel panic issue Assertion failed in cce_metadata, PC is at draw_rx_update_protocol_tag+0x134/0x180.	
static or dynamic VLAN, they cannot ping each other. 777583 Fixed a kernel panic issue Assertion failed in cce_metadata, PC is at draw_rx_update_protocol_tag+0x134/0x180.	
rx_update_protocol_tag+0x134/0x180.	
	_
795661 Wireless clients on mesh-leaf FortiAP could not communicate with wired clients behind a switch connected to mesh-Ethernet bridge.	
815953 FAP-831F would lose network connection when using the LAN2 port.	
Fixed a kernel panic issue PC is at ftnt_cinfo_update_rx.	
829304 FortiAP didn't properly report LLDP neighbors to FortiGate WiFi Controller.	
FortiLAN Cloud Captive Portal didn't work with NAT mode and Deny Local LAN.	
836078 Local-bridging SSID with external captive portal could not invoke MAC Authentication By (MAB) on Cisco ISE, when wireless clients disconnected and then reconnected.	pass
Fixed FAP-431F, FAP-432F and FAP-433F wireless coverage issue caused by relatively transmit power.	low
Fixed a kernel panic issue ar_wal_ast.c:2083 Assertion sw_peer_key faile	d.
855540 Split tunneling didn't work as FortiAP couldn't get an IP address from the tunnel VAP inte	face.
With heavy-traffic wireless stations, FortiAP transmitting and receiving bandwidth values not correct.	were
The priority order of multiple AC IP addresses in DHCP Offer was not honored.	
FortiAP Ethernet connection would randomly become stuck when VLAN bridges were cr on the link aggregation group of LAN1 and LAN2 ports.	eated
FortiAP with region code E cannot support country code SA (Saudi Arabia).	

Bug ID	Description
871392	FortiAP Ethernet connection would randomly become stuck when more than 10 VLAN bridges were created (by using MPSK-VLAN feature).
877951	Fixed a kernel panic issue PC is at ieee80211_wids_mgmt_flood_check+0xc8/0x370.
880060	Fixed a kernel panic issue PC is at scm_iterate_scan_db_rssi+0x194/0x3a0.
880219	802.11b client could not connect to FortiAP on the 2.4GHz 802.11ax/n/g/b band.

Common vulnerabilities and exposures

FortiAP 7.2.2 is no longer vulnerable to the following common vulnerabilities and exposures (CVE) references:

Bug ID	Description
802993	CVE-2023-25608 (Arbitrary file read through the CLI).

Visit https://fortiguard.com for more information.

Known issues

The following issues have been identified in FortiAP version 7.2.2. For inquiries about a particular bug or to report a bug, visit the Fortinet Support website.

Bug ID	Description
692160	Wireless packets captured by FortiAP radio in Sniffer mode are corrupted.
761298	FAP-234F Bluetooth Low Energy (BLE) function cannot work.
825182	Wi-Fi 6E 6GHz channels are not available in some regions or countries.



modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.