

# Release Notes

## FortiClient (Linux) 7.2.10



**FORTINET DOCUMENT LIBRARY**

<https://docs.fortinet.com>

**FORTINET VIDEO LIBRARY**

<https://video.fortinet.com>

**FORTINET BLOG**

<https://blog.fortinet.com>

**CUSTOMER SERVICE & SUPPORT**

<https://support.fortinet.com>

**FORTINET TRAINING & CERTIFICATION PROGRAM**

<https://www.fortinet.com/training-certification>

**FORTINET TRAINING INSTITUTE**

<https://training.fortinet.com>

**FORTIGUARD LABS**

<https://www.fortiguard.com>

**END USER LICENSE AGREEMENT**

<https://www.fortinet.com/doc/legal/EULA.pdf>

**FEEDBACK**

Email: [techdoc@fortinet.com](mailto:techdoc@fortinet.com)



May 27, 2025

FortiClient (Linux) 7.2.10 Release Notes

04-7210-1153758-20250527

# TABLE OF CONTENTS

<b>Change log</b> .....	<b>4</b>
<b>Introduction</b> .....	<b>5</b>
Licensing .....	5
<b>Special notices</b> .....	<b>6</b>
ZTNA certificates .....	6
FortiGuard Web Filtering category v10 update .....	6
<b>Installation information</b> .....	<b>7</b>
Installing FortiClient (Linux) .....	7
Install FortiClient (Linux) from repo.fortinet.com .....	7
Installing FortiClient (Linux) using a downloaded installation file .....	8
Installation folder and running processes .....	8
Starting FortiClient (Linux) .....	8
Uninstalling FortiClient (Linux) .....	9
<b>Product integration and support</b> .....	<b>10</b>
<b>Resolved issues</b> .....	<b>11</b>
Remote Access .....	11
Remote Access - SSL VPN .....	11
<b>Known issues</b> .....	<b>12</b>
New known issues .....	12
ZTNA connection rules .....	12
Existing known issues .....	12
Endpoint control .....	12
Remote Access .....	13
Remote Access - SSL VPN .....	13
Web Filter and plugin .....	13
ZTNA connection rules .....	13
<b>Numbering conventions</b> .....	<b>14</b>

# Change log

Date	Change description
2025-05-27	Initial release.

# Introduction

FortiClient (Linux) 7.2.10 is an endpoint product for well-known Linux distributions that provides Telemetry, remote access (IPsec VPN IKEv2 and SSL VPN), zero trust network access, malware protection, web filter, and vulnerability scan. FortiClient (Linux) can download and use FortiSandbox signatures.

This document provides a summary of support information and installation instructions for FortiClient (Linux) 7.2.10 build 0974.

- [Special notices on page 6](#)
- [Installation information on page 7](#)
- [Product integration and support on page 10](#)
- [Resolved issues on page 11](#)
- [Known issues on page 12](#)

Review all sections prior to installing FortiClient.

## Licensing

See [Windows](#), [macOS](#), and [Linux](#) endpoint licenses.

# Special notices

## ZTNA certificates

Zero trust network access (ZTNA) certificate provisioning requires Trusted Platform Module (TPM) 2.0 on the endpoint with one of the following:

- Maximum of TLS 1.2 in FortiOS
- Maximum of TLS 1.3 in FortiOS if the TPM 2.0 implementation in the endpoint supports RSA PSS signatures

For ZTNA tags for checking certificates, FortiClient does not check user certificates and only checks root certificate authority certificates installed on the system. These routes are:

Operating system	Route
Ubuntu	<code>/etc/ssl/certs/ca-certificates.crt</code>
<ul style="list-style-type: none"><li>• CentOS</li><li>• Red Hat</li></ul>	<code>/etc/pki/tls/certs/ca-bundle.crt</code>

## FortiGuard Web Filtering category v10 update

Fortinet has updated its web filtering categories to v10, which includes two new URL categories for AI chat and cryptocurrency websites. To use the new categories, customers must upgrade their Fortinet products to one of the following versions:

- FortiManager - Fixed in 6.0.12, 6.2.9, 6.4.7, 7.0.2, 7.2.0, 7.4.0
- FortiOS - Fixed in 7.2.8 and 7.4.1
- FortiClient - Fixed in Windows 7.2.3, macOS 7.2.3, Linux 7.2.3
- FortiClient EMS - Fixed in 7.2.1
- FortiMail - Fixed in 7.0.7, 7.2.5, 7.4.1
- FortiProxy - Fixed in 7.4.1

Read the following CSB for more information to caveats on the usage in FortiManager and FortiOS:  
<https://support.fortinet.com/Information/Bulletin.aspx>

# Installation information

## Installing FortiClient (Linux)

You can install FortiClient (Linux) on the following operating systems:

- Ubuntu
- CentOS
- Red Hat

For supported versions, see [Product integration and support on page 10](#).

FortiClient (Linux) 7.2.10 features are only enabled when connected to EMS 7.2.



You must upgrade EMS to 7.2 before upgrading FortiClient.

---

See [Recommended upgrade path](#) for information on upgrading FortiClient (Linux) 7.2.10.

## Install FortiClient (Linux) from [repo.fortinet.com](https://repo.fortinet.com)

### To install on Red Hat or CentOS:

1. Add the repository:

```
sudo yum-config-manager --add-repo  
https://repo.fortinet.com/repo/forticlient/7.2/centos/8/os/x86_64/fortinet.repo
```

2. Install FortiClient:

```
sudo yum install forticlient
```

### To install on Ubuntu 18.04 LTS and 20.04 LTS:

1. Install the gpg key:

```
wget -O - https://repo.fortinet.com/repo/forticlient/7.2/ubuntu/DEB-GPG-KEY | sudo apt-  
key add -
```

2. Add the following line in `/etc/apt/sources.list`:

```
deb [arch=amd64] https://repo.fortinet.com/repo/forticlient/7.2/ubuntu/ /stable  
multiverse
```

3. Update package lists:

```
sudo apt-get update
```

4. Install FortiClient:

```
sudo apt install forticlient
```

### To install on Ubuntu 22.04 or 24.04 LTS:

1. Install the gpg key:  

```
wget -O - https://repo.fortinet.com/repo/forticlient/7.2/debian/DEB-GPG-KEY | gpg --dearmor | sudo tee /usr/share/keyrings/repo.fortinet.com.gpg
```
2. Create `/etc/apt/sources.list.d/repo.fortinet.com.list` with the following content:  

```
deb [arch=amd64 signed-by=/usr/share/keyrings/repo.fortinet.com.gpg] https://repo.fortinet.com/repo/forticlient/7.2/debian/ stable non-free
```
3. Update package lists:  

```
sudo apt-get update
```
4. Install FortiClient:  

```
sudo apt install forticlient
```

## Installing FortiClient (Linux) using a downloaded installation file

### To install on Red Hat or CentOS:

1. Obtain a FortiClient (Linux) installation rpm file.
2. In a terminal window, run the following command:  

```
$ sudo dnf install <FortiClient (Linux) installation rpm file> -y
```

`<FortiClient (Linux) installation rpm file>` is the full path to the downloaded rpm file.

If running Red Hat 7 or CentOS 7, replace `dnf` with `yum` in the command in step 2.

### To install on Ubuntu:

1. Obtain a FortiClient (Linux) installation deb file.
2. Install FortiClient (Linux) using the following command:  

```
$ sudo apt-get install <FortiClient (Linux) installation deb file>
```

`<FortiClient (Linux) installation deb file>` is the full path to the downloaded deb file.

## Installation folder and running processes

The FortiClient installation folder is `/opt/forticlient`.

In case there are issues, or to report a bug, FortiClient logs are available in `/var/log/forticlient`.

## Starting FortiClient (Linux)

FortiClient (Linux) runs automatically in the backend after installation.

### To open the FortiClient (Linux) GUI:

1. Do one of the following:
  - In the terminal, run the `forticlient` command.
  - Open *Applications* and search for `forticlient`.

After running the FortiClient (Linux) GUI for the first time, you can add it to the favorites menu. By default, the favorites menu is usually on the left-hand side of the screen.

## Uninstalling FortiClient (Linux)

You cannot uninstall FortiClient while it is connected to EMS. Disconnect FortiClient from EMS before uninstalling it.

### To uninstall FortiClient from Red Hat or CentOS:

```
$ sudo dnf remove forticlient
```

### To uninstall FortiClient from Ubuntu:

```
$ sudo apt-get remove forticlient
```

# Product integration and support

The following table lists version 7.2.10 product integration and support information:

<b>Operating systems</b>	<ul style="list-style-type: none"><li>• Ubuntu 22.04 and 24.04</li><li>• CentOS Stream 9</li><li>• Red Hat 9 and later</li></ul> All supported with KDE or GNOME
<b>AV engine</b>	6.00287
<b>FortiAnalyzer</b>	<ul style="list-style-type: none"><li>• 7.4.0 and later</li><li>• 7.2.0 and later</li><li>• 7.0.0 and later</li></ul>
<b>FortiAuthenticator</b>	<ul style="list-style-type: none"><li>• 6.5.0 and later</li><li>• 6.4.0 and later</li><li>• 6.3.0 and later</li><li>• 6.2.0 and later</li><li>• 6.1.0 and later</li><li>• 6.0.0 and later</li></ul>
<b>FortiClient EMS</b>	<ul style="list-style-type: none"><li>• 7.2.0 and later</li></ul>
<b>FortiManager</b>	<ul style="list-style-type: none"><li>• 7.4.0 and later</li><li>• 7.2.0 and later</li><li>• 7.0.0 and later</li></ul>
<b>FortiOS</b>	<p>The following FortiOS versions support zero trust network access with FortiClient (Linux) 7.2.10:</p> <ul style="list-style-type: none"><li>• 7.4.0 and later</li><li>• 7.2.0 and later</li><li>• 7.0.6 and later</li></ul> <p>The following FortiOS versions support SSL VPN with FortiClient (Linux) 7.2.10:</p> <ul style="list-style-type: none"><li>• 7.4.0 and later</li><li>• 7.2.0 and later</li><li>• 7.0.0 and later</li><li>• 6.4.0 and later</li></ul>
<b>FortiSandbox</b>	<ul style="list-style-type: none"><li>• 4.4.0 and later</li><li>• 4.2.0 and later</li><li>• 4.0.0 and later</li><li>• 3.2.0 and later</li></ul>

# Resolved issues

The following issues have been fixed in version 7.2.10. For inquiries about a particular bug, contact [Customer Service & Support](#).

## Remote Access

Bug ID	Description
1086949	FortiClient does not use the same maximum transmission unit (MTU) value for SSL and IPsec VPN interfaces across all platforms.

## Remote Access - SSL VPN

Bug ID	Description
968981	DTLS tunnel cannot establish when handshake packet has a large MTU.
1140775	<i>Connect</i> button does not trigger SSL VPN tunnel on Ubuntu 24.04 while authenticating with username and password and zero trust network access certificate.

# Known issues

Known issues are organized into the following categories:

- [New known issues on page 12](#)
- [Existing known issues on page 12](#)

To inquire about a particular bug or to report a bug, contact [Customer Service & Support](#).

## New known issues

The following issues have been identified in version 7.2.10.

### ZTNA connection rules

Bug ID	Description
1155036	Zero trust network access (ZTNA) TCP forwarding SAML session starts redirect with TCP forwarding path.

## Existing known issues

The following issues have been identified in a previous version of FortiClient (Linux) and remain in FortiClient (Linux) 7.2.10.

### Endpoint control

Bug ID	Description
1115630	FortiClient on Ubuntu 22.04.5 LTS is slow while registering to FortiClient Cloud.

## Remote Access

Bug ID	Description
1114626	User can disable autoconnect on FortiClient when it is pushed from EMS.

## Remote Access - SSL VPN

Bug ID	Description
950306	SSL VPN creates two interfaces and routes, causing traffic loss.
1027822	FortiClient fails to connect to VPN with <i>Config routing table failed</i> error.
1094273	SSL VPN resiliency fails when FortiClient (Linux) cannot reach a gateway after reboot.
1102801	FortiClient (Linux) using SAML authentication retains credentials.

## Web Filter and plugin

Bug ID	Description
977317	FortiClient does not use Web Filter rating URL provided using XML tag on EMS.

## ZTNA connection rules

Bug ID	Description
1094278	Zero trust network access (ZTNA) fails to process when destination rule configured with port range.
1097804	FortiClient (Linux) does not save port range when ZTNA rules are manually created.

# Numbering conventions

Fortinet uses the following version number format:

<First number>.<Second number>.<Third number>.<Fourth number>

Example: 7.2.10.15

- First number = major version
- Second number = minor version
- Third number = maintenance version
- Fourth number = build version

Release Notes pertain to a certain version of the product. Release Notes are revised as needed.



[www.fortinet.com](http://www.fortinet.com)

Copyright© 2025 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's Chief Legal Officer, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.