



FortiSwitch Models	FS-TRAN-FX/FTL1217P2BTL 100Mb	FG-TRAN-LX/AFCT-5710PZ 1G	FG-TRAN-GC/FCLF-8521-3 1G	FG-TRAN-SX/AFBR-5710PZ/ FTL8519P3BNL 1G	FS-TRAN-GC/LCP-1250R3SR-K/ FCLF-8521-3 1G	FG-TRAN-SFP+SR/AFBR-709ASMZI/ FTLX8571D3BCL/FTLX8574D3BCL 10G	FG-TRAN-SFP+LR/AFCT-739ASMZI/ FTLX1471D3BCL 10G	FS-TRAN-SFP+SR/FTLX8571D3BCV/ FTLX8574D3BCL 10G	FS-TRAN-SFP+ER/FTLX1672D3BCL 10G	FG-TRAN-QSFP+SR/FTL410QE2C/ QCP-10G3A4EDR 40G	FG-TRAN-QSFP+LR/FTL4C1QE1C 40G	FG-TRAN-QSFP+S-R-BIDI/AFBR-79EBPZ 40G	FG-TRAN-QSFP28-SR4/ FTLC9551REPM 100G	FG-TRAN-QSFP28-LR4/ FTLC1151RDPL 100G	FR-TRAN-ZX 1G
FS-248E-FPOE	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-424D	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-424D-POE	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-424D-FPOE	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-424E	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-424E-POE	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-424E-FPOE	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-424E-Fiber <sup>1</sup>	✓	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-M426E-FPOE	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-448D	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-448D-POE	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-448D-FPOE	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-448E	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-448E-POE	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-448E-FPOE	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-524D	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-524D-FPOE	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-548D	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FS-548D-FPOE	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FSR-112D-POE	✓	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓
FSR-124D	—	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	✓

1. For the FSW-424E-Fiber model, the first 24 ports support 1G transceivers and FS-TRAN-FX (100Base-FX); ports 25-28 are 1G/10G capable.

Each row in the following table shows which FN-series transceivers are compatible with each FortiSwitch model.

FortiSwitch Models	FN-TRAN-SX 1G	FN-TRAN-LX 1G	FN-TRAN-DSL 1G <sup>1</sup>	FN-TRAN-SFP+SR 10G	FN-TRAN-SFP+LR 10G	FN-TRAN-SFP+ER 10G	FN-TRAN-SFP+GC 10G	FN-TRAN-SFP28-SR 25G	FN-TRAN-SFP28-LR 25G	FN-TRAN-QSFP+SR 40G	FN-TRAN-QSFP+LR 40G	FN-TRAN-QSFP28-SR 100G	FN-TRAN-QSFP28-LR 100G	FN-TRAN-QSFP28- CWD4 100G
FS-1024D	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-1048D	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-1048E	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
FS-3032D	—	—	✓	—	—	—	—	—	—	✓	✓	—	—	—
FS-3032E	—	—	✓	—	—	—	—	—	—	✓	✓	✓	✓	✓
FS-108E	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—
FS-108E-POE	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—
FS-108E-FPOE	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—
FS-124E	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—
FS-124E-POE	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—
FS-124E-FPOE	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—
FS-124F	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-124F-POE	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-124F-FPOE	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-148E	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	—
FS-148E-POE	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	—
FS-148F	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-148F-POE	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-148F-FPOE	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-224D-FPOE	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—
FS-248D	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—
FS-224E	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—
FS-224E-POE	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—
FS-248E-POE	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—
FS-248E-FPOE	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—
FS-424D	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-424D-POE	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-424D-FPOE	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-424E	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-424E-POE	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-424E-FPOE	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-424E-Fiber <sup>1</sup>	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-M426E-FPOE	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-448D	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-448D-POE	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-448D-FPOE	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-448E	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-448E-POE	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-448E-FPOE	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—
FS-524D	✓	✓	✓	✓	✓	✓	✓	—	—	✓	✓	—	—	—
FS-524D-FPOE	✓	✓	✓	✓	✓	✓	✓	—	—	✓	✓	—	—	—
FS-548D	✓	✓	✓	✓	✓	✓	✓	—	—	✓	✓	—	—	—

FortiSwitch Models	FN-TRAN-SX 1G	FN-TRAN-LX 1G	FN-TRAN-DSL 1G <sup>1</sup>	FN-TRAN-SFP+SR 10G	FN-TRAN-SFP+LR 10G	FN-TRAN-SFP+ER 10G	FN-TRAN-SFP+GC 10G	FN-TRAN-SFP28-SR 25G	FN-TRAN-SFP28-LR 25G	FN-TRAN-QSFP+SR 40G	FN-TRAN-QSFP+LR 40G	FN-TRAN-QSFP28-SR 100G	FN-TRAN-QSFP28-LR 100G	FN-TRAN-QSFP28- CWDIM4 100G
FS-548D-FPOE	✓	✓	✓	✓	✓	✓	✓	—	—	✓	✓	—	—	—
FSR-112D-POE	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—
FSR-124D	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—

1. Use the following FortiGate models to manage FN-TRAN-DSL: FG-80F, FG-81F, FG-80F-BP, FGR-60F, FGR-60F-3G4G, FG-60F, and FG-40F-3G4G. A FortiSwitch unit running in standalone mode cannot program the physical-layer attributes on the DSL module.

## Direct-Attach Cables and Split Cables

Each row in the table shows which cables are compatible with each FortiSwitch model.

FortiSwitch Models	SP-CABLE-FS-SFP+1/OPSFPP-T-01-PEB 10G	SP-CABLE-FS-SFP+3/OPSFPP-T-03-PEB 10G	SP-CABLE-FS-SFP+5/OPSFPP-T-05-PAB 10G	SP-CABLE-ADASFP+ 10G	SP-CABLE-FS-QSFP+1/OPQSFP-T-01-PEB 40G	SP-CABLE-FS-QSFP+3/OPQSFP-T-03-PEB 40G	SP-CABLE-FS-QSFP+5/OPQSFP-T-05-PCB 40G	FG-TRAN-QSFP-4XSFP <sup>2</sup> 40G/100G	FG-TRAN-QSFP-4SFP-5 <sup>2</sup> 40G/100G
FS-1024D	✓	✓	✓	✓	—	—	—	—	—
FS-1048D	✓	✓	✓	✓	✓	✓	✓	—	—
FS-1048E	✓	✓	✓	✓	✓	✓	✓	✓	✓
FS-3032D	—	—	—	—	✓	✓	✓	✓	✓
FS-3032E	—	—	—	—	✓	✓	✓	✓	✓
FS-424D	✓	✓	✓	✓	—	—	—	—	—
FS-424D-POE	✓	✓	✓	✓	—	—	—	—	—
FS-424D-FPOE	✓	✓	✓	✓	—	—	—	—	—
FS-424E	✓	✓	✓	✓	—	—	—	—	—
FS-424E-POE	✓	✓	✓	✓	—	—	—	—	—
FS-424E-FPOE	✓	✓	✓	✓	—	—	—	—	—
FS-424E-Fiber	✓	✓	✓	✓	—	—	—	—	—
FS-M426E-FPOE	✓	✓	✓	✓	—	—	—	—	—
FS-448D	✓	✓	✓	✓	—	—	—	—	—
FS-448D-POE	✓	✓	✓	✓	—	—	—	—	—
FS-448D-FPOE	✓	✓	✓	✓	—	—	—	—	—
FS-448E	✓	✓	✓	✓	—	—	—	—	—
FS-448E-POE	✓	✓	✓	✓	—	—	—	—	—
FS-448E-FPOE	✓	✓	✓	✓	—	—	—	—	—
FS-524D	✓	✓	✓	✓	✓	✓	✓	✓	✓
FS-524D-FPOE	✓	✓	✓	✓	✓	✓	✓	✓	✓
FS-548D	✓	✓	✓	✓	✓	✓	✓	✓	✓
FS-548D-FPOE	✓	✓	✓	✓	✓	✓	✓	✓	✓
FS-124F	✓	✓	✓	✓	—	—	—	—	—
FS-124F-POE	✓	✓	✓	✓	—	—	—	—	—
FS-124F-FPOE	✓	✓	✓	✓	—	—	—	—	—
FS-148F	✓	✓	✓	✓	—	—	—	—	—
FS-148F-POE	✓	✓	✓	✓	—	—	—	—	—
FS-148F-FPOE	✓	✓	✓	✓	—	—	—	—	—

2. Breakout cables only

**CHANGE LOG**

July 11, 2018	Initial document release
July 12, 2018	Updated the 100G columns.
July 25, 2018	Added a table for direct-attach cables and split cables.
September 4, 2018	Changed the speed for FS-TRAN-FX. Added SP-CABLE cables.
May 16, 2019	Added rows for FS-3032E, FS-148E, and FS-148E-POE. Removed FortiSwitch models that do not support direct-attach cables and split cables from the second table.
June 13, 2019	Updated the FS-3032E row.
October 18, 2019	Added FN-TRAN-SFP+GC.
November 5, 2019	Added 3032E to the second table.
December 3, 2019	Corrected cable name.
December 10, 2019	Added FR-TRAN-ZX.
February 14, 2020	Removed FS-TRAN-SFP+GC and FS-TRAN-SFP+LRM. Added FS-424E, FS-424E-POE, FS-424E-FPOE, FS-424E-Fiber, and FS-M426E-FPOE.
March 12, 2020	Added FG-TRAN-QSFP+SR-BIDI/AFBR-79EBPZ. Updated which switches support FR-TRAN-ZX.
April 6, 2020	Added FS-448E, FS-448E-POE, and FS-448E-FPOE.
April 29, 2020	Added 1048E support for FG-TRAN-QSFP-4XSFP and FG-TRAN-QSFP-4SFP-5.
May 4, 2020	Added 13 FN-series transceivers. Corrected the FS-3032D row in the first table.
July 22, 2020	Added vendor part numbers to SP-CABLE cables.
August 17, 2020	Expanded the note for the FS-424E-Fiber model.
November 30, 2020	Removed SP-CABLE-FS-SFP+7/OPSFPP-T-07-PAB. Added the FS-1xxF models.
December 2, 2020	Removed FN-TRAN-GC support by the FS-1024D and FS-1048D models.
December 3, 2020	Removed FN-TRAN-GC and FCLF8521P2BTL.
January 15, 2021	Updated the FS-148F-FPOE row in the first table. Corrected the description of FR-TRAN-ZX.
March 22, 2021	Added FS-124F, FS-124F-POE, FS-124F-FPOE, FS-148F, FS-148F-POE, and FS-148F-FPOE to the Direct-Attach Cables and Split Cables table.
March 31, 2021	Updated note 2.
April 3, 2021	Added FS-1xxF support for FN-TRAN-SFP+LR, FN-TRAN-SFP+ER, and FG-TRAN-SFP+GC.
May 17, 2021	Updated note 1.

CHANGE LOG	
October 20, 2021	Added FN-TRAN-DSL.
November 30, 2021	Added FS-108F.
December 1, 2021	Updated the FS-TRAN-FX column (removed the 124F series and 148F series).

Copyright© 2021 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. In no event does Fortinet make any commitment related to future deliverables, features, or development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.