



# Microsoft Hyper-V Administration Guide

FortiManager 8.0.0



**FORTINET DOCUMENT LIBRARY**

<https://docs.fortinet.com>

**FORTINET VIDEO LIBRARY**

<https://video.fortinet.com>

**FORTINET BLOG**

<https://blog.fortinet.com>

**CUSTOMER SERVICE & SUPPORT**

<https://support.fortinet.com>

**FORTINET TRAINING & CERTIFICATION PROGRAM**

<https://www.fortinet.com/training-certification>

**FORTINET TRAINING INSTITUTE**

<https://training.fortinet.com>

**FORTIGUARD LABS**

<https://www.fortiguard.com>

**END USER LICENSE AGREEMENT**

<https://www.fortinet.com/doc/legal/EULA.pdf>

**FEEDBACK**

Email: [techdoc@fortinet.com](mailto:techdoc@fortinet.com)



April 16, 2026

FortiManager 8.0.0 Microsoft Hyper-V Administration Guide

02-800-1280086-20260416

# TABLE OF CONTENTS

<b>Change log</b> .....	<b>4</b>
<b>About FortiManager on Microsoft Hyper-V</b> .....	<b>5</b>
Licensing .....	5
Trial license .....	6
Add-on license .....	6
Licensing in an air-gap environment .....	6
<b>Preparing for deployment</b> .....	<b>7</b>
Minimum system requirements .....	7
Enabling FortiAnalyzer features .....	7
Using FortiManager as a FortiGuard distribution server .....	8
Registering your FortiManager-VM .....	8
Deployment package for Microsoft Hyper-V .....	9
Downloading a deployment package .....	9
<b>Deployment</b> .....	<b>11</b>
Deploying FortiManager on Microsoft Hyper-V .....	11
Creating the virtual machine .....	11
Configuring hardware settings .....	13
Starting the virtual machine .....	16
Configuring initial settings .....	17
Enabling GUI access .....	17
Connecting to the GUI and enabling a trial license .....	18
Upgrading to an add-on license .....	19
Configuring your FortiManager .....	19

# Change log

Date	Change description
2026-04-21	Initial release of FortiManager 8.0.0.

# About FortiManager on Microsoft Hyper-V

This document provides information about deploying a FortiManager virtual appliance in Microsoft Hyper-V server environments.

This includes how to configure the virtual appliance's virtual hardware settings. This guide presumes that the reader has a thorough understanding of virtualization servers.

This document does not cover configuring and operating the virtual appliance after successfully installing and starting it. For that information, see the [FortiManager Administration Guide](#).

## Licensing

Fortinet offers the FortiManager-VM with a limited, free trial license. Stackable licenses can be purchased, letting you expand your VM solution as your environment expands. You can purchase perpetual or subscription-based licenses. Perpetual licenses never expire.

For information on purchasing a FortiManager-VM license, contact your Fortinet-authorized reseller, or visit [How To Buy](#).

When configuring your FortiManager-VM, ensure that you configure hardware settings according to the minimum system requirements and consider future expansion. Contact your Fortinet-authorized reseller for more information.

License	Devices/VDOMs	GB/day of logs with FortiAnalyzer enabled (not stackable)
Trial License	3	0 FortiAnalyzer features not supported
VM-10-UG	+10	2
VM-100-UG	+100	5
VM-1000-UG	+1000	10
VM-5000-UG	+5000	25
VM-10K-UG	+10000	50

See [Minimum system requirements on page 7](#).

See also the [FortiManager product datasheet](#).

## Trial license

With a FortiCare account, FortiManager-VM includes a free limited non-expiring trial license.

The free trial license includes support to add 3 devices/VDOMS and use 3 ADOMs.

The free trial license does not include services or support.

You can activate the trial license when you connect to the GUI for the FortiManager-VM. Full-feature products and services are available for purchase with an add-on license. See [Connecting to the GUI and enabling a trial license on page 18](#).

## Add-on license

You must activate a trial license before you can upgrade FortiManager-VM to a purchased add-on license.

See also the [FortiManager VM Trial License Guide](#) on the [Document Library](#).

## Licensing in an air-gap environment

Enabling the trial license requires internet access. This is used to connect to FortiCloud and your FortiCare account on the Technical Support Site. It is also used to receive the license agreement. If you are licensing in an air-gap environment, see [Licensing in an air-gap environment in the FortiManager Administration Guide](#).

# Preparing for deployment

You can prepare for deployment by reviewing the following information:

- [Minimum system requirements](#)
- [Registering your FortiManager-VM](#)
- [Deployment package for Microsoft Hyper-V on page 9](#)
- [Downloading a deployment package](#)

## Minimum system requirements

 FortiManager-VM has a minimum requirement of 4 CPU, 8 GB of RAM, and 500 GB of disk storage. In 7.2.5 and later and 7.4.1 and later, the minimum requirement for RAM is increased to 16 GB.

The following table includes example minimum system requirements for your VM hardware based on the number of devices/VDOMs that your VM will manage. This table is not inclusive of all scenarios and is based on the minimum requirements introduced in version 7.4.1.

Maximum devices/ VDOMs	VM hardware requirements	
	RAM (GB)	CPU cores
100	16	4
300	16	6
1200	32	6
4000	64	16
10000	128	24



This table does not take into account other hardware specifications, such as bus speed, CPU model, or storage type.

## Enabling FortiAnalyzer features

Enabling FortiAnalyzer features requires additional resources.

See the minimum system requirements for FortiAnalyzer-VM as a guideline for how many additional resources your deployment may require.

## Using FortiManager as a FortiGuard distribution server

When FortiManager is configured as a FortiGuard Distribution Server (FDS), memory usage can increase significantly when large query rating service databases are loaded into memory.

The total required memory for a FortiManager-VM is the sum of the minimum system requirements plus two times the total size of all rating databases that have preloading enabled.

For more information, see [FortiManager performance and sizing in closed networks](#).

## Registering your FortiManager-VM


After placing an order for a FortiManager-VM, you receive a license registration code to the email address that you used in the order form. Use the license registration code provided to register the FortiManager-VM with [Customer Service & Support](#).

Upon registration, you can download the license file. You need this file to activate your FortiManager-VM. You can configure basic network settings from the CLI to complete the deployment. Once the license file is uploaded and validated, the CLI and GUI are fully functional.

For more information on registering assets in FortiCloud, see the [FortiCloud Asset Management Guide](#).

### To register your FortiManager:

1. Ensure that you have the following items needed to complete the procedure:
  - License registration code emailed to you after you placed an order for a FortiManager-VM
  - Support contract number
  - A static FortiManager IPv4 address
2. Log in to [FortiCloud](#) using a support account, or create an account.
3. In the main page, select *Register Now*.
4. Enter the registration code from the FortiManager license certificate emailed to you, select the *End User Type*, then click *Next*.
5. Enter an optional product description and the static IP address that will be used during license validation, then click *Next*.

 As a part of the license validation process, the FortiManager-VM compares its configured IP addresses with the IP address information in the license file. The license must be associated with an IP address assigned to one of the interfaces on the FortiManager. If a new license has been imported or the FortiManager's associated IP address has changed, you must reboot the FortiManager for the system to validate the change and operate with a valid license.

 The [FortiCloud](#) portal does not support IPv6 for FortiManager license validation. You must specify an IPv4 address in the support portal and the port management interface.

6. Review your asset details and accept the terms of the contract, then click *Confirm*.

7. From the *Registration Completed* page, you can download the FortiManager license file, select *Register More* to register another FortiManager, or select *Done* to complete the registration process.
8. Select *License File Download* to save the license file (.lic) to your management computer.
  - In FortiCloud, you can also download your license file by selecting your FortiManager in *Products > Product List* and selecting the license file under *Product Information*.

## Deployment package for Microsoft Hyper-V

FortiManager deployment packages are included with firmware images on the [Customer Service & Support site](#). The following table list the available VM deployment package.

VM Platform	Deployment File
Microsoft Hyper-V Server 2012 and 2016	FMG_VM64_HV-vX-buildxxxx-FORTINET.out.hyperv.zip

The .out.hyperv.zip file contains:

- FMG.vhd: The FortiManager system hard disk in VHD format. The log disk and virtual hardware settings have to be configured manually.

For more information FortiManager, see the FortiManager [datasheet](#).

## Downloading a deployment package

Firmware image FTP directories are organized by firmware version, major release, and patch release. The firmware images in the directories follow a specific naming convention. Each firmware image is specific to the device model.

For example, the FMG\_VM64\_HV-v8.0.0-buildxxxx-FORTINET.out.hyperv.zip image, found in the 8.0.0 directory, is specific to the 64-bit Microsoft Hyper-V Server virtualization environment.



You can download the *FortiManager Release Notes* and MIB file from this directory. The Fortinet Core MIB file is located in the *FortiManager > Download* tab.



Download the .out file to upgrade your existing FortiManager installation.

### To download the deployment package:

1. Log in to the [FortiCloud portal](#) and select your account if applicable.
2. From the top menu bar, select *Support > Firmware Downloads*.
3. From the *Select Product* dropdown, select *FortiManager*. Then select the *Download* tab underneath the dropdown.
4. Browse to the appropriate directory for the version that you would like to download.

5. Download the appropriate firmware image and release notes to your management computer.
6. Extract the contents of the package to a new folder on your management computer.

# Deployment

Prior to deploying the FortiManager, the VM platform must be installed and configured so that it is ready to create virtual machines. The installation instructions for FortiManager presume that you are familiar with the management software and terminology of your VM platform.

You might also need to refer to the documentation provided with your VM server. The deployment information in this guide is provided as an example because, for any particular VM server, there are multiple ways of creating a virtual machine - command line tools, APIs, alternative graphical user interface tools.

Before you start your FortiManager appliance for the first time, you might need to adjust virtual disk sizes and networking settings. The first time you start FortiManager, you will have access only through the console window of your VM server environment. After you configure one network interface with an IP address and administrative access, you can access the FortiManager GUI (see [Enabling GUI access on page 17](#)).


## Deploying FortiManager on Microsoft Hyper-V

After you download the `FMG_VM64_HV-vX-buildxxxx-FORTINET.out.hyperv.zip` file and extract the package contents to a folder on your Microsoft server, you can deploy the VHD package to your Microsoft Hyper-V environment.


## Creating the virtual machine

**To create the virtual machine:**

1. Launch the Hyper-V Manager in your Microsoft server. The *Hyper-V Manager* homepage opens.
2. Select the server in the right tree menu. The server details page opens.
3. Right-click the server and select *New > Virtual Machine*, or in the *Actions* menu, select *New > Virtual Machine*. The *New Virtual Machine Wizard* opens.



4. Configure the VM:
  - a. Click *Next* to create a VM with a custom configuration. The *Specify Name and Location* page opens.
  - b. Enter a name for this VM. The name displays in the Hyper-V Manager.
  - c. Click *Next* to continue to the *Specify Generation* page.
  - d. Select *Generation 1*. Generation 2 is currently not supported.
  - e. Click *Next* to continue to the *Assign Memory* page.
  - f. Specify the amount of memory to allocate to this VM. See [Minimum system requirements on page 7](#) to determine your required memory.
  - g. Click *Next* to continue to the *Configure Networking* page.
  - h. You must configure network adapters in the *Settings* page. Each new VM includes a network adapter. You can configure the network adapter to use a virtual switch, or it can remain disconnected. FortiManager requires four network adapters.
  - i. Select *Next* to continue to the *Connect Virtual Hard Disk* page.




- j. Select to use an existing virtual hard disk and browse for the `fmg.vhd` file that you downloaded from the [Fortinet Customer Service & Support](#) portal.
5. Select *Next* to continue to the *Summary* page.
6. To create the VM and close the wizard, select *Finish*.

## Configuring hardware settings

Before powering on your FortiManager-VM, you must configure the virtual processors, memory, network adapters, and hard disk to match your FortiManager license. See [Licensing on page 5](#) for FortiManager license information.

To open the *Settings* page, in the Hyper-V Manager, right-click the VM name and select *Settings*, or select the VM then click *Settings* from the *Actions* menu.




VM platforms may automatically restart or prompt you to restart when resizing an active VM. As a precaution to prevent database corruption and preserve data in FortiManager, it is best to perform a graceful shutdown before resizing. For more information, see the [FortiManager Best Practices Guide](#).

### To configure virtual memory:

1. In the *Settings* page, select *Memory* from the *Hardware* menu. The *Memory* page displays.
2. Configure the VM memory. See [Minimum system requirements on page 7](#) to determine your required memory.
3. Click *Apply* to save your settings.

### To configure virtual processors:


1. In the *Settings* page, select *Processor* from the *Hardware* menu. The *Processor* page displays.



2. Configure the number of virtual processors for the VM. Optionally, you can use resource controls to balance resources among VMs.
3. Click *Apply* to save your settings.


### To configure network adapters:

1. In the *Settings* page, select *Add Hardware* from the *Hardware* menu.
2. From the device list, select *Network Adapter*, then click *Add*. The *Network Adapter* page opens.



3. Manually configure four network adapters in the settings page. For each network adapter, select a virtual switch from the dropdown list.
4. Click *Apply* to save your settings.

### To configure the virtual hard disk:

 The FortiManager-VM requires at least two virtual hard disks. Before powering on the FortiManager-VM, you must add at least one more virtual hard disk (ideally above 500 GB).

The VM should therefore be configured with the following disks:

- The default hard drive, *fmg.vhd*, that contains the OS and **should not** be modified. In this example, the default hard drive is referred to as Disk1.
- One or more additional disks, for example Disk2 and Disk3, used by LVM for logs, reports, swap, and other storage requirements.

The default virtual hard disk storage size (Disk1) should not be modified to increase capacity. Only increasing Disk2, Disk 3, or adding extra disks will extend LVM disk on the FortiManager-VM.



If you know your environment will expand in the future, adding hard disks larger than the 500 GB base license requirement is recommended. This allows your environment to expand as required while not taking up more space in the Storage Area Network (SAN) than is needed.




The FortiManager-VM allows you to add fifteen virtual log disks to a deployed instance. When adding additional hard disks, use the following CLI command to extend the LVM logical volume:


```
execute lvm extend
```

For more information about this command, see the [FortiManager CLI Reference](#).

1. In the *Settings* page, select *IDE Controller 0* from the *Hardware* menu.
2. Select the type of drive that you want to attach to the controller, then click *Add*. The *Hard Drive* page opens.




3. Click *New* to create a new virtual hard disk. The *New Virtual Hard Disk Wizard* opens to help you create a new virtual hard disk.
4. Configure the new virtual hard disk:
  - a. Click *Next* to continue to the *Choose Disk Format* page.
  - b. Select to use VHDX format virtual hard disks. This format supports virtual disks up to 64 TB and is resilient to consistency issues that may occur from power failures. Operating systems earlier than Windows Server 2012 do not support this format.
  - c. Click *Next* to continue to the *Choose Disk Type* page.



- d. Select the type of virtual disk you want to use, one of the following:
  - **Fixed Size:** This type of disk provides better performance and is recommended for servers running applications with high levels of disk activity. The virtual hard disk file that is created initially uses the size of the virtual hard disk and does not change when data is deleted or added.
  - **Dynamically Expanding:** This type of disk provides better use of physical storage space and is recommended for servers running applications that are not disk intensive. The virtual disk file that is created is small initially and changes as data is added.
  - **Differencing:** This type of disk is associated in a parent-child relationship with another disk that you want to leave intact. You can make changes to the data or operating system without affecting the parent disk, so that you can revert the changes easily. All children must have the same virtual hard disk format as the parent (VHD or VHDX).
- e. Click *Next* to continue to the *Specify Name and Location* page.

- f. Specify the name and location of the virtual hard disk file. Use the *Browse* button to select a specific file folder on your server.
- g. Click *Next* to continue to the *Configure Disk* page.




- h. Select *Create a new blank virtual hard disk*, then enter the size of the disk in GB. The maximum size depends on your server environment.
5. Click *Next* to continue to the *Summary* page. The summary page provides details about the virtual hard disk.
6. Click *Finish* to create the virtual hard disk, then click *Apply* to save the settings, and then click *OK* to exit the settings page.

## Starting the virtual machine

You can now proceed to power on your FortiManager.

### To start the FortiManager-VM:

1. In the list of VMs, right-click the FortiManager-VM name and select *Start*.
2. Select the FortiManager-VM from the list of VMs, then click *Start* from the *Actions* menu.



After the VM starts, proceed with the initial configuration. See [Configuring initial settings](#) on page 17.


## Configuring initial settings

Before you can connect to the FortiManager-VM, you must configure basic network settings via the CLI console. Once configured, you can connect to the FortiManager GUI.

## Enabling GUI access

To enable GUI access to the FortiManager, you must configure the IP address and network mask of the appropriate port on the FortiManager. To enable access to the GUI from a browser, HTTP and HTTPS access must be enabled as well. In FortiManager 7.4.2 and later, you must also change the mode from dhcp to static.

The following instructions use port 1.

 You can determine the appropriate port by matching the network adapter's MAC address and the HWaddr that the CLI command `diagnose fmnetwork interface list` provides.

In FortiManager 7.4.2 and later, the default configuration for port 1 is as follows:

```
config system interface
  edit port1
    set mode dhcp
```

```
    set allowaccess https ssh
    set type physical
  next
end
```

### To configure the port1 IP address and netmask:

1. In your hypervisor manager, start the FortiManager and access the console window. You might need to press *Enter* to see the login prompt.
2. At the FortiManager login prompt, enter the username *admin*, then press *Enter*.  
By default, there is no password.
3. Enter and confirm a new password.

There is a default password policy in FortiManager 7.6.4 and later. The new password must be at least 8 characters and must contain uppercase letter(s), lowercase letter(s), number(s), and special character(s). For more information about configuring the password policy once you have access, see the FortiManager Administration Guide in the [Fortinet Document Library](#).

4. Using CLI commands, configure port 1.

```
config system interface
  edit port1
    set mode static <--- this variable only needs to be configured in FortiManager v7.4.2
    and later
    set ip <IP address> <netmask>
    set allowaccess http https <--- other management access, such as SSH, can be included
    in the list as well
  next
end
```

For more information about CLI commands, see the FortiManager CLI Reference in the [Fortinet Document Library](#).



The port management interface should match the first network adapter and virtual switch that you have configured in the hypervisor VM settings.

5. To configure the default gateway, enter the following commands:

```
config system route
  edit 1
    set device port1
    set gateway <gateway_ipv4_address>
  end
```



The Customer Service & Support portal does not currently support IPv6 for FortiManager license validation. You must specify an IPv4 address in the support portal and the port management interface.

## Connecting to the GUI and enabling a trial license

Once you have configured a port's IP address and network mask, you can connect to the GUI by using a web browser.

Enabling the trial license requires internet access. This is used to connect to FortiCloud and your FortiCare account on the Technical Support Site. It is also used to receive the license agreement. If you are licensing in an air-gap environment, see [Licensing in an air-gap environment in the FortiManager Administration Guide](#).

**To connect to the GUI and enable a trial license:**

1. Launch a web browser, and enter the IP address you configured for the port management interface.
2. At the login page, select *Free Trial*, and click *Login with FortiCloud* to start the process of activating your free trial license.

If you do not have a FortiCloud account, click *Register with FortiCloud* to create one.

See also the [FortiManager VM Trial License Guide](#) on the [Document Library](#).

## Upgrading to an add-on license

You must activate a trial license before you can upgrade FortiManager-VM to a purchased add-on license.

See also the [FortiManager VM Trial License Guide](#) on the [Document Library](#).

## Configuring your FortiManager

Once the FortiManager license has been validated, you can configure your device.



If the amount of memory or number of CPUs is too small for the VM, or if the allocated hard drive space is less than the licensed VM storage volume, warning messages show in the GUI in the *System Resources* widget on the dashboard and in the *Notification* list.

For more information on configuring your FortiManager, see the [FortiManager Administration Guide](#).



[www.fortinet.com](http://www.fortinet.com)

Copyright © 2026 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's Chief Legal Officer, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.