

# r1 Release Notes

**FortiSOAR MEA 7.4.0**





**FORTINET DOCUMENT LIBRARY**

<https://docs.fortinet.com>

**FORTINET VIDEO GUIDE**

<https://video.fortinet.com>

**FORTINET BLOG**

<https://blog.fortinet.com>

**CUSTOMER SERVICE & SUPPORT**

<https://support.fortinet.com>

**FORTINET TRAINING & CERTIFICATION PROGRAM**

<https://www.fortinet.com/training-certification>

**NSE INSTITUTE**

<https://training.fortinet.com>

**FORTIGUARD CENTER**

<https://www.fortiguard.com>

**END USER LICENSE AGREEMENT**

<https://www.fortinet.com/doc/legal/EULA.pdf>

**FEEDBACK**

Email: [techdoc@fortinet.com](mailto:techdoc@fortinet.com)



March, 2023

FortiSOAR MEA 7.4.0 r1 Release Notes

00-400-000000-20201131



# TABLE OF CONTENTS

<b>Change Log</b> .....	<b>4</b>
<b>FortiSOAR MEA 7.4.0 r1 Release Notes</b> .....	<b>5</b>
Supported Models and system requirements for FortiSOAR MEA .....	5
<b>What's New</b> .....	<b>6</b>
<b>Special Notices</b> .....	<b>7</b>
<b>Upgrade Information</b> .....	<b>8</b>
<b>Product Integration and Support</b> .....	<b>9</b>
Supported FortiManager versions .....	9
<b>Resolved Issues</b> .....	<b>10</b>



# Change Log

Date	Change Description
2023-03-24	Initial release of FortiSOAR MEA version 7.4.0



# FortiSOAR MEA 7.4.0 r1 Release Notes

This document provides information about FortiSOAR MEA (management extension application) version 7.4.0 r1.

## Supported Models and system requirements for FortiSOAR MEA

- FortiSOAR MEA is supported on FortiManager models 3000F series and above.
- FortiSOAR MEA is supported on FortiManager VM. The minimum system requirements for FortiSOAR MEA are 4 CPUs and 8 GB RAM, and the recommended system requirements for production are 8 CPUs and 32 GB RAM.



---

From FortiManager version 7.0.0, there is a capping of 50% on RAM and CPU for MEAs. This means if FortiManager has 8 CPUs and 16 GB RAM, then only 4 CPUs and 8 GB RAM will be available to MEAs. Note that these 4 CPUs and 8 GB RAM will be used for all the MEAs, and not just for the FortiSOAR MEA. Therefore, users need to ensure that they provision FortiManager with sufficient resources to meet the minimum (default) configuration of 4 CPU cores and 8 GB RAM, which would mean that should be deployed FortiManager with a minimum of 8 CPUs and 16 GB RAM.

However, to use FortiSOAR MEA at the production volume, it is recommended to provide the standard configuration of 8 CPUs and 32 GB RAM, and depending on the number of running applications, you must increase the resources on FortiManager.

For example, if you are running only FortiSOAR MEA at a production volume, i.e., at the standard configuration of 8 CPUs and 32 GB RAM on FortiManager, then ensure that FortiManager has a minimum configuration of 16 CPUs and 64 GB RAM.

---

- FortiSOAR MEA must be licensed appropriately for use in production.  
**Note:** By default, FortiSOAR MEA includes a Trial (Extension) License. The trial mode is limited by 2 users that can use FortiSOAR MEA for a maximum of 300 actions a day.



## What's New

No important features or enhancements are added in FortiSOAR MEA version 7.4.0 r1.



## Special Notices

This section highlights some of the operational changes that administrators should be aware of in FortiSOAR MEA 7.4.0 r1. Release 7.4.0 does not have any operations changes that need to be highlighted to administrators.



## Upgrade Information

When a new image is available, you can upgrade the FortiSOAR MEA on FortiManager using the following command:

```
FMG-VM64 # diagnose docker upgrade fortisoar
```



# Product Integration and Support

This section identifies FortiSOAR MEA 7.4.0 r1 support of other Fortinet products.

## Supported FortiManager versions

This section identifies FortiSOAR MEA 7.4.0 r1 product integration and support information:

FortiManager	7.2.2
--------------	-------



## Resolved Issues

No important defects are addressed in FortiSOAR MEA (management extension application) version 7.4.0 r1.





[www.fortinet.com](http://www.fortinet.com)

Copyright© 2023 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.